

BIBLIOGRAPHY OF PHARMACEUTICAL RESEARCH

Compiled by A. G. DuMez, Reporter on the Progress of Pharmacy.

All articles in these lists will be presented in abstract form in the bound volumes of the Year Book, which is issued annually. Those desiring abstracts immediately can obtain them for a fee of one dollar each by communicating with A. G. DuMez, University of Maryland, School of Pharmacy, N. W. cor. Lombard and Greene Sts., Baltimore, Maryland.

APPARATUS AND MANIPULATIONS.

Wruble, Milton
Studies in percolation
Jour. A. Ph. A., 22 (1933), 641

Officina, 5 (1932), 261; through *J. Soc. Chem. Ind.*, 52 (1933), 523

Regnier, Jean, et al.
Loss in anesthetic power of cocaine solutions under the influence of heat and prolonged storage

Bull. sci. pharmacol., 40 (1933), 353

Tonn, O.
Use of yeast preparations in the making of pills
Pharm. Zentralh., 74 (1933), 377

PHARMACOPÆIAS AND FORMULARIES.

Anon.
Review of the new Danish Pharmacopœia
Pharm. J., 131 (1933), 31
Stainier, Carl
Some remarks on the Belgian Pharmacopœia IV
J. pharm. Belg., 15 (1933), 441, 459

PHARMACOLOGY, TOXICOLOGY AND THERAPEUTICS.

PHARMACEUTICAL PREPARATIONS.

Azzolini, B.
Liquid extract of equisetum
Officina, 5 (1932), 80; through *Chem. Abstr.*, 27 (1933), 3289
Eschenbrenner, H.
Sterilization of sodium bicarbonate solution
Pharm. Zentralh., 74 (1933), 396
Gore, L. F.
Tincture of hyoscyamus
Pharm. J., 130 (1933), 483
Hersant, E. F., and Linnell, W. H.
Stability of ergot preparations
Pharm. J., 131 (1933), 3
Jorek, E.
New ointment bases
Pharm. Ztg., 78 (1933), 667
Lum, E. A.
Arsenical solution, B. P., 1932
Pharm. J., 130 (1933), 412
Neuman, Alfred
Spirit of ethyl nitrite
Pharm. Ztg., 78 (1933), 682
Obergard, I. A.
Preparation of Burow's solution
Khin. Farm. Prom. (1933), 19-22; through *Chem. Abstr.*, 27 (1933), 3289
Pajetta, E.
Changes and keeping qualities of ferrous iodide syrups

Barbour, Henry G., and Fisk, Merlin E.
Liver damage in dogs and rats after repeated oral administration of cinchophen, tolysin and sodium salicylate

J. Pharmacol. & Exper. Therap., 48 (1933), 341
Chen, K. K., et al.

Pharmacological action of peimine and peiminine

Jour. A. Ph. A., 22 (1933), 638
Christensen, B. V., and Lynch, H. J.

Effect of anthelmintics on the host. I. Tetra-chlorethylene. II. Hexylresorcinol

J. Pharmacol. & Exper. Therap., 48 (1933), 311
Cutting, W. C., et al.

Action and uses of dinitro-phenol

J. A. M. A., 101 (1933), 193

Defendorf, James H.

Studies on the bioassay of digitalis: Frog methods

Jour. A. Ph. A., 22 (1933), 599

Fouts, P. J., and Zerfas, L. G.

Liver-gastric tissue preparations in treatment of pernicious anemia

J. A. M. A., 101 (1933), 188

Geiger, J. C.

Methylene blue solutions in potassium cyanide poisoning

J. A. M. A., 101 (1933), 269

Gersdorff, W. A.

Comparison of the toxicity of nicotine and anabasine

J. Am. Chem. Soc., 55 (1933), 2941

- Gutman, Alexander B., *et al.*
Comparison of effect of diiodotyrosine and inorganic iodine in hyperthyroidism
J. A. M. A., 101 (1933), 256
- Magidson, O. J., and Strukow, I. Th.
Derivatives of 8-aminoquinoline as antimalarial preparations
Arch. Pharm., 271 (1933), 359
- Offerhaus, C., and Baert, C. G.
Anesthetics, particularly cocaine and novocaine
Pharm. Weekbl., 70 (1933), 617, 655
- Rappaport, B. Z., and Reed, C. I.
Effect of viosterol of high potency in hay fever and related conditions
J. A. M. A., 101 (1933), 105
- Rath, Erich, and Schunck, C.
Hypnotic properties of cyclopentenyl-ethylbarbituric acid
Münch. med. Wochenschr., 80 (1933), 564; through *Chem. Abstr.*, 27 (1933), 3288
- Regnier, M. T., and Simonnet, H.
Contribution to the biologic assay of the parathyroid hormone
J. pharm. chim., 17 (1933), 560
- Roe, Harold E.
Fatal case of methemoglobinemia following the administration of bismuth subnitrate
J. A. M. A., 101 (1933), 352
- Schlenk, W., *et al.*
Synthetic experiments in the series of sterols and sexual hormones
J. Soc. Chem. Ind., 52 (1933), 209T
- Wells, C. Alex.
Reaction after the injection of sodium morrhuate
Brit. Med. J. (1933), 674
- BOTANY AND PHARMACOGNOSY.**
- Ajello, T.
Investigations on the active principle in *Attractylis gummifera*
Gazz. chim. ital., 63 (1933), 99; through *Chem. Abstr.*, 27 (1933), 3556
- Dieterle, H., and Kaiser, Ph.
Constituents of the rhizome of *Curcuma domestica*
Arch. Pharm., 271 (1933), 337
- Fuji, K., and Shimada, H.
Constituents of the root of *Sanguisorba officinalis L.*
J. Pharm. Soc. Japan, No. 616 (1933), 120
- Hayden, Alice H., and Jordan, C. B.
Chemical study of Ma Huang
Jour. A. Ph. A., 22 (1933), 616
- Henrotin, Marie
Contribution to the study of *Strophanthus* seed
J. pharm. Belg., 15 (1933), 479
- Jaretzky, R., and Kühne, F.
Pharmacognosy of *Tanacetum vulgare*
Arch. Pharm., 271 (1933), 353
- Kofler, L., and Marek, M.
Sarsaparilla in the new German Pharmacopoeia
Pharm. Monatsh., 14 (1933), 127
- Martin-Sans, E., and Mathou, Thérèse
Falsified angustura
Bull. sci. pharmacol., 40 (1933), 350
- ALKALOIDS AND GLUCOSIDES.**
- Biedebach, Felix
Note on the Helch reaction for pilocarpine
Apoth.-Ztg., 48 (1933), 723
- Craig, L. C.
New synthesis of nornicotine and nicotine
J. Am. Chem. Soc., 55 (1933), 2854
- Heldt, L. J., and Forbes, G. S.
Absorption and fluorescence spectra of the acid sulphates of quinine and ten derivatives in aqueous sulphuric acid solution
J. Am. Chem. Soc., 55 (1933), 2701
- Jermstad, Axel, and Östby, Ottar
Iodometric determination of caffeine
Dansk Tids. Farm., 7 (1933), 117
- Kofler, L., and Kofler, A.
Melting point and crystal forms of morphine
Arch. Pharm., 271 (1933), 387
- Mohs, Paul
Glucosides of *Digitalis lanata*
Arch. Pharm., 271 (1933), 393
- Orechoff, A.
Alkaloids of *Berberis heteropoda*
Arch. Pharm., 271 (1933), 323
- Sabatucci, Nicoletta
Detection of quinotoxine in some cinchona barks and in galenical preparations
Scienza farm., 1 (1933), 4; through *Chem. Abstr.*, 27 (1933), 3556
- Stoll, A., and Kreis, W.
Digitalis glucosides
Bull. sci. pharmacol., 40 (1933), 321
- OILS, FATS AND WAXES.**
- Fiero, George W.
Chemical examination of the oil of ergot
Jour. A. Ph. A., 22 (1933), 608
- Royce, H. D.
Stability of fats and oils
Ind. Eng. Chem., Analyt. Edit., 5 (1933), 244

ESSENTIAL OILS.

- Anon.
Aniseed, fennel and star-anise oil
Parf. France, 11 (1933), 106; through *Pharm. J.*, 131 (1933), 37
Dafert, O., and Capesius, V.
Oil of Chenopodium ambrosioides
Pharm. Presse, Wissensch. Heft., 38 (1933), 69
Louveau, G.
Aging and altering of essential oils
Rev. marq. parfum. savon (1932), Nos. 1-6; through *Chem. Abstr.*, 27 (1933), 3556
Reed, R. M.
Identification of phenols in essential oils
Perf. & Ess. Oil Rec., 24 (1933), 190
Vignoli, L.
Estimation of crystallizable apiole
Bull. sci. pharmacol., 40 (1933), 344

ANALYTICAL METHODS AND RESULTS.

- Benedetti-Pichler, A. A., and Schneider, Frank
Quantitative isolation of ether from dilute solutions
Ind. Eng. Chem., Analyt. Edit., 5 (1933), 255
Collins, W. D., et al.
Recommended specifications for analytical reagent chemicals
Ind. Eng. Chem., Analyt. Edit., 5 (1933), 288
Fischer, G. G.
Colorimetric investigation of the saffron test
Apoth.-Ztg., 48 (1933), 747
Guerbet, André
Remarks on the estimation of iodine by the Carius method
J. pharm. chim., 17 (1933), 556
Gutman, A. B., et al.
Assay of thyroid by chemical estimation of the thyroxine content
Proc. Soc. Exptl. Biol. Med., 29 (1932), 1198; through *Chem. Abstr.*, 27 (1933), 3555
Haines, R. T. M.
Variation in samples of sodium morrhuate
Lancet (1933), 5, 719, 748
Jenkins, Glenn L., and Hoshall, Edward M.
Assay of N. F. preparations containing pepsin
Jour. A. Ph. A., 22 (1933), 625
Munro, A. C., and Seifert, R.
Estimation of pepsin
Pharm. J., 130 (1933), 432
Noto, F., and Perciabosco, F.
New method for the identification of oxalic acid in citric acid
Ann. chim. applicata, 23 (1933), 21; through *Chem. Abstr.*, 27 (1933), 3287

- Palmer, W. W., and Leland, J. P.
Observations on Mörch's method for the standardization of thyroid preparations
Proc. Soc. Exptl. Biol. Med., 29 (1932), 1195; through *Chem. Abstr.*, 27 (1933), 3555
Raquet, D., and Pinte, P.
Rapid iodometric estimation of phosphites and hypophosphites individually or in mixtures
J. pharm. chim., 18 (1933), 5
Rohmann, C.
Contribution to the quantitative analysis of aluminum acetate solution
Pharm. Zentralh., 74 (1933), 393
Vishnesvska, K.
Determination of phenolphthalein in tablets
Farm. Zhur. (1933), 77
Weissmann, G.
Determination of phenacetin, aspirin and antifebrin
Z. anal. Chem., 93 (1933), 31; through *Chem. Abstr.*, 27 (1933), 3557

INORGANIC CHEMICALS.

- Goris, A., and Richard, F.
Zinc peroxides of commerce
Bull. sci. pharmacol., 40 (1933), 336

ORGANIC CHEMICALS.

- Florence, G.
Acetophenone and some of its derivatives
Bull. sci. pharmacol., 40 (1933), 325
Gardner, J. H., et al.
Anesthetics containing the morpholine ring. II
J. Am. Chem. Soc., 55 (1933), 2999
Gulati, K. Ch., et al.
Antiseptics and anthelmintics. I. 1-Alkyl-2-naphthol
J. prakt. Chem., 137 (1933), 47; through *Chem. Abstr.*, 27 (1933), 3558
Hinegardner, W. S.
Racemization of chaulmoogric and hydnocarpic acids
J. Am. Chem. Soc., 55 (1933), 2831
Leger, E.
Hydrolysis of the aloins
J. pharm. chim., 18 (1933), 25
Milshtein, A., and Rozenberg, G.
Preparation of ether for anesthesia
Farm. Zhur. (1933), 77
Rising, M. M., et al.
Synthesis of colored derivatives of phenobarbital
J. Am. Chem. Soc., 55 (1933), 2817
Wagner, Jauregg, Th.
Chemistry of the vitamins
Arch. Pharm., 271 (1933), 369