BIBLIOGRAPHY OF PHARMACEUTICAL RESEARCH

Compiled by A. G. DuMez, Reporter on the Progress of Pharmacy.

All articles in these lists will be presented in abstract form in the bound volumes of the YEAR BOOK, which is issued annually. Those desiring abstracts immediately can obtain them for a fee of one dollar each by communicating with A. G. DuMez, University of Maryland, School of Pharmacy, N. E. cor. Lombard and Greene Sts., Baltimore, Maryland.

APPARATUS AND MANIPULATIONS.

Anon.

Tube filling machine for manufacturing pharmacists

Pharm. Zentralh., 71 (1930), 711

Self, P. A. W., and Corfield, C. E.

Simple form of continuous extraction apparatus Quart. J. Pharm. & Pharmacol., 3 (1930), 408

PHARMACOPŒIAS AND FORMULARIES.

Anon.

Notes on the revision of the British Pharmaconceia

Pharm. J., 125 (1930), 429, 453, 483

Cook, E. F., and Frank, Harvey P.

Extent and use of former pharmacopæial products

JOUR. A. PH. A., 19 (1930), 1205

PHARMACEUTICAL PREPARATIONS.

Beardsley, W. J., and Bolton, F. J.

Tincture of capsicum, B. P.

Quart. J. Pharm. & Pharmacol., 3 (1930), 427

Bennett, T. C., and Bateman, F. C. L.

Diastatic power of malt and malt extract

Quart. J. Pharm. & Pharmacol., 3 (1930), 349 Berry, P. A.

Preparation and assay of Liquor plumbi subacetatis fortis

Chem. Eng. Mining Rev., 22 (1930), 421; throughJ. Soc. Chem. Ind., 49 (1930), 1045Breddin, H.

"Diakolation" of condurango bark

Pharm. Ztg., 75 (1930), 1261

Breddin, H.

"Diakolation" of the fluidextract of orange

Pharm. Ztg., 75 (1930), 1320

Briggs, W. Paul

Assay of some official iron preparations containing organic matter

JOUR. A. PH. A., 19 (1930), 1191

Conduché, E., and Grégoire, F.

Evaluation of the acidity of aromatic waters

Bull. sci. pharmacol., 37 (1930), 529

Holdermann, Richard

Assay of Liquor Aluminii acetico-tartarici and of Liquor Aluminii acetici

Pharm. Ztg., 75 (1930), 1331

Husa, William J., and Enz, W. W. F.

Stabilization of solution of arsenious and mercuric iodide, U. S. P.

Jour. A. Ph. A., 19 (1930), 1228

Milner, F. H.

Variation of specific gravity and refractive index with concentration of camphor and alcohol in spirit of camphor

Quart. J. Pharm. & Pharmacol., 3 (1930), 338 Ruszkowski, M.

Determination of camphor in spirit of camphor Bull. trav. dept. chim. inst. hyg. état. (Poland), 29 (1929), No. 2; through Chem. Abstr., 24 (1930), 5426.

Smelt, E. M.

Note on extract of colocynth

Quart. J. Pharm. & Pharmacol., 3 (1930), 433 Woutman, W. F.

Examination of cascara tablets

Pharm. Weekbl., 67 (1930), 1230.

PHARMACOLOGY, TOXICOLOGY AND THERAPEUTICS.

Aikman, John

Strychnine poisoning in children

J. A. M. A., 95 (1930), 1661

Fabre, R.

Distribution of hydrastine between the red blood corpuscles and the plasma

J. pharm. chim., 12 (1930), 339

Gallagher, T. F., and Koch, Fred C.

Quantitative assay for the testicular hormone by the comb growth reaction

J. Pharmacol. & Exper. Therap., 40 (1930), 327 Hoyle, J. C.

Further observations on the toxic effects of irradiated ergosterol

J. Pharmacol. & Exper. Therap., 40 (1930), 351

MacDonald, A. D., and Schlapp, Walter

Assay of digitalis by the cat method

Quart. J. Pharm. & Pharmacol., 3 (1930), 450

1311

Szancer, H.

Dioxypyramidon, a new analgesic Pharm. Zentralh., 71 (1930), 675

ANIMAL AND VEGETABLE DRUGS.

Bridel, and Charaux

Investigation of the color changes in plants during drying

Bull., soc. c'im. biol. (1930), 317; through Pharm. Zentralh., 71 (1930), 697 Gaal, B.

Phytochemistry of centaury

Ungar. pharm. Ges., 5 (1929), 58; through J. Soc. Chem. Ind., 49 (1930), 1003

Markwell, W. A. N., and Walker, L. J.

Colorimetric test for the evaluation of alkanet root

Pharm. J., 125 (1930), 429

Niethammer, Anneliese

Microchemical localization of phloroglucin and its derivatives in drugs

Pharm. Zentralh., 71 (1930), 673

Ogiu, Kikuo

A constituent of the rhizome of cimicifuga foetida, L., var. intermedia

Folia Pharmacol. Japan, 10 (1930), 11; through Chem. Abstr., 24 (1930), 5934

Tatu. H.

Determination of the active principles of pyrethrum extracts

Parfum. moderne, 24 (1930), 607; through Chem. Abstr., 24 (1930), 5935

Vrgoc, A.

Pharmacognosy of the peel of Rhamnus fallax, Boiss

Chem. & Drug., 112 (1930), 782

ALKALOIDS AND GLUCOSIDES.

Caines, Charles M.

Assay of stramonium leaves and tincture of strammonium

Quart. J. Pharm. & Pharmacol., 3 (1930), 342 Ekkert, Lad

Contribution to the reactions of g- and kstrophanthin

Pharm. Zentralh., 71 (1930), 724

Kolle, Finn, and Hjerlow, Trygoe

Phillyrin, a glucoside from Phillyrea species

Pharm. Zentralh., 71 (1930), 705

Paget, Marcel

New color reaction of adrenaline and adrenalone Bull. sci. pharmacol., 37 (1930), 537

Rae, J.

New colorimetric test for the estimation of adrenalin

Pharm. J., 125 (1930), 451

Self, P. A. W., and Corfield, C. E.

Determination of the total alkaloids in cinchona

Ouart. J. Pharm. &. Pharmacol., 3 (1930), 410

ESSENTIAL OILS.

Chugaev, L. A., and Chesno, Ya Z.

Dispersion of the optical rotation of essential

Trans. Sci. Chem.-Pharm. Inst. (Moscow) (1918), No. 19; through Chem. Abstr., 24 (1930), 5933

OILS, FATS AND WAXES.

Castille, A.

Contribution to the study of the constitution of ergosterol

J. pharm. Belg., 12 (1930), 991

Dyer, F. J., and Wokes, Frank

Variation in the color-test value of commercial samples of cod liver oil

Quart. J. Pharm. & Pharmacol., 3 (1930), 417 Flaschenträger, B.

Poisonous principle of croton oil Apoth.-Ztg., 45 (1930), 1401

GENERAL AND PHYSICAL CHEMISTRY.

Goldberg, Samuel

Investigation of the Dutch process for the determination of crude fiber

Quart. J. Pharm. & Pharmacol., 3 (1930), 375 Harvey, Ellery H.

Ultraviolet transmission of liquids

Jour. A. Ph. A., 19 (1930), 1173

Hendey, N. Ingham

Analysis and use of diatomite in pharmacy

Quart. J. Pharm. & Pharmacol., 3 (1930), 390 Krantz, John C., Jr.

Effect of buffering the outer phase upon the stability of certain emulsions

Jour. A. Ph. A., 19 (1930), 1181

Liversedge, S. Gordon

Gravimetric electro-deposition of metals and its application to pharmaceutical chemicals

Quart. J. Pharm. & Pharmacol., 3 (1930), 482 Morton, C.

Glass electrode studies—1. Some oxyacids of phosphorus

Quart. J. Pharm. & Pharmacol., 3 (1930), 438

Smith, E. Lester

Adjustment of achromatic indicators

Quart. J. Pharm. & Pharmacol., 3 (1930), 499

INORGANIC CHEMICALS.

Ferrey, G. J. W.

Rapid iodometric determination of iron in scale and other pharmaceutical salts

Quart. J. Pharm. & Pharmacol., 3 (1930), 471 Grippa, A.

Detection of arsenic in medicinals and a comparison of the sensitiveness of Bettendorff's and Bougault's reagents

Ann. chim. applicata, 20 (1930), 2491; through J. Soc. Chem. Ind., 49 (1930), 1045

Ortegren, R.

Assay of sodium and potassium hydroxides according to the Swedish Pharmacopæia

Pharm. Revy., 29 (1930), 647

Smith, Lester, et al.

Studies in emulsions

Quart. J. Pharm. & Pharmacol., 3 (1930), 354

Weissmann, G., and Babitsch, S.

Determination of arsenical mixtures

Pharm. Zentralh., 71 (1930), 721

ORGANIC CHEMICALS.

Dominikiewicz, M.

Estimation of guaiacol in pharmaceutical preparations

Bull. trav. dept. chim. inst. hyg. état (Poland), 32 (1930), No. 2B; through Chem. Abstr., 24 (1930), 5426

Ekkert, Lad

Contribution to the reactions of anesthesin

Pharm. Zentralh., 71 (1930), 677

Ekkert, Lad

Contribution to the reactions of atophan and novatophan

Pharm. Zentralh., 71 (1930), 678

Jones, A. J., and Glass, Norman

Iron and ammonium citrate, B. P.

Quart. J. Pharm. & Pharmacol., 3 (1930), 488 Jönsson, August

Titration of diethylmalonyl urea with phenolphthalein as indicator

Farm. Revy., 29 (1930), 674

Lagarce, F.

A new reaction of diallylmalonyl urea (dial)

J. pharm. chim., 12 (1930), 364

Morris, G. W.

Notes on the chemical assay of mercurochrome Quart. J. Pharm. & Pharmacol., 3 (1930), 455 Stainier, C.

Urea-hydrogen peroxide

J. pharm. Belg., 12 (1930), 992

Suchodolski, Jerzy

Detection of diethyl o-phthalate

Przemysl Chem., 14 (1930), 265; through Chem. Abstr., 24 (1930), 5938

Ware, Alan H.

Systematic qualitative analysis of vegetable extractives

Quart. J. Pharm. & Pharmacol., 3 (1930), 460

A POSSIBLE MORPHINE SUBSTITUTE.

In a preliminary note on the therapeutic administration of benzene-sulphonate of oxydimorphine A. Leulier and B. Pommé (Bull. acad. méd., through B. M. J.) remark that although oxydimorphine is very different from morphine pharmacologically, there is a close resemblance in chemical constitution. Kohn-Abrest states that it possesses none of the narcotic effects of morphine, but will produce clinical features characteristically absent in morphine addicts, namely, cough, vomiting, excessive intestinal peristalsis and flatulence, blood-streaked diarrhea, a rapid pulse and vascular dilation. The salt is crystalline and forms a neutral solution in water (solubility 1 in 33), which can be sterilized at 100° C., and is painless on hypodermic injection. A dose of 0.1 gram was administered to each of two guinea-pigs, the one by the mouth, and the other hypodermically; six hours later the slightly somnolent animals were killed, and the alkaloid, which had by

then disappeared from the blood, was recovered from the liver. A morphine addict, taking 0.05 Gm. per day, had 0.04 Gm. of this dose replaced by an equivalent amount of oxydimorphine. In a month it was possible to keep him on 0.005 Gm. of oxydimorphine alone. The patient had the same feeling of euphoria as with morphine, but complained of peripheral vaso-dilatation and, during the first two or three days, had two or three actions daily instead of his usual one. A patient with severe Pott's disease of the cervical vertebrae, causing root-pains in the upper limbs, obtained relief from pain for several hours with the injection of 1 ccm. of a 1 per cent solution of this drug. The authors conclude from these early experiments that oxydimorphine possesses the anæsthetic and euphoric qualities of morphine, at any rate, when administered in small doses. The euphoric action, indeed, raises the question whether, owing to the risk of a habit being formed, restrictions should not be placed on its sale.