

BIBLIOGRAPHY OF PHARMACEUTICAL RESEARCH

Compiled by A. G. DuMez, Reporter on the Progress of Pharmacy.

All articles in these lists will be presented in abstract form in the bound volumes of the Year Book, which is issued annually. Those desiring abstracts immediately can obtain them for a fee of one dollar each by communicating with A. G. DuMez, University of Maryland, School of Pharmacy, N. W. cor. Lombard and Greene Sts., Baltimore, Maryland.

APPARATUS AND MANIPULATIONS.

Amelink, F.

New sterilization method for iodoform

Pharm. Weekbl., 69 (1932), 850

Anon.

Berkefeld sieve filter

Pharm. Zentralh., 73 (1932), 379

Campbell, William G.

Modified apparatus for determination of methoxyl groups

J. Soc. Chem. Ind., 51 (1932), 590

PHARMACOPŒIAS AND FORMULARIES.

Anon.

General survey of the British Pharmacopœia, 1932

Pharm. J., 129 (1932), 25

Anon.

Critical review of the British Pharmacopœia, 1932

Pharm. J., 129 (1932), 66

PHARMACEUTICAL PREPARATIONS.

Faure, M.

Physical study of camphorated oil

J. pharm. chim., 16 (1932), 58

Golse, J.

The Pecker reaction and its relation to the presence of copper in cherry laurel water

J. pharm. chim., 16 (1932), 20

Heidt, Lawrence Joseph

Photolysis of hydrogen peroxide in aqueous solution

J. Am. Chem. Soc., 54 (1932), 2840

Langer, Alfons

Identification of synthetic menthol in ointments by the presence of methyl salicylate

Pharm. Ztg., 77 (1932), 707

Rojahn, C. A., and Herzog, Hans

Diminution in alkaloidal content of solutions and tinctures resulting from exposure to the sun and ultra-violet light

Pharm. Zentralh., 73 (1932), 401

Vieböck, F.

Estimation of mercury in mercurial ointment

Pharm. Presse, Wiss.-prakt. Heft. (1932), 47; through *Chem. Abstr.*, 26 (1932), 2871

PHARMACOLOGY, TOXICOLOGY AND THERAPEUTICS.

Brown, C. F. G.

Mucin therapy

J. A. M. A., 99 (1932), 98

Coward, K. H.

Relative vitamin A and D content of different samples of cod liver oil

Pharm. J., 129 (1932), 4

Drake, Nathan L., and Busbey, Ruth L.

Toxicity to goldfish of organic thiocyanates and isothiocyanates

J. Am. Chem. Soc., 54 (1932), 2930

Eddy, Nathan B.

Studies of morphine, codeine and their derivatives. II. Isomers of codeine

J. Pharmacol. & Exper. Therap., 45 (1932), 361

v. d. Graeff, J. D.

Relationship between physiological activity and anthraquinone derivative content of *Rhamnus Purshiana* and its extract

Pharm. Weekbl., 69 (1932), 753

Grewal, K. Singh

Action of a soluble derivative of hexylresorcinol

J. Pharmacol. & Exper. Therap., 45 (1932), 283

Holmes, Arthur D.

Report of vitamin assay committee of the A. D. M. A.

JOUR. A. PH. A., 21 (1932), 596

Hufferd, Ralph W.

Variation in physiological activity of alcohols among isomers and homologs

JOUR. A. PH. A., 21 (1932), 549

Jones, T. Duckett, and Jacobs, John Lesh

Treatment of chorea with nirvanol

J. A. M. A., 99 (1932), 18

Lamson, R. W., and Thomas, Roy

Effects of acetylsalicylic acid

J. A. M. A., 99 (1932), 107

Medical Research Council

International vitamin standards

Pharm. J., 129 (1932), 5

Moness, E., et al.

Germicidal activity of aromatic sulphides

JOUR. A. PH. A., 21 (1932), 557

Morrison, Robert W., and Bliss, A. Richard, Jr.
Strychnine-brucine ratio of nux vomica and the relative potency of these alkaloids

JOUR. A. PH. A., 21 (1932), 648

Paget, *et al.*

Localization and estimation of bismuth in the organism

J. pharm. chim., 15 (1932), 600

Parsons, Lawrence, and Harding, Warren G.

Jaundice as an untoward effect of cinchophen administration

Calif. & West. Med., 37 (1932), 30

Rojahn, C. A., and Wirth, E.

Biologic testing of fresh plant juices and their vitamin A, C and D content

Apoth.-Ztg., 47 (1932), 838, 855

Weis, Clifford R.

Toxic cirrhosis of the liver due to cinchophen compounds

J. A. M. A., 99 (1932), 21

BOTANY AND PHARMACOGNOSY.

Freudweiler, R.

Chemical composition of ergot and estimation of the active principles

Pharm. Acta Helv., 7 (1932), 116

Glesin, W. M.

Microchemical reactions of plant tissues

Pharm. Zentralh., 73 (1932), 420

Gnadinger, C. B., and Corl, C. S.

Effect of storage on pyrethrum flowers

Ind. Eng. Chem., 24 (1932), 901

Goldner, Karl

Preparation qualitative differentiation tests and methods of evaluation of the varieties of aloe

JOUR. A. PH. A., 21 (1932), 658

Harwood, A. A

Examination of the juices of the leaves of *Monarda punctata* and *M. fistulosa*

JOUR. A. PH. A., 21 (1932), 569

Miko, G.

Color reaction of aloes with nitric acid

Magyar Gyóg. Tars. Frl., 7 (1931), 499; through *J. Soc. Chem. Ind.*, 51 (1932), 622

Nakaoki, Tahitiro

Chemical constituents of the root of *Aster tartaricus* L.

J. Pharm. Soc. Japan, No. 604 (1932), 61

Nyfeldt, Aage

Liver preparations

Dansk Tids. Farm., 6 (1932), 125

Petersen, O. Chr.

Conservation of ergot

Norges Apotek. Tids., 39 (1931), 49; through *Chem Abstr.*, 57 (1932), 3873

Spies, Joseph R., and Drake, Nathan L.

Two constituents of *Parosela Barbata*

J. Am. Chem. Soc., 54 (1932), 2935

ALKALOIDS AND GLUCOSIDES.

Bugeas, C.

New reaction for aconitine and the total alkaloids of aconite

Ann. fals., 25 (1932), 147; through *J. Soc. Chem. Ind.*, 51 (1932), 623

Goris, A., and Fourmont, J.

Critical study of the estimation of morphine by the lime method

Bull. sci. pharmacol., 39 (1932), 337

Kondo, H., and Oshima, K.

Alkaloids of *Uncaria kawakamii* Hayata

J. Pharm. Soc., Japan, No. 604 (1932), 63

Mellon, M. G., and Tigelaar, J.

Titration of certain alkaloids, atropine, brucine, strychnine

JOUR. A. PH. A., 21 (1932), 672

Novak, Erno

Volumetric estimation of strophanthin

Pharm. Ztg., 77 (1932), 774

Nunes, Manuel P., and Weitz, Rene

Origin, description and pharmacological activity of a new aconite from Indo-China

Bull. sci. pharmacol., 39 (1932), 372

Ortregren, R.

Studies on cocaine hydrochloride

Farm. Revy, 31 (1932), 282, 293, 305, 317

Rosenthaler, L.

Microchemical investigation of larocaine, novocaine and tutocaine

Pharm. Ztg., 77 (1932), 726

Santos, Alfredo C., and Adkilen, Pacifica

Alkaloids of *Argemone Mexicana*

J. Am. Chem. Soc., 54 (1932), 2923

Sternon, F.

Iodometric determination of the total alkaloids of cinchona

Bull. soc. chim. Belg., 41 (1932), 85; through *J. Soc. Chem. Ind.*, 51 (1932), 576

Vacek, T.

Decomposition of adrenaline

Pub. biol. école hautes études vet Brno., 6 (1927); 7 (1928); 8 (1929); through *Chem. Abstr.*, 26 (1932), 3616

Wagenaar, M.

Color reactions of novocaine, anesthesine and derivatives

Pharm. Weekbl., 69 (1932), 727

ESSENTIAL OILS.

Allan, John, *et al.*

Determination of carvone and menthone

Perf. & Ess. Oil Rec., 23 (1932), 164

Clevenger, Joseph F.

Chemical and physical determinations on the gum and volatile oil of asafetida

JOUR. A. PH. A., 21 (1932), 668

Melville, James, and Levi, Alfred A.

Essential oil of *Wintera colorata*

J. Soc. Chem. Ind., 51 (1932), 210T

Poore, H. D.

Composition of Californian lemon and orange oils

Perf. & Ess. Oil Rec., 23 (1932), 166

OILS, FATS AND WAXES.

Burn, J. H., *et al.*

Antimony trichloride color test for cod liver oil
Analyst, 57 (1932), 302

Delaby, Raymond, and Breugnot, Yvonne

Rapid method for the determination of the acetyl value of fats

Bull. sci. pharmacol., 39 (1932), 354

Lathrap, C. A.

Iodine number and refractive index of perilla oil

Ind. Eng. Chem., 24 (1932), 826

Roberts, Willard L., and Schuette, H. A.

Determination of hydroxyl number of oils, fats and waxes

Ind. Eng. Chem., Analyt. Edit., 4 (1932), 257

ANALYTICAL METHODS AND RESULTS.

Claman, Samuel, *et al.*

Turbidimetric measurements for pharmaceutical preparations

JOUR. A. PH. A., 21 (1932), 670

Duquenois, Pierre

Detection of antipyrine in pyramidon

J. pharm. chim., 16 (1932), 28

Fernandez, O., and Socias, L.

Estimation of santonin with 2:4 dinitrophenylhydrazine

J. pharm. chim., 16 (1932), 49

Morrell, J. C., and Levine, I. M.

Determination of olefins by bromine titration

Ind. Eng. Chem., Analyt. Edit., 4 (1932), 319

Müller, Julius August

Copper numbers of some drugs

Pharm. Zentralh., 73 (1932), 450

Rohmann, C., and Gericke, P.

Evaluation of medicinal charcoals

Pharm. Ztg., 77 (1932), 652

Rojahn, C. A., *et al.*

Identification of the inorganic acids and salts

Apoth.-Ztg., 47 (1932), 715, 729

Scott, Wilfred W.

Rapid method for the determination of boron

Ind. Eng. Chem., Analyt. Edit., 4 (1932), 306

Schlemmer, F., and Siegert, M.

Use of benzidin in testing chloroform for purity
Pharm. Ztg., 77 (1932), 689

Thomis, G.

Determination of the iodine content of some pharmaceutical specialties

J. pharm. chim., 15 (1932), 597

ORGANIC COMPOUNDS.

Dehn, William M.

Salts of phenolphthalein

J. Am. Chem. Soc., 54 (1932), 2947

Ekkert, L.

Reactions of arsphenamine preparations

Magyar Gyóg. Tars. Erte., 8 (1932), 109

Ekkert, Lad.

Contribution to the reactions of adalin and bromural

Pharm. Zentralh., 73 (1932), 371

Ganassini, Domnico

Combination of taurocholic acid with guaiacol
Arch. inst. Biochim. ital., 4 (1932), 3; through
Chem. Abstr., 26 (1932), 3616

Hargreaves, George W.

Study of the incompatibility of chloral hydrate and alcohol in the presence of soluble salts

JOUR. A. PH. A., 21 (1932), 571

Leulier, A., *et al.*

Study of antimony derivatives of sodium thiopropanol sulfonate

J. pharm. chim., 15 (1932), 593

Smelt, E. M.

Solubility of chlorbutol

Pharm. J., 128 (1932), 493

Stathopoulos, T. G.

Stability of aspirin

Praktika, 6 (1931), 229; through *J. Soc. Chem. Ind.*, 51 (1932), 622

Udall, P. J.

Recognition and determination of flavines

Analyst, 57 (1932), 295

SWITZERLAND REGULATIONS APPLYING TO NEW NARCOTIC DRUGS.

Under Swiss legislation now in force the control of the trade in narcotic drugs has been extended to cover acedicone (acetyldihydrocodeinone or acetyldemethylodihydrothebaine) and its salts as well as all preparations containing acedicone or its salts; codeine (methylnorphine) and dionine (ethylmorphine) and their salts. These products, therefore, now require a license in order to be imported into or exported from Switzerland.