

BIBLIOGRAPHY OF PHARMACEUTICAL RESEARCH

Compiled by A. G. DuMez, Reporter on the Progress of Pharmacy.

All articles in these lists will be presented in abstract form in the bound volumes of the Year Book, which is issued annually. Those desiring abstracts immediately can obtain them for a fee of one dollar each by communicating with A. G. DuMez, University of Maryland, School of Pharmacy, N. W. cor. Lombard and Greene Sts., Baltimore, Maryland.

APPARATUS AND MANIPULATIONS.

- Bach, D.
Apparatus for aseptic filling of ampuls
Bull. sci. pharmacol., 40 (1933), 100
- Otten, F. G.
Complete extraction of ammoniac, asafœtida, benzoin, galbanum, myrrh, etc.
Pharm. Weekbl., 70 (1933), 213
- Sievers, A. F.
Metal extraction apparatus for phytochemical work
JOUR. A. PH. A., 22 (1933), 182

PHARMACEUTICAL PREPARATIONS.

- Freeman, L. G., and Schwabe, E. L.
External emulsions with triethanolamine
JOUR. A. PH. A., 22 (1933), 232
- Hunter, R. Eric
Compound Tincture of Cardamom, B. P., 1932
Pharm. J., 130 (1933), 175
- Iavoie, M.
Fowler's solution of the Belgian Pharmacopœia IV
J. pharm. Belg., 15 (1933), 35
- Marshak, J. A.
Comparison of methods for the preparation of tinctures
Pharm. Zentralh., 74 (1933), 145
- Vergez, G.
Alteration and conservation of phenol water
Bull. soc. pharm., Bordeaux, 71 (1933), 56
- Walbum, L. E.
Sterile medicinal preparations for injection
Dansk Tids. Farm., 7 (1933), 37

PHARMACOLOGY, TOXICOLOGY AND THERAPEUTICS.

- Bliss, A. Richard, *et al.*
Investigation of the diuretic properties of watermelon juice
Am. J. Pharm., 105 (1933), 53
- Bonde, W.
Nitrobenzol poisoning
Pharm. Zentralh., 74 (1933), 113
- Cazaux, Marie-Magdeleine
Toxicological study of zinc phosphide
Bull. soc. pharm., Bordeaux, 71 (1933), 42

- Chen, K. K., and Chen, A. Ling
Notes on the poisonous secretions of twelve species of toads
J. Pharmacol. & Exper. Therap., 47 (1933), 281
- Chen, K. K., *et al.*
Physiological action of principles isolated from the secretion of the common European toad
J. Pharmacol. & Exper. Therap., 47 (1933), 307
- Cummer, Clyde L.
Dermatitis from hexylresorcinol solution
J. A. M. A., 100 (1933), 884
- DeMeig, R. H., and Lewis, J. T.
Method for the biological assay of extract of suprarenal cortex
Compt. rend. soc. biol., 111 (1932), 822; through *Chem. Abstr.*, 27 (1933), 1088
- Fisher, L. C.
Chronic acetanilid poisoning
J. A. M. A., 100 (1933), 736
- Gazeau, Ch.
Comparison of digitalis powders
Bull. sci. pharmacol., 40 (1933), 102
- Gershenfeld, Louis, *et al.*
Bactericidal efficiency and toxicity of creosote and its components
JOUR. A. PH. A., 22 (1933), 198
- Gersdorff, W. A.
Toxicity of rotenone hydrochloride, acetyl-rotenone and rotenolone to goldfish
J. Am. Chem. Soc., 55 (1933), 1147
- Hatcher, Robert A., and Haag, Harvey B.
Contribution to the pharmacology of Adonis Vernalis
J. Pharmacol. & Exper. Therap., 47 (1933), 217
- Lauter, W. M., *et al.*
Studies on the preparation and toxicity of bismuth compounds. IV. Bismuth compounds of thioglycolic acid
JOUR. A. PH. A., 22 (1933), 212
- Lowenburg, Harry, and Naide, Meyer
Arsenic poisoning from a mouth wash containing potassium arsenite
J. A. M. A., 100 (1933), 737
- Mitchiner, P. H.
Tannic acid in the treatment of burns
Lancet, 1 (1933), 233

BOTANY AND PHARMACOGNOSY.

Bryant, E. G.

Note on Natal aloes*Pharm. J.*, 130 (1933), 174

Chakravarti, Satvendra Nath, and Venkatasubban, A.

Chemical investigation of Indian medicinal plants. I. Preliminary chemical examination of the root bark of Capparis horrida*J. Annamalai Univ.*, 1 (1932), 176; through *Chem. Abstr.*, 27 (1933), 1450

Gnadinger, C. B., and Corl, C. S.

Studies on pyrethrum flowers V.*J. Am. Chem. Soc.*, 55 (1933), 1218

Hoch, J. Hampton

Preliminary report on cascara*Am. J. Pharm.*, 105 (1933), 64Laborde, E., *et al.***Soluble enzymes of the liver and kidneys of hogs***Bull. sci. pharmacol.*, 40 (1933), 65

Macht, David I.

Effect of radio vibrations on some drugs*Jour. A. Ph. A.*, 22 (1933), 205

Rey, Carlos Sanchez

Examination and analysis of opium*Quím. e ind.*, 9 (1932), 265; through *Chem. Abstr.*, 27 (1933), 1090

Smith, F. A. Upsher

Ammi Visnaga*Jour. A. Ph. A.*, 22 (1933), 184

Strazewicz, W. J.

Effect of time of harvesting on the quality and oil content of valerian root*Pharm. Zentralh.*, 74 (1933), 134

ALKALOIDS AND GLUCOSIDES.

Addinall, C. R., and Major, R. T.

Identity of narceine with pseudonarceine, its dehydration and structure*J. Am. Chem. Soc.*, 55 (1933), 1202

Henry, T. A.

Alkaloids of the British Pharmacopœia, 1932*Pharm. J.*, 130 (1933), 84

Jaretsky, R., and Wilcke, M.

Cardiotonic glycosides of Cheiranthus Cheiri*Arch. Pharm.*, 270 (1932), 81

Martini, A.

New reagent for cocaine*Mikrochem.*, 12 (1932), 111; through *Pharm. J.*, 130 (1933), 225

Orekhov, A. P.

New alkaloids from Russian flora*Bull. Nach. Issledov. Khim. Farm. Inst.* (1930),3-4; through *J. Soc. Chem. Ind.*, 52 (1933), 172

Peyer, W., and Gstirner, F.

Determination of the alkaloids in lobelia*Arch. Pharm.*, 270 (1933), 44

Polonovoski, Max, and Michel, and Lemette, A.

Synthesis of some glucoalkaloids*J. pharm. chim.*, 17 (1933), 145

Self, P. A. W.

Alkaloidal assays of the B. P., 1932*Pharm. J.*, 130 (1933), 222

Stuber, E. Y., and Klyachkina, B. A.

Analysis of morphine hydrochloride of the Pharmacopœia*Bull. Nach. Issledov. Khim. Farm. Inst.* (1930), 37-40; through *J. Soc. Chem. Ind.*, 52 (1933), 172

ESSENTIAL OILS.

Bennett, C. T.

Essential oils of the British Pharmacopœia, 1932*Pharm. J.*, 130 (1933), 126, 150

Penfold, A. R.

Chemistry of western Australian sandalwood oil. II.*J. Proc. Roy. Soc., N. S. Wales*, 66 (1932), 240; through *Chem. Abstr.*, 27 (1933), 1087

OILS, FATS AND WAXES.

Evers, Norman

Oils, fats, waxes and resins of the B. P., 1932*Pharm. J.*, 130 (1933), 195

Taub, Abraham

Permanent color standards for U. S. P. cod liver oil, almond oil and castor oil*Jour. A. Ph. A.*, 22 (1933), 194

GENERAL AND PHYSICAL CHEMISTRY.

Bryant, E. G.

Solubility of arsenicals*Pharm. J.*, 130 (1933), 175

Shaw, Paul A.

Colorimetric determination of thallium*Ind. Eng. Chem., Analyt. Edit.*, 5 (1933), 93

ANALYTICAL METHODS AND RESULTS.

von Bari, Sigismund

Evaluation of charcoal in medicinal preparations*Pharm. Ztg.*, 78 (1933), 284

- Beal, George D., and Szalkowski, Chester R.
Detection of acetone in chloroform
 JOUR. A. PH. A., 22 (1933), 223
- Bourcet, P.
Assay of areca nut
Bull. sci. pharmacol., 40 (1933), 98
- Cool, Raymond D., and Yoe, John H.
Volumetric methods of estimating nitrites
Ind. Eng. Chem., Analyt. Edit., 5 (1933), 112
- Donnally, L. H.
Quantitative determination of formaldehyde and benzaldehyde and their bisulfite addition products
Ind. Eng. Chem., Analyt. Edit., 5 (1933), 91
- Eury, J.
Detection of antipyrine in amidopyrine
J. pharm. chim., 17 (1933), 208
- Fialkow, J., and Stschigol, M.
Quantitative determination of potassium guaia-colsulphonate in mixtures
Pharm. Zentralh., 74 (1933), 103
- Fulton, Charles C.
Test for aspirin, salicylic acid and manganese
Am. J. Pharm., 105 (1933), 59
- Krantz, John C., Jr., et al.
Assay of nitrogen monoxide
 JOUR. A. PH. A., 22 (1933), 218
- Lothrop, R. E., and Gertler, S. I.
Determination of amino acids and related compounds in honey
Ind. Eng. Chem., Analyt. Edit., 5 (1933), 103
- Rosenthaler, L.
Detection of organic compounds: p-chlor-m-cresol, chlorxylenol, chlorthymol, pyridium, isacen, sedormid, etc.
Pharm. Ztg., 78 (1933), 229
- Rupp, E., and Poggendorf, A.
Assay of sodium cacodylate and iron cacodylate
Apoth.-Ztg., 48 (1933), 246
- Sprankle, C. N., and Jordan, C. B.
Assay of podophyllum
 JOUR. A. PH. A., 22 (1933), 188
- Tornow, E.
Rapid testing of ointments and chemicals for mercury
Angew. Chem., 45 (1932), 707; through *J. Soc. Chem. Ind.*, 52 (1933), 204
- Wagenaar, M.
Identification of atoxyl
Pharm. Weekbl., 70 (1933), 233

ORGANIC CHEMISTRY.

- Asano, M., and Nakatomi
Chemical constitution of sharp tasting substances
J. Pharm. Soc., Japan, No. 612 (1933), 36
- Dox, A. W.
Ethylene-N, N-bisbarbital with hypnotic properties
J. Am. Chem. Soc., 55 (1933), 1230
- Fleury, Paul, and Lange, Jacques
Study of the action of periodic acid on polyhydroxy compounds
J. pharm. chim., 17 (1933), 196
- Krezil, Franz
Adsorptive power of animal and vegetable charcoal
Pharm. Zentralh., 74 (1933), 167
- Nancini, Mario Aiazzi
Synthesis, and chemical and pharmacological properties of phenylurethan morphine
Chim. Ind. Agr. Biol., 8 (1932), 411; through *Chem. Abstr.*, 27 (1933), 1449
- Rider, T. H.
Piperidinopropanediol—diphenylurethane hydrochloride, a new local anesthetic
J. Pharmacol. & Exper. Therap., 47 (1933), 255
- Sobotka, Harry, et al.
Optically active hydantoin and hypnotics
J. Pharmacol. & Exper. Therap., 47 (1933), 209
- Stout, Albert, and Schuette, H. A.
Preparation of aldehyde-free ethyl alcohol
Ind. Eng. Chem., Analyt. Edit., 5 (1933), 100
- Taggart, M. S., and Richter, G. H.
Imidazol derivatives of barbituric acid
J. Am. Chem. Soc., 55 (1933), 1110

A bill, H. R. 14, by Congressman Cannon requires the discoloration of poisons which resembled commonly used foodstuffs: That any person or firm or corporation who shall offer for sale in interstate commerce a commonly used poison which resembles a commonly used foodstuff, or ingredient of a commonly used food, shall discolor, or cause to be discolored, said poison in such a way that it does not resemble any commonly used foodstuff, and that said poison may be readily distinguished from any food or foodstuff by a casual glance.

The Department of Agriculture is directed to issue rules and regulations to carry into effect the full intent and meaning of this Act.