



Erratum

Erratum to “Stability indicating assays for the determination of piroxicam—comparison of methods” [J. Pharm. Biomed. Anal. 20 (1999) 531–541]^{☆,☆☆}

H. Bartsch *, A. Eiper, H. Kopeleent-Frank

*Department of Drug Analysis, Institute of Pharmaceutical Chemistry, University of Vienna—Centre of Pharmacy,
Althanstrasse 14, A-1090 Wien, Austria*

Received 9 July 1998; received in revised form 8 December 1998; accepted 1 January 1999

The publisher regrets that the following tables were published incorrectly in the original article. The corrected Tables 2–4 are reprinted below.

Table 2
Intra- and interday precision of proposed HPLC method

Conc. ($\mu\text{g ml}^{-1}$)	Intraday precision			Interday precision		
	n	Found mean conc. \pm SD ($\mu\text{g ml}^{-1}$)	RSD (%)	n	Found mean conc. \pm SD ($\mu\text{g ml}^{-1}$)	RSD (%)
2000	9	2076.6 \pm 18.88	0.91	3	2066.8 \pm 48.35	2.34
2000	9	2011.2 \pm 22.04	1.10			
2000	9	2112.6 \pm 28.61	1.35			
250	9	263.4 \pm 2.34	0.89	3	263.8 \pm 5.85	2.22
250	9	270.2 \pm 3.01	1.11			
250	9	257.9 \pm 3.42	1.33			
40	9	43.9 \pm 0.47	1.07	3	42.9 \pm 1.21	2.83
40	9	41.3 \pm 0.50	1.22			
40	9	43.5 \pm 0.37	0.86			

* Dedicated to Professor Gottfried Heinisch (University of Innsbruck, Austria) with best wishes on the occasion of his 60th birthday.

** PII of original article S 0731-7085(98)00264-7.

* Corresponding author. Tel.: +43-1-313-368343; fax: +43-1-313-36771.

E-mail address: bartsch@speedy.pch.univie.ac.at (H. Bartsch)

Table 3
Intra- and interday precision of proposed CE method

Conc. ($\mu\text{g ml}^{-1}$)	Intraday precision			Interday precision		
	n	Found mean conc. \pm SD ($\mu\text{g ml}^{-1}$)	RSD (%)	n	Found mean concentration \pm SD ($\mu\text{g ml}^{-1}$)	RSD (%)
2000	9	1933.6 \pm 33.62	1.74	3	2033.4 \pm 88.43	4.35
2000	9	2065.7 \pm 66.29	3.21			
2000	9	2101.0 \pm 48.60	2.31			
250	9	255.1 \pm 8.93	3.50	3	251.4 \pm 9.40	3.74
250	9	243.7 \pm 6.72	2.76			
250	9	255.3 \pm 7.90	3.10			
40	9	41.3 \pm 1.49	3.61	3	42.2 \pm 1.62	3.84
40	9	43.7 \pm 1.08	2.47			
40	9	41.7 \pm 1.29	3.09			

Table 4
Degradation of 1 in solutions (% of initial concentration)^a

Time (min)	2 mg ml ⁻¹			250 $\mu\text{g ml}^{-1}$			40 $\mu\text{g ml}^{-1}$		
	HPTLC	HPLC	CE	HPTLC	HPLC	CE	HPTLC	HPLC	CE
0	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
24	99.97	97.85	97.02	97.33	97.90	91.12	86.60	84.71	87.77
48	94.68	98.53	97.40	90.74	92.99	87.42	75.12	71.50	66.43
96	92.69	97.85	96.65	85.34	82.72	79.23	49.24	41.69	33.67
144	92.28	94.86	93.66	76.46	70.82	64.65	28.92	18.62	15.23
192	90.83	93.25	91.29	64.82	61.01	52.51	14.13	7.82	b
288	88.19	88.34	82.76	51.90	35.84	34.42	0.49	0.70	b
384	80.18	82.50	75.55	21.26	17.71	14.64	b	b	b
480	76.13	75.96	66.83	1.14	3.63	2.39	b	b	b

^a (100% at t = 0) (average n = 9). Irradiation in the Suntest.

b Not detectable.