

Erratum

Erratum to “A fast and efficient determination of amines and preservatives in cough and cold liquid and suspension formulations using a single isocratic ion-pairing high power liquid chromatography method”  
[Journal of Pharmaceutical and Biomedical Analysis 26 (2001) 143–149]<sup>☆</sup>

Mark D. Paciolla <sup>a</sup>, Susan A. Jansen <sup>a</sup>, Stephen A. Martellucci <sup>b</sup>,  
Anthony A. Osei <sup>b,\*</sup>

<sup>a</sup> *Department of Chemistry, Temple University, Philadelphia, PA 19122, USA*

<sup>b</sup> *McNeil Consumer Healthcare, 7050 Camp Hill Road, Fort Washington, PA 19034, USA*

---

The publisher regrets that during preparation for publication an error was introduced in the title of the above-mentioned article. The term “high power liquid chromatography” should have read “high performance liquid chromatography”. The correct title is as follows:

A fast and efficient determination of amines and preservatives in cough and cold liquid and suspension formulations using a single isocratic ion-pairing high performance liquid chromatography method.

---

<sup>☆</sup> PII of original article: S0731-7085(01)00401-0.

\* Corresponding author. Tel.: +1-215-2737963; fax: +1-215-2734113.

E-mail address: aosei@mccus.jnj.com (A.A. Osei).