

LIST OF CONTENTS

Numbers 1–2

Regular papers

Spectrofluorimetric and spectrophotometric methods for the determination of vigabatrin in tablets N. Olgun, S. Erturk, S. Atmaca (Istanbul, Turkey)	1
Chemical reactivity of the naproxen acyl glucuronide and the naproxen coenzyme A thioester towards bionucleophiles J. Olsen (Copenhagen, Denmark), I. Bjørnsdottir (Måløv, Denmark), J. Tjørnelund, S. Honoré Hansen (Copenhagen, Denmark)	7
Determination of meropenem in plasma and filtrate-dialysate from patients under continuous veno-venous haemodiafiltration by SPE-LC C. Robatel, T. Buclin, P. Eckert, M.D. Schaller, J. Biollaz, L.A. Decosterd (Lausanne, Switzerland)	17
LC determination of loratadine and related impurities F.J. Rupérez, H. Fernández, C. Barbas (Madrid, Spain)	35
Voltammetric determination of cilazapril in pharmaceutical formulations U. Tamer, N. Pekmez Özçicek, O. Atay, A. Yıldız (Ankara, Turkey).	43
Second derivative spectrophotometric determination of trimethoprim and sulfamethoxazole in the presence of hydroxypropyl- β -cyclodextrin (HP- β -CD) G. Granero, C. Garnero, M. Longhi (Córdoba, Argentina)	51
Improvements of conductivity measurements of electrolyte solutions using a new conductometric cell design N. Merclin, P. Beronius (Uppsala, Sweden).	61
A HPLC assay for coating integrity of topiramate sprinkle formulation H.T. Duong, H.Y. Guh, C.Y. Ko, A.P. Micheel, M.S. Thakur (Spring House, PA, USA)	69
CE versus LC for simultaneous determination of amoxicillin/clavulanic acid and ampicillin/sulbactam in pharmaceutical formulations for injections G. Pajchel, K. Pawłowski, S. Tyski (Warsaw, Poland)	75
Development and validation of a liquid chromatography/tandem mass spectrometry (LC/MS/MS) method for the determination of ribavirin in human plasma and serum W.Z. Shou, H.-Z. Bu, T. Addison, X. Jiang, W. Naidong (Madison, WI, USA)	83
Determination of laser-induced thymine–thymine dimer in DNA by LC L. Zhang, Y. Hu (Nanjing, PR China)	95
Molecular descriptors that influence the amount of drugs transfer into human breast milk S. Agatonovic-Kustrin (Adelaide, Australia), L.H. Ling, S.Y. Tham (Penang, Malaysia), R.G. Alany (Auckland, New Zealand)	103

Stability indicating methods for assay of mequitazine in presence of its degradate N.A. El-Ragehy, A.M. Badawey, S.Z. El Khateeb (Cairo, Egypt)	121
An automated LC method for the small-scale purification of organic molecules derived from combinatorial libraries E.C.Y. Chan (Singapore, Singapore), A.W. Wang, W.P. Jia, G.D. Dollinger (Emeryville, CA, USA)	139
Determination of fenoterol in human plasma by HPLC with fluorescence detection after derivatization I. Meineke, H. Steinmetz (Gottingen, Germany), S. Kramer (Muenster, Germany), C.H. Gleiter (Gottingen, Tuebingen, Germany)	147
Simultaneous determination of zinc(II), manganese(II) and iron(II) in pharmaceutical preparations J. Karpieńska, M. Kulikowska (Białystok, Poland)	153
Validation of a near-infrared transmission spectroscopic procedure: Part B: Application to alternate content uniformity and release assay methods for pharmaceutical solid dosage forms G.E. Ritchie (Ardsley, NY, USA), R.W. Roller (Indianapolis, IN, USA), E.W. Ciurczak (New York, USA), H. Mark (Suffern, NY, USA), C. Tso, S.A. MacDonald (Ardsley, NY, USA)	159
Identification by LC/MS ⁿ of degradates of a novel carbapenem antibiotic in an aqueous matrix Z.Z. Zhao, X.-Z. Qin, R.A. Reed (West Point, PA, USA)	173
Development and application of an analytical method for the determination of squalene in formulations of anthrax vaccine adsorbed R.J. Spanggord, B. Wu, M. Sun, P. Lim (Menlo Park, CA, USA), W.Y. Ellis (Washington, DC, USA)	183
Determination of the binding parameter constants of Renagel [®] capsules and tablets utilizing the Langmuir approximation at various pH by ion chromatography R.A. Swearingen, X. Chen, J.S. Petersen, K.S. Riley, D. Wang, E. Zhorov (Waltham, MA, USA)	195
Study of the stability of polymyxins B ₁ , E ₁ and E ₂ in aqueous solution using liquid chromatography and mass spectrometry J.A. Orwa, C. Govaerts, K. Gevers, E. Roets, A. Van Schepdael, J. Hoogmartens (Leuven, Belgium)	203
Analysis of a formulation containing lincomycin and spectinomycin by liquid chromatography with pulsed electrochemical detection J. Szúnyog, E. Adams, K. Liekens, E. Roets, J. Hoogmartens (Leuven, Belgium)	213
A sensitive assay for ZD1839 (Iressa) in human plasma by liquid–liquid extraction and high performance liquid chromatography with mass spectrometric detection: validation and use in Phase I clinical trials H.K. Jones, L.E. Stafford, H.C. Swaisland, R. Payne (Macclesfield, UK)	221
Spectrofluorometric determination of naproxen in tablets P. Damiani, M. Bearzotti, M.A. Cabezón (Rosario, Argentina)	229
Derivative spectrophotometric determination of droperidol in presence of parabens H. Trabelsi, F. Raouafi, M. Limam, K. Bouzouita (Tunis, Tunisia)	239
Potentiometric determination of famotidine in pharmaceutical formulations M.M. Ayad, A. Shalaby, H.E. Abdellatef, H.M. Elsaid (Zagazig, Egypt)	247
Levels of specific antibodies towards the major antigenic determinant of slime-producing <i>Staphylococcus epidermidis</i> determined by an enzyme immunoassay and their protective effect in experimental keratitis C.D. Georgakopoulos, A. Exarchou, J.X. Koliopoulos, S.P. Gartaganis, E.D. Anastassiou, F. Kolonitsiou, F. Lamari, N.K. Karamanos, G. Dimitracopoulos (Patras, Greece)	255
Characterization of gamma irradiated petrolatum eye ointment base by headspace–gas chromatography–mass spectrometry L. Hong, H. Altorfer (Zurich, Switzerland)	263
Novel coupling reagents for the sensitive spectrophotometric determination of nimesulide in pharmaceutical preparations P. Nagaraja, H.S. Yathirajan, H.R. Arunkumar, R.A. Vasantha (Mysore, India)	277

Determination of melatonin in galenic preparations by LC and voltammetry M.A. Raggi, F. Bugamelli, V. Pucci (Bologna, Italy)	283
Determination of theophylline and ephedrine HCL in tablets by ratio-spectra derivative spectrophotometry and LC Z. Şentürk, N. Erk, S.A. Özkan, C. Akay, Ş. Cevheroglu (Ankara, Turkey)	291
Determination of irbesartan in the presence of hydrochlorothiazide by derivative spectrophotometry I. Albero, V. Ródenas, S. García, C. Sánchez-Pedreño (Murcia, Spain)	299
Some kinetic aspects in the immunoradiometric assay of insulin-like growth factor binding protein-3 J. García Gómez, M. Porcar Pons, J.L. Moreno Frigols (Valencia, Spain)	307
The isomeric metabolites of doxepin in equine serum and urine H.-W. Hagedorn, H. Meiser, H. Zankl, R. Schulz (Munich, Germany)	317
Simultaneous determination of riboflavin phosphate and other ingredients in a multivitamin pharmaceutical preparation by on-line automated LC coupled with pre-column immobilized enzyme reactor M. Ono, N. Idei, T. Nakajima, Y. Itoh (Saitama, Japan), N. Kawakami, K. Shimada, S. Yamato (Niigata, Japan)	325
<i>Short communications</i>	
Identification of mebeverine acid as the main circulating metabolite of mebeverine in man A. Stockis (Bierges, Belgium), P.J.M. Guelen (Nijmegen, The Netherlands), D. de Vos (Haarlem, The Netherlands)	335
Trace determination of shiamarin using a hanging copper/amalgam drop electrode H.-Y. Gu (Nantong, People's Republic of China)	341
Colourimetric and AAS determination of cephalosporins using Reineck's salt H. Salem (Minia, Egypt), H. Askal (Assiut, Egypt)	347
Isolation and characterisation of process-related impurities in rofecoxib K.V.S.R. Krishna Reddy, J. Moses Babu, P.K. Dubey, B. Chandra Sekhar, G. Om Reddy, K. Vyas (Hyderabad, India)	355
Spectroelectrochemical study of the interaction between antitumor drug daunomycin and DNA in the presence of antioxidants G. Cheng, H. Qu, D. Zhang, J. Zhang, P. He, Y. Fang (Shanghai, People's Republic of China)	361
Chemometric resolution of a mixture containing hydrochlorothiazide and amiloride by absorption and derivative spectrophotometry E. Dinç, Ö. Üstündağ (Ankara, Turkey)	371
Direct injection of aqueous samples in packed column supercritical fluid chromatography of isosorbide-5-mononitrate from drug release testing O. Gyllenhaal, J. Hulthe (Mölndal, Sweden)	381
Determination of bronopol and its degradation products by HPLC H. Wang, G.J. Provan, K. Helliwell (Hitchin, UK)	387

Number 3

Regular papers

Concentration determination of methyl magnesium chloride and other Grignard reagents by potentiometric titration with in-line characterization of reaction species by FTIR spectroscopy Y. Chen, T. Wang, R. Helmy, G.X. Zhou, R. LoBrutto (Rahway, NJ, USA)	393
Comparison of several methods used for the determination of cephalosporins. Analysis of cephalexin in pharmaceutical samples L. Gallo Martínez, P. Campíns Falcó, A. Sevillano Cabeza (Valencia, Spain)	405

Chromatographic determination of the association constants between nimesulide and native and modified β -cyclodextrins C. Ravelet, A. Geze, A. Villet, C. Grosset, A. Ravel, D. Wouessidjewe, E. Peyrin (La Tronche, France)	425
Immunochemical characterisation of species-specific antigens in bovine crude heparin V. Rivera, A. Levieux, D. Levieux (Saint-Genès-Champanelle, France)	431
Characterisation of Ag1, the major species-specific contaminant of bovine crude heparin, and its identification as an aprotinin/heparin complex V. Rivera, A. Levieux, D. Levieux (Saint-Genès-Champanelle, France)	443
FT-IR and Raman spectroscopic methods for identification and quantitation of orthorhombic and monoclinic paracetamol in powder mixes N. Al-Zoubi, J.E. Koundourellis, S. Malamataris (Thessaloniki, Greece)	459
Multiple fiber-optic dual-beam UV/Vis system with application to dissolution testing J. Johansson, M. Cauchi, M. Sundgren (Möln达尔, Sweden)	469
Resolution of ternary mixtures of nitrofurantoin, furaltadone and furazolidone by partial least-square analysis to the spectrophotometric signals after photo-decomposition M.C. Mahedero, T.G. Díaz, S.G. Pascual (Badajoz, Spain)	477
Kinetic degradation study of insulin complexed with methyl-beta cyclodextrin. Confirmation of complexation with electrospray mass spectrometry and ^1H NMR Y. Dotsikas, Y.L. Loukas (Athens, Greece)	487
NMR and Bayesian regularized neural network regression for impurity determination of 4-aminophenol J. Forshed (Stockholm, Sweden), F.O. Andersson (Södertälje, Sweden), S.P. Jacobsson (Stockholm, Södertälje, Sweden)	495
High-speed gas chromatographic analysis of solvents in pharmaceuticals using solid phase microextraction A.R. Raghani (Skokie, IL, USA)	507
Simultaneous LC determination of some antidepressants combined with neuroleptics J. Karpinska, B. Starczewska (Białystok, Poland)	519
Spectrophotometric determination of β -adrenergic blocking agents in pharmaceutical formulations H. Salem (Minia, Egypt)	527
HPTLC determination of diclofenac sodium from serum L.G. Lala, P.M. D'Mello, S.R. Naik (Mumbai, India)	539
Spectrophotometric determination of enoxacin as ion-pairs with bromophenol blue and bromocresol purple in bulk and pharmaceutical dosage form İ. Süslü, A. Tamer (Ankara, Turkey)	545
<i>Short communications</i>	
Characterization of interaction between protein and carbohydrate using CZE M. Al-Arhabi, Y. Mrestani, H. Richter, R.H.H. Neubert (Halle, Germany)	555
Voltammetric behavior of benznidazole at a DNA-electrochemical biosensor M.A. La-Scalea (São Paulo, Brazil; Coimbra, Portugal), S.H.P. Serrano, E.I. Ferreira (São Paulo, Brazil), A.M. Oliveira Brett (Coimbra, Portugal)	561
Monitoring of enzymatic hydrolysis of penicillin G by pyrolysis-negative ion mass spectrometry A. Ghassempour (Tehran, Iran), F. Vaezi, P. Salehpour (Tabriz, Iran), M. Nasiri-Aghdam (Tehran, Iran), M. Adrangui (Tabriz, Iran)	569

Number 4

Regular papers

Electrochemical evaluation of rhodium dimer-DNA interactions E.S. Gil (Campo Grande, Brazil), S.H.P. Serrano, E.I. Ferreira (Sao Paulo, Brazil), L.T. Kubota (Campinas, Brazil)	579
Potentiometric determination of polyether ionophores growth promotors in animal feed preparations A.M. El-Kosasy, S.A. Abdel Razek (Cairo, Egypt)	585
Determination of pioglitazone hydrochloride in bulk and pharmaceutical formulations by HPLC and MEKC methods T. Radhakrishna, D. Sreenivas Rao, G. Om Reddy (Hyderabad, India)	593
LC determination of a sulphur mustard decontaminant CC-2 in rat serum J. Lal, V. Kumar, R.C. Gupta (Lucknow, India)	609
Electrochemical behaviour of droxicam: kinetic study in aqueous-organic media J.A. Acuña, C. de la Fuente, M.D. Vázquez, M.L. Tascón (Valladolid, Spain), M.I. Gómez (Madrid, Spain), F. Mata, P. Sánchez-Batanero (Valladolid, Spain)	617
Quantification of pilsicainide in serum by capillary electrophoresis T. Kitahashi, I. Furuta (Osakasayama, Japan)	625
LC determination of YM466, a new factor Xa inhibitor, in rat and dog plasma Y. Mano, T. Aoki, Y. Kikuchi, Y. Soeishi, T. Usui, H. Kamimura (Tokyo, Japan)	631
Physico-chemical studies on the charge-transfer complex formed between sulfadoxine and pyrimethamine with chloranilic acid J.O. Onah, J.E. Odeani (Jos, Nigeria)	639
Determination and degradation study of haloperidol by high performance liquid chromatography H. Trabelsi, S. Bouabdallah, K. Bouzouita (Tunis, Tunisia), F. Safta (Monastir, Tunisia)	649
Screening and optimisation of an ELISA method for the quantitative detection of enterovirus specific RT-PCR products by means of a two-level experimental design S. Lauwers, Y. Vander Heyden, B. Rombaut (Brussels, Belgium)	659
Comparative study of the micellar enhanced spectrophotometric determination of β -lactamic antibiotics by batch and flow injection analysis using a multisimplex design A. Fernández-González, R. Badía, M.E. Díaz-García (Oviedo, Spain)	669
Simultaneous determination of fexofenadine and its related compounds by HPLC T. Radhakrishna, G. Om Reddy (Hyderabad, India)	681
GC/MS evaluation of thyme (<i>Thymus vulgaris</i> L.) oil composition and variations during the vegetative cycle M. Hudaib, E. Speroni, A.M. Di Pietra, V. Cavrini (Bologna, Italy)	691
Validation of a HPLC quantification of acetaminophen, phenylephrine and chlorpheniramine in pharmaceutical formulations: capsules and sachets A. Marín, E. García, A. García, C. Barbas (Madrid, Spain)	701
Determination of lovastatin and simvastatin in pharmaceutical dosage forms by MEKC M.K. Srinivasu, A.N. Raju, G.O. Reddy (Hyderabad, India)	715
<i>Short communications</i>	
Determination of nicotinamide and 4-aminobenzoic acid in pharmaceutical preparation by LC A.R. Khan, K.M. Khan, S. Perveen, N. Butt (Karachi, Pakistan)	723
Spectrophotometric determination of piroxicam and tenoxicam in pharmaceutical formulations using alizarin A.S. Amin (Benha, Egypt)	729

Simultaneous determination of Aloe-emodin and Rhein by synchronous fluorescence spectroscopy C. Jiang, J. He (Jinan, People's Republic of China)	737
Stability indicating RP-LC determination of sildenafil citrate (Viagra) in pure form and in pharmaceutical samples N.D. Dinesh, B.K. Vishukumar, P. Nagaraja (Mysore, India), N.M. Made Gowda (Macomb, IL, USA), K.S. Rangappa (Mysore, India)	743
Spectrophotometric determination of etidocaine in pharmaceutical (dental) formulation N. Silva (Porto Alegre, Brazil), E.E.S. Schapoval (Porto Alegre, Sala, Brazil)	749
Flow injection spectrophotometric determination of L-ascorbic acid in biological matters T. Kleszczewski, E. Kleszczewska (Bialystok, Poland)	755
Electrochemical behavior of thalidomide T. Liu, M. Li, Q. Li (Beijing, China)	761

Number 5

Regular papers

Microdialysis monitoring of methylphenidate in blood and brain correlated with changes in dopamine and rat activity J.K. Huff, M.I. Davies (Lawrence, KS, USA)	767
Determination of zinc (II) in pharmaceuticals based on a flow-through bulk optode M.I. Albero, J.A. Ortúño, M.S. García, C. Sánchez-Pedreño, R. Expósito (Murcia, Spain)	779
Development and optimization of a reversed-phase high-performance liquid chromatographic method for the determination of piperacillin and tazobactam in tazocin injectable powder S.C. Marselos, H.A. Archontaki (Athens, Greece)	787
Electrochemical analysis of sparfloxacin in pharmaceutical formulation and biochemical screening of its Co(II) complex S. Jain, N.K. Jain, K.S. Pitre (Sagar, India)	795
A simple microanalytical technique for the determination of paracetamol and its main metabolites in blood spots E.J. Oliveira, D.G. Watson, N.S. Morton (Glasgow, UK)	803
Simultaneous spectrophotometric determination of phenilpropanolamine HCL, caffeine and diazepam in tablets C.F. Ferreyra, C.S. Ortiz (Córdoba, Argentina)	811
Determination of cidofovir in both skin layers and percutaneous penetration samples by HPLC S. Santoyo, E.G. de Jalón, M.A. Campanero, P. Ygartua (Pamplona, Spain)	819
Determination of codeine in urine and drug formulations using a clay-modified screen-printed carbon electrode Y. Shih, J.-M. Zen, H.-H. Yang (Taichung, Taiwan, ROC)	827
Kinetic spectrophotometric determination of tramadol hydrochloride in pharmaceutical formulation H.E. Abdellatef (Zagazig, Egypt)	835
Determination of the rate constants and activation energy of acetaminophen hydrolysis by capillary electrophoresis G. Chen, J. Ye, H. Bao, P. Yang (Shanghai, China)	843
Kinetic fluorimetric determination of the antineoplastic methotrexate (MTX) in human serum A. Espinosa-Mansilla, I. Durán Merás, A. Zamora Madera (Badajoz, Spain), L. Pedano, C. Ferreyra (Córdoba, Argentina)	851

Sensitive spectrophotometric methods for the determination of amoxycillin, ciprofloxacin and piroxicam in pure and pharmaceutical formulations B.S. Nagaralli, J. Seetharamappa, M.B. Melwanki (Dharwad, India)	859
Spectrophotometric determination of lisinopril in tablets using 1-fluoro-2,4-dinitrobenzene reagent G. Paraskevas, J. Atta-Politou, M. Koupparis (Athens, Greece)	865
LC determination of rosiglitazone in bulk and pharmaceutical formulation T. Radhakrishna (Visakhapatnam, India), J. Satyanarayana (Gaddapotaram, India), A. Satyanarayana (Visakhapatnam, India)	873
Validated HPLC method for determination of sennosides A and B in senna tablets S.-W. Sun, H.-T. Su (Taipei, Taiwan, ROC)	881
SPME-LC with UV detection to study delorazepam–serum albumin interactions C.G. Zambonin, A. Aresta (Bari, Italy)	895
A new high-performance liquid chromatography (HPLC) method for the analysis of halofantrine (HF) in pharmaceuticals A.M. Abdul-Fattah, H.N. Bhargava (Boston, MA, USA)	901
Determination of barbituric acid, utilizing a rapid and simple colorimetric assay R. Bartzatt (Omaha, NE, USA)	909
Liquid chromatographic assay of moxidectin in human plasma for application to pharmacokinetic studies Y.-C. Chen, Y.-P. Hung, L. Fleckenstein (Iowa City, IA, USA)	917
Determination of terbutaline sulfate and its degradation products in pharmaceutical formulations using LC N. Daraghmeh, M.M. Al-Omari, Z. Sara, A.A. Badwan (Naor, Jordan), A.M.Y. Jaber (Dhahran, Saudi Arabia)	927
A simple LC method with UV detection for the analysis of creatine and creatinine and its application to several creatine formulations A.K. Dash, A. Sawhney (Omaha, NE, USA)	939
Characterization of urinary metabolites of vitamin D ₃ in man under physiological conditions using liquid chromatography-tandem mass spectrometry T. Higashi, S. Homma, H. Iwata, K. Shimada (Kanazawa, Japan)	947
<i>Short communications</i>	
Microbiological assay for azithromycin in pharmaceutical formulations A.R. Breier, C.V. Garcia, T.P. Oppe, M. Steppe, E.E.S. Schapoval (Porto Alegre, Brazil)	957
Quantification of plasma <i>S</i> -adenosylmethionine and <i>S</i> -adenosylhomocysteine as their fluorescent 1, <i>N</i> ⁶ -etheno derivatives: an adaptation of previously described methodology R. Castro (Amsterdam, The Netherlands; Lisboa, Portugal), E.A. Struys, E.E.W. Jansen (Amsterdam, The Netherlands), H.J. Blom (Nijmegen, The Netherlands), I.T. de Almeida (Lisboa, Portugal), C. Jakobs (Amsterdam, The Netherlands)	963
<i>Erratum</i>	969

Number 6

Special Issue: 9th International Meeting on Recent Developments in Pharmaceutical Analysis (RDPA '01)

Edited by: P. Ficarra and S. Pinzauti

Foreword

J. Crommen, H. Lingeman

971

Papers

Separation of δ -, γ - and α -tocopherols by CEC S. Fanali, P. Catarcini, M.G. Quaglia, E. Camera, M. Rinaldi, M. Picardo (Rome, Italy)	973
Determination of losartan and hydrochlorothiazide in tablets by CE and CEC M.G. Quaglia, E. Donati (Rome, Italy), G. Carlucci, P. Mazzeo (L'Aquila, Italy), S. Fanali (Rome, Italy)	981
An experimental design methodology applied to the enantioseparation of a non-steroidal anti-inflammatory drug candidate R. Ficarra (Catanzaro, Italy), P. Cutroneo (Messina, Italy), Z. Aturki (Rome, Italy), S. Tommasini (Messina, Italy), M.L. Calabò (Catanzaro, Italy), R. Phan-Tan-Luu (Marseille, France), S. Fanali (Rome, Italy), P. Ficarra (Messina, Italy)	989
Chiral separation of methoxamine and lobeline in capillary zone electrophoresis using ethylbenzene-deactivated fused-silica capillary columns and cyclodextrins as buffer additives M.V. Russo (Campobasso, Italy)	999
Study of flavonoids/ β -cyclodextrins inclusion complexes by NMR, FT-IR, DSC, X-ray investigation R. Ficarra (Catanzaro, Italy), S. Tommasini, D. Raneri (Messina, Italy), M.L. Calabò (Catanzaro, Italy), M.R. Di Bella (Messina, Italy), C. Rustichelli, M.C. Gamberini (Modena, Italy), P. Ficarra (Messina, Italy)	1005
Characterization of physicochemical properties of naproxen systems with amorphous β -cyclodextrin-epichlorohydrin polymers P. Mura, M.T. Fauci, F. Maestrelli, S. Furlanetto, S. Pinzauti (Firenze, Italy)	1015
Temperature-rate profiles by polarimetric variable-temperature kinetic experiments to study racemization reactions G. Alibrandi, S. Coppolino, S. D'Aliberti, P. Ficarra, N. Micali, A. Villari (Messina, Italy)	1025
Kinetic analysis of thermal decomposition for penicillin sodium salts: Model-fitting and model-free methods F. Rodante, S. Vecchio, M. Tomassetti (Rome, Italy)	1031
A comparison between different immobilised glucoseoxidase-based electrodes A. Memoli, M.C. Annesini (Rome, Italy), M. Mascini (Florence, Italy), S. Papale, S. Petralito (Rome, Italy)	1045
GC-MS analysis of the lipophilic principles of <i>Echinacea purpurea</i> and evaluation of cucumber mosaic cucumovirus infection M. Hudaib, J. Fiori, M.G. Bellardi, C. Rubies-Autonell, V. Cavrini (Bologna, Italy)	1053
In vitro metabolism of a nitroderivative of acetylsalicylic acid (NCX4016) by rat liver: LC and LC-MS studies M. Carini, G. Aldini, M. Orioli, R. Maffei Facino (Milan, Italy)	1061
Determination of amphetamines in human whole blood by capillary electrophoresis with photodiode array detection G. Boatto, M.V. Faedda, A. Pau, B. Asproni, S. Menconi, R. Cerri (Sassari, Italy)	1073
Simultaneous determination of zidovudine and nevirapine in human plasma by RP-LC E. Marchei, L. Valvo, R. Pacifici, M. Pellegrini, G. Tossini, P. Zuccaro (Rome, Italy)	1081
Validation of a RP-LC method for the simultaneous determination of isoniazid, pyrazinamide and rifampicin in a pharmaceutical formulation E. Calleri, E. De Lorenzi (Pavia, Italy), S. Furlanetto (Florence, Italy), G. Massolini, G. Caccialanza (Pavia, Italy)	1089
Validation of a LC method for the analysis of oxaliplatin in a pharmaceutical formulation using an experimental design R. Ficarra, M.L. Calabò (Catanzaro, Italy), P. Cutroneo, S. Tommasini, S. Melardi, M. Semreen (Messina, Italy), S. Furlanetto (Firenze, Italy), P. Ficarra, G. Altavilla (Messina, Italy)	1097
Analysis of aliphatic amines in air samples by HPLC with electrochemical detection N.A. Santagati, E. Bousquet, A. Spadaro, G. Ronsisvalle (Catania, Italy)	1105
Determination of adrenergic agonists from extracts and herbal products of <i>Citrus aurantium</i> L. var. <i>amara</i> by LC F. Pellati, S. Benvenuti, M. Melegari (Modena, Italy), F. Firenzuoli (Empoli, Italy)	1113
Development and validation of a reversed-phase liquid chromatographic method for the assay of lidocaine in aqueous humour samples L. Manna, P. Bertocchi, L. Valvo, A. Bardocci (Rome, Italy)	1121

Rapid methods for determination of fluoxetine in pharmaceutical formulations R. Mandrioli, V. Pucci, D. Visini (Bologna, Italy), G. Varani (Ferrara, Italy), M.A. Raggi (Bologna, Italy)	1127
Determination of lecithin drug specialties and diet integrators; by means of first or second derivative enzymatic-spectrophotometric analysis L. Campanella, A.L. Magri, A. Sorbo, M. Tomassetti (Rome, Italy)	1135
<i>Short communications</i>	
FT-IR spectroscopy: a powerful tool in pharmacology V. Crupi, D. Majolino, M.R. Mondello, P. Migliardo, V. Venuti (Messina, Italy)	1149
Estimation of impurity profiles of drugs and related materials: Part XXI. HPLC/UV/MS study of the impurity profile of ethynodiol diacetate M. Babják, G. Balogh, M. Gazdag, S. Görög (Budapest, Hungary)	1153
Validation of a spectrophotometric method for the determination of iron (III) impurities in dosage forms M.G. Gioia, A.M. Di Pietra, R. Gatti (Bologna, Italy)	1159
Volume Contents	1167
Author Index	1177
Subject Index	1183
Instructions to Authors	I