



LIST OF CONTENTS

Number 1

Method Development

- Validation of an HPLC method on short columns to assay ketoconazole and formaldehyde in shampoo
A. Nguyen Minh Nguyet, L. Tallieu, J. Plaizier-Vercammen, D.L. Massart, Y. Vander Heyden (Brussels, Belgium) . . . 1
- A validated chiral HPLC method for the enantiomeric separation of Linezolid on amylose based stationary phase
C. Lakshmi Narayana, T. Suresh, S. Mahender Rao, P.K. Dubey, J. Moses Babu (Hyderabad, India) 21
- Impurity profile study of loratadine
K.V.S.R.K. Reddy, J.M. Babu, Y.R. Kumar, S.V.V. Reddy, M.K. Kumar, S. Eswaraiah, K.R.S. Reddy, M.S. Reddy,
B.V. Bhaskar, P.K. Dubey, K. Vyas (Hyderabad, India) 29
- Enantioseparation of *erythro*-mefloquine and its analogues in capillary electrophoresis
B. Chankvetadze (Tbilisi, Georgia; Munster, Germany), N. Burjanadze, G. Blaschke (Munster, Germany) 41

Pharmaceutical Applications

- Speciation analysis of iron in traditional Chinese medicine by flame atomic absorption spectrometry
S.-x. Li (Wuhan, Zhangzhou, People's Republic of China), N.-s. Deng (Wuhan, People's Republic of China) 51
- Application of MEKC for determination of ticarcillin and clavulanic acid in Timentin intravenous preparation
G. Pajchel, S. Tyski (Warsaw, Poland) 59
- Optimised procedures for the reversed-phase liquid chromatographic analysis of formulations containing tricyclic anti-depressants
M.J. Ruiz-Angel (Valencia, Spain), S. Carda-Broch (Castelló, Spain), E.F. Simó-Alfonso, M.C. García-Alvarez-Coque (Valencia, Spain) 71
- Determination of degradation products of squalamine lactate using LC/MS
C.-j. Li, U. Prasad Kari, L.A. Noecker, S.R. Jones, A.M. Sabo, T.J. McCormick, S.M. Johnston (Plymouth Meeting, PA, USA) 85
- Topical formulations with superoxide dismutase: influence of formulation composition on physical stability and enzymatic activity
V.M. Di Mambro, M.F. Borin, M.J.V. Fonseca (São Paulo, Brazil) 97

Bioanalytical Applications

- Determination of simvastatin-derived HMG-CoA reductase inhibitors in biomatrices using an automated enzyme inhibition assay with radioactivity detection
L. Liu, R. Zhang, J.J. Zhao, J.D. Rogers, J.Y.-K. Hsieh, W. Fang, B.K. Matuszewski, M.R. Dobrinska (West Point, PA, USA) 107

A simple HPLC method with pulsed EC detection for the analysis of creatine Y. Mo, D. Dobberpuhl, A.K. Dash (Omaha, NE, USA)	125
An NMR study of the metabolic fate of 2-, 3- and 4-fluorobenzyl alcohols in the rat: Detection of <i>N</i> -acetylcysteinyl conjugates as minor metabolites in urine C.A. Blackledge, J.K. Nicholson (London, UK), I.D. Wilson (Macclesfield, UK)	133
Analysis and pharmacokinetics of bulaquine and its major metabolite primaquine in rabbits using an LC-UV method—a pilot study J. Lal, N. Mehrotra, R.C. Gupta (Lucknow, India)	141
RP-HPLC study of the degradation of diclofenac and piroxicam in the presence of hydroxyl radicals M.C. Gaudiano, L. Valvo, P. Bertocchi, L. Manna (Rome, Italy)	151
Industrial Applications	
Optimization of dissolution test precision for a ketoprofen oral extended-release product S. Furlanetto, F. Maestrelli, S. Orlandini, S. Pinzauti, P. Mura (Florence, Italy)	159
In-process control of midazolam synthesis by HPLC L. Laviana, I. Llorente, M. Bayod (Asturias, Spain), D. Blanco (Oviedo, Spain)	167
Short Communications	
Polymeric matrix membrane sensors for sensitive potentiometric determination of some β -blockers in pharmaceutical preparations S.S.M. Hassan (Cairo, Egypt), M.M. Abou-Sekkina (El-Gharbia, Egypt), M.A. El-Ries, A.A. Wassel (Cairo, Egypt)	175
Solubilities of phenazopyridine, propranolol, and methimazole in supercritical carbon dioxide Y. Yamini, J. Arab, M. Asghari-khiavi (Tehran, Iran)	181
Development and validation of a stability-indicating high performance liquid chromatographic assay for benoxinate M. Chorny, D. Levy, I. Schumacher, C. Lichaa, B. Gruzman, O. Livshits, Y. Lomnický (Israel)	189
Voltammetric assay of azithromycin in pharmaceutical dosage forms B. Nigović, B. Šimunić (Zagreb, Croatia)	197

Number 2

Method Development

Calculation of electrophoretic mobility in ternary solvent electrolyte systems A. Jouyban (Tabriz, Iran), H.K. Chan (Sydney, Australia), M. Khoubnasabjafari (Tabriz, Iran), B.J. Clark (Bradford, UK)	203
Determination of ambroxol in human plasma using LC-MS/MS H. Kim, J.-Y. Yoo, S.B. Han, H.J. Lee, K.R. Lee (Seoul, South Korea)	209
A biochromatographic framework to evaluate the calcium effect on the antihypertensive molecule-human serum albumin binding C. André, M. Thomassin, C. Guyon, T.-T. Truong, Y.-C. Guillaume (Besançon, France)	217
Determination of allopurinol by micelle-stabilised room-temperature phosphorescence in real samples T. Pérez-Ruiz, C. Martínez-Lozano, V. Tomás, J. Martín (Murcia, Spain)	225
Fast separations on monolithic silica columns: method transfer, robustness and column ageing for some case studies A.M. van Nederkassel, A. Aerts, A. Dierick, D.L. Massart, Y. Vander Heyden (Brussels, Belgium)	233

- Disposable electrochemical sensor for rapid determination of heavy metals in herbal drugs
I. Palchetti, M. Mascini, M. Minunni, A.R. Bilia, F.F. Vincieri (Firenze, Italy) 251

Pharmaceutical Applications

- Derivative spectrophotometry in the analysis of mixtures of cefotaxime sodium and cefadroxil monohydrate
B. Morelli (Bari, Italy) 257
- Electrochemical study of hydroxychloroquine and its determination in plaquenil by differential pulse voltammetry
M.L.P.M. Arguelho (São Cristóvão, Brazil), J.F. Andrade (Ribeirão Preto, Brazil), N.R. Stradiotto (Araraquara, Brazil). 269
- Spectrophotometric and LC determination of two binary mixtures containing pyridoxine hydrochloride
A. El-Gindy (Ismailia, Egypt) 277

Bioanalytical Applications

- High-performance liquid chromatographic method for the quantification of anthranilic and 3-hydroxyanthranilic acid in rat brain dialysate
G. Cannazza, M. Baraldi (Modena, Italy), D. Braghiroli (Chieti Scalo, Italy), A. Tait, C. Parenti (Modena, Italy). 287
- On-line SPE–RP-LC for the determination of insulin derivatives in biological matrices
N.F.C. Visser, H. Lingeman, H. Irth (Amsterdam, The Netherlands) 295
- Control of the illegal use of clenbuterol in bovine production
A. Cristino (Lisbon, Portugal), F. Ramos, M.I.N. da Silveira (Coimbra, Portugal) 311
- Simultaneous determination of sildenafil and its active metabolite UK-103,320 in human plasma using liquid chromatography–tandem mass spectrometry
J. Kim (Vancouver, Canada), H.Y. Ji, S.J. Kim, H.W. Lee, S.-S. Lee (Iksan, South Korea), D.S. Kim, M. Yoo, W.B. Kim (Kyunggi-Do, South Korea), H.S. Lee (Iksan, South Korea) 317
- Analysis of nabumetone in human plasma by HPLC. Application to single dose pharmacokinetic studies
K. Kobylińska, M. Barlińska, M. Kobylińska (Warsaw, Poland) 323
- Quantitative determination of sufentanil in human plasma by liquid chromatography–tandem mass spectrometry
L. Palleschi, L. Lucentini, E. Ferretti, F. Anastasi, M. Amoroso, G. Draisci (Rome, Italy) 329
- Analysis of albendazole metabolites by electrospray LC–MS/MS as a probe to elucidate electro-oxidation mechanism of albendazole
R. Galvão de Lima, P.S. Bonato, R. Santana da Silva (São Paulo, Brazil) 337

Industrial Applications

- Development and validation of a liquid chromatographic method for the determination of amlodipine residues on manufacturing equipment surfaces
R. Klinkenberg, B. Streel, A. Ceccato (Marche-en-Famenne, Belgium) 345

Short Communications

- Anodic polarographic determination of ciclopirox olamine in pure and certain pharmaceutical preparations
F. Ibrahim, N. El-Enany (Mansoura, Egypt) 353
- Application of LC–MS/MS for the identification of a polar impurity in mosapride, a gastroprokinetic drug
Y.R. Kumar, J. Moses Babu, M.S.P. Sarma, B. Seshidhar, S.S. Reddy, G.S. Reddy, K. Vyas (Hyderabad, India) 361
- Determination of diphenyltriazol (DL111-IT) and its related impurities by RP-HPLC with DAD
X. Wang, T. Yao, S. Zeng (Zhejiang, PR China). 369

Liquid chromatographic determination of unbound flecainide in therapeutic drug monitoring K. Katori (Sakado, Japan), M. Homma, K. Kuga, I. Yamaguchi (Tsukuba, Japan), K. Sugibayashi (Sakado, Japan), Y. Kohda (Tsukuba, Japan)	375
Determination of cetylpyridinium chloride and tetracaine hydrochloride in buccal tablets by RP-HPLC J. Wang, J. Lu, L. Zhang, Y. Hu (Nanjing, China)	381
High-performance liquid chromatographic analysis of nitrendipine in human plasma using ultraviolet detection and single-step solid-phase sample preparation S.Y. Oh, K.Y. Kim, Y.G. Kim, H.-G. Kim (Choongnam, South Korea)	387

Number 3

Method Development

Determination of caffeine using oscillating chemical reaction in a CSTR J. Gao, J. Ren, W. Yang, X.H. Liu, H. Yang (Lanzhou, China)	393
Modeling the effect of analyte and reference bandwidths on signal and noise magnitudes in spectrophotometric assays C. Galli (Ann Arbor, MI, USA), P.J. Frey, P. Harmon, H. Hartman, R.A. Reed (West Point, PA, USA)	401

Pharmaceutical Applications

Study of stability of methotrexate in acidic solution Spectrofluorimetric determination of methotrexate in pharmaceutical preparations through acid-catalyzed degradation reaction S.M. Sabry, M. Abdel-Hady, M. Elsayed, O.T. Fahmy, H.M. Maher (Alexandria, Egypt)	409
Determination of chromium and selected elements in multimineral and multivitamin preparations and in pharmaceutical raw material K. Sołtyk, A. Łozak (Warsaw, Poland), P. Ostapczuk (Jülich, Germany), Z. Fijałek (Warsaw, Poland)	425
Conventional and micellar liquid chromatography method development for danazol and validation in capsules R. Gonzalo-Lumbreras, R. Izquierdo-Hornillos (Madrid, Spain)	433
A validated high performance liquid chromatographic method for analysis of nicotine in pure form and from formulations K.R. Tambwekar, R.B. Kakariya, S. Garg (SAS Nagar, India)	441
Quantification of 5-HMF and dextrose in commercial aqueous dextrose solutions H. Xu, A.C. Templeton, R.A. Reed (West Point, PA, USA)	451
Impurity profile study of repaglinide K.V.S.R. Krishna Reddy, J. Moses Babu, V.T. Mathad, S. Eswaraiah, M. Satyanarayana Reddy, P.K. Dubey, K. Vyas (Hyderabad, India)	461
Simple and rapid analysis of endocrine disruptors in liquid medicines and intravenous injection solutions by automated in-tube solid-phase microextraction/high performance liquid chromatography K. Mitani, S. Narimatsu, F. Izushi, H. Kataoka (Okayama, Japan)	469
MECC determination of oleanolic acid and ursolic acid isomers in <i>Ligustrum lucidum</i> Ait H. Liu (Changchun, Changli, PR China), Y. Shi (Changchun, PR China), D. Wang, G. Yang (Baoding, PR China), A. Yu, H. Zhang (Changchun, PR China)	479

Bioanalytical Applications

Development and optimization of a reversed-phase high-performance liquid chromatographic method for the determination of acetaminophen and its major metabolites in rabbit plasma and urine after a toxic dose M.V. Vertzoni, H.A. Archontaki, P. Galanopoulou (Athens, Greece)	487
---	-----

Estimation of uncertainty in kinetic-colorimetric assay of bacterial endotoxins Y. Haishima, C. Hasegawa, T. Yagami, T. Tsuchiya, R. Matsuda, Y. Hayashi (Tokyo, Japan)	495
Study of the interaction of 6-mercaptopurine with protein by microdialysis coupled with LC and electrochemical detection based on functionalized multi-wall carbon nanotubes modified electrode X.-N. Cao (Shanghai, China), L. Lin (Zhejiang, China), Y.-Y. Zhou, W. Zhang, G.-Y. Shi (Shanghai, China), K. Yamamoto (Tokyo, Japan), L.-T. Jin (Shanghai, China)	505
Shift in pH of biological fluids during storage and processing: effect on bioanalysis A. Fura, T.W. Harper, H. Zhang, L. Fung, W.C. Shyu (Princeton, NJ, USA)	513
Development of an animal–human antibody complex for use as a control in ELISA M.L. Gu, S.L. Feng, J.K. Glenn (Rockville, MD, USA)	523
Accelerated metabolite identification by “Extraction-NMR” U. Gerhard, S. Thomas, R. Mortishire-Smith (Harlow, UK)	531
Short Communications	
Simultaneous spectrophotometric determination of cyproterone acetate and estradiol valerate in pharmaceutical preparations by ratio spectra derivative and chemometric methods E. Dinç, C. Yücesoy, İ.M. Palabiyık, Ö. Üstündağ, F. Onur (Ankara, Turkey)	539
Phloroglucinol: novel synthesis and role of the magnesium cation on its binding with human serum albumin (HSA) using a biochromatographic approach based on Langmuir isotherms L. Ismaili, B. Refouvelet, A. Xicluna, J.F. Robert, Y.C. Guillaume (Besançon, France)	549
A novel chemiluminescence method for determination of terbutaline sulfate based on potassium ferricyanide oxidation sensitized by rhodamine 6G Y. Lv, Z. Zhang, Y. Hu, D. He, S. He (Chongqing, China)	555
A simple rapid method of sample preparation for LC analysis of retinoyl β -glucuronide and retinoic acid in water-based creams A.B. Barua (Ames, IA, USA)	563

Numbers 4–5

Special Issue: Drug Analysis 2002

Edited by: J. Crommen and H. Lingeman

Preface

J. Crommen (Liege, Belgium), H. Lingeman (Amsterdam, The Netherlands)	ix
Stir bar sorptive extraction-thermal desorption-capillary GC–MS for profiling and target component analysis of pharmaceutical drugs in urine B. Tienpont (Ghent, Belgium), F. David (Kortrijk, Belgium), T. Benijts (Ghent, Belgium), P. Sandra (Ghent, Kortrijk, Belgium)	569
Characterization of antisense oligonucleotide–peptide conjugates with negative ionization electrospray mass spectrometry and liquid chromatography–mass spectrometry U. Tengvall, S. Auriola, M. Antopolsky, A. Azhayev (Kuopio, Finland), L. Biegelman (Boulder, CO, USA)	581
Quantitative determination of paclitaxel in human plasma using semi-automated liquid–liquid extraction in conjunction with liquid chromatography/tandem mass spectrometry G. Basileo, M. Breda, G. Fonte, R. Pisano, C.A. James (Milan, Italy)	591
LC–MS–MS determination of brostallicin in human plasma following automated on-line SPE S. Calderoli, E. Colombo, E. Frigerio, C.A. James (Milan, Italy), M. Sibum (Emmen, The Netherlands)	601

A sensitive LC/MS/MS method using silica column and aqueous–organic mobile phase for the analysis of loratadine and descarboethoxy-loratadine in human plasma W. Naidong, T. Addison, T. Schneider, X. Jiang, T.D.J. Halls (Madison, WI, USA)	609
Sensitive determination of buprenorphine and its <i>N</i> -dealkylated metabolite norbuprenorphine in human plasma by liquid chromatography coupled to tandem mass spectrometry A. Ceccato, R. Klinkenberg (Marche-en-Famenne, Belgium), P. Hubert (Liège, Belgium), B. Streel (Marche-en-Famenne, Belgium)	619
Liquid chromatography/atmospheric pressure chemical ionization ion trap mass spectrometry of terpene lactones in plasma of animals P. Mauri, M. Minoggio, L. Iemoli, G. Rossoni, P. Morazzoni, E. Bombardelli, P. Pietta (Milan, Italy)	633
Comparative biotransformation and disposition studies of nabumetone in humans and minipigs using high-performance liquid chromatography with ultraviolet, fluorescence and mass spectrometric detection M. Nobilis, J. Kopecký, J. Květina, Z. Svoboda, M. Pour, J. Kuneš (Hradec Králové, Czech Republic), M. Holčapek, L. Kolářová (Pardubice, Czech Republic)	641
LC-APCI-MS/MS analysis of urinary 8-hydroxy-2'-deoxyguanosine P.G. Pietta, P. Simonetti, C. Gardana, S. Cristoni, L. Bramati, P.L. Mauri (Milano, Italy)	657
RP-HPLC separation of the diastereomers of technetium-99m labelled tropanes and identity confirmation using radio-LC-MS H.P. Vanbilloen, B.J. Cleynhens, T.J. de Groot, A. Maes, G.M. Bormans, A.M. Verbruggen (Leuven, Belgium)	663
Identity confirmation of ^{99m} Tc-MAG3, ^{99m} Tc-Sestamibi and ^{99m} Tc-ECD using radio-LC-MS T. Verduyck, D. Kieffer, D. Huyghe, B. Cleynhens, K. Verbeke, A. Verbruggen, G. Bormans (Leuven, Belgium)	669
An efficient HPLC method for the analysis of isomeric purity of technetium-99m-exametazime and identity confirmation using LC-MS D. Vanderghinste, M. Van Eeckhoudt, C. Terwinghe, L. Mortelmans, G.M. Bormans, A.M. Verbruggen, H.P. Vanbilloen (Leuven, Belgium)	679
Polypyrrole based DNA hybridization assays: study of label free detection processes versus fluorescence on microchips T. Livache (Grenoble, France), E. Maillart, N. Lassalle (Orsay, France), P. Mailley, B. Corso (Grenoble, France), P. Guedon (Orsay, France), A. Roget (Grenoble, France), Y. Levy (Orsay, France)	687
Optical biosensor analysis in studying herpes simplex virus glycoprotein D binding to target nectin1 receptor C. Bertucci, S. Cimitan, L. Menotti (Bologna, Italy)	697
Rapid screening of small ligand affinity to human serum albumin by an optical biosensor C. Bertucci, S. Cimitan (Bologna, Italy)	707
Lipases for biocatalysis: development of a chromatographic bioreactor E. Calleri, C. Temporini (Pavia, Italy), S. Furlanetto (Florence, Italy), F. Loidice, G. Fracchiolla (Bari, Italy), G. Massolini (Pavia, Italy)	715
Determination of the antioxidant capacity of samples of different types of tea, or of beverages based on tea or other herbal products, using a superoxide dismutase biosensor L. Campanella, A. Bonanni, M. Tomassetti (Rome, Italy)	725
Determination of hydrogen peroxide in disinfectant solutions using a biosensor with two antagonist enzymes L. Campanella, G. Favero, D. Giancola, M. Tomassetti (Rome, Italy)	737
An analysis of the SFSTP guide on validation of chromatographic bioanalytical methods: progresses and limitations B. Boulanger (Mont-Saint-Guibert, Belgium), P. Chiap (Liège, Belgium), W. Dewe (Mont-Saint-Guibert, Belgium), J. Crommen, P. Hubert (Liège, Belgium)	753
Measurement uncertainty from validation and duplicate analysis results in HPLC analysis of multivitamin preparations and nutrients with different galenic forms J.O. De Beer, P. Baten, C. Nsengyumva, J. Smeyers-Verbeke (Brussels, Belgium)	767

Application of capillary electrophoresis with pH-mediated sample stacking to analysis of coumarin metabolites in microsomal incubations E.M. Ward, M.R. Smyth, R. O'Kennedy (Dublin, Ireland), C.E. Lunte (Lawrence, KS, USA)	813
Capillary electrophoresis: a tool for studying interactions of glycans/proteoglycans with growth factors M. Militopoulou, F. Lamari, N.K. Karamanos (Patras, Greece)	823
Fully automated LC method for the determination of sotalol in human plasma using restricted access material with cation exchange properties for sample clean-up O. Rbeida, B. Christiaens, P. Chiap, P. Hubert (Liège, Belgium), D. Lubda (Darmstadt, Germany), K.-S. Boos (Munich, Germany), J. Crommen (Liège, Belgium).	829
Application of an alkyl-diol silica precolumn in a column-switching system for the determination of meloxicam in plasma W.R.G. Baeyens, G. Van der Weken, E. D'haeninck (Ghent, Belgium), A.M. García-Campaña (Granada, Spain), T. Vankeirsbilck, A. Vercauteren (Ghent, Belgium), P. Deprez (Merelbeke, Belgium)	839
Experimental design approach for the optimisation of a HPLC-fluorimetric method for the quantitation of the angiotensin II receptor antagonist telmisartan in urine N. Torrealday, L. González, R.M. Alonso, R.M. Jiménez, E. Ortiz Lastra (Bilbao, Spain).	847
New HPLC method for separation of blood plasma phospholipids Z. Suchocka, D. Gronostajska, P. Suchocki, J. Pachecka (Warsaw, Poland)	859
The study of codeine–glutethimide pharmacokinetic interaction in rats D. Popa, F. Loghin, S. Imre, E. Curea (Cluj-Napoca, Romania).	867
Determination of ticlopidine in human plasma by capillary gas chromatography with ion trap detection A. Pena, C. Lino, M.I.N. Silveira (Coimbra, Portugal)	879
Simultaneous high-throughput determination of clenbuterol, ambroxol and bromhexine in pharmaceutical formulations by HPLC with potentiometric detection G. Bazylak (Antwerpen, Belgium; Bydgoszcz, Poland), L.J. Nagels (Antwerpen, Belgium)	887
Analysis of optically active compounds using conventional chromatography with a circular dichroism detector C. Slijkhuis, K.D. Hartog, C. van Alphen, L. Blok-Tip, P.M.J.M. Jongen, D. de Kaste (Bilthoven, The Netherlands).	905
Comparison of morphine and hydromorphone analysis on reversed phase columns with different diameters W.R.G. Baeyens, G. Van der Weken, E. Smet (Ghent, Belgium), A.M. García-Campaña (Granada, Spain), J.P. Remon (Ghent, Belgium)	913
Simultaneous determination of methylparaben, propylparaben, hydrocortisone acetate and its degradation products in a topical cream by RP-HPLC R. Hájková, P. Solich, J. Dvořák (Hradec Kralove, Czech Republic), J. Šícha (Pardubice, Czech Republic).	921
Photochemical degradation of solid-state nisoldipine monitored by HPLC V.D. Marinkovic (Leskovac, Yugoslavia), D. Agbaba, K. Karlijkovic-Rajic, S. Vladimirov, J.M. Nedeljkovic (Belgrade, Yugoslavia).	929
Capillary electrophoresis in analysis of veterinary drugs P. Kowalski, I. Olędzka, H. Lamparczyk (Gdansk, Poland).	937
Determination of ursodeoxycholic acid in pharmaceutical preparations by capillary electrophoresis with indirect UV detection H.-Y. Chang, C.-H. Kuo, S.-W. Sun (Taipei, Taiwan).	949
Adsorptive stripping voltammetric determination of cefetamet in human urine M. Aleksić, L. Milovanović, V. Kapetanović (Belgrade, Yugoslavia).	957
Voltammetric and electrochemical quartz crystal microbalance studies of sulforaphane and its Zn(II) complexes Z. Fijałek, K. Sarna, T. Kasprzycka-Guttman (Warsaw, Poland)	967

Development of electrochemical methods for determination of tramadol—analytical application to pharmaceutical dosage forms E.M.P.J. Garrido, J.M.P.J. Garrido, F. Borges, C. Delerue-Matos (Porto, Portugal)	975
Analytical methods for the determination of folic acid in a polymeric micellar carrier V. Andrisano, M. Bartolini, C. Bertucci, V. Cavrini, B. Luppi, T. Cerchiara (Bologna, Italy)	983
Detection and characterization of cyclodextrin complexes with β -carboline derivatives by spectroscopic techniques L. Martín, A. León, M.A. Martín, B. del Castillo, J.C. Menéndez (Madrid, Spain)	991
Spectrophotometric determination of cimetidine in pharmaceuticals and urine using batch and flow-injection methods M. Soledad Garcia, M. Isabel Albero, C. Sánchez-Pedreño, M.S. Abuherba (Murcia, Spain)	1003
Multi-pumping flow system for the spectrophotometric determination of dipyrone in pharmaceutical preparations J.L.F.C. Lima (Porto, Portugal), S.M. Oliveira Sá (Piracicaba, Brazil), J.L.M. Santos (Porto, Portugal), E.A.G. Zagatto (Piracicaba, Brazil)	1011
First-order UV-derivative spectrophotometry in the analysis of omeprazole and pantoprazole sodium salt and corresponding impurities K. Karljivic-Rajic, D. Novovic (Belgrade, Yugoslavia), V. Marinkovic (Leskovac, Yugoslavia), D. Agbaba (Belgrade, Yugoslavia)	1019
Specific spectrophotometric method with trifluoroacetic acid for the determination of selenium(IV) in selenitriglycerides P. Suchocki, D. Jakoniuk, B.A. Fitak (Warsaw, Poland)	1029
Quality control of commercial tablets containing the novel antipsychotic quetiapine V. Pucci, R. Mandrioli, A. Ferranti (Bologna, Italy), S. Furlanetto (Florence, Italy), M. Augusta Raggi (Bologna, Italy)	1037
Herbal remedies of <i>Solidago</i> —correlation of phytochemical characteristics and antioxidative properties P. Apáti, K. Szentmihályi, S.T. Kristó, I. Papp, P. Vinkler, É. Szoke, Á. Kéry (Budapest, Hungary)	1045
<i>Short communications</i>	
Enantiomeric resolution of some 2-arylpropionic acids using L-(–)-serine-impregnated silica as stationary phase by thin layer chromatography H.Y. Aboul-Enein, M.I. El-Awady (Riyadh, Saudi Arabia), C.M. Heard (Cardiff, UK)	1055
HPLC determination of tramadol in human breast milk V. Kmetec, R. Roškar (Ljubljana, Slovenia)	1061
Degradation of components in drug formulations: a comparison between HPLC and DSC methods G.C. Ceschel, R. Badiello, C. Ronchi, P. Maffei (Bologna, Italy)	1067
Fast drug stability determination by LC variable-parameter kinetic experiments G. Alibrandi, S. Coppolino, S. D'Aliberti, R. Ficarra, N. Micali, A. Villari (Messina, Italy)	1073
Determination of 4-aminophenol impurities in multicomponent analgesic preparations by HPLC with amperometric detection E. Wyszecza-Kaszuba, M. Warowna-Grześkiewicz, Z. Fijałek (Warsaw, Poland)	1081
Simultaneous determination of naproxen and related compounds by HPLC using porous graphitic carbon column L. Monser, F. Darghouth (Tunis, Tunisia)	1087
A new proposal for fast determination of vitamin B ₂ from aqueous pharmaceutical products N. Bonciocat, I.O. Marian, R. Săndulescu, C. Filip, S. Lotrean (Cluj-Napoca, Romania)	1093
Serum levels of beta-trace protein and glomerular filtration rate—preliminary results C. Donadio, A. Lucchesi, M. Ardini, E. Donadio, R. Giordani (Pisa, Italy)	1099

Number 6

Method Development

- Modified resolution factor for asymmetrical peaks in chromatographic separation
D. Song (Andover, MA, USA), J. Wang (Cambridge, MA, USA) 1105
- Evaluation of the use of LC-MS in supporting stability studies for preclinical study formulations
E.L. Simmonds (Alnwick, UK), W.J. Lough (Sunderland, UK), M.R. Gray (Alnwick, UK). 1113

Pharmaceutical Applications

- Stability-indicating methods for the determination of sumatriptan succinate
L.I. Bebawy (Giza, Egypt), A.A. Moustafa (Cairo, Egypt), N.F. Abo-Talib (Giza, Egypt) 1123
- Determination of meloxicam in bulk and pharmaceutical formulations
N.H. Zawilla, M. Abdul-Azim Mohammad, N.M. El kousy, S.M. El-Moghazy Aly (Cairo, Egypt). 1135
- Simultaneous determination of aspirin and isosorbide 5-mononitrate in formulation by reversed phase high pressure liquid chromatography
M. Gandhimathi, T.K. Ravi, A. Abraham, R. Thomas (Coimbatore, India) 1145
- A validated ¹H NMR method for the determination of the degree of deacetylation of chitosan
M. Lavertu, Z. Xia, A.N. Serreqi, M. Berrada, A. Rodrigues, D. Wang, M.D. Buschmann, A. Gupta (Montréal, Canada). 1149
- Chiral ligand-exchange chromatography for diastereo-enantio separation of exametazime
N. Nikolić, D. Veselinović, J. Vučina, H. Lingeman, K. Karljiković-Rajić (Amsterdam, The Netherlands). 1159
- LC-MS/MS determination of Synercid® injections
M.E. Abdel-Hamid, O.A. Phillips (Safat, Kuwait) 1167
- High-performance liquid chromatographic analysis of bioactive triterpenes in *Perilla frutescens*
J.H. Chen, Z.H. Xia, R.X. Tan (Nanjing, China). 1175
- Evaluation of stability of cefuroxime axetil in solid state
M. Zając, A. Jelińska, L. Dobrowolski (Poznań, Poland), I. Oszczapowicz (Warszawa, Poland). 1181

Bioanalytical Applications

- A rapid and sensitive LC/MS/MS assay for quantitative determination of digoxin in rat plasma
M. Yao, H. Zhang, S. Chong, M. Zhu, R.A. Morrison (Princeton, NJ, USA). 1189
- Analysis for residual host cell proteins and DNA in process streams of a recombinant protein product expressed in *Escherichia coli* cells
A.S. Rathore (Thousand Oakes, CA, USA), S.E. Sobacke, T.J. Kocot, D.R. Morgan, R.L. Dufield, N.M. Mozier (Chesterfield, MO, USA) 1199
- Determination of nifedipine in human plasma by solid-phase extraction and high-performance liquid chromatography: validation and application to pharmacokinetic studies
I. Niopas, A.C. Daftsios (Thessaloniki, Greece). 1213

Short communications

- Fluorimetric determination of some antibiotics in raw material and dosage forms through ternary complex formation with terbium (Tb³⁺)
L.I. Bebawy, K.E. Kelani, L.A. Fattah (Cairo, Egypt). 1219

Voltammetric investigation of diethylstilbestrol İ. Biryol, B. Salcı, E. Erdik (Ankara, Turkey)	1227
Physicochemical compatibility between ketoprofen lysine salt injections (Artrosilene®) and pharmaceutical products frequently used for combined therapy by intravenous administration R. Anacardio, O. Perilli, S. Bartolini, M.M. Gentile, P. Mazzeo (L'Aquila, Italy), G. Carlucci (Chieti Scalo, Italy)	1235
Calendar of forthcoming events	1243
List of Contents	1247
Author index	1257
Subject index	1263