



LIST OF CONTENTS

Issue 1

Review

- Strategies for characterization of drug metabolites using liquid chromatography–tandem mass spectrometry in conjunction with chemical derivatization and on-line H/D exchange approaches
D.Q. Liu (King of Prussia, PA, USA), C.E.C.A. Hop (Groton, CT, USA) 1

New Methods

- Determination of thio-based additives for biopharmaceuticals by pulsed electrochemical detection following HPLC
S.J. Modi, W.R. LaCourse (Baltimore, MD, USA), R.E. Shansky (Framingham, MA, USA) 19

Pharmaceutical Applications

- Application of HPLC and HPTLC for the simultaneous determination of tizanidine and rofecoxib in pharmaceutical dosage form
N. Kaul, S.R. Dhaneshwar, H. Agrawal, A. Kakad, B. Patil (Maharashtra, India) 27
- Sensitivity improvement on detection of Coptidis alkaloids by sweeping in capillary electrophoresis
S.-W. Sun, H.-M. Tseng (Taipei, Taiwan) 39
- Evaluation of basic algorithms for transferring quantitative multivariate calibrations between scanning grating and FT NIR spectrometers
H. Leion, S. Folestad, M. Josefson, A. Sparén (Mölnadal, Sweden) 47
- A stability indicating LC method for Rivastigmine hydrogen tartrate
B.M. Rao, M.K. Srinivasu, K.P. Kumar, N. Bhradwaj, R. Ravi, P.K. Mohakud, G.O. Reddy, P.R. Kumar (Hyderabad, India) 57
- Optimization of glibenclamide tablet composition through the combined use of differential scanning calorimetry and D-optimal mixture experimental design
P. Mura, S. Furlanetto, M. Cirri, F. Maestrelli, A.M. Marras, S. Pinzauti (Sesto Fiorentino, Italy) 65
- Direct determination by capillary electrophoresis of cardiovascular drugs, previously included in liposomes
M.G. Quaglia (Rome, Italy), F. Barbato (Naples, Italy), S. Fanali, E. Santucci, E. Donati (Rome, Italy), M. Carafa (Chieti, Italy), C. Marianecchi (Rome, Italy) 73
- On-line membrane preconcentration for continuous monitoring of trace pharmaceuticals
E.J. Bishop, S. Mitra (Newark, NJ, USA) 81
- Simultaneous quantification of 12 bioactive components of *Ligusticum chuanxiong* Hort. by high-performance liquid chromatography
R. Yan, S.-L. Li, H.-S. Chung, Y.-K. Tam, G. Lin (Shatin, Hong Kong) 87
- Separation and characterization of synthetic impurities of triclobandazole by reversed-phase high-performance liquid chromatography/electrospray ionization mass spectrometry
H. Zhou, Y. Tai, C. Sun, Y. Pan (Zhejiang Province, China) 97
- Implementation of a simple semi-quantitative near-infrared method for the classification of clinical trial tablets
R. De Maesschalck, T. Van den Kerkhof (Beerse, Belgium) 109

Bioanalytical Applications

- Determination of cocaine and benzoylecgonine by direct injection of human urine into a column-switching liquid chromatography system with diode-array detection
M.R. Brunetto, Y.D. Cayama, L.G. García, M. Gallignani, M.A. Obando (Mérida, Venezuela) 115
- Determination of fluvoxamine and its metabolite fluvoxamino acid by liquid-liquid extraction and column-switching high-performance liquid chromatography
N. Yasui-Furukori (Hirosaki, Japan), Y. Inoue (Fukuoka, Japan), S. Kaneko (Hirosaki, Japan), K. Otani (Yamagata, Japan) 121
- A high throughput approach for simultaneous estimation of multiple synthetic trioxane derivatives using sample pooling for pharmacokinetic studies
R.P. Singh, S.K. Singh, R.C. Gupta (Lucknow, India) 127
- A simple and sensitive LC/MS/MS assay for 7-ethyl-10-hydroxycamptothecin (SN-38) in mouse plasma and tissues: application to pharmacokinetic study of liposome entrapped SN-38 (LE-SN38)
S. Khan, A. Ahmad, W. Guo, Y.-F. Wang, A. Abu-Qare, I. Ahmad (Waukegan, IL, USA) 135
- Rapid determination of tramadol in human plasma by headspace solid-phase microextraction and capillary gas chromatography-mass spectrometry
Y.F. Sha, S. Shen, G.L. Duan (Shanghai, PR China) 143
- Combined liquid and solid-surface room temperature fluorimetric determination of naproxen and salicylate in serum
G.A. Ibañez, G.M. Escandar (Rosario, Argentina) 149
- Determination of plasma and brain levels of isotretinoin in mice following single oral dose by high-performance liquid chromatography
Y. Yang, P.J. Faustino, P.S. Pine, H. Davis (Silver Spring, MD, USA), N. Grunberg, J. Phillips (Bethesda, MD, USA), R.C. Lyon (Silver Spring, MD, USA), L.X. Yu, A.B. Ciavarella, A.V. Del Grosso (Rockville, MD, USA), J.P. Hanig (Silver Spring, MD, USA) 157
- Simultaneous determination of *N*-hydroxymethyl-*N*-methylformamide, *N*-methylformamide and *N*-acetyl-*S*-(*N*-methylcarbamoyl)cystein in urine samples from workers exposed to *N,N*-dimethylformamide by liquid chromatography-tandem mass spectrometry
J.H. Sohn (Exeter, NH, USA), M.J. Han, M.Y. Lee, S.-K. Kang, J.S. Yang (Inchon, Republic of Korea) 165
- Diagnostic value of bone remodeling markers in the diagnosis of bone metastases in patients with breast cancer
D. Pectasides (Athens, Greece), D. Farmakis, M. Nikolaou (Piraeus, Greece), I. Kanakis (Patras, Greece), V. Kostopoulou (Piraeus, Greece), I. Papaconstantinou (Athens, Greece), N.K. Karamanos (Patras, Greece), T. Economopoulos, S.A. Raptis (Athens, Greece) 171

Short Communications

- Evaluation of solid state form of troglitazone by solid state NMR spectroscopy
N. Suzuki, T. Kawasaki (Kanagawa, Japan) 177
- Simultaneous LC determination of tizanidine and rofecoxib in tablets
M. Gandhimathi, T.K. Ravi, S.J. Varghese (Tamil Nadu, India) 183
- High-performance liquid chromatography electrospray ionization mass spectrometry determination of tulobuterol in rabbit's plasma
F. Xu, Z. Zhang, Y. Tian, H. Jiao, J. Liang, G. Gong (Nanjing, PR China) 187
- Differential pulse voltammetric determination of the dopaminergic agonist bromocriptine at glassy carbon electrode
A. Radi, M.S. El-Shahawi, T. Elmogy (Dumyat, Egypt) 195
- Voltammetric study of danazol and its determination in capsules and spiked biological fluids
M. Al-Omar, A. Al-Majed, M. Sultan, E.A. Gadkariem, F. Belal (Riyadh, Saudi Arabia) 199

Issue 2**Review**

- Electrochemical approach of anticancer drugs-DNA interaction
S. Rauf (Faisalabad, Pakistan), J.J. Gooding (Sydney, Australia), K. Akhtar, M.A. Ghauri, M. Rahman, M.A. Anwar, A.M. Khalid (Faisalabad, Pakistan) 205

New Methods

- Direct spectrophotometric measurement of angiotensin I-converting enzyme inhibitory activity for screening bioactive peptides
G.-H. Li, H. Liu, Y.-H. Shi, G.-W. Le (Jiangsu, PR China) 219

Pharmaceutical Applications

Quantitative determination of pharmaceuticals using nano-electrospray ionization mass spectrometry after reversed phase mini-solid phase extraction L. Qi, N.D. Danielson (Oxford, OH, USA)	225
Uniformly sized molecularly imprinted polymer for atropine and its application to the determination of atropine and scopolamine in pharmaceutical preparations containing <i>Scopolia</i> extract M. Nakamura, M. Ono, T. Nakajima, Y. Ito, T. Aketo (Saitama, Japan), J. Haginaka (Hyogo, Japan)	231
Simultaneously measuring concentrations of a model drug and a model excipient in solution using ultrasonic spectrometry R.R. Chen, T. Zelesky, N. Ilasi, S.S. Sekulic (Groton, CT, USA)	239
Application of two chemometric methods for the determination of imipramine, amitriptyline and perphenazine in content uniformity and drug dissolution studies C.K. Markopoulou, E.T. Malliou, J.E. Koundourellis (Thessaloniki, Greece)	249
Compatibility of nitroglycerin, diazepam and chlorpromazine with a new multilayer material for infusion containers N.K. Kambia, T. Dine, T. Dupin-Spriet, B. Gressier, M. Luyckx (Lille, France), F. Goudaliez (Tourcoing Cedex, France), C. Brunet (Lille, France)	259
Phosphorus-doped and undoped glassy carbon indicator electrodes in controlled-current potentiometric titrations of bromide- or chloride-containing active ingredients in some pharmaceutical preparations B.F. Abramović, V.J. Guzsvány, F.F. Gaál (Novi Sad, Serbia and Montenegro)	265
Comparison of capillary electrophoresis and reversed-phase liquid chromatography methodologies for determination of diazepam in pharmaceutical tablets M.S. Aurora Prado, M. Steppe, M.F.M. Tavares, E.R.M. Kedor-Hackmann, M.I.R.M. Santoro (Sao Paulo, Brazil)	273
Spectroelectrochemical determination of chlorpromazine hydrochloride by flow-injection analysis D. Daniel, I.G.R. Gutz (São Paulo, Brazil)	281
Assays of physical stability and antioxidant activity of a topical formulation added with different plant extracts V.M. Di Mambro, M.J.V. Fonseca (Ribeirão Preto, Brazil)	287
HPLC method for the determination and pharmacokinetic studies on puerarin in cerebral ischemia reperfusion rat plasma after intravenous administration of puerariae radix isoflavone B. Yan, D. Xing, Y. Ding, J. Tao, L.-j. Du (Beijing, China)	297
Liquid chromatography–mass spectrometry studies of St. John’s wort methanol extraction: active constituents and their transformation F. Liu, C. Pan, P. Drumm (East Hanover, NJ, USA), C.Y.W. Ang (Jefferson, AR, USA)	303
BIS repetita non placent—a statistical analysis of the number of sample preparations and number of injections required for chromatographic analyses A.-F. Aubry (Wilmington, DE, USA), R. Noble (Wilmington, DE, USA and Oxford, OH, USA), M.S. Alasandro, C.M. Riley (Wilmington, DE, USA)	313
Bioanalytical Applications	
Validation of a semi-automated human hepatocyte assay for the determination and prediction of intrinsic clearance in discovery A. Reddy, T. Heimbach, S. Freiwald, D. Smith, R. Winters, S. Michael, N. Surendran, H. Cai (Ann Arbor, MI, USA)	319
Spectrofluorimetric and micelle-enhanced spectrofluorimetric determination of gatifloxacin in human urine and serum J.A. Ocaña, F.J. Barragán, M. Callejón (Seville, Spain)	327
Analysis and determination of biological activity of short-chain peptides from porcine brain hydrolysate H. Zhang, X. Zhang, B. Xu (Beijing, PR China)	333
Determination of corticosteroids in tissue samples by liquid chromatography–tandem mass spectrometry Y. Rönquist-Nii, P.O. Edlund (Stockholm, Sweden)	341
In vitro metabolism of a new oxazolidinone hypoglycemic agent utilizing liver microsomes and recombinant human cytochrome P450 enzymes A.K. Agrawal, C.E.C.A. Hop, J. Pang, M.V. Silva Elipse, R.C. Desai, K.H. Leung, R.B. Franklin (Rahway, NJ, USA)	351
Minimization of ion suppression in LC–MS/MS analysis through the application of strong cation exchange solid-phase extraction (SCX-SPE) J.X. Shen (Kenilworth, NJ, USA), R.J. Motyka, J.P. Roach (Lake Forest, CA, USA), R.N. Hayes (Kenilworth, NJ, USA)	359

Short Communications

Determination of phenolic preservatives in gelatin and vacant capsules for medicine use by ion-suppression reversed-phase high performance liquid chromatography H. Lian, D. Li, X. Wu, L. Tian (Nanjing, PR China)	369
Rapid determination of amoxicillin in premixes by HPLC M. Douša (Praha, Czech Republic), R. Hosmanová (Plzeň, Czech Republic)	373
Pyrocatechol violet as a marker to characterize liposomal membrane permeability using the chelation and the first-order derivative spectrophotometry Y. Jin, M. Li, X. Hou (Beijing, PR China)	379
Separation and determination of Vitamins E and A in multivitamin syrup using micellar liquid chromatography and simplex optimization F. Momenbeik, Z. Momeni, J.H. Khorasani (Isfahan, Iran)	383
Protonation equilibrium and lipophilicity of moxifloxacin M.-H. Langlois, M. Montagut, J.-P. Dubost, J. Grellet, M.-C. Saux (Bordeaux, France)	389
An isocratic ion exchange HPLC method for the simultaneous determination of flucloxacillin and amoxicillin in a pharmaceutical formulation for injection H. Liu, H. Wang (Shanghai, PR China), V.B. Sunderland (Perth, Australia)	395
LC and UV determination of flavonoids from <i>Passiflora alata</i> medicinal extracts and leaves S.D. Müller, S.B. Vasconcelos, M. Coelho, M.W. Biavatti (Santa Catarina, Brazil)	399
Direct determination of verapamil in rat plasma by coupled column microbore-HPLC method O.H. Jhee, J.W. Hong, A.S. Om, M.H. Lee, W.S. Lee (Seoul, South Korea), L.M. Shaw (Philadelphia, PA, USA), J.-W. Lee, J.S. Kang (Seoul, South Korea)	405
Prediction of the aqueous solubility of benzylamine salts using QSPR model V. Tantishaiyakul (Songkhla, Thailand)	411

Issue 3**New Methods**

Spectroscopic study of fluorescent peptides for prenyl transferase assays L. Goossens, S. Deweer, J. Pommery, J.-P. Hénichart, J.-F. Goossens (Lille, France)	417
On-line capillary isoelectric focusing–mass spectrometry for quantitative analysis of peptides and proteins Y. Kuroda, H. Yukinaga, M. Kitano, T. Noguchi, M. Nemati, A. Shibukawa, T. Nakagawa, K. Matsuzaki (Kyoto, Japan)	423
Fast analysis of glycosaminoglycans by microchip electrophoresis with in situ fluorescent detection using ethidium bromide Y.-k. Matsuno, M. Kinoshita, K. Kakehi (Higashi-osaka, Japan)	429
Structural analyses of protoberberine alkaloids in medicine herbs by using ESI–FT-ICR-MS and HPLC–ESI–MS n W. Wu, F. Song, C. Yan, Z. Liu, S. Liu (Changchun, PR China)	437

Pharmaceutical Applications

An HPLC method for quantitation of perillyl alcohol in a topical pharmaceutical cream formulation A. Gupta (Research Triangle Park, NC, USA), S.P. Stratton, P.B. Myrdal (Tucson, AZ, USA)	447
A validated chiral LC method for the determination of Zolmitriptan and its potential impurities M.K. Srinivasu, B.M. Rao, G. Sridhar, P.R. Kumar (Hyderabad, India), K.B. Chandrasekhar (Anantapur, India), A. Islam (Hyderabad, India) ..	453
A validated HPLC method for determining residues of a dual active ingredient anti-malarial drug on manufacturing equipment surfaces M.B. Boca, Z. Apostolides, E. Pretorius (Pretoria, South Africa)	461
Simultaneous determination of five marker constituents in traditional Chinese medicinal preparation Le–Mai granule by high performance liquid chromatography Z. Shi (Beijing, PR China; Baoding, PR China), J. He, M. Zhao, W. Chang (Beijing, PR China)	469
Determination of modafinil in plasma and urine by reversed phase high-performance liquid-chromatography H.A. Schwertner (Lackland, TX, USA), S.B. Kong (San Antonio, TX, USA)	475

Simultaneous determination of cryptotanshinone, tanshinone I and tanshinone IIA in traditional Chinese medicinal preparations containing <i>Radix salvia miltiorrhiza</i> by HPLC Z. Shi (Beijing, PR China; Baoding, PR China), J. He, T. Yao, W. Chang, M. Zhao (Beijing, PR China)	481
HPLC and solubility study of the interaction between pindolol and cyclodextrins C. Gazpio, M. Sánchez, I.X. García-Zubiri, I. Vélaz, C. Martínez-Ohárriz, C. Martín, A. Zornoza (Pamplona, Spain)	487
Sample preparation optimization for assay of active pharmaceutical ingredients in a transdermal drug delivery system using experimental designs W. Li, D. Nadig, H.T. Rasmussen, K. Patel, T. Shah (Raritan, NJ, USA)	493
Development and validation of a high-performance liquid chromatography–mass spectrometry assay for methylxanthines and taurine in dietary supplements E. Marchei, M. Pellegrini, R. Pacifici, I. Palmi, S. Pichini (Rome, Italy)	499
Infrared studies of the polymorphic states of the fenamates R.K. Gilpin, W. Zhou (Dayton, OH, USA)	509
Simultaneous determination of ingredients in a cold medicine by cyclodextrin-modified microemulsion electrokinetic chromatography H. Okamoto, T. Nakajima, Y. Ito, T. Aketo (Saitama, Japan), K. Shimada, S. Yamato (Niigata, Japan)	517
Determination of topiramate and its degradation product in liquid oral solutions by high performance liquid chromatography with a chemiluminescent nitrogen detector M. Styslo-Zalaski, W. Li (Raritan, NJ, USA)	529
Simultaneous determination of active ingredients in <i>Erigeron breviscapus</i> (Vant.) Hand-Mazz. by capillary electrophoresis with electrochemical detection Q. Chu, T. Wu, L. Fu, J. Ye (Shanghai, China)	535
Simultaneous non-destructive determination of two components of combined paracetamol and amantadine hydrochloride in tablets and powder by NIR spectroscopy and artificial neural networks Y. Dou (Jilin, China), Y. Sun (Changchun, China), Y. Ren (Baicheng, China), P. Ju (Changchun, China), Y. Ren (Jilin, China)	543
Determination of protamine peptides in insulin drug products using reversed phase high performance liquid chromatography A. Hvass, B. Skelbaek-Pedersen (Bagsvaerd, Denmark)	551
Development and validation of a stability indicating HPLC method for determination of lisinopril, lisinopril degradation product and parabens in the lisinopril extemporaneous formulation C.A. Beasley, J. Shaw, Z. Zhao, R.A. Reed (West Point, PA, USA)	559
Comparative study of the continuous wavelet transform, derivative and partial least squares methods applied to the overlapping spectra for the simultaneous quantitative resolution of ascorbic acid and acetylsalicylic acid in effervescent tablets E. Dinç (Ankara, Turkey), A. Ozdemir (Sakarya, Turkey), D. Baleanu (Ankara, Turkey; Magurele-Bucharest, Romania)	569
Stability indicating reversed-phase ion-pairing liquid chromatographic determination of vertilmicin sulfate as bulk drug and in injections Z. Liu, G. Duan (Shanghai, P.R. China)	577
Chromatographic determination of polymerized impurities in meropenem S.-Y. Cai, C.-Q. Hu (Beijing, PR China)	585
Bioanalytical Applications	
Stereospecific high-performance liquid chromatographic analysis of hesperetin in biological matrices J.A. Yáñez, X.W. Teng, K.A. Roupe, N.M. Davies (Pullman, WA, USA)	591
LC determination of citral in <i>Cymbopogon citratus</i> volatile oil C. da S. Rauber, S.S. Guterres, E.E.S. Schapoval (Porto Alegre, Brazil)	597
Narrow-bore high performance liquid chromatographic method for the determination of cetirizine in human plasma using column switching C.-K. Kim, K.J. Yeon, E. Ban, M.-J. Hyun, J.-K. Kim, M.-K. Kim, S.-E. Jin (Seoul, South Korea), J.-S. Park (Daejeon, South Korea)	603
Short Communications	
Combinatorial screening employing nylon loops and micro-X-ray powder diffraction J.H. Reibenspies, N.S.P. Bhuvanesh (College Station, TX, USA)	611
Simultaneous determination of luteolin and apigenin in dog plasma by RP-HPLC L. Li, H. Jiang, H. Wu, S. Zeng (Hangzhou, China)	615

High-performance liquid chromatographic determination of sumatriptan after in vitro transdermal diffusion studies A. Femenía-Font (Moncada, Spain), V. Merino (Burjassot, Spain), V. Rodilla, A. López-Castellano (Moncada, Spain)	621
Quantitative analysis of enalapril by ¹ H NMR spectroscopy in tablets A. Zoppi, M. Linares, M. Longhi (Córdoba, Argentina)	627

Issue 4

Publisher's note	v
------------------------	---

New Methods

Analysis of essential elements in <i>Pragya-peya</i> —a herbal drink and its constituents by neutron activation A. Kumar (Roorkee, India), A.G.C. Nair, A.V.R. Reddy (Mumbai, India), A.N. Garg (Roorkee, India)	631
---	-----

Pharmaceutical Applications

Spectrophotometric determination of oxiconazole in topical lotion using methyl orange J. Milano, S.G. Cardoso (Santa Maria, Brazil)	639
Photo-isomerization of fluvoxamine in aqueous solutions J.-W. Kwon, K.L. Armbrust (Mississippi State, MS, USA)	643
Microbiological assay for the determination of meropenem in pharmaceutical dosage form A.S.L. Mendez, V. Weisheimer, T.P. Oppe, M. Steppe, E.E.S. Schapoval (Porto Alegre-RS, Brazil)	649
Drug–drug interaction between diclofenac, cetirizine and ranitidine I.M. Kenawi, B.N. Barsoum, M.A. Youssef (Giza, Egypt)	655
Simultaneous analysis of the H ₁ -antihistamine acrivastine and the decongestant pseudoephedrine hydrochloride by high-performance liquid chromatography X. Gu, H. Li, K.R. MacNair, F.E.R. Simons, K.J. Simons (Winnipeg, Canada)	663
Determination of active ingredient within pharmaceutical preparations using flow injection mass spectrometry N. Wade (Ann Arbor, MI, USA), K. Miller (Groton, CT, USA)	669
Diclofenac sodium multisource prolonged release tablets—a comparative study on the dissolution profiles P. Bertocchi, E. Antoniella, L. Valvo, S. Alimonti, A. Memoli (Roma, Italy)	679
LC methods for acyclovir and related impurities determination A.L. Huidobro, F.J. Rupérez, C. Barbas (Madrid, Spain)	687
Analysis of diltiazem and its related substances by HPLC and HPLC/MS M.G. Quaglia, E. Donati, S. Fanali (Rome, Italy), E. Bossù, A. Montinaro (Roma, Italy), F. Buiarelli (Rome, Italy)	695
Enantioselective analysis of the metabolites of hydroxychloroquine and application to an in vitro metabolic study C.D. Cardoso (Ribeirão Preto, Brazil; Pelotas, Brazil), P.S. Bonato (Ribeirão Preto, Brazil)	703
Simultaneous determination of cadmium and lead in medicinal plants by anodic stripping voltammetry M.C.V. Mamani, L.M. Aleixo, M.F. de Abreu, S. Rath (Campinas, Brazil)	709
Identification of unknown impurities in simvastatin substance and tablets by liquid chromatography/tandem mass spectrometry M. Vuletić, M. Cindrić, J.D. Koružnjak (Zagreb, Croatia)	715
The simultaneous determination of selected flavonol glycosides and aglycones in <i>Ginkgo biloba</i> oral dosage forms by high-performance liquid chromatography–electrospray ionisation–mass spectrometry M.-J. Dubber (Grahamstown, South Africa), V. Sewram, N. Mshicileli, G.S. Shephard (Tygerberg, South Africa), I. Kanfer (Grahamstown, South Africa)	723
On-line chemiluminescence determination protocatechuic aldehyde and protocatechuic acid in pharmaceutical preparations by capillary electrophoresis S. Han (Xi'an, China; Linfen, China), E. Liu (Linfen, China; Tianjin, China), H. Li (Xi'an, China)	733

Bioanalytical Applications

A novel incubation direct injection LC/MS/MS technique for in vitro drug metabolism screening studies involving the CYP 2D6 and the CYP 3A4 isozymes S. Bhoopathy (Richmond, VA, USA), B. Xin, S.E. Unger (Newark, DE, USA), H.T. Karnes (Richmond, VA, USA)	739
A sensitive method for determination of COL-3, a chemically modified tetracycline, in human plasma using high-performance liquid chromatography and ultraviolet detection M.A. Rudek, C. Hartke, Y. Zabelina, M. Zhao (Baltimore, MD, USA), P. New (San Antonio, TX, USA), S.D. Baker (Baltimore, MD, USA)	751
In vitro plasma protein binding determination of flunarizine using equilibrium dialysis and liquid chromatography–tandem mass spectrometry Z.J. Lin, D. Musiano (New Castle, DE, USA), A. Abbot (Raritan, NJ, USA), L. Shum (New Castle, DE, USA)	757
High-performance liquid chromatographic determination of enalapril in human plasma by enzyme kinetic analytical method P. Thongnopua (Bangkok, Thailand), C. Poeaknapo (Ubonrathchatani, Thailand)	763
Generation and destruction of unstable reagent in flow injection system: determination of acetylcysteine in pharmaceutical formulations using bromine as reagent W.T. Suarez, H.J. Vieira, O. Fatibello-Filho (São Carlos, Brazil)	771
Simultaneous determination of ranitidine and metronidazole in human plasma using high performance liquid chromatography with diode array detection T.G. do Nascimento, E. de Jesus Oliveira, R.O. Macêdo (Parafba, Brazil)	777
Amperometric biosensor based on horseradish peroxidase for biogenic amine determinations in biological samples T.J. Castilho, M. del Pilar Raboada Sotomayor, L.T. Kubota (Campinas, Brazil)	785
Simultaneous estimation of pharmacokinetic properties in mice of three anti-tubercular ethambutol analogs obtained from combinatorial lead optimization L. Jia, J.E. Tomaszewski (Rockville, MD, USA), P.E. Noker, G.S. Gorman (Birmingham, AL, USA), E. Glaze, M. Protopopova (Rockville, MD, USA)	793

Short Communications

Monoethylglycinexylidide and lidocaine determination in porcine microsomal preparations S.K. Cox, T. Hamner, J. Bartges (Knoxville, TN, USA)	801
Simultaneous determination of gallic acid, albiflorin, paeoniflorin, ferulic acid and benzoic acid in Si–Wu decoction by high-performance liquid chromatography DAD method Y.-X. Sheng, L. Li, Q. Wang, H.-Z. Guo, D.-A. Guo (Beijing, PR China)	805
Application of non-aqueous micellar electrokinetic chromatography to the analysis of active components in radix <i>Salviae miltiorrhizae</i> and its medicinal preparations A. Chen (Lanzhou, Taigu, PR China), C. Li, W. Gao, Z. Hu, X. Chen (Lanzhou, PR China)	811
Comparison between HPLC and HPTLC-densitometry for the determination of harpagoside from <i>Harpagophytum procumbens</i> CO ₂ -extracts M. Günther, P.C. Schmidt (Tübingen, Germany)	817
A multicommuted flow system for the determination of dextrose in parenteral and hemodialysis concentrate solutions M. Knochen, M. Pistón, L. Salvarrey, I. Dol (Montevideo, Uruguay)	823

Issue 5**Special Issue: Selected Papers from the 15th International Symposium on Pharmaceutical and Biomedical Analysis (PBA 2004)****Edited by: S. Pinzauti, B. Chankvetadze, J. Haginaka and I.D. Wilson**

Preface	829
New Methods	
A new approach to the rest potential of biological membranes N. Bonciocat, I.O. Marian (Cluj-Napoca, Romania)	831
Enantioselective LC analysis of synephrine in natural products on a protein-based chiral stationary phase F. Pellati, S. Benvenuti, M. Melegari (Modena, Italy)	839

High-performance liquid chromatographic determination of ciprofloxacin in plasma samples Z. Vybíralová, M. Nobilis, J. Zoulova, J. Květina (Hradec Králové, Czech Republic), P. Petr (České Budějovice, Czech Republic)	851
Pharmaceutical Applications	
Validation in pharmaceutical analysis. Part II: central importance of precision to establish acceptance criteria and for verifying and improving the quality of analytical data J. Ermer, H.-J. Ploss (Frankfurt, Germany)	859
Combined pH/organic solvent gradient HPLC in analysis of forensic material P. Wiczling, M.J. Markuszewski, M. Kaliszan, K. Galer, R. Kaliszan (Gdańsk, Poland)	871
Optimisation and use of water-in-oil MEEKC in pharmaceutical analysis M. Broderick, S. Donegan, J. Power (Waterford, Ireland), K. Altria (Essex, UK)	877
High-resolution method for regulatory control of <i>Echinacea</i> species in Nutraceuticals by CD-MEKC M. Bensalem (Bradford, UK), E. Hartwell (Cambs, UK), S. Hartwell (Cambridge, UK), H. Hill (Cambs, UK), A.F. Fell (Bradford, UK)	885
Automated system for release studies of salicylic acid based on a SIA method J. Klimundová, H. Sklenářová (Hradec Králové, Czech Republic), U.F. Schaefer (Saarbrücken, Germany), P. Solich (Hradec Králové, Czech Republic)	893
Development and validation of HPLC method for determination of indomethacin and its two degradation products in topical gel L. Nováková, L. Matysová, L. Havlíková, P. Solich (Hradec Králové, Czech Republic)	899
Quantitative analysis of amorphous content of lactose using CCD-Raman spectroscopy P. Niemelä, M. Päällysaho (Oulu, Finland), P. Harjunen (Kuopio, Finland), M. Koivisto, V.-P. Lehto (Turku, Finland), J. Suhonen (Oulu, Finland), K. Järvinen (Kuopio, Finland)	907
Determination of local anaesthetics and their impurities in pharmaceutical preparations using HPLC method with amperometric detection Z. Fijałek, E. Baczyński, A. Piwońska, M. Warowna-Grzeškiewicz (Warsaw, Poland)	913
Method determination in pharmaceuticals by enantioselective HPLC D.A. El-Hady, N.A. El-Maali (Assiut, Egypt), R. Gotti, C. Bertucci, F. Mancini, V. Andrisano (Bologna, Italy)	919
Laser diffraction for standardization of heterogeneous pharmaceutical preparations A.V. Syroeshkin, P.I. Popov, T.V. Grebennikova, V.A. Frolov, T.V. Pleteneva (Moscow, Russia)	927
Particle size analysis of some water/oil/water multiple emulsions L. Ursica, D. Tita, I. Palici, B. Tita, V. Vlaia (Eftimie Murgu, Romania)	931
Standardization of marketed <i>Kumariasava</i> —an Ayurvedic <i>Aloe vera</i> product A.T. Elamthuruthy, C.R. Shah, T.A. Khan, P.A. Tatke, S.Y. Gabhe (Mumbai, India)	937
Preparation of a diclofenac potentiometric sensor and its application to pharmaceutical analysis and to drug recovery from biological fluids M. Shamsipur, F. Jalali, S. Ershad (Kermanshah, Iran)	943
Thermal analysis study of the interactions between acetaminophen and excipients in solid dosage forms and in some binary mixtures M. Tomassetti, A. Catalani, V. Rossi, S. Vecchio (Rome, Italy)	949
Evaluation of in vitro effects of natural substances of plant origin using a model of protein glycoxydation I. Boušová, J. Martin, L. Jahodář, J. Dušek, V. Palička, J. Dršata (Hradec Králové, Czech Republic)	957
Analytical method for appreciation of garlic therapeutic potential and for validation of a new formulation I. Arnault (Tours, France), T. Haffner (Berlin, Germany), M.H. Siess (Dijon, France), A. Vollmar (Munich, Germany), R. Kahane (Bretenières, France), J. Auger (Tours, France)	963
Fast determination of colchicine by TLC-densitometry from pharmaceuticals and vegetal extracts E. Bodoki, R. Oprean, L. Vlase, M. Tamas, R. Sandulescu (Cluj-Napoca, Romania)	971
HPLC-DAD and LC-ESI-MS analysis of doxycycline and related impurities in doxipan mix, a medicated premix for incorporation in medicated feedstuff J. Fiori (Bologna, Italy), G. Grassigli, P. Filippi (Modena, Italy), R. Gotti, V. Cavrini (Bologna, Italy)	979
Interaction of naproxen with ionic cyclodextrins in aqueous solution and in the solid state P. Mura, S. Furlanetto, M. Cirri, F. Maestrelli, G. Corti, S. Pinzauti (Firenze, Italy)	987

Determination of stability constant values of flurbiprofen–cyclodextrin complexes using different techniques M. Cirri, F. Maestrelli, S. Orlandini, S. Furlanetto, S. Pinzauti, P. Mura (Florence, Italy)	995
Novel composite poly(4-vinylpyridine)/polypropylene membranes with recognition properties for (<i>S</i>)-naproxen L. Donato, A. Figoli, E. Drioli (Rende, Italy)	1003
The 6-derivative of β -cyclodextrin with succinic acid: a new chiral selector for CD-EKC V. Cucinotta, A. Giuffrida, G. Maccarrone, M. Messina, A. Puglisi, A. Torrisi, G. Vecchio (Catania, Italy)	1009
Bioanalytical Applications	
Assay of stability, free and total concentration of chlorhexidine in saliva by solid phase microextraction F.M. Musteata, J. Pawliszyn (Waterloo, Canada)	1015
Determination of thiamine and its phosphorylated forms in human plasma, erythrocytes and urine by HPLC and fluorescence detection: a preliminary study on cancer patients R. Losa, M.I. Sierra, A. Fernández (Asturias, Spain), D. Blanco (Oviedo, Spain), J.M. Buesa (Asturias, Spain)	1025
Screening of anabolic steroids in horse urine by liquid chromatography–tandem mass spectrometry N.H. Yu, E.N.M. Ho, D.K.K. Leung, T.S.M. Wan (Hong Kong, PR China)	1031
High-throughput determination of ultra-low concentrations of LAG078, a lipid modulator, in human plasma T.K. Majumdar, R. Bakhtiar, C. Chen, L. Ramos, F.L.S. Tse (East Hanover, NJ, USA)	1039
Use of chiral liquid chromatography for the evaluation of stereospecificity in the carbonyl reduction of potential benzo[<i>c</i>]fluorene antineoplastics benfluron and dimefluron in various species R. Kučera, M. Nobili, L. Skálová, B. Szotáková, P. Císař (Hradec Králové, Czech Republic), Th. Jira (Greifswald, Germany), J. Klimeš, V. Wsól (Hradec Králové, Czech Republic)	1049
Disposition study of a new potential antineoplastic agent dimefluron in rats using high-performance liquid chromatography with ultraviolet and mass spectrometric detection P. Císař, M. Nobilis, Z. Vybíralová (Hradec Králové, Czech Republic), M. Holčapek, L. Kolářová (Pardubice, Czech Republic), M. Pour, J. Kuneš, J. Klimeš (Hradec Králové, Czech Republic)	1059
A selective and rapid method for the quantification of captopril in human plasma using liquid chromatography/selected reaction monitoring mass spectrometry I.I. Salem, W.A. Saif, Y. Jmeian, J.I.A. Tamimi (Amman, Jordan)	1073
Development and validation of a bioanalytical method using automated solid-phase extraction and LC-UV for the simultaneous determination of lumefantrine and its desbutyl metabolite in plasma N. Lindegårdh (Bangkok, Thailand; Oxford, UK), A. Annerberg (Bangkok, Thailand), D. Blessborn, Y. Bergqvist (Borlänge, Sweden), N. Day, N.J. White (Bangkok, Thailand; Oxford, UK)	1081
Short Communications	
LC-MS determination of MPTP at sub-ppm level in pethidine hydrochloride A. Farina, G. Gostoli, E. Bossù, A. Montinaro, C. Lestingi, R. Lecce (Rome, Italy)	1089
Determination of fentanyl in human plasma and fentanyl and norfentanyl in human urine using LC–MS/MS N.-H. Huynh, N. Tyrefors, L. Ekman, M. Johansson (Uppsala, Sweden)	1095
Improvements in europium sensitized fluorimetric determination of demeclocycline and methacycline M.C. Mahedero, D. Bohoyo, F. Salinas, T. Ardila, D. Airado, B. Roldán (Badajoz, Spain)	1101
FTIR microscopy as a method for identification of bacterial and fungal infections V. Erukhimovitch, V. Pavlov, M. Talyshinsky, Y. Souprun, M. Huleihel (Beer-Sheva, Israel)	1105
Validated specific HPLC method for determination of zidovudine during stability studies A. Dunge, N. Sharda, B. Singh, S. Singh (Punjab, India)	1109
Establishment of inherent stability of stavudine and development of a validated stability-indicating HPLC assay method A. Dunge, N. Sharda, B. Singh, S. Singh (Punjab, India)	1115
Determination of cationic surfactants as the preservatives in an oral solution and a cosmetic product by capillary electrophoresis N. Öztekin, F.B. Erim (Istanbul, Turkey)	1121

Application of surface ionization methods for highly sensitive and selective analysis of benzodiazepine derivatives U. Khasanov, U. Rasulev, D. Usmanov, S. Iskhakova, U. Nabiev (Tashkent, Uzbekistan)	1125
LC determination of leuprolide component amino acids in injectable solution by phanquinone pre-column derivatization labelling procedure M.G. Gioia, R. Gatti, A. Minarini (Bologna, Italy)	1135
Electrochemical, quantum-chemical and antioxidant properties of antipyrine and its derivatives N.V. Bashkatova, E.I. Korotkova, Yu.A. Karbainov, A.Yu. Yagovkin, A.A. Bakibaev (Tomsk, Russia)	1143
Antioxidant and electrochemical properties of calcium and lithium ascorbates O.A. Avramchik, E.I. Korotkova, E.V. Plotnikov, A.N. Lukina, Y.A. Karbainov (Tomsk, Russia)	1149
PLE in the analysis of plant compounds. Part I. The application of PLE for HPLC analysis of caffeine in green tea leaves A.L. Dawidowicz, D. Wianowska (Lublin, Poland)	1155
PLE in the analysis of plant compounds. Part II: One-cycle PLE in determining total amount of analyte in plant material A.L. Dawidowicz, D. Wianowska (Lublin, Poland)	1161
Effects of intraoperative fluid infusions, sample storage time, and sample handling on unbound propofol assay in human blood plasma A.L. Dawidowicz, R. Kalitynski (Lublin, Poland)	1167
Determination of quality of pyridoxal-5'-phosphate enzyme preparations by spectroscopic methods J. Dršata, I. Boušová (Hradec Králové, Czech Republic), P. Maloň (Prague, Czech Republic)	1173
Stability of ramipril in the solvents of different pH L. Hanyšová (Hradec Králové, Czech Republic), M. Václavková, J. Dohnal (Prague, Czech Republic), J. Klimeš (Hradec Králové, Czech Republic)	1179
Erratum	1185
Calender	1187
Announcement	1189
List of contents	1193
Author Index	1203
Subject Index	1209
Guide for Authors	I