ESTIMATION OF DIGITALIS GLYCOSIDES. PART II

there is then less likelihood that two compounds having similar or identical fastness on one system will behave in a completely parallel manner on another system of chromatography.

We should like to point out that the use of the term "lanatoside" is more in accord with the nomenclature of the cardiac glycosides than is the older term "digilanid" and the former has been used in this paper in place of the latter synonym used previously.

The authors would like to take this opportunity to thank the Directors of Drug Houses of Australia Ltd. for financial support for one of us (H. S.) also Sandoz Ltd. for gifts of lanatosides A, B and C, and Burroughs Wellcome & Co. (Australia) Ltd. for a gift of digoxin and digitoxin.

REFERENCES

- Silbermann and Thorp, J. Pharm. Pharmacol., 1953, 5, 438. Svendsen and Jensen, Pharm. Acta Helvet., 1950, 25, 241.

- Ferry and Murphy, Private communication.
 Jensen, Acta pharm. tox. Kbh., 1953, 9, 99.
 Dash and Frith, J. Pharm. Pharmacol., 1954, 6, 2.
 Schindler and Reichstein, Helv. Chim. Acta, 1951, 34, 108.
- 7. Stoll and Kreis, Helv. Chim. Acta, 1933, 16, 1390.

Correction.

MORPHINE DERIVATIVES WITH ANTIANALGESIC ACTION

By A. F. Green, G. K. Ruffell and E. Walton

This Journal, 1954, 6, 390

Page 393, line 3. For R' read R.

Page 395, line 5. For R' read R" and for R" read R'.

Page 396, line 30. For R' read R" and for R" read R'.

line 32. For R1 read R, and for R2 read R'.