

Journal of Pharmacy and Pharmacology

VOLUME 48 • 1996

AUTHOR INDEX

- ADACHI, Y see SUZUKI, T
ADAMS, P A, BERMAN, P A Reaction between ferriprotoporphyrin IX and the antimalarial endoperoxide artesunate gives an intermediate species with enhanced redox catalytic activity 183
ADCOCK, H J, GASKIN, P J, SHAW, P N, TEESDALE-SPITTLE, P H, BUCKBERRY, L D Novel sources of mammalian C-S lyase activity 150
AHMADI, M see BARRELL, K J
AHMADI, M, KHALAF, L F, SMITH, H J, NICHOLLS, P J A dapstone-induced blood dyscrasia in the mouse: evidence for the role of an active metabolite 228
AHUMADA, M C see DE LA PUERTA, R
AIBA, T see HATANAKA, T
AKAO, T see TAKEDA, S
AL HOMSI, M see TANIRA, M O M
AL-SHAMI, M see JEHANLI, A M T
ALARCÓN DE LA LASTRA, C see LÓPEZ, A
ALCARAZ, M J see FERRÁNDIZ, M L
ALDINUCCI, C see PESSINA, G P
ALFARO, M J, ORMAZÁBAL, M J, GARCÍA-ARROBA, L, MARTÍN, M I Cholesterol-fed rabbits: study of the response of the vas deferens to adrenergic and non-adrenergic stimulus and to a κ -opioid agonist 433
ALI, B H see TANIRA, M O M
ALLEN, K L see MOLAN, P C
ALONSO, M J see CALVO, P
AMAGAYA, S see TAKEDA, S
ANGLEY, M T, SANSOM, L N, SMEATON, T C, STUPANS, I The effects of cyclophosphamide on the pharmacokinetics of triiodothyronine in the male rat 386
ANIGBOGU, A N C, WILLIAMS, A C, BARRY, B W Permeation characteristics of 8-methoxypsoralen through human skin; relevance to clinical treatment 357
ANSELM, E see ELORRIAGA, M
ANTON-FOS, G M see CERCOS-DEL-POZO, R A
AQUINO, R, CAPASSO, A, DE SIMONE, F, SORRENTINO, L Neuropharmacological effects of extracts from *Sickingia williamsii* 592
ARAFAT, T see JEHANLI, A M T
ARAI, M see NOZAWA, R
ARAKAWA, Y see KUROKAWA, N
ARAKI, T see TAKAHAMA, K
ARIMORI, K see TOMIMARU, A
ARMSTRONG, D J, ELLIOT, P N C, FORD, J L, GADSDON, D, MCCARTHY, G P, ROSTRON, C, WORSLEY, M D Poly-(D,L-lactic acid) microspheres incorporating histological dyes for intra-pulmonary histopathological investigations 258
ARMSTRONG, N A see BRITTEN, J R
ARRUEBO, M P see PLAZA, M A
ARRUZAZABALA, L see CARBAJAL, D
ASAI, F see IINUMA, M
ASANO, M see ISHIKAWA, J
ATHANASSOVA, R see IVANOV, C
ATTOLINI, L see GANTENBEIN, M
AUGUSTIJNS, P F Uptake and transport characteristics of chloroquine in an in-vitro cell culture system of the intestinal mucosa, Caco-2 277
AYALEW, Y see ROXBURGH, C J
BAI, J P F, CHANG, L L Effects of enzyme inhibitors and insulin concentration on transepithelial transport of insulin in rats 1078
BAI, J P F, CHANG, L L, GUO, J H Effects of polyacrylic polymers on the degradation of insulin and peptide drugs by chymotrypsin and trypsin 17
BAI, J P F, HONG, H-J, ROTHENBERGER, D A, WONG, W D, BULS, J G The presence of insulin-degrading enzyme in human ileal and colonic mucosal cells 1180
BAJORIA, R, SOORANNA, S R, CONTRACTOR, S F Differential binding of warfarin to maternal, foetal and non-pregnant sera and its clinical implications 486
BALUGANI, A see GUARINI, S
BANGARU, R A see PANDYA, K K
BARAKAT, M, DU SOUICH, P Effect of nifedipine on the elimination of theophylline in the rabbit subjected to hypoxia or to an inflammatory reaction 906
BARBOSA FILHO, J M see DE FREITAS, M R
BARLOW, D J see RICHARDSON, C J
BARNETT, M I see BRITTEN, J R
BARRACH, H J see CHICHESTER, C O
BARRACHINA, M D see MARTÍNEZ-CUESTA, M A

- BARRELL, K J, WOO, W L, AHMADI, M, SMITH, H J, NICHOLLS, P J Synthesis and biological evaluation of 3-(prop-2-enyl)- and 3-(prop-2-ynyl)pyrrolidine-2,5-dione derivatives as potential aromatase inhibitors 154
- BARRY, B W see ANIGBOGU, A N C
- BASHIR, A K see TANIRA, M O M
- BASHIR, A K see TANIRA, M O M
- BATTY, K T, ILETT, K F, DAVIS, T M E
Chemical stability of artesunate injection and proposal for its administration by intravenous infusion 22
- BAZZANI, C see GUARINI, S
- BEGLEY, D J The blood-brain barrier: principles for targeting peptides and drugs to the central nervous system 136
- BENCHAOUI, H A, MCKELLAR, Q A Interaction between fenbendazole and piperonyl butoxide: pharmacokinetic and pharmacodynamic implications 753
- BENTON, D C H see ROXBURGH, C J
- BERMAN, P A see ADAMS, P A
- BERNKOP-SCHNÜRCH, A see VALENTA, C
- BERTANI, S see CONFORTI, A
- BERTOLINI, A see GUARINI, S
- BETAGERI, G V see DIPALI, S R
- BHATTACHARYYA, J, BHATTACHARYYA, M, CHAKRABORTI, A S, CHAUDHURI, U, PODDAR, R K Trifluoperazine is more effective than chlorpromazine in releasing oxygen from haemoglobin and myoglobin 965
- BHATTACHARYYA, M see BHATTACHARYYA, J
- BIGGIO, G see TRAPANI, G
- BISHOP, B E see DOGGRELL, S A
- BLACHE, D see DURAND, P
- BLAGBROUGH, I S see COATES, P A
- BLAGBROUGH, I S see MOYA, E
- BLOY, C see DURAND, P
- BOCCI, V see PESSINA, G P
- BOGGETTO, N see JOYEAU, R
- BOIREAU, A, MEUNIER, M, DOBLE, A
3-Nitropropionic acid exacerbates [³H]GABA release evoked by glucose deprivation in rat striatal slices 85
- BOLE-VUNDUK, B, VERHNJAK, K, ZMITEK, J
Anti-inflammatory, analgesic and ulcerogenic properties of S-(+)-ibuprofen, racemic ibuprofen- β -cyclodextrin and S-(+)-ibuprofen- β -cyclodextrin 1153
- BOLOGNESE, A see DIURNO, M V
- BONDINELL, W see SAMANEN, J
- BORDI, F see PLAZZI, P V
- BORGHI, A see GALLICO, L
- BOROUJERDI, M see VORA, J
- BOROUJERDI, M see VORA, J
- BOTTICELLI, A see GUARINI, S
- BOUSQUET, E, MARRAZZO, A, PUGLISI, G, SPADARO, A, TIRENDI, S Synthesis, physical properties, toxicological studies and bioavailability of L-pyroglutamic and L-glutamic acid esters of paracetamol as potentially useful prodrugs 479
- BOWER, C, WASHINGTON, C, PUREWAL, T S
Characterization of surfactant effect on aggregates in model aerosol propellant suspensions 337
- BOWER, C, WASHINGTON, C, PUREWAL, T S
The effect of surfactant and solid phase concentration on drug aggregates in model aerosol propellant suspensions 342
- BOWMAN, R E see WILSON, M P
- BRANCH, S K see CHAN, N C
- BRANCH, S K see SAHM, U G
- BRANDAO TORRES, L M see DE FARIAS FRIEIRE, S M
- BRANDT, R see LAVE, T
- BRAVO, L see DE LA PUERTA, R
- BRESCHI, M C see NIERI, P
- BREWER, T G see LEO, K U
- BRITTEN, J R, BARNETT, M I, ARMSTRONG, N A Studies on powder plug formation using a simulated capsule filling machine 249
- BROADBEAR, J see DERRICK, I
- BROOKS, R see POUCHER, S M
- BROWN, M B see LADENHEIM, D
- BRUCE, I J, DAVIES, M J, HOWARD, K, SMETHURST, D E, TODD, M Magnetizable solid-phase supports for purification of nucleic acids 147
- BRUGUEROLLE, B see GANTENBEIN, M
- BUCKBERRY, L D see ADCOCK, H J
- BULS, J G see BAI, J P F
- BÚRIGO, A C, CALIXTO, J B, MEDEIROS, Y S
Pharmacological profile of rat pleurisy induced by *Bothrops jararaca* venom 106
- BUTTERS, T D see VAN DEN BROEK, L A G M
- CAGE, P A see TOMKINSON, N P
- CALATAYUD, S see MARTÍNEZ-CUESTA, M A
- CALICETI, P see CONFORTI, A
- CALIXTO, J B see BÚRIGO, A C
- CALIXTO, J B see DE MEDEIROS, C L C
- CALIXTO, J B see FILHO, V C
- CALIXTO, J B see PAULINO, N
- CALVERT, R T Bioequivalence and generic prescribing: a pharmacy view 9
- CALVO, P, ALONSO, M J, VILA-JATO, J L, ROBINSON, J R Improved ocular bioavailability of indomethacin by novel ocular drug carriers 1147
- CALVO, R see GARRIDO, M J
- CAMERONI, R see PANINI, R
- CAMPBELL, M M see WALFORD, S P
- CAPASSO, A see AQUINO, R
- CAPASSO, A, DI GIANNUARIO, A, LOIZZO, A, PIERETTI, S, SORRENTINO, L
Dexamethasone reduced clonidine-induced hypoactivity in mice 615
- CAPASSO, F see DIURNO, M V
- CARAMONA, M M see FERREIRA MENDES, A
- CARBAJAL, D, MOLINA, V, VALDÉS, S, ARRUZAZABALA, L, RODERIO, I, MÁR, R, MAGRANER, J Possible cytoprotective mechanism in rats of D-002, an anti-ulcerogenic product isolated from beeswax 858
- CARETTA, A see PLAZZI, P V
- CAROTTI, A see TRAPANI, G
- CARR, P see ISMAIL, F M D
- CAVALLETTI, E see GALLICO, L

- CECHINEL-FILHO, V see PAULINO, N
 CELLAMARE, S see TRAPANI, G
 CERCOS-DEL-POZO, R A, PEREZ-GIMENEZ, F,
 GALVEZ-ALVAREZ, J, SALABERT-
 SALVADOR, M T, GARCIA-MARCH, F J,
 ANTON-FOS, G M Correlation of
 pharmacological properties of a group of
 hypolipaeamic drugs by molecular topology 240
 CERRETO, F see SCALZO, M
 CERRETO, F see SCALZO, M
 CESERANI, R see GALLICO, L
 CHAKRABORTI, A S see BHATTACHARYYA, J
 CHAKRAVARTHY, B K see PANDYA, K K
 CHAN, N C, BRANCH, S K, MOSS, S H,
 POUTON, C W Molecular modelling of β turns
 in a cyclic melanotropin 218
 CHANDRANATH, I see TANIRA, M O M
 CHANDRASHEKHAR, G, UDUPA, N
 Biodegradable injectable implant systems for long-
 term drug delivery using poly (lactic-co-glycolic)
 acid copolymers 669
 CHANG, H R see LEE, H S
 CHANG, L L see BAI, J P F
 CHANG, L L see BAI, J P F
 CHANG, Y-L see KO, F-N
 CHAUDHURI, U see BHATTACHARYYA, J
 CHEN, C F see TSAI, T H
 CHEN, C-M see KO, F-N
 CHENG, C Y see WANG, H P
 CHERN, J W see YEN, M H
 CHIBA, N see SUZUKI, T
 CHICHESTER, C O, BARRACH, H J,
 SRINIVAS, G R, MITCHELL, P Immunological
 detection of type II collagen degradation: use in
 the evaluation of anti-arthritis therapies 694
 CHIEN, Y W see SAH, H
 CHOE, E see SABATES, B
 CHOE, E U see FERRARA, J J
 CHOU, C J see TSAI, T H
 CHOU, R C see LAVE, T
 CHUANG, Y-C see LIN, C-N
 CHUNG, M-I see LIN, C-N
 CHUNG, M-I see LIN, C-N
 COASSOLO, P see LAVE, T
 COATES, P A, BLAGBROUGH, I S,
 ROWAN, M G, PEARSON, D P J, LEWIS, T,
 POTTER, B V L Preliminary structure-activity
 relationship studies of methyllycaconitine, a potent
 nicotinic acetylcholine receptor antagonist: rapid
 synthesis of ae-bicyclic analogues 210
 COLEMAN, M D, PAHAL, K K, GARDINER, J M
 The effect of acetylation and deacetylation on the
 disposition of dapsone and monoacetyl dapsone
 hydroxylamines in human erythrocytes in-vitro 401
 COLEMAN, M D, SMITH, S N, KELLY, D E,
 KELLY, S L, SEYDEL, J K Studies on the
 toxicity of novel analogues of dapsone in-vitro
 using rat, human and heterologously expressed
 metabolizing systems 945
 COLOMBO, S see GAROFALO, P
 CONFORTI, A, BERTANI, S, LUSSIGNOLI, S,
 GRIGOLINI, L, TERZI, M, LORA, S,
 CALICETI, P, MARSILIO, F, VERONESE, F M
 Anti-inflammatory activity of polyphosphazene-
 based naproxen slow-release systems 468
 CONTRACTOR, S F see BAJORIA, R
 COOKLOCK, K M see GUO, J-H
 COOPER, K M see HARRISON, L I
 CORRADESCHI, F see PESSINA, G P
 COSTAGLI, C see GALLI, A
 COSTIGAN, M G, GILCHRIST, T L, LINDUP, W E
 Synthesis and physicochemical properties of the
 furan dicarboxylic acid, 3-carboxy-4-methyl-5-
 propyl-2- furanpropanoic acid, an inhibitor of
 plasma protein binding in uraemia 635
 COX, D see TOMKINSON, N P
 CRIVORI, P see PLAZZI, P V
 D'OCON, P see ELORRIAGA, M
 DALBY, A, LITTLECHILD, J A Studies with type I
 aldolase to understand fructose intolerance and
 combat parasitic disease 214
 DANIELS, E D, PETTIFOR, J M Lack of
 degeneration of penicillin in urine during storage
 of specimens for up to twelve weeks 880
 DANNO, N see HOUJOU, T
 DAS, M see KHANDKAR, M A
 DASCOMBE, M J see ISMAIL, F M D
 DAVIES, M C see TENDLER, S J B
 DAVIES, M J see BRUCE, J J
 DAVIS, A M see TOMKINSON, N P
 DAVIS, T M E see BATTY, K T
 DAWSON, P J see GAFFNEY, P J
 DE CAMPOS, R O P see FILHO, V C
 DE CORTES, S F see DE FREITAS, M R
 DE FARIAS FRIEIRE, S M,
 BRANDAO TORRES, L M, SOUCCAR, C,
 LAPA, A J Sympathomimetic effects of *Scoparia*
dulcis L. and catecholamines isolated from plant
 extracts 624
 DE FREITAS, M R, DE CORTES, S F,
 THOMAS, G, BARBOSA FILHO, J M
 Modification of calcium metabolism in the rabbit
 aorta as a mechanism of spasmolytic action of
 Warifteine, a bisbenzylisoquinoline alkaloid
 isolated from the leaves of *Cissampelos*
sympodialis Eichl. 332
 DE LA PUERTA, R, MARTINEZ, E, BRAVO, L,
 AHUMADA, M C Effect of silymarin on
 different acute inflammation models and on
 leukocyte migration 968
 DE LA ROSA, M C see NOA, M
 DE MEDEIROS, C L C, CALIXTO, J B Effect of
 the hydroalcoholic extract on *Rauwolfia ligustrina*
 on smooth and cardiac muscles in-vitro 1210
 DE MUYNCK, C see VERMEIRE, A
 DE SIMONE, F see AQUINO, R
 DEAN, F M hP, the component of log P controlling
 structure-activity relationships amongst non-
 steroidal anti-inflammatory drugs 233
 DEARDEN, J C see DUFFY, J C
 DELGADO, A V see GALLARDO, V
 DENYER, S P see HODGES, N A
 DEPIERRE, J W see XIA, Z
 DERRICK, I, LEWIS, J W, MOYNIHAN, H A,
 BROADBEAR, J, WOODS, J H Potential
 irreversible ligands for opioid receptors.
 Cinnamoyl derivatives of β -naltrexamine 192
 DEUTSCH, S I see KOETZNER, L

- DEVIE-HUBERT, I see MOUCHARD-DELMAS, C
 DEWAR, G H see REEVES, K A
 DI GIANNUARIO, A see CAPASSO, A
 DIEGUEZ, G see GARCIA-VILLALÓN, A L
 DIPALI, S R, KULKARNI, S B, BETAGERI, G V
 Comparative study of separation of non-encapsulated drug from unilamellar liposomes by various methods 1112
 DIURNO, M V, IZZO, A A, MAZZONI, O, BOLOGNESE, A, CAPASSO, F Antidiarrhoeal activity of new thiazolidinones related to loperamide 760
 DOBLE, A see BOIREAU, A
 DOGGRELL, S A, BISHOP, B E Veratridine augments and BDF 9148 attenuates the spontaneous contractile force of the rat portal vein 820
 DOHENY, M H, O'CONNELL, M T, PATSALOS, P N A high-performance liquid-chromatographic micro-analytical procedure for the rapid estimation of piracetam in plasma or cerebrospinal fluid 514
 DONNELL, D see HARRISON, L I
 DORDUNOO, S K, FORD, J L, RUBINSTEIN, M H Solidification studies of polyethylene glycols, gelucire 44/14 or their dispersions with triamterene or temazepam 782
 DOUCET, C see JOYEAU, R
 DU SOUICH, P see BARAKAT, M
 DUFER, J see MOUCHARD-DELMAS, C
 DUFFY, J C, DEARDEN, J C, ROSTRON, C A QSAR study of anti-inflammatory *N*-arylanthranilic acids 883
 DUNN, P M see ROXBURGH, C J
 DURAND, P, BLOY, C, PELETIER-PUJOL, F, BLACHE, D In-vitro and ex-vivo inhibition of blood platelet aggregation by naftazone 566
- EDEN, O B see WATSON, N W
 EDGELL, T A see GAFFNEY, P J
 EDVINSSON, L see SUN, X
 EECHAUTE, W see VERMEIRE, A
 EKHOLM, B P see HARRISON, L I
 ELLIOT, P N C see ARMSTRONG, D J
 ELORRIAGA, M, ANSELM, E, HERNANDEZ, J M, D'OCÓN, P, IVORRA, D The sources of Ca²⁺ for muscarinic receptor-induced contraction in the rat ileum 817
 ENGLEMAN, E see FULLER, R W
 ERAZO, S see FERRÁNDIZ, M L
 ESPANDER-JANSSON, A see FRANSSON, J
 ESPLUGUES, J see MARTÍNEZ-CUESTA, M A
 EVANS, A M see O'BRIEN, J A
- FARRAJ, N see GARDNER, N
 FELK, A see JOYEAU, R
 FELLSTRÖM, D E B see SUN, X
 FERNANDEZ, N see GARCIA-VILLALÓN, A L
 FERNANDEZ-ALVAREZ, E see PEREZ, V
 FERRÁNDIZ, M L, GIL, B, SANZ, M J, UBEDA, A, ERAZO, S, GONZÁLEZ, E, NEGRETE, R, PACHECO, S, PAYÁ, M, ALCARAZ, M J Effect of bakuchiol on leukocyte functions and some inflammatory responses in mice 975
- FERRARA, J J, HOANG, T V, CHOE, E U, LIPPTON, H L, HYMAN, A L, FLINT, L M Characterization of α -adrenoceptor activity in term-newborn piglet mesentery 1298
 FERRARA, J see SABATES, B
 FERRARI, F see FILHO, V C
 FERREIRA MENDES, A, CARAMONA, M M, LOPES, M C Changes in subcellular distribution of the rat uterus oestrogen receptor as induced by oestradiol, tamoxifen and ICI 182,780 302
 FILHO, V C, SANTOS, A R S, DE CAMPOS, R O P, MIGUEL, O G, YUNES, R A, FERRARI, F, MESSANA, I, CALIXTO, J B Chemical and pharmacological studies of *Phyllanthus caroliniensis* in mice 1231
 FLINT, L M see FERRARA, J J
 FLINT, L see SABATES, B
 FLOB, P I see LENG, H M J
 FLOWER, D R see TOMKINSON, N P
 FORD, A W see GAFFNEY, P J
 FORD, J L see ARMSTRONG, D J
 FORD, J L see DORDUNOO, S K
 FORD, J L see NOKHODCHI, A
 FORD, J L see NOKHODCHI, A
 FRANCO, M see TRAPANI, G
 FRANKS, C M, HARDCASTLE, J, HARDCASTLE, P T Neural involvement in 5-hydroxytryptamine-induced net electrogenic ion secretion in the rat intestine in-vivo 411
 FRANSSON, J, ESPANDER-JANSSON, A Local tolerance of subcutaneous injections 1012
 FRY, J R see GUIRNAZI, A M
 FUCHIKAMI, J-I see TAKAHAMA, K
 FUJIHARA, A see ISHIKAWA, J
 FUJII, I see KODAMA, Y
 FUJISAKI, J, TOKUNAGA, Y, TAKAHASHI, T, MURATA, S, SHIMOJO, F, HATA, T Physicochemical characterization of bisphosphonic carboxyfluorescein for osteotropic drug delivery 798
 FUJISE, N see MASUNAGA, H
 FUJITA, S see MASUBUCHI, Y
 FUJITA, T see YAMAMOTO, A
 FUKUI, M see IEIRI, I
 FUKUYAMA, T see TABATA, K
 FUKUYAMA, T, YAMAOKA, K, TABATA, K, NAKAGAWA, T Inhibitory effect of pentobarbital on biliary excretion of diclofenac in rat liver perfusion system 734
 FULLER, R W see LI, X-M
 FULLER, R W, PERRY, K W, HEMRICK-LUECKE, S K, ENGLEMAN, E Serum corticosterone increases reflect enhanced uptake inhibitor-induced elevation of extracellular 5-hydroxytryptamine in rat hypothalamus 68
 FUREY, G see WARDLE, K A
- GADSDON, D see ARMSTRONG, D J
 GAFFNEY, P J, EDGELL, T A, DAWSON, P J, FORD, A W, STOCKER, K A pig collagen peptide fraction. A unique material for maintaining biological activity during lyophilization and during storage in the liquid state 896

- GALLARDO, V, RUIZ, M A, VERA, P,
GONZALEZ-CABALLERO, F, DELGADO, A V
Effect of amino acids on the stability properties of
nitrofurantoin suspensions. Flocculation and
redispersion compared with interaction energy
curves 450
- GALLI, A, MORI, F Acetylcholinesterase inhibition
and protection by Dizocilpine (MK-801)
enantiomers 71
- GALLI, A, RANAUDO, E, GIANNINI, L,
COSTAGLI, C Reversible inhibition of
cholinesterases by opioids: possible
pharmacological consequences 1164
- GALLICO, L, BORGHI, A, CAVALLETTI, E,
CESERANI, R, TOGNELLA, S Antitussive
activity of moguisteine enantiomers in guinea-pigs
and rats 112
- GALVEZ-ALVAREZ, J see CERCOS-DEL-POZO, R A
- GANDHI, T P see PANDYA, K K
- GANELLIN, C R see ROXBURGH, C J
- GANTENBEIN, M, ATTOLINI, L,
BRUGUEROLLE, B Kinetics of bupivacaine
after nicorandil treatment in mice 749
- GARCIA, J L see GARCIA-VILLALÓN, A L
- GARCÍA-ARROBA, L see ALFARO, M J
- GARCIA-MARCH, F J see CERCOS-DEL-POZO, R A
- GARCIA-VILLALÓN, A L, MONGE, L,
GARCIA, J L, FERNANDEZ, N, GOMEZ, B,
DIEGUEZ, G Role of Na⁺/K⁺ ATPase on the
relaxation of rabbit ear and femoral arteries 1057
- GARDINER, J M see COLEMAN, M D
- GARDNER, N, HARESIGN, W, SPILLER, R,
FARRAJ, N, WISEMAN, J, NORBURY, H,
ILLUM, L Development and validation of a pig
model for colon-specific drug delivery 689
- GARLE, M J see GUIRNAZI, A M
- GAROFALO, P, COLOMBO, S, LANZA, M,
REVEL, L, MAKOVEC, F CR 2249: a new
putative memory enhancer. Behavioural studies on
learning and memory in rats and mice 1290
- GARRIDO, M J, JIMENEZ, R, GOMEZ, E,
CALVO, R Influence of plasma protein binding
on analgesic effect of methadone in rats with
spontaneous withdrawal 281
- GASKIN, P J see ADCOCK, H J
- GEERTS, M-L see VERMEIRE, A
- GENSMANTEL, N P see TOMKINSON, N P
- GHIANI, C A see TRAPANI, G
- GIANNINI, L see GALLI, A
- GIL, B see FERRÁNDIZ, M L
- GILCHRIST, T L see COSTIGAN, M G
- GLADIS-VILLANUEVA, M, SCHRÖR, K
Synergistic inhibition of human
polymorphonuclear function by prostaglandin E₁
and linsidomine 706
- GOLBAEKDAL, K, NIELSEN, C B, PEDERSEN, E B
The acute effects of FK-506 on renal
haemodynamics, water and sodium excretion and
plasma levels of angiotensin II, aldosterone atrial
natriuretic peptide and vasopressin in pigs 1174
- GOLDHILL, J M, ROSE, K, PERCY, W H Effects
of antibiotics on epithelial ion transport in the
rabbit distal colon in-vitro 651
- GOMEZ, B see GARCIA-VILLALÓN, A L
- GOMEZ, E see GARRIDO, M J
- GONZÁLEZ, E see FERRÁNDIZ, M L
- GONZALEZ-CABALLERO, F see GALLARDO, V
- GORMAN, S P, JONES, D S, MCGOVERN, J G,
WOOLFSON, A D Frequency distribution of
Candida albicans blastospores adhered to mucosal
epithelial cells in-vitro 1315
- GORROD, J W see ULGEN, M
- GOTOH, S see MIZUNO, A
- GRANGER, T see SABATES, B
- GRIGOLINI, L see CONFORTI, A
- GUARINI, S, BAZZANI, C, BOTTICELLI, A,
BALUGANI, A, BERTOLINI, A
Antithrombotic activity of a 2-kDa heparin
fragment in an experimental model of carotid
artery thrombosis in rats 407
- GUILAUME, S see JOYEAU, R
- GUIRNAZI, A M, GARLE, M J, LAL, K, FRY, J R
7-Ethoxy-3,4-dimethylcoumarin: a substrate for a
cytochrome P450-mediated mono-oxygenase
activity that is highly induced by phenobarbitone
and β -naphthoflavone 729
- GUO, J H see BAI, J P F
- GUO, J-H, COOKLOCK, K M The effects of
backing materials and multilayered systems on the
characteristics of bioadhesive buccal patches 255
- GUY, S see THAM, T C K
- HACKSELL, U see YU, H
- HADJIPAVLOU-LITINA, D J QSAR studies of
some sulphonamidobenzophenone oximes with
antiviral activity 1215
- HAGERTY, M J, WAINWRIGHT, C L, KANE, K A
The in-vivo cardiovascular effects of a putative
class III anti-arrhythmic drug, AM 92016 417
- HAGHGOO, S see NADAI, M
- HAMAMURA, I see KAI, H
- HANLON, G W see HODGES, N A
- HARAGUCHI, H, SAITO, T, ISHIKAWA, H,
SANCHEZ, Y, OGURA, T, KUBO, I Inhibition
of lipid peroxidation by sesquiterpenoid in
Heterotheca inuloides 441
- HARAGUCHI, K, ITO, K, SAWADA, Y, IGA, T
Catalepsy induced by manidipine, a calcium
channel blocker, in mice 429
- HARDCASTLE, J see FRANKS, C M
- HARDCASTLE, P T see FRANKS, C M
- HARESIGN, W see GARDNER, N
- HARRISON, L I, DONNELL, D, SIMMONS, J L,
EKHOLM, B P, COOPER, K M, WYLD, P J
Twenty-eight-day double-blind safety study of an
HFA-134a inhalation aerosol system in healthy
subjects 596
- HARRON, D W G see THAM, T C K
- HARUTA, T see MORIMOTO, K
- HASEGAWA, T see NADAI, M
- HATA, T see FUJISAKI, J
- HATANAKA, T, KAMON, T, UOZUMI, C,
MORIGAKI, S, AIBA, T, KATAYAMA, K,
KOIZUMI, T Influence of pH on skin permeation
of amino acids 675
- HAYASHI, K see SOGAME, Y
- HAYASHI, M see YAMAMOTO, K
- HEDNER, T see JUNGREN, I-L
- HEDNER, T see SUN, X

- HEMRICK-LUECKE, S K see FULLER, R W
 HERNANDEZ, J M see ELORRIAGA, M
 HERRERA, M D see PEREZ-GUERRERO, C
 HEWLINS, M J E see WILSON, M P
 HICKS, F M see SIMPSON, K H
 HIGASHIDA, H see TAKANAGA, H
 HIGASHIO, K see MASUNAGA, H
 HIGUCHI, S see IEIRI, I
 HIGUCHI, S see UCHIDA, T
 HIKICHI, N see SAKURAI, E
 HIRAYAMA, F, MINAMI, K, UEKAMA, K
 In-vitro evaluation of biphenyl acetic acid- β -cyclodextrin conjugates as colon-targeting prodrug: drug release behaviour in rat biological media 27
 HIRNLE, P see PUMP, B
 HISANAGA, E see TERA0, T
 HITOMI, S see HOUJOU, T
 HOANG, T V see FERRARA, J J
 HODGES, N A, DENYER, S P, HANLON, G W, REYNOLDS, J P Preservative efficacy tests in formulated nasal products: reproducibility and factors affecting preservative activity 1237
 HOLLINGSBEE, D A see LADENHEIM, D
 HONG, H-J see BAI, J P F
 HONORE, B see VORUM, H
 HORIE, T see MASUBUCHI, Y
 HORWELL, D C see WALFORD, S P
 HOUJOU, T, NAKANO, K, IKE, O, WADA, H, HITOMI, S, SHINMI, Y, DANNO, N, YOSHIKAWA, Y, TAKADA, K Oral sustained-release cisplatin capsule 474
 HOWARD, K see BRUCE, I J
 HSIEH, H-K see LIN, C-N
 HSIEH, M-T, WU, L-Y Inhibitory effects of (\pm)-tetrahydropalmatine on thyrotrophin-stimulating hormone concentration in hyperthyroid rats 959
 HSU, L-R see LIN, H-H
 HSU, W see WANG, H P
 HUANG, Y see NARIMATSU, S
 HUMPHRIES, R G see TOMKINSON, N P
 HYMAN, A L see FERRARA, J J
 HYMAN, A see SABATES, B
- ICHI, M see MINAMI, T
 ICHIKAWA, M see NAKASHIMA, M
 ICHIMURA, F see NAKASHIMA, E
 IDOATE, I, MENDIZABAL, M V, URDANETA, E, LARRALDE, J Interactions between cephadrine and cefaclor with the intestinal absorption of D-galactose 645
 IEIRI, I, MORIOKA, T, KIM, S, NISHIO, S, FUKUI, M, HIGUCHI, S Pharmacokinetic study of zonisamide in patients undergoing brain surgery 1270
 IGA, T see HARAGUCHI, K
 IGA, T see YAMAMOTO, K
 IINUMA, M, TOSA, H, TANAKA, T, ASAI, F, KOBAYASHI, Y, SHIMANO, R, MIYAUCHI, K-I Antibacterial activity of xanthenes from Guttiferaceae plants against methicillin-resistant *Staphylococcus aureus* 861
 IKAWA, K see TAKEYAMA, M
 IKE, O see HOUJOU, T
 IKEMURA, T, OHMORI, K, TANAKA, T, MATSUDA, Y, KITAMURA, S Effects of endothelin B antagonist RES-701-1 on endothelin-induced contractile responses in-vitro and in-vivo in guinea-pigs 100
 ILETT, K F see BATTY, K T
 ILLUM, L see GARDNER, N
 INABA, S-I see MINAGAWA, T
 INGALL, A H see TOMKINSON, N P
 INOTSUME, N see TOMIMARU, A
 INUI, K-I see NAKAMURA, T
 ISEKI, K see KOHRI, N
 ISEKI, K see TANABE, R
 ISHIHARA, K see TAKEDA, S
 ISHIKAWA, H see HARAGUCHI, H
 ISHIKAWA, J, SAITOH, C, MASAKI, K, FUJIHARA, A, ASANO, M Effect of YM934, a novel potassium-channel opener, in various experimental asthma models in guinea-pigs 1034
 ISMAIL, F M D, DASCOMBE, M J, CARR, P, NORTH, S E An exploration of the structure-activity relationships of 4-aminoquinolines: novel antimalarials with activity in-vivo 841
 ISOHAMA, Y see KAI, H
 ITO, K see HARAGUCHI, K
 IVANOV, C, PETKOV, O, PETROV, P, TASKOV, M, ATHANASSOVA, R, TSVETKOVA, E, KOTSEV, V, LYUTAKOV, G, NIKOLOV, G, SAVOV, E Synthesis, gastroprotective, antisecretory and anti-helicobacter effect of *N*-[3-(3-(1-piperidinylmethyl)phenoxy)propyl]-hydroxyacetamide-2-hydroxypropane-1,2,3-tricarboxylate bismuth (3^+) complex (MX₁)-MX₁ 297
 IVORRA, D see ELORRIAGA, M
 IWASA, T see MASUBUCHI, Y
 IZZO, A A see DIURNO, M V
 IZZO, A A PAF and the digestive tract. A Review 1103
- JAFFAR, M, UPTON, C Improved stereospecific synthesis of novel 1-alkyl-3-benzoyl-4-hydroxy-4-phenylpiperidines 444
 JAMBHEKAR, S S see REKHI, G S
 JAMEELA, S R, LATHA, P G, SUBRAMONIAM, A, JAYAKRISHNAN, A Antitumour activity of mitoxantrone-loaded chitosan microspheres against Ehrlich ascites carcinoma 685
 JARHO, P, JÄRVINEN, K, URTTI, A, STELLA, V J, JÄRVINEN, T Modified β -cyclodextrin (SBE7- β -CyD) with viscous vehicle improves the ocular delivery and tolerability of pilocarpine prodrug in rabbits 263
 JÄRVINEN, K see JARHO, P
 JÄRVINEN, T see JARHO, P
 JAYAKRISHNAN, A see JAMEELA, S R
 JEHANLI, A M T, ARAFAT, T, AL-SHAMI, M Determination of captopril in human blood by an enzyme-linked immunosorbent assay 914
 JENKINSON, D H see ROXBURGH, C J
 JIMENEZ, R see GARRIDO, M J
 JOEL, S P see WATSON, N W
 JONES, D S see GORMAN, S P

- JOYEAU, R, FELK, A, GUILAUME, S,
WAKSELMAN, M, VERGELY, I, DOUCET, C,
BOGGETTO, N, REBOUD-RAVAUX, M
Synthesis and inhibition of human leucocyte elastase
by functionalized *N*-aryl azetidione-2-ones: effect of
different substituents on the aromatic ring 1218
- JUN, H W see SUH, H
- JUNGGREN, I-L, ZHAO, X, SUN, X, HEDNER, T
Comparative cardiovascular effects of the
angiotensin II type 1 receptor antagonists ZD 7155
and losartan in the rat 829
- KAASIK, A, OHISALO, J J Membrane-bound
phosphodiesterases in rat myocardium 962
- KABANDA, L, LEFEBVRE, A, REMON, J P
In-vivo evaluation in man of a hydrophilic matrix
containing propylthiouracil 1023
- KADOBAYASHI, M see KUROKAWA, N
- KAI, H, MURAHARA, K, ISOHAMA, Y,
TAKAHAMA, K, ODA, Y, HAMAMURA, I,
YOSHITAKE, K, MIYATA, T Pyridine
derivatives stimulate phosphatidylcholine secretion
in primary cultures of rat type II pneumocytes 53
- KAKEMI, M see MORIMOTO, K
- KAKU, S see KAWASAKI, T
- KAMON, T see HATANAKA, T
- KANADA, N see NAKASHIMA, E
- KANE, K A see HAGERTY, M J
- KASINA, R see TENJARLA, S N
- KATAOKA, K see MATSUO, M
- KATAYAMA, K see HATANAKA, T
- KATO, N see NADAI, M
- KATOH, E see MIZUNO, A
- KATYARE, S see KHANDKAR, M A
- KAWAKUBO, M see SUGIOKA, N
- KAWASAKI, T, KAKU, S, SAKAI, Y,
TAKENAKA, T Comparative study of a mutant
tissue-type plasminogen activator, YM866, with a
tissue-type plasminogen activator in a canine
model of femoral arterial thrombosis 1041
- KEDDIE, J R see POUCHER, S M
- KELLY, D E see COLEMAN, M D
- KELLY, S L see COLEMAN, M D
- KERAAN, M M see LENG, H M J
- KHALAF, L F see AHMADI, M
- KHANDKAR, M A, PARMAR, D V, DAS, M,
KATYARE, S Is activation of lysosomal
enzymes responsible for paracetamol-induced
hepatotoxicity and nephrotoxicity? 437
- KHAW, B-A see VORA, J
- KHOO, Y M see LEE, H S
- KIDSON, S H see LENG, H M J
- KIM, S see IEIRI, I
- KINDON, N D see TOMKINSON, N P
- KINOSHITA, M see NAGAI, N
- KINOUCI, Y, TAKEICHI, Y, YATA, N A novel
method for preclinical assessment of rectal
irritation 310
- KISHIMOTO, H see SUGIOKA, N
- KITAMURA, S see IKEMURA, T
- KITAMURA, S see OKA, K,
- KITAYAMA, M see YAMADA, T
- KIVISTÖ, K T see LEHTO, P
- KO, F-N see LIN, C-N
- KO, F-N, CHANG, Y-L, CHEN, C-M, TENG, C-M
(±)-Govadine and (±)-THP, two
tetrahydroprotoberberine alkaloids as selective α_1 -
adrenoceptor antagonists in vascular smooth
muscle cells of rats and guinea-pigs 629
- KO, F-N, YEH, L J, LIANG, H C, KUO, S C,
TENG, C M Mechanism of action of *p*-
chlorobiphenyl on the inhibition of platelet
aggregation 395
- KO, H-H see LIN, C-N
- KO, S-M see LIN, H-H
- KOBASHI, K see TAKEDA, S
- KOBAYASHI, M see TANABE, R
- KOBAYASHI, T see MATSUNO, K
- KOBAYASHI, Y see IINUMA, M
- KODAMA, H see KODAMA, Y
- KODAMA, Y, KURANARI, M, KODAMA, H,
ZAIKEN, T, YUKAWA, E, FUJII, I,
TAKEYAMA, M Comparison of two binding
equations for prediction of the concentration of
unbound valproic acid in the serum of adult
epileptic polytherapy patients 1068
- KOETZNER, L, RIGGS, R L, MASTROPAOLO, J,
DEUTSCH, S I Selective cyclodextrin inhibition
of alfaxalone-induced ataxia 529
- KOGA, K see MIYAMOTO, K I
- KOGA-TAKEDA, K see MIYAMOTO, K I
- KOHJIMOTO, Y see TAKAHAMA, K
- KOHRU, N, NAASANI, I, ISEKI, K, MIYAZAKI, K
Improving the oral bioavailability of sulpiride by a
gastric-retained form in rabbits 371
- KOIZUMI, T see HATANAKA, T
- KONDO, T see SHIGA, K
- KONIECZNA, E see LAMMEK, B
- KOSUGE, K see UEMATSU, T
- KOTSEV, V see IVANOV, C
- KOYAMA, H see SUGIOKA, N
- KOZLOWSKI, A see LAMMEK, B
- KRISHNA, R, PANDIT, J K
Carboxymethylcellulose-sodium based transdermal
drug delivery system for propranolol 367
- KRUMME, M see LEITRITZ, M
- KU, C-Y see WANG, H P
- KU, T see SAMANEN, J
- KUBO, I see HARAGUCHI, H
- KULKARNI, S B see DIPALI, S R
- KUO, H S see WANG, H P
- KUO, S C see KO, F N
- KUPRYSZEWSKI, G see LAMMEK, B
- KURAMOTO, M, TANAKA, T, MAKITA, H,
NAKAMURA, Y, YATA, N Characteristics of
shed snake skin permeability to indomethacin and
fatty alcohols 680
- KURANARI, M see KODAMA, Y
- KURIBARA, H Effects of sulpiride and nemonapride,
benzamide derivatives having distinct potentials of
antagonistic action on D₂ dopamine receptors, on
sensitization to methamphetamine in mice 292
- KUROKAWA, N, KADOBAYASHI, M,
YAMAMOTO, K, ARAKAWA, Y,
SAWADA, M, TAKAHARA, S,
OKUYAMA, A, YANAIHARA, C In-vivo
distribution and erythrocyte binding characteristics
of cyclosporin in renal transplant patients 553
- KURUTO, R see NOZAWA, R

- LA CASA, C see LÓPEZ, A
- LADENHEIM, D, MARTIN, G P, MARRIOTT, C, HOLLINGSBEE, D A, BROWN, M B An in-vitro study of the effect of hydrocolloid patch occlusion on the penetration of triamcinolone acetonide through skin in man 806
- LÄHTEENMÄKI, T A, SIEVI, E, VAPAATALO, H Antihypertensive drugs reduce noradrenaline-induced hypertrophy of cultured myocardial cells 323
- LAINÉ, K see LEHTO, P
- LAL, K see GUIRNAZI, A M
- LAMMEK, B, KONIECZNA, E, TRZECIAK, H I, KOZŁOWSKI, A, SZYMKOWIAK, J, STOJKO, R, KUPRYSZEWSKI, G Surprising pharmacological activity of analogues designed by substitution of position 3 in arginine vasopressin (AVP) and 8-D-arginine vasopressin with L-2-naphthylalanine 316
- LANG, S, LANGGUTH, P, OSCHMANN, R, TRAVING, B, MERKLE, H P Transport and metabolism pathway of thymocartin in excised bovine nasal mucosa 1190
- LANGGUTH, P see LANG, S
- LANZA, M see GAROFALO, P
- LAPA, A J see DE FARIAS FRIEIRE, S M
- LARRALDE, J see IDOATE, I
- LATHA, P G see JAMEELA, S R
- LATROFA, A see TRAPANI, G
- LAUFEN, H see YEATES, R A
- LAVE, T, SANER, A, COASSOLO, P, BRANDT, R, SCHMITT-HOFFMANN, A H, CHOU, R C Animal pharmacokinetics and interspecies scaling from animals to man of lamifiban, a new platelet aggregation inhibitor 573
- LAWSON, G see WOODLAND, E D
- LAZZERI, N see NIERI, P
- LEE, C-P see SAMANEN, J
- LEE, H S, CHANG, H R, KHOO, Y M Simple HPLC determination of the concentrations of epiropram in the serum and brains of mice 1090
- LEE, J S see WANG, H P
- LEE, M G see PARK, K J
- LEE, T-H see LIN, C-N
- LEE, T-H see LIN, C-N
- LEE, Y M see YEN, M H
- LEFEBVRE, A see KABANDA, L
- LEHTO, P, LAINE, K, KIVISTÖ, K T, NEUVONEN, P J The effect of pH on the in-vitro dissolution of three second-generation sulphonylurea preparations: mechanism of antacid-sulphonylurea interaction 899
- LEITRITZ, M, KRUMME, M, SCHMIDT, P C Force-time curves of a rotary tablet press. Interpretation of the compressibility of a modified starch containing various amounts of moisture 455
- LENG, H M J, KIDSON, S H, KERAAN, M M, RANDALL, G W, FLOB, P I Cytokine-mediated inhibition of erythropoietin synthesis by dexamethasone 971
- LEO, E see PANINI, R
- LEO, K U, WESCHE, D L, MARINO, M T, BREWER, T G Mefloquine effect on disposition of halofantrine in the isolated perfused rat liver 723
- LEWANDER, T see YU, H
- LEWIS, J W see DERRICK, I
- LEWIS, T see COATES, P A
- LI, L see REDEMANN, B
- LI, L see VAALI, K
- LI, X-M, PERRY, K W, FULLER, R W On the in-vivo modulation of neostriatal dopamine release by fluoxetine and 5-hydroxy-L-tryptophan in conscious rats 825
- LIANG, H C see KO, F N
- LIN, C-J see WANG, H P
- LIN, C-N, CHUNG, M-I, LIOU, S-J, LEE, T-H, WANG, J-P Synthesis and anti-inflammatory effects of xanthone derivatives 532
- LIN, C-N, HSIEH, H-K, LIOU, S-J, KO, H-H, LIN, H-C, CHUNG, M-I, KO, F-N, LIU, H-W, TENG, C-M Synthesis and antithrombotic effect of xanthone derivatives 887
- LIN, C-N, LIOU, S-J, LEE, T-H, CHUANG, Y-C, WON, S-J Xanthone derivatives as potential anti-cancer drugs 539
- LIN, H-C see LIN, C-N
- LIN, H-H, KO, S-M, HSU, L-R, TSAI, Y-H The preparation of norfloxacin-loaded liposomes and their in-vitro evaluation in pig's eye 801
- LINDUP, W E see COSTIGAN, M G
- LIU, S-J see LIN, C-N
- LIU, S-J see LIN, C-N
- LIU, S-J see LIN, C-N
- LIPPTON, H I see FERRARA, J J
- LIPPTON, H see SABATES, B
- LISO, G see TRAPANI, G
- LITTLECHILD, J A see DALBY, A
- LITTLECHILD, J A see MCHARG, J
- LIU, H-W see LIN, C-N
- LIU, Y see YU, H
- LOIZZO, A see CAPASSO, A
- LOPES, M C see FERREIRA MENDES, A
- LÓPEZ, A, MOTILVA, V, ALARCÓN DE LA LASTRA, C, MARTÍN, M J, LA CASA, C The role of gastric mucosal sulphhydryls in the ulcer-protecting effects of cisapride 37
- LORA, S see CONFORTI, A
- LU, H H see WANG, H P
- LUSSIGNOLI, S see CONFORTI, A
- LUZZI, E see PESSINA, G P
- LYUTAKOV, G see IVANOV, C
- MAEDA, H see TAKANAGA, H
- MAGRANER, J see CARBAJAL, D
- MAH, J R see WANG, H P
- MAHMOOD, I Pharmacokinetic analysis of the absorption characteristics of diclofenac sodium in man by use of a multi-segment absorption model 1260
- MAKITA, H see KURAMOTO, M
- MAKOVEC, F see GAROFALO, P
- MANDAL, T see TENJARLA, S N
- MARCO, J L see PEREZ, V
- MARHUENDA, E see PEREZ-GUERRERO, C
- MARINO, M T see LEO, K U
- MARRAZZO, A see BOUSQUET, E
- MARRIOTT, C see LADENHEIM, D
- MARRIOTT, D P see TOMKINSON, N P

- MARSILIO, F see CONFORTI, A
 MARTÍN, G P see LADENHEIM, D
 MARTÍN, M I see ALFARO, M J
 MARTÍN, M J see LÓPEZ, A
 MARTINEZ, E see DE LA PUERTA, R
 MARTÍNEZ-CUESTA, M A, BARRACHINA, M D, MORENO, L, CALATAYUD, S, ESPLUGUES, J Involvement of prostaglandins and 5-hydroxytryptamine on the contractile effect of platelet-activating factor in rat isolated gastric corpus 955
 MARTINOTTI, E see NIERI, P
 MARUNO, M see TAKEDA, S
 MÁS, R see CARBAJAL, D
 MÁS, R see NOA, M
 MASAKI, K see ISHIKAWA, J
 MASAYASU, H see NOZAWA, R
 MASEREEUW, R, MOONS, M M, RUSSEL, F G M Renal excretion and accumulation kinetics of 2-methylbenzoylglycine in the isolated perfused rat kidney 560
 MASTROPAOLO, J see KOETZNER, L
 MASUBUCHI, Y see NARIMATSU, S
 MASUBUCHI, Y, IWASA, T, FUJITA, S, SUZUKI, T, HORIE, T, NARIMATSU, S Regioselectivity and substrate concentration-dependency of involvement of the CYP2D subfamily in oxidative metabolism of amitriptyline and nortriptyline in rat liver microsomes 925
 MASUNAGA, H, FUJISE, N, SHIOTA, A, YAMASHITA, Y, YASUDA, H, HIGASHIO, K Amelioration of the disordered hepatic protein synthesis by the deleted form of hepatocyte growth factor in models of liver failure in rats 876
 MATSUDA, Y see IKEMURA, T
 MATSUNO, K, KOBAYASHI, T, MITA, S Involvement of σ -receptors in the increase in contraction of mouse vas deferens induced by exogenous ATP 96
 MATSUO, M, OHTSUKA, Y, KATAOKA, K, MIZUSHIMA, T, SEKIMIZU, K Transient relaxation of plasmid DNA in *Escherichia coli* by fluoroquinolones 985
 MATSUSHITA, R see NAKASHIMA, E
 MATSUYAMA, K see NAKASHIMA, M
 MAZZONI, O see DIURNO, M V
 MCCARTHY, G P see ARMSTRONG, D J
 MCGOVERN, J G see GORMAN, S P
 MCHARG, J, LITTLECHILD, J A Studies with inhibitors of the glycolytic enzyme phosphoglycerate kinase for potential treatment of cardiovascular and respiratory disorders 201
 MCKELLAR, Q A see BENCHAOUI, H A
 MCKILLOP, D see POUCHER, S M
 MEDEIROS, Y S see BÚRIGO, A C
 MELLICK, G D, ROBERTS, M S The disposition of aspirin and salicylic acid in the rat isolated perfused liver: the effect of normal and retrograde flow on availability and mean transit time 738
 MENDIZABAL, M V see IDOATE, I
 MERKLE, H P see LANG, S
 MESSANA, I see FILHO, V C
 MEUNIER, M see BOIREAU, A
 MIGUEL, O G see FILHO, V C
 MINAGAWA, T, SAKANAKA, K, INABA, S-I, SAI, Y, TAMAI, I, SUWA, T, TSUJI, A Blood-brain-barrier transport of lipid microspheres containing clinprost, a prostaglandin I₂ analogue 1016
 MINAMI, K see HIRAYAMA, F
 MINAMI, T, ICHII, M, OKAZAKI, Y Detection of platinum in the brain of mice treated with cisplatin and subjected to short-term hypoxia 505
 MINESHITA, S see WANG, L M
 MITA, S see MATSUNO, K
 MITCHELL, P see CHICHESTER, C O
 MIURA, N N see SUZUKI, T
 MIYAMOTO, K I, KOGA-TAKEDA, K, KOGA, K, OHSHIMA, T, NOMURA, M Saturable function of P-glycoprotein as a drug efflux pump in multidrug-resistant tumour cells 522
 MIYATA, T see KAI, H
 MIYATA, T see TAKAHAMA, K
 MIYAUCHI, K-I see IINUMA, M
 MIYAZAKI, K see KOHRI, N
 MIYAZAKI, K see TANABE, R
 MIZUKAMI, T see NARIMATSU, S
 MIZUNO, A, UEMATSU, T, GOTOH, S, KATOH, E, NAKASHIMA, M The measurement of caffeine concentration in scalp hair as an indicator of liver function 660
 MIZUSHIMA, T see MATSUO, M
 MODI, I A see PANDYA, K K
 MODI, R I see PANDYA, K K
 MOLAN, P C, ALLEN, K L The effect of gamma-irradiation on the antibacterial activity of honey 1206
 MOLINA, V see CARBAJAL, D
 MONGE, L see GARCIA-VILLALÓN, A L
 MONURA, A see SAKURAI, E
 MOONS, M M see MASEREEUW, R
 MOR, M see PLAZZI, P V
 MORENO, L see MARTÍNEZ-CUESTA, M A
 MORI, F see GALLI, A
 MORI, K see TAKEYAMA, M
 MORI, S see SUGIOKA, N
 MORIGAKI, S see HATANAKA, T
 MORIMOTO, K, TOJIMA, H, HARUTA, T, SUZUKI, M, KAKEMI, M Enhancing effects of unsaturated fatty acids with various structures on the permeation of indomethacin through rat skin 1133
 MORINI, G see PLAZZI, P V
 MORIOKA, T see IEIRI, I
 MOSS, S H see CHAN, N C
 MOSS, S H see SAHM, U G
 MOTILVA, V see LÓPEZ, A
 MOTOHASHI, T see NOZAWA, R
 MOUCHARD-DELMAS, C, DEVIE-HUBERT, J, DUFER, J Effects of the anticancer agent vinorelbine on human endothelial cells permeability and tissue-factor production in man 951
 MOYA, E, BLAGBROUGH, I S Efficient syntheses of polyamine and polyamine amide voltage-sensitive calcium channel blockers: FTX-3.3 and sFTX-3.3 179
 MOYNIHAN, H A see DERRICK, I

- MULVANY, M J see SIMONSEN, U
MUNOZ-RUIZ, A, PARONEN, P Time-dependent densification behaviour of cyclodextrins 790
MURAHARA, K see KAI, H
MURAMATSU, N see SHIGA, K
MURANISHI, S see YAMAMOTO, A
MURATA, S see FUJISAKI, J
MURILLO, M D see PLAZA, M A
- NAASANI, I see KOHRI, N
NABESHIMA, T see NADAI, M
NADAI, M, HASEGAWA, T, WANG, L, HAGHGOO, S, OKASAKA, T, NABESHIMA, T, KATO, N Alterations in renal uptake kinetics of xanthine derivative enprofylline in endotoxaemic mice 744
NAGAI, N, OKUDA, R, KINOSHITA, M, OGATA, H Decomposition kinetics of cisplatin in human biological fluids 918
NAGANO, T see TAKEYAMA, M
NAGATA, O see YAMADA, T
NAKAGAWA, T see FUKUYAMA, T
NAKAGAWA, T see TABATA, K
NAKAJIMA, K see SUGIOKA, N
NAKAMURA, T, TAKANO, M, YASUHARA, M, INUI, K-I In-vivo clearance study of vancomycin in rats 1197
NAKAMURA, Y see KURAMOTO, M
NAKANO, K see HOUJOU, T
NAKANO, M see TOMIMARU, A
NAKANO, M see UEMATSU, T
NAKASHIMA, E, MATSUSHITA, R, KANADA, N, ICHIMURA, F Kinetic evidence for facilitated peritoneal transport of benzoic acid in rats 347
NAKASHIMA, M see MIZUNO, A
NAKASHIMA, M see UEMATSU, T
NAKASHIMA, M, ZHAO, M F, OHYA, H, SAKURAI, M, SASAKI, H, MATSUYAMA, K, ICHIKAWA, M Evaluation of in-vivo transdermal absorption of cyclosporin with absorption enhancer using intradermal microdialysis in rats 1143
NARIMATSU, S see MASUBUCHI, Y
NARIMATSU, S, MIZUKAMI, T, HUANG, Y, MASUBUCHI, Y, SUZUKI, T In-vitro metabolic interaction of bunitrolol enantiomers in rabbit liver microsomes 1185
NARULA, J see VORA, J
NÄSSBERGER, L see XIA, Z
NATION, R L see O'BRIEN, J A
NEGRETE, R see FERRÁNDIZ, M L
NEUVONEN, P J see LEHTO, P
NICHOLLS, P J see AHMADI, M
NICHOLLS, P J see BARRELL, K J
NICHOLLS, P J see WILSON, M P
NICHOLS, A see SAMANEN, J
NIELSEN, C B see GOLBAEKDAL, K
NIERI, P, MARTINOTTI, E, LAZZERI, N, BRESCHI, M C Effects of adenosine on NANC bronchoconstriction in anaesthetized guinea-pigs 422
NIKOLOV, G see IVANOV, C
NISHIKAWA, R see YAMAMOTO, A
NISHIO, S see IEIRI, I
- NOA, M, DE LA ROSA, M C, MÁ S, R Effect of policosanol on foam-cell formation in carrageenan-induced granulomas in rats 306
NOKHODCHI, A, FORD, J L, ROWE, P H, RUBINSTEIN, M H The influence of moisture content on the consolidation properties of hydroxypropylmethylcellulose K4M (HPMC 2208) 1116
NOKHODCHI, A, FORD, J L, ROWE, P H, RUBINSTEIN, M H The effect of moisture on the Heckel and energy analysis of hydroxypropylmethylcellulose 2208 (HPMC K4M) 1122
NOMURA, M see MIYAMOTO, K I
NORBURY, H see GARDNER, N
NORTH, S E see ISMAIL, F M D
NOZAWA, R, ARAI, M, KURUTO, R, MOTOHASHI, T, MASAYASU, H Susceptibility of mice to bacterial and fungal infections after intragastric administration of ebselen 64
NYBORG, N C B see SIMONSEN, U
- O'BRIEN, J A, NATION, R L, EVANS, A M The disposition of morphine and morphine-3-glucuronide in the isolated perfused rat liver: effects of altered perfusate flow rate 498
O'CONNELL, M T see DOHENY, M H
ODA, Y see KAI, H
OGATA, H see NAGAI, N
OGURA, T see HARAGUCHI, H
OHISALO, J J see KAASIK, A
OHMORI, K see IKEMURA, T
OHNO, N see SUZUKI, T
OHSHIMA, T see MIYAMOTO, K I
OHTA, T see SUGIOKA, N
OHTANI, H see YAMAMOTO, K
OHTSUKA, Y see MATSUO, M
OHYA, H see NAKASHIMA, M
OKA, K, KITAMURA, S, TATSUMI, K Involvement of cytochrome P450 system in microsomal debromination of (α -bromisovaleryl)urea 930
OKANO, K see SOGAME, Y
OKASAKA, T see NADAI, M
OKAZAKI, Y see MINAMI, T
OKUDA, R see NAGAI, N
OKUYAMA, A see KUROKAWA, N
OLIVIER, G W J see SAHM, U G
ORLANDI, C see SCALZO, M
ORMAZÁBAL, M J see ALFARO, M J
OSCHMANN, R see LANG, S
OSTAH, N see WOODLAND, E D
OURA, H see YOKOZAWA, T
OURIEMCHI, E M, VERGNAUD, J M Prediction of in-vivo blood level with controlled-release dosage forms. Effect of the gastrointestinal tract time 390
- PAAKKARI, I see REDEMANN, B
PAAKKARI, I see VAALI, K
PACHECO, S see FERRÁNDIZ, M L
PAHAL, K K see COLEMAN, M D

- PANDIT, J K see KRISHNA, R
- PANDYA, K K, BANGARU, R A, GANDHI, T P, MODI, I A, MODI, R I, CHAKRAVARTHY, B K High-performance thin-layer chromatography for the determination of cetirizine in human plasma and its use in pharmacokinetic studies 510
- PANINI, R, VANDELLI, M A, LEO, E, SALVIOLI, G, CAMERONI, R The influence of 2-hydroxypropyl- β -cyclodextrin on the haemolysis induced by bile acids 641
- PARK, K J, YOON, W H, SHIN, W G, LEE, M G Pharmacokinetics and pharmacodynamics of azosemide after intravenous and oral administration to rats with alloxan-induced diabetes mellitus 1093
- PARMAR, D V see KHANDKAR, M A
- PARONEN, P see MUNOZ-RUIZ, A
- PATIL, B M, THAKKER, P R Glibenclamide antagonizes the inhibitory effect of morphine on gall bladder emptying 320
- PATSALOS, P N see DOHENY, M H
- PAULESU, L see PESSINA, G P
- PAULINO, N, CECINEL-FILHO, V, YUNES, R A, CALIXTO, J B The relaxant effect of extract of *Phyllanthus urinaria* in the guinea-pig isolated trachea. Evidence for the involvement of ATP-sensitive potassium channels 1158
- PAYÁ, M see FERRÁNDIZ, M L
- PEARSON, D P J see COATES, P A
- PEDERSEN, E B see GOLBAEKDAL, K
- PELETIER-PUJOL, F see DURAND, P
- PENG, I H see YEN, M H
- PERAZZI, M E see SCALZO, M
- PERCY, W H see GOLDHILL, J M
- PEREZ, V, MARCO, J L, FERNANDEZ-ALVAREZ, E, UNZETA, M Kinetic studies of *N*-allenic analogues of tryptamine as monoamine oxidase inhibitors 718
- PEREZ-GIMENEZ, F see CERCOS-DEL-POZO, R A
- PEREZ-GUERRERO, C, HERRERA, M D, MARHUENDA, E Relaxant effect of tetrazepam on rat uterine smooth muscle: role of calcium movement 1169
- PERRY, K W see FULLER, R W
- PERRY, K W see LI, X-M
- PESSINA, G P, PAULESU, L, CORRADESCHI, F, ALDINUCCI, C, LUZZI, E, BOCCI, V Pulmonary catabolism of interleukin 6 evaluated by lung perfusion of normal and smoker rats 1063
- PETKOV, O see IVANOV, C
- PETROV, P see IVANOV, C
- PETTIFOR, J M see DANIELS, E D
- PIDGEN, A Bioequivalence and generic prescribing: an industrial view 11
- PIERETTI, S see CAPASSO, A
- PIGOTT, J see SABATES, B
- PILLAI, G K see RAJA NARESH, R A
- PLAZA, M A, ARRUEBO, M P, MURILLO, M D Effect of 5-hydroxytryptamine agonists on myoelectric activity of the forestomach and antroduodenal area in sheep 1302
- PLAZZI, P V, MOR, M, SILVA, C, BORDI, F, MORINI, G, CRIVORI, P, CARETTA, A Rat protein binding and cerebral phospholipid affinity of the H₃-receptor antagonist thioperamide 712
- PODDAR, R K see BHATTACHARYYA, J
- POTTER, B V L see COATES, P A
- POUCHER, S M, KEDDIE, J R, BROOKS, R, SHAW, G R, MCKILLOP, D Pharmacodynamics of ZM 241385, a potent A_{2a} adenosine receptor antagonist, after enteric administration in rat, cat and dog 601
- POUTON, C W see CHAN, N C
- POUTON, C W see SAHM, U G
- PRIETO, D see SIMONSEN, U
- PUGLISI, G see BOUSQUET, E
- PUMP, B, HIRNLE, P Preoperative lymph node staining with liposomes containing patent blue violet. A clinical case report 699
- PURANAJOTI, P see TENJARLA, S N
- PUREWAL, T S see BOWER, C
- PUREWAL, T S see BOWER, C
- RAD-NIKNAM, M see REEVES, K A
- RAINSFORD, K D, YING, C, SMITH, F Effects of 5-lipoxygenase inhibitors on interleukin production by human synovial tissues in organ culture: comparison with interleukin-1 synthesis inhibitors 46
- RAJA NARESH, R A, UDUPA, N, UMA DEVI, P, PILLAI, G K Niosomal plumbagin with reduced toxicity and improved anticancer activity in BALB/C mice 1128
- RANAUDO, E see GALLI, A
- RANDALL, G W see LENG, H M J
- REBOUD-RAVAUX, M see JOYEAU, R
- REDEMANN, B see VAALI, K
- REDEMANN, B, VAALI, K, LI, L, PAAKKARI, I, VAPAATALO, H Effects of potassium channel opener HOE 234 in guinea-pig airways 619
- REEVES, K A, DEWAR, G H, RAD-NIKNAM, M, WOODWARD, B Structure-activity relationship of some novel coronary dilator derivatives of palmitoyl carnitine in the rat isolated heart 245
- REKHI, G S, JAMBHEKAR, S S Bioavailability and in-vitro/in-vivo correlation for propranolol hydrochloride extended-release bead products prepared using aqueous polymeric dispersions 1276
- REMON, J P see KABANDA, L
- REMON, J P see VERMEIRE, A
- REVEL, L see GAROFALO, P
- REYNOLDS, J P see HODGES, N A
- RHODES, G see SAMANEN, J
- RICHARDS, R M E, TAYLOR, R B, ZHU, Z Y Mechanism for synergism between sulphonamides and trimethoprim clarified 981
- RICHARDSON, C J, BARLOW, D J Neural networks computer simulation of medical aerosols 581
- RIDDELL, J G see THAM, T C K
- RIGGS, R L see KOETZNER, L
- RIGLER, H P see VALENTA, C
- ROBERTS, C J see TENDLER, S J B
- ROBERTS, M S see MELLICK, G D
- ROBINSON, J R see CALVO, P
- RODERIO, I see CARBAJAL, D
- ROSE, K see GOLDHILL, J M
- ROSTRON, C see ARMSTRONG, D J
- ROSTRON, C see DUFFY, J C

- ROTHENBERGER, D A see BAI, J P F
- ROWAN, M G see COATES, P A
- ROWE, P H see NOKHODCHI, A
- ROWE, P H see NOKHODCHI, A
- ROXBURGH, C J, GANELLIN, C R, SHINER, M A R, BENTON, D C H, DUNN, P M, AYALEW, Y, JENKINSON, D H The synthesis and some pharmacological actions of the enantiomers of the K⁺-channel blocker cetiedil 851
- RUBINSTEIN, M H see DORDUNOO, S K
- RUBINSTEIN, M H see NOKHODCHI, A
- RUBINSTEIN, M H see NOKHODCHI, A
- RUIZ, M A see GALLARDO, V
- RUSSEL, F G M see MASEREUEW, R
- SABATES, B, GRANGER, T, CHOE, E, PIGOTT, J, LIPPTON, H, HYMAN, A, FLINT, L, FERRARA, J Adrenomedullin is inactivated in the lungs of neonatal piglets 578
- SAH, H, CHIEN, Y W Prolonged immune response evoked by a single subcutaneous injection of microcapsules having a monophasic antigen release 32
- SAHM, U G, OLIVIER, G W J, BRANCHI, S K, MOSS, S H, POUTON, C W Receptor binding affinities and biological activities of linear and cyclic melanocortins in B16 murine melanoma cells expressing the native MC1 receptor 197
- SAI, Y see MINAGAWA, T
- SAI, Y see TERAQ, T
- SAITO, T see HARAGUCHI, H
- SAITOH, C see ISHIKAWA, J
- SAKAI, Y see KAWASAKI, T
- SAKANAKA, K see MINAGAWA, T
- SAKURAI, E, MONURA, A, YAMAKAMI, J, HIKICHI, N In-vivo microdialysis measurement of 5-hydroxytryptamine and its metabolites, 5-hydroxyindoleacetic acid and *N*-acetyl 5-hydroxytryptamine, in rat blood: effects of histamine receptor antagonists 911
- SAKURAI, M see NAKASHIMA, M
- SALABERT-SALVADOR, M T see CERCOS-DEL-POZO, R A
- SALVIOLI, G see PANINI, R
- SAMANEN, J, WILSON, G, SMITH, P L, LEE, C-P, BONDINELL, W, KU, T, RHODES, G, NICHOLS, A Chemical approaches to improve the oral bioavailability of peptidergic molecules 119
- SANCHEZ, Y see HARAGUCHI, H
- SANER, A see LAVE, T
- SANGER, G J see WARDLE, K A
- SANSOM, L N see ANGLELY, M T
- SANTOS, A R S see FILHO, V C
- SANZ, M J see FERRÁNDIZ, M L
- SASAKI, H see NAKASHIMA, M
- SAVOV, E see IVANOV, C
- SAWADA, M see KUROKAWA, N
- SAWADA, Y see HARAGUCHI, H
- SAWADA, Y see YAMAMOTO, K
- SCALZO, M, ORLANDI, C, SIMONETTI, N, CERRETO, F Study of interaction effects of polyacrylic acid polymers (carbopol 940) on antimicrobial activity of methyl parahydroxybenzoate against some Gram-negative, Gram-positive bacteria and yeast 1201
- SCALZO, M, PERAZZI, M E, SIMONETTI, N, CERRETO, F Antimicrobial activity of electrochemical silver ions in nonionic surfactant solutions and in model dispersions 60
- SCHARPF, F see YEATES, R A
- SCHMIDT, P C see LEITRITZ, M
- SCHMITT-HOFFMANN, A H see LAVE, T
- SCHRÖR, K see GLADIS-VILLANUEVA, M
- SEKIMIZU, K see MATSUO, M
- SERRA, M see TRAPANI, G
- SEYDEL, J K see COLEMAN, M D
- SHANKS, R G see THAM, T C K
- SHAW, G R see POUCHER, S M
- SHAW, P N see ADCOCK, H J
- SHEU, J R see YEN, M H
- SHIGA, K, MURAMATSU, N, KONDO, T Preparation of poly(D,L-lactide) and copoly(lactide-glycolide) microspheres of uniform size 891
- SHIMANO, R see IINUMA, M
- SHIMIZU, M see YAMAMOTO, K
- SHIMOJO, F see FUJISAKI, J
- SHIN, W G see PARK, K J
- SHINER, M A R see ROXBURGH, C J
- SHINMI, Y see HOUJOU, T
- SHIOTA, A see MASUNAGA, H
- SIEVI, E see LÄHTEENMÄKI, T A
- SILVA, C see PLAZZI, P V
- SIMMONS, J L see HARRISON, L I
- SIMONETTI, N see SCALZO, M
- SIMONETTI, N see SCALZO, M
- SIMONSEN, U, PRIETO, D, NYBORG, N C B, MULVANY, M J Effects of doxazosin on functional alterations of isolated coronary arteries from cholesterol-fed rabbits 607
- SIMPSON, K H, HICKS, F M Clinical pharmacokinetics of ondansetron. A review 774
- SLEVIN, M L see WATSON, N W
- SMEATON, T C see ANGLELY, M T
- SMETHURST, D E see BRUCE, I J
- SMITH, F see RAINSFORD, K D
- SMITH, H J see AHMADI, M
- SMITH, H J see BARRELL, K J
- SMITH, H J see WILSON, M P
- SMITH, P L see SAMANEN, J
- SMITH, S N see COLEMAN, M D
- SOGAME, Y, OKANO, K, HAYASHI, K, UCHIDA, T, TSUDA, Y Urinary excretion profile of torasemide and its diuretic action in dogs 375
- SOORANNA, S R see BAJORIA, R
- SORRENTINO, L see AQUINO, R
- SORRENTINO, L see CAPASSO, A
- SOUCCAR, C see DE FARIAS FRIEIRE, S M
- SPADARO, A see BOUSQUET, E
- SPILLER, R see GARDNER, N
- SRINIVAS, G R see CHICHESTER, C O
- STELLA, V J see JARHO, P
- STEWART, P J see SUPABPHOL, R
- STOCKER, K see GAFFNEY, P J
- STOJKO, R see LAMMEK, B
- STUPANS, I see ANGLELY, M T
- SUBRAMONIAM, A see JAMEELA, S R
- SUGAWARA, M see TANABE, R

- SUGIOKA, N, KOYAMA, H, KAWAKUBO, M, OHTA, T, KISHIMOTO, H, MORI, S, NAKAJIMA, K Age-dependent alteration of the serum-unbound fraction of nicardipine, a calcium-channel blocker in man 1327
- SUH, H, JUN, H W Effectiveness and mode of action of isopropyl myristate as a permeation enhancer for naproxen through shed snake skin 812
- SUN, X see JUNGREN, I-L
- SUN, X, YOU, J, HEDNER, T, FELLSTRÖM, D E B, YOO, H, WAHLESTEDT, C, EDVINSSON, L α -Trinitol: a functional (non-receptor) neuropeptide Y antagonist in vasculature 77
- SUPABPHOL, R, STEWART, P J Influence of the carrier on the intrinsic rate of dissolution of diazepam in interactive mixtures 1249
- SUWA, T see MINAGAWA, T
- SUZUKI, M see MORIMOTO, K
- SUZUKI, T see MASUBUCHI, Y
- SUZUKI, T see NARIMATSU, S
- SUZUKI, T, OHNO, N, CHIBA, N, MIURA, N N, ADACHI, Y, YADOMAE, T Immunopharmacological activity of the purified insoluble glucan, zymocel, in mice 1243
- SZYMKOWIAK, J see LAMMEK, B
- TABATA, K see FUKUYAMA, T
- TABATA, K, YAMAOKA, K, YASUI, H, FUKUYAMA, T, NAKAGAWA, T Influences of pentobarbitone on in-vivo local disposition of diclofenac in rat liver 866
- TAKADA, K see HOUJOU, T
- TAKAHAMA, K see KAI, H
- TAKAHAMA, K, ARAKI, T, FUCHIKAMI, J-I, KOHJIMOTO, Y, MIYATA, T Studies on the magnitude and the mechanism of cough potentiation by angiotensin-converting enzyme inhibitors in guinea-pigs: involvement of bradykinin in the potentiation 1027
- TAKAHARA, S see KUROKAWA, N
- TAKAHASHI, T see FUJISAKI, J
- TAKANAGA, H, MAEDA, H, TAMAI, I, HIGASHIDA, H, TSUJI, A Nicotinic acid transport mediated by pH-dependent anion antiporter and proton cotransporter in rabbit intestinal brush-border membrane 1073
- TAKANO, M see NAKAMURA, T
- TAKEDA, S, ISHIHARA, K, WAKUI, Y, AMAGAYA, S, MARUNO, M, AKAO, T, KOBASHI, K Bioavailability study of glycyrrhetic acid after oral administration of glycyrrhizin in rats; relevance to the intestinal bacterial hydrolysis 902
- TAKEICHI, Y see KINOUCI, Y
- TAKENAKA, T see KAWASAKI, T
- TAKEYAMA, M see KODAMA, Y
- TAKEYAMA, M, IKAWA, K, NAGANO, T, MORI, K Elcatonin raises levels of vasoactive intestinal peptide in human plasma 657
- TAMAI, I see MINAGAWA, T
- TAMAI, I see TAKANAGA, H
- TAMAI, I see TERAO, T
- TAMAI, I see YAMADA, T
- TANABE, R, KOBAYASHI, M, SUGAWARA, M, ISEKI, K, MIYAZAKI, K Uptake mechanism of trientine by rat intestinal brush-border membrane vesicles 517
- TANAKA, T see IINUMA, M
- TANAKA, T see IKEMURA, T
- TANAKA, T see KURAMOTO, M
- TANIRA, M O M, ALI, B H, BASHIR, A K, WASFI, I A, CHANDRANATH, I Evaluation of the relaxant effect of some United Arab Emirates plants on intestinal smooth muscle 545
- TANIRA, M O M, WASFI, I A, AL HOMSI, M, BASHIR, A K Toxicological effects of *Teucrium stocksianum* after acute and chronic administration in rats 1098
- TASKOV, M see IVANOV, C
- TATSUMI, K see OKA, K
- TAUFIQ KHAN, M The podiatric treatment of Hallux abducto Valgus and its associated condition, bunion with *Tagetes patula* 768
- TAYLOR, K M G see WATSON, N W
- TAYLOR, R B see RICHARDS, R M E
- TEESDALE-SPITTLE, P H see ADCOCK, H J
- TENDLER, S J B, DAVIES, M C, ROBERTS, C J Molecules under the microscope 2
- TENG, C-M see KO, F-N
- TENG, C-M see LIN, C-N
- TENG, CM see KO, FN
- TENJARLA, S N, PURANAJOTI, P, KASINA, R, MANDAL, T Terbutaline transdermal delivery: preformulation studies and limitations of in-vitro predictive parameters 1138
- TERAKAWA, M see UEMATSU, T
- TERAO, T, HISANAGA, E, SAI, Y, TAMAI, I, TSUJI, A Active secretion of drugs from the small intestinal epithelium in rats by P-glycoprotein functioning as an absorption barrier 1083
- TERZI, M see CONFORTI, A
- THAKKER, P R see PATIL, B M
- THAM, T C K, GUY, S, RIDDELL, J G, SHANKS, R G, HARRON, D W G Circadian variation of α_1 -adrenoceptor mediated pressor response to phenylephrine in man 526
- THOMAS, G see DE FREITAS, M R
- TIRENDI, S see BOUSQUET, E
- TODD, M see BRUCE, I J
- TOGNETTA, S see GALLICO, L
- TOJIMA, H see MORIMOTO, K
- TOKUNAGA, Y see FUJISAKI, J
- TOMIMARU, A, ARIMORI, K, INOTSUME, N, NAKANO, M Effect of activated charcoal and atropine on absorption and/or exsorption of organophosphorus compounds in rats 351
- TOMKINSON, N P, MARRIOTT, D P, CAGE, P A, COX, D, DAVIS, A M, FLOWER, D R, GEN SMANTEL, N P, HUMPHRIES, R G, INGALL, A H, KINDON, N D P_{2T} purinoceptor antagonists. A QSAR study of some 2-substituted ATP analogues 206
- TOSA, H see IINUMA, M

- TRAPANI, G, FRANCO, M, LATROFA, A, CAROTTI, A, CELLAMARE, S, SERRA, M, GHIANI, C A, TULIGI, G, BIGGIO, G, LISO, G Synthesis and anticonvulsant activity of some 1,2,3,3a-tetrahydropyrrolo [2,1-b]-benzothiazol - thiazol or -oxazol-1-ones in rodents 834
- TRAVING, B see LANG, S
- TRZECIAK, H I see LAMMEK, B
- TSAI, T H, CHOU, C J, CHEN, C F Pharmacokinetics and brain distribution of magnolol in the rat after intravenous bolus injection 57
- TSAI, Y-H see LIN, H-H
- TSUDA, Y see SOGAME, Y
- TSUJI, A see MINAGAWA, T
- TSUJI, A see TAKANAGA, H
- TSUJI, A see TERAQ, T
- TSUJI, A see YAMADA, T
- TSVETKOVA, E see IVANOV, C
- TULIGI, G see TRAPANI, G
- UBEDA, A see FERRÁNDIZ, M L
- UCHIDA, T see SOGAME, Y
- UCHIDA, T, WATANABE, T, VAN HOOGDALEM, E J, HIGUCHI, S In-vitro metabolism of YM17E, an inhibitor of acyl coenzyme A: cholesterol acyltransferase by liver microsomes in man 1049
- UCHIYAMA, T see YAMAMOTO, A,
- UDUPA, N see CHANDRASHEKHAR, G
- UDUPA, N see RAJA NARESH, R A
- UEKAMA, K see HIRAYAMA, F
- UEMATSU, T see MIZUNO, A
- UEMATSU, T, KOSUGE, K, UMEMURA, K, NAKANO, M, TERAOKAWA, M, NAKASHIMA, M Pharmacokinetic and pharmacodynamic properties of FK070 (KDI-792), a novel thromboxane receptor antagonist/thromboxane synthetase inhibitor, after single and oral administrations to healthy volunteers 380
- ULGEN, M, GORROD, J W The failure of substrate pKa to influence the microsomal formation of amides from *N*-benzylamines: the microsomal metabolism of *N*-benzyl pyrrolidine, *N*-benzyl carbazole and *N*-acetyl-*N*-benzyl-4-methylaniline 1320
- UMA DEVI, P see RAJA NARESH, R A
- U MEMURA, K see UEMATSU, T
- UNZETA, M see PEREZ, V
- UOZUMI, C see HATANAKA, T
- UPTON, C see JAFFAR, M
- URDANETA, E see IDOATE, I
- URTTI, A see JARHO, P
- VAALI, K see REDEMANN, B
- VAALI, K, LI, L, REDEMANN, B, PAAKKARI, I, VAPAATALO, H In-vitro bronchorelaxing effects of novel nitric oxide donors GEA 3268 and GEA 5145 in guinea-pigs and rats 1309
- VALDÉS, S see CARBAJAL, D
- VALENTA, C, BERNKOP-SCHNÜRCH, A, RIGLER, H P The antistaphylococcal effect of nisin in a suitable vehicle: a potential therapy for atopic dermatitis in man 988
- VAN BOECKEL, C A A see VAN DEN BROEK, L A G M
- VAN DEN BROEK, L A G M, VAN DEN NIEUWENHOF, M W P K, BUTTERS, T D, VAN BOECKEL, C A A Synthesis of α -glucosidase I inhibitors showing antiviral (HIV-1) and immunosuppressive activity 172
- VAN DEN NIEUWENHOF, M W P K see VAN DEN BROEK, L A G M
- VAN HOOGDALEM, E J see UCHIDA, T
- VANDELLI, M A see PANINI, R,
- VANDENBOSSCHE, G see VERMEIRE, A
- VAPAATALO, H see LÄHTEENMÄKI, T A
- VAPAATALO, H see REDEMANN, B
- VAPAATALO, H see VAALI, K
- VERA, P see GALLARDO, V
- VERGELY, I see JOYEAU, R
- VERGNAUD, J M see OURIEMCHI, E M
- VERHNJAK, K see BOLE-VUNDUK, B,
- VERMEIRE, A, DE MUYNCK, C, VANDENBOSSCHE, G, EECHAUTE, W, GEERTS, M-L, REMON, J P Sucrose laurate gels as a percutaneous delivery system for oestradiol in rabbits 463
- VERONESE, F M see CONFORTI, A
- VILA-JATO, J L see CALVO, P
- VORA, J, BOROJERDI, M Pharmacokinetic-toxicodynamic relationships of adriamycin in rat: prediction of butylated hydroxyanisole-mediated reduction in anthracycline cardiotoxicity 1264
- VORA, J, KHAW, B-A, NARULA, J, BOROJERDI, M Protective effect of butylated hydroxyanisole on adriamycin-induced cardiotoxicity 940
- VORUM, H, HONORE, B Influence of fatty acids on the binding of warfarin and phenprocoumon to human serum albumin with relation to anticoagulant therapy 870
- WADA, H see HOJOU, T
- WAHLESTEDT, C see SUN, X
- WAINWRIGHT, C L see HAGERTY, M J
- WAKSELMAN, M see JOYEAU, R
- WAKUI, Y see TAKEDA, S
- WALFORD, S P, CAMPBELL, M M, HORWELL, D C Preparation of dipeptoid mimetics for the tetrapeptide cholecystokinin, CCK(30-33) 188
- WANG, H P, LU, H H, LEE, J S, CHENG, C Y, MAH, J R, KU, C-Y, HSU, W, YEN, C-F, LIN, C-J, KUO, H S Intestinal absorption studies on peptide mimetic α -methyl dopa prodrugs 270
- WANG, J-P see LIN, C-N
- WANG, L M, MINESHITA, S Preventive effects of Unisei-in and Oren-gedoku-to, Chinese traditional medicines, against rat paw oedema and abdominal constriction in mice 327
- WANG, L see NADAI, M
- WARDLE, K A, FUREY, G, SANGER, G J Pharmacological characterization of the vanilloid receptor in the rat isolated vas deferens 285

- WASFI, I A see TANIRA, M O M
 WASFI, I A see TANIRA, M O M
 WASHINGTON, C see BOWER, C
 WASHINGTON, C see BOWER, C
 WATANABE, T see UCHIDA, T
 WATSON, N W, TAYLOR, K M G, JOEL, S P,
 SLEVIN, M L, EDEN, O B A pharmacokinetic
 study of sublingual aerosolized morphine in
 healthy volunteers 1256
 WESCHE, D L see LEO, K U
 WILLIAMS, A C see ANIGBOGU, A N C
 WILSON, G see SAMANEN, J
 WILSON, M P, BOWMAN, R E, SMITH, H J,
 NICHOLLS, P J, HEWLINS, M J E Potential
 protein kinase C inhibitors 8,9,10,11- α -
 tetrahydro-7- α -H-7,11-methano-12, 12-
 dimethylcycloocta [de] naphyl-9-amines 160
 WINDSCHEIF, U Purinoceptors: from history to
 recent progress. A Review 993
 WISEMAN, J see GARDNER, N
 WON, S-J see LIN, C-N
 WONG, P C see WONG, Y N
 WONG, W D see BAI, J P F
 WONG, Y N, WONG, P C Pharmacological and
 pharmacokinetic evaluation of EXP3312, an
 orally-active non-peptide angiotensin II receptor
 antagonist 492
 WOO, W L see BARRELL, K J
 WOODLAND, E D, LAWSON, G, OSTA, N The
 MS-MS determination of the fragmentation pathways
 of some substituted 1,2,3-benzotriazin-4-ones with
 possible applications in metabolic studies 223
 WOODS, J H see DERRICK, I
 WOODWARD, B see REEVES, K A
 WOOLFSON, A D see GORMAN, S P
 WORSLEY, M D see ARMSTRONG, D J
 WU, L-Y see HSIEH, M-T
 WYLD, P J see HARRISON, L I
- XIA, Z, DEPIERRE, J W, NÄSSBERGER, L
 The tricyclic antidepressants clomipramine and
 citalopram induce apoptosis in cultured human
 lymphocytes 115
- YADOMAE, T see SUZUKI, T
 YAMADA, T, KITAYAMA, M, YAMAZAKI, M,
 NAGATA, O, TAMAI, I, TSUJI, A
 Physicochemical properties of calcium
 polycarbophil, a water-absorbing polymer 665
 YAMAKAMI, J see SAKURAI, E
 YAMAMOTO, A, UCHIYAMA, T,
 NISHIKAWA, R, FUJITA, T, MURANISHI, S
 Effectiveness and toxicity screening of various
 absorption enhancers in the rat small intestine: effects
 of absorption enhancers on the intestinal absorption of
 phenol red and the release of protein and
 phospholipids from the intestinal membrane 1285
- YAMAMOTO, K see KUROKAWA, N
 YAMAMOTO, K, SHIMIZU, M, OHTANI, H,
 HAYASHI, M, SAWADA, Y, IGA, T
 Toxicodynamic analysis of cardiac effects induced
 by four cholinesterase inhibitors in rats
 935
 YAMAOKA, K see FUKUYAMA, T
 YAMAOKA, K see TABATA, K
 YAMASHITA, Y see MASUNAGA, H
 YAMAZAKI, M see YAMADA, T
 YANAIHARA, C see KUROKAWA, N
 YASUDA, H see MASUNAGA, H
 YASUHARA, M see NAKAMURA, T
 YASUI, H see TABATA, K
 YASUI, T see YOKOZAWA, T
 YATA, N see KINOUCI, Y
 YATA, N see KURAMOTO, M
 YEATES, R A, SCHARPF, F, LAUFEN, H,
 ZIMMERMANN, T Screening for cytochrome
 P450 3A in man: studies with midazolam and
 nifedipine 933
 YEH, L J see KO, F N
 YEN, C-F see WANG, H P
 YEN, M H, SHEU, J R, PENG, I H, LEE, Y M,
 CHERN, J W Pharmacological activity of DC-
 015, a novel potent and selective α_1 -adrenoceptor
 antagonist 90
 YING, C see RAINSFORD, K D
 YOKOZAWA, T, YASUI, T, OURA, H Molecular
 biological analysis of the effects of ginsenoside-
 Rb₂ on albumin mRNA in streptozotocin-induced
 diabetic rats 763
 YOO, H see SUN, X
 YOON, W H see PARK, K J
 YOSHIKAWA, Y see HOUJOU, T
 YOSHINO, S Suppression of adjuvant arthritis in rats
 by oral administration of type II collagen in
 combination with type I interferon
 702
 YOSHITAKE, K see KAI, H
 YOU, J see SUN, X
 YU, H, LIU, Y, HACKSELL, U, LEWANDER, T
 Oral cavity absorption of (*R*)-8-hydroxy-2-(*di-n*-
 propylamino)tetralin and (*S*)-8-acetyl-2-(*di-n*-
 propylamino)tetralin in the rat 41
 YUKAWA, E see KODAMA, Y
 YUNES, R A see FILHO, V C
 YUNES, R A see PAULINO, N
- ZAIKEN, T see KODAMA, Y
 ZHAO, M F see NAKASHIMA, M
 ZHAO, X see JUNGREN, I-L
 ZHU, Z Y see RICHARDS, R M E
 ZIMMERMANN, T see YEATES, R A
 ZMITEK, J see BOLE-VUNDUK, B