

## Subject Index of Volume 103

- Absorption**  
multiple emission of *N*-(1-anthryl)-pyridinium, 45
- Acridine**  
chemiluminescence of photolyzed or radiolyzed acridine, 51
- Acrolein**  
laser-induced aerosol particle formation from a gaseous mixture of acrolein and carbon disulfide, 27
- Activated carbon**  
effect of activated carbon content in TiO<sub>2</sub>-loaded activated carbon on photodegradation behaviors of dichloromethane, 153
- 4-Acyloxy substitution**  
photochemistry and photoinitiator properties of novel 1-chloro-substituted thioxanthenes. Part I: Influence of 4-acyloxy substitution, 185
- Adsorption**  
heterogeneous photocatalysis. XV. Mechanistic aspects of cadmium sulfide-catalyzed photoaddition of olefins to Schiff bases, 257
- Aerosol particle**  
laser-induced aerosol particle formation from a gaseous mixture of acrolein and carbon disulfide, 27
- Amines**  
semi-empirical molecular orbital calculations on the interaction between singlet oxygen and amines: modeling charge transfer quenching, 33
- Aminomethylation**  
chemiluminescence of photolyzed or radiolyzed acridine, 51
- Anthraquinone**  
photoinduced intramolecular electron transfer in an anthraquinone-fluorescein-carbazole model, 63
- Aromatic azides**  
low-temperature photochemistry of nitro-substituted aromatic azides; subsequent reactions of intermediates, 105
- Aryl-*p*-benzoquinones**  
photoreactions of some monoaryl- and diaryl-*p*-benzoquinones in solution. Dependence of dimerizations, cyclizations and rearrangements on the substituents and solvents, 75
- 4-Azido-4'-nitrostilbene**  
low-temperature photochemistry of nitro-substituted aromatic azides; subsequent reactions of intermediates, 105
- Ba(<sup>3</sup>D)**  
energy transfer and energy pooling from Ba[6s5d(<sup>3</sup>D<sub>1,2,3</sub>)] generated following pulsed dye-laser excitation at λ = 553.5 nm {Ba[6s6p(<sup>1</sup>P<sub>1</sub>)] ← Ba[6s<sup>2</sup>(<sup>1</sup>S<sub>0</sub>)]} and monitored by time-resolved atomic emission from Ba[6s5d(<sup>1</sup>D<sub>2</sub>)], Ba[6s6p(<sup>3</sup>P<sub>1</sub>)] and Ba[6s6p(<sup>1</sup>P<sub>1</sub>)]. Part I, 1  
investigation of the collisional behaviour of Ba[6s5d(<sup>3</sup>D<sub>1,2,3</sub>)] generated following pulsed dye-laser excitation at λ = 553.5 nm {Ba[6s6p(<sup>1</sup>P<sub>1</sub>)] ← Ba[6s<sup>2</sup>(<sup>1</sup>S<sub>0</sub>)]} by spectroscopic marker methods in the presence of krypton. Part II, 11
- Biexponential decay**  
methodical studies on the time resolution of photoacoustic calorimetry, 39
- Binder model compounds**  
1-heptene, 3-heptenes and cumene as model compounds of SBS block copolymers. Study of their photoreactions in the presence of photoinitiators of polymerization, 177
- Cadmium sulfide**  
heterogeneous photocatalysis. XV. Mechanistic aspects of cadmium sulfide-catalyzed photoaddition of olefins to Schiff bases, 257
- Carbazole**  
photoinduced intramolecular electron transfer in an anthraquinone-fluorescein-carbazole model, 63
- Carbon disulfide**  
laser-induced aerosol particle formation from a gaseous mixture of acrolein and carbon disulfide, 27
- Carbonyl complexes**  
photochemistry of [(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)Ru(CO)<sub>2</sub>]<sub>2</sub> in polar and non-polar solvents, 221
- Charge transfer**  
semi-empirical molecular orbital calculations on the interaction between singlet oxygen and amines: modeling charge transfer quenching, 33
- Charge transfer photochemistry**  
photolytic behaviour of [Co(NH<sub>3</sub>)<sub>4</sub>C<sub>2</sub>O<sub>4</sub>] in micellar and inverse micellar solutions, 127
- Chemiluminescence**  
chemiluminescence of photolyzed or radiolyzed acridine, 51
- 1-Chloro-substituted thioxanthenes**  
photochemistry and photoinitiator properties of novel 1-chloro-substituted thioxanthenes. Part I: Influence of 4-acyloxy substitution, 185
- β-Cleavage**  
effect of β-cyclodextrin complexation on the photochemistry of α-phenoxyacetophenone, 137
- Cobalt(III)**  
optical and photoinduced electron transfer in tris(ethylenediamine)cobalt(III)-cyanometallate ion pairs, 239
- Collisions with Ba**  
investigation of the collisional behaviour of Ba[6s5d(<sup>3</sup>D<sub>1,2,3</sub>)] generated following pulsed dye-laser excitation at λ = 553.5 nm {Ba[6s6p(<sup>1</sup>P<sub>1</sub>)] ← Ba[6s<sup>2</sup>(<sup>1</sup>S<sub>0</sub>)]} by spectroscopic marker methods in the presence of krypton. Part II, 11
- Collisions with Kr**  
investigation of the collisional behaviour of Ba[6s5d(<sup>3</sup>D<sub>1,2,3</sub>)] generated following pulsed dye-laser excitation at λ = 553.5 nm {Ba[6s6p(<sup>1</sup>P<sub>1</sub>)] ← Ba[6s<sup>2</sup>(<sup>1</sup>S<sub>0</sub>)]} by spectroscopic marker methods in the presence of krypton. Part II, 11
- [Co(NH<sub>3</sub>)<sub>4</sub>C<sub>2</sub>O<sub>4</sub>]<sup>+</sup>  
photolytic behaviour of [Co(NH<sub>3</sub>)<sub>4</sub>C<sub>2</sub>O<sub>4</sub>] in micellar and inverse micellar solutions, 127
- CO photodissociation**  
photochemistry of [(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)Ru(CO)<sub>2</sub>]<sub>2</sub> in polar and non-polar solvents, 221

- Cyanometallate  
optical and photoinduced electron transfer in  
tris(ethylenediamine)cobalt(III)–cyanometallate ion pairs, 239
- Cyclodextrin  
effect of  $\beta$ -cyclodextrin complexation on the photochemistry of  
 $\alpha$ -phenoxyacetophenone, 137
- Cyclodextrins  
inclusion complexes of some 3H-indoles with cyclodextrins studied  
through excited state dynamics and steady state absorption and  
fluorescence spectroscopy, 143
- Cyclopentadienyl complexes  
photochemistry of  $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{CO})_2]_2$  in polar and non-polar  
solvents, 221
- 3,3-cyclopentyl-3H-pyrazole  
photochemistry of 3,3-cyclopentyl-3H-pyrazole, 95
- Cyclophanes  
photodimerization of heteroarylene-vinylenes, 169
- Dibenzobarrelenes  
phototransformations of bridgehead-substituted dibenzobarrelenes.  
Steady state and laser flash photolysis studies of 9-benzoyl- and  
9-( $\alpha$ -hydroxybenzyl)-substituted dibenzobarrelenes, 69
- Dichloromethane  
effect of activated carbon content in  $\text{TiO}_2$ -loaded activated carbon on  
photodegradation behaviors of dichloromethane, 153
- Diffusion  
investigation of the collisional behaviour of  $\text{Ba}[6s5d(^3\text{D}_{1,2,3})]$   
generated following pulsed dye-laser excitation at  $\lambda = 553.5$  nm  
 $\{\text{Ba}[6s6p(^1\text{P}_1)] \leftarrow \text{Ba}[6s^2(^1\text{S}_0)]\}$  by spectroscopic marker meth-  
ods in the presence of krypton. Part II, 11
- $\alpha$ -Diimine complexes  
real-time Fourier transform IR (FTIR) spectroscopy in organometallic  
chemistry: mechanistic aspects of the fac to mer photoisomeriza-  
tion of *fac*- $[\text{Mn}(\text{Br})(\text{CO})_3(\text{R-DAB})]$ , 231
- Dyes  
the excited states quenching of safranin T by *p*-benzoquinones in  
polar solvents, 115
- Electrochemistry  
manifestations of the peripheral group effects in photooxidation of  
5-hydroxy-4H-pyran-4-ones coordinated to the iron(III) central  
atom, 197
- Electroconductivity  
synthesis and properties of photoactive and electroactive polymers  
based on transition metal complexes, 249
- Electron transfer  
solvent effect on the quenching of the mono-*L*-aspartyl chlorin  $e_6$   
triplet state by metronidazole, 57  
the excited states quenching of safranin T by *p*-benzoquinones in  
polar solvents, 115
- Emission lifetimes  
photophysical properties of protoporphyrin IX and thionine covalently  
attached to macromolecules, 201
- Energy pooling  
energy transfer and energy pooling from  $\text{Ba}[6s5d(^3\text{D}_{1,2,3})]$  generated  
following pulsed dye-laser excitation at  $\lambda = 553.5$  nm  
 $\{\text{Ba}[6s6p(^1\text{P}_1)] \leftarrow \text{Ba}[6s^2(^1\text{S}_0)]\}$  and monitored by time-resolved  
atomic emission from  $\text{Ba}[6s5d(^1\text{D}_2)]$ ,  $\text{Ba}[6s6p(^3\text{P}_1)]$  and  
 $\text{Ba}[6s6p(^1\text{P}_1)]$ . Part I, 1
- Energy transfer  
energy transfer and energy pooling from  $\text{Ba}[6s5d(^3\text{D}_{1,2,3})]$  generated  
following pulsed dye-laser excitation at  $\lambda = 553.5$  nm  
 $\{\text{Ba}[6s6p(^1\text{P}_1)] \leftarrow \text{Ba}[6s^2(^1\text{S}_0)]\}$  and monitored by time-resolved  
atomic emission from  $\text{Ba}[6s5d(^1\text{D}_2)]$ ,  $\text{Ba}[6s6p(^3\text{P}_1)]$  and  
 $\text{Ba}[6s6p(^1\text{P}_1)]$ . Part I, 1
- Exciplex  
semi-empirical molecular orbital calculations on the interaction  
between singlet oxygen and amines: modeling charge transfer  
quenching, 33
- Excited barium atoms  
energy transfer and energy pooling from  $\text{Ba}[6s5d(^3\text{D}_{1,2,3})]$  generated  
following pulsed dye-laser excitation at  $\lambda = 553.5$  nm  
 $\{\text{Ba}[6s6p(^1\text{P}_1)] \leftarrow \text{Ba}[6s^2(^1\text{S}_0)]\}$  and monitored by time-resolved  
atomic emission from  $\text{Ba}[6s5d(^1\text{D}_2)]$ ,  $\text{Ba}[6s6p(^3\text{P}_1)]$  and  
 $\text{Ba}[6s6p(^1\text{P}_1)]$ . Part I, 1
- Excited intermediates  
low-temperature photochemistry of nitro-substituted aromatic azides;  
subsequent reactions of intermediates, 105
- Excited state dynamics  
inclusion complexes of some 3H-indoles with cyclodextrins studied  
through excited state dynamics and steady state absorption and  
fluorescence spectroscopy, 143
- Ferric complexes  
manifestations of the peripheral group effects in photooxidation of  
5-hydroxy-4H-pyran-4-ones coordinated to the iron(III) central  
atom, 197
- Five-coordinate complex  
optical and photoinduced electron transfer in  
tris(ethylenediamine)cobalt(III)–cyanometallate ion pairs, 239
- Flash photolysis  
photochemistry of  $[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(\text{CO})_2]_2$  in polar and non-polar  
solvents, 221
- Fluorescein  
photoinduced intramolecular electron transfer in an anthraquinone–  
fluorescein–carbazole model, 63
- Fluorescence  
multiple emission of *N*-(1-anthryl)-pyridinium, 45
- Fluorescence spectrum  
spin-state-dependent two-way and one-way photoisomerization of *N*-  
methoxy-1-(9-anthryl)-methanimine in the excited state, 85
- Fulvic acids  
comparison of the photoinductive properties of commercial, synthetic  
and soil-extracted humic substances, 163
- 2,5-Furylene-vinylenes  
photodimerization of heteroarylene-vinylenes, 169
- Gas phase photochemistry  
the 254 nm gas phase photochemistry of perfluoroacetyl chloride in the  
presence of  $\text{O}_2$ , 19
- 3H-Indoles  
inclusion complexes of some 3H-indoles with cyclodextrins studied  
through excited state dynamics and steady state absorption and  
fluorescence spectroscopy, 143
- Humic acids  
comparison of the photoinductive properties of commercial, synthetic  
and soil-extracted humic substances, 163
- Hydrogen abstraction  
effect of  $\beta$ -cyclodextrin complexation on the photochemistry of  
 $\alpha$ -phenoxyacetophenone, 137
- Hydrogen bond  
solvent effect on the quenching of the mono-*L*-aspartyl chlorin  $e_6$   
triplet state by metronidazole, 57
- Inclusion complex  
effect of  $\beta$ -cyclodextrin complexation on the photochemistry of  
 $\alpha$ -phenoxyacetophenone, 137
- Inclusion complexes  
inclusion complexes of some 3H-indoles with cyclodextrins studied  
through excited state dynamics and steady state absorption and  
fluorescence spectroscopy, 143

- Ion pair**  
optical and photoinduced electron transfer in  
tris(ethylenediamine)cobalt(III)–cyanometallate ion pairs, 239
- Isomerization**  
spin-state-dependent two-way and one-way photoisomerization of *N*-methoxy-1-(9-anthryl)-methanimine in the excited state, 85
- Kinetics**  
real-time Fourier transform IR (FTIR) spectroscopy in organometallic chemistry: mechanistic aspects of the *fac* to *mer* photoisomerization of *fac*-[Mn(Br)(CO)<sub>3</sub>(R-DAB)], 231
- Laser excitation**  
energy transfer and energy pooling from Ba[6s5d(<sup>3</sup>D<sub>1,2,3</sub>)] generated following pulsed dye-laser excitation at λ = 553.5 nm {Ba[6s6p(<sup>1</sup>P<sub>1</sub>)] ← Ba[6s<sup>2</sup>(<sup>1</sup>S<sub>0</sub>)]} and monitored by time-resolved atomic emission from Ba[6s5d(<sup>1</sup>D<sub>2</sub>)], Ba[6s6p(<sup>3</sup>P<sub>1</sub>)] and Ba[6s6p(<sup>1</sup>P<sub>1</sub>)]. Part I, 1  
investigation of the collisional behaviour of Ba[6s5d(<sup>3</sup>D<sub>1,2,3</sub>)] generated following pulsed dye-laser excitation at λ = 553.5 nm {Ba[6s6p(<sup>1</sup>P<sub>1</sub>)] ← Ba[6s<sup>2</sup>(<sup>1</sup>S<sub>0</sub>)]} by spectroscopic marker methods in the presence of krypton. Part II, 11
- Laser flash photolysis**  
phototransformations of bridgehead-substituted dibenzobarrelenes. Steady state and laser flash photolysis studies of 9-benzoyl- and 9-(*α*-hydroxybenzyl)-substituted dibenzobarrelenes, 69
- Light scattering**  
laser-induced aerosol particle formation from a gaseous mixture of acrolein and carbon disulfide, 27
- Low-temperature photochemistry**  
low-temperature photochemistry of nitro-substituted aromatic azides; subsequent reactions of intermediates, 105
- Macromolecules**  
photophysical properties of protoporphyrin IX and thionine covalently attached to macromolecules, 201
- Magnesium (II) ions**  
photoinduced reaction of diethyl 2-bromo-1-phenylethylidenemalonate with 1-benzyl-1,4-dihydronicotinamide and the effect of magnesium (II) ion on the reaction, 101
- Manganese carbonyls**  
real-time Fourier transform IR (FTIR) spectroscopy in organometallic chemistry: mechanistic aspects of the *fac* to *mer* photoisomerization of *fac*-[Mn(Br)(CO)<sub>3</sub>(R-DAB)], 231
- Metallopolymers**  
synthesis and properties of photoactive and electroactive polymers based on transition metal complexes, 249
- Metronidazole**  
solvent effect on the quenching of the mono-*L*-aspartyl chlorin e<sub>6</sub> triplet state by metronidazole, 57
- Micellar and inverse micellar solutions**  
photolytic behaviour of [Co(NH<sub>3</sub>)<sub>4</sub>C<sub>2</sub>O<sub>4</sub>] in micellar and inverse micellar solutions, 127
- MINDO/3**  
semi-empirical molecular orbital calculations on the interaction between singlet oxygen and amines: modeling charge transfer quenching, 33
- Monoexponential decay**  
methodical studies on the time resolution of photoacoustic calorimetry, 39
- Mono-*L*-aspartyl chlorin e<sub>6</sub>**  
solvent effect on the quenching of the mono-*L*-aspartyl chlorin e<sub>6</sub> triplet state by metronidazole, 57
- Multiple emission**  
multiple emission of *N*-(1-anthryl)-pyridinium, 45
- N*-(1-Anthryl)-pyridinium  
multiple emission of *N*-(1-anthryl)-pyridinium, 45
- 4-Nitrophenylnitrene**  
low-temperature photochemistry of nitro-substituted aromatic azides; subsequent reactions of intermediates, 105
- Oxygen**  
the 254 nm gas phase photochemistry of perfluoroacetyl chloride in the presence of O<sub>2</sub>, 19
- Perfluoroacetyl chloride**  
the 254 nm gas phase photochemistry of perfluoroacetyl chloride in the presence of O<sub>2</sub>, 19
- Peripheral group effects**  
manifestations of the peripheral group effects in photooxidation of 5-hydroxy-4H-pyran-4-ones coordinated to the iron(III) central atom, 197
- Phloroglucinol**  
the action of phloroglucinol in the presence of hydrochloric acid on photoaged, totally-chlorine-free, bleached chemical pulps, 159
- Photoacoustic calorimetry**  
methodical studies on the time resolution of photoacoustic calorimetry, 39
- Photoaging**  
the action of phloroglucinol in the presence of hydrochloric acid on photoaged, totally-chlorine-free, bleached chemical pulps, 159
- Photocatalysis**  
heterogeneous photocatalysis. XV. Mechanistic aspects of cadmium sulfide-catalyzed photoaddition of olefins to Schiff bases, 257
- Photocatalyst**  
effect of activated carbon content in TiO<sub>2</sub>-loaded activated carbon on photodegradation behaviors of dichloromethane, 153
- Photocatalytic reaction**  
use of semiconductor oxides in the photocatalytic reaction of sodium hexanitrocobaltate(III), 133
- Photochemistry**  
substitutional photochemistry of Ru(η<sup>6</sup>-mes)<sub>2</sub><sup>+</sup> and Ru(η<sup>6</sup>-mes)(CH<sub>3</sub>CN)<sub>2</sub><sup>+</sup> (mes = 1,3,5-trimethylbenzene), 213
- Photocyclization**  
photoisomerization and photocyclization reactivity of a cinnamaldehyde oxime analog, 91
- Photodegradation**  
effect of activated carbon content in TiO<sub>2</sub>-loaded activated carbon on photodegradation behaviors of dichloromethane, 153
- Photodimerization**  
photodimerization of heteroarylene-vinylenes, 169
- Photoelectrochemical sensitivity**  
synthesis and properties of photoactive and electroactive polymers based on transition metal complexes, 249
- Photofragmentation**  
1-heptene, 3-heptenes and cumene as model compounds of SBS block copolymers. Study of their photoreactions in the presence of photoinitiators of polymerization, 177
- Photoinduced intramolecular electron transfer**  
photoinduced intramolecular electron transfer in an anthraquinone–fluorescein–carbazole model, 63
- Photoinduced reaction**  
photoinduced reaction of diethyl 2-bromo-1-phenylethylidenemalonate with 1-benzyl-1,4-dihydronicotinamide and the effect of magnesium (II) ion on the reaction, 101
- Photoinductor**  
comparison of the photoinductive properties of commercial, synthetic and soil-extracted humic substances, 163
- Photoinitiators**  
1-heptene, 3-heptenes and cumene as model compounds of SBS block copolymers. Study of their photoreactions in the presence of photoinitiators of polymerization, 177

- photochemistry and photoinitiator properties of novel 1-chloro-substituted thioxanthenes. Part I: Influence of 4-acyloxy substitution, 185
- Photoisomerization  
photoisomerization and photocyclization reactivity of a cinnamaldehyde oxime analog, 91  
photodimerization of heteroarylene-vinylenes, 169  
photochemistry of (*trans*-4-styrylpyridine)methyl-(trioxo)rhenium(VII). Photoassisted isomerization of 4-styrylpyridine, 227  
real-time Fourier transform IR (FTIR) spectroscopy in organometallic chemistry: mechanistic aspects of the fac to mer photoisomerization of fac-[Mn(Br)(CO)<sub>3</sub>(R-DAB)], 231
- Photolysis  
chemiluminescence of photolyzed or radiolyzed acridine, 51  
low-temperature photochemistry of nitro-substituted aromatic azides; subsequent reactions of intermediates, 105
- Photooxidation  
the excited states quenching of safranin T by *p*-benzoquinones in polar solvents, 115
- Photoreactions  
photoreactions of some monoaryl- and diaryl-*p*-benzoquinones in solution. Dependence of dimerizations, cyclizations and rearrangements on the substituents and solvents, 75
- Photoredox  
manifestations of the peripheral group effects in photooxidation of 5-hydroxy-4H-pyran-4-ones coordinated to the iron(III) central atom, 197  
optical and photoinduced electron transfer in tris(ethylenediamine)cobalt(III)-cyanometallate ion pairs, 239
- Photoreduction  
1-heptene, 3-heptenes and cumene as model compounds of SBS block copolymers. Study of their photoreactions in the presence of photoinitiators of polymerization, 177
- Photosubstitution  
substitutional photochemistry of Ru( $\eta^6$ -mes)<sub>2</sub><sup>2+</sup> and Ru( $\eta^6$ -mes)(CH<sub>3</sub>CN)<sub>3</sub><sup>2+</sup> (mes = 1,3,5-trimethylbenzene), 213
- Phototransformations  
phototransformations of bridgehead-substituted dibenzobarrelenes. Steady state and laser flash photolysis studies of 9-benzoyl- and 9-( $\alpha$ -hydroxybenzyl)-substituted dibenzobarrelenes, 69
- Protoporphyrin IX  
photophysical properties of protoporphyrin IX and thionine covalently attached to macromolecules, 201
- Pyranones  
manifestations of the peripheral group effects in photooxidation of 5-hydroxy-4H-pyran-4-ones coordinated to the iron(III) central atom, 197
- Quantum yield  
spin-state-dependent two-way and one-way photoisomerization of *N*-methoxy-1-(9-anthryl)-methanimine in the excited state, 85
- Quenching  
photophysical properties of protoporphyrin IX and thionine covalently attached to macromolecules, 201
- Quenching mechanism  
semi-empirical molecular orbital calculations on the interaction between singlet oxygen and amines: modeling charge transfer quenching, 33
- Radical addition  
1-heptene, 3-heptenes and cumene as model compounds of SBS block copolymers. Study of their photoreactions in the presence of photoinitiators of polymerization, 177
- Radiolysis  
chemiluminescence of photolyzed or radiolyzed acridine, 51
- Real-time FTIR spectroscopy  
real-time Fourier transform IR (FTIR) spectroscopy in organometallic chemistry: mechanistic aspects of the fac to mer photoisomerization of fac-[Mn(Br)(CO)<sub>3</sub>(R-DAB)], 231
- Recombination  
effect of  $\beta$ -cyclodextrin complexation on the photochemistry of  $\alpha$ -phenoxyacetophenone, 137
- Reversible redox reactions in polymer matrix  
synthesis and properties of photoactive and electroactive polymers based on transition metal complexes, 249
- Rhenium complexes  
photochemistry of (*trans*-4-styrylpyridine)methyl-(trioxo)rhenium(VII). Photoassisted isomerization of 4-styrylpyridine, 227
- Ru(II) complexes  
the sensitization of the ligand-field state of the hexaammine-ruthenium(II) complex ion by organic compounds, 121
- Ru–Ru bond homolytic cleavage  
photochemistry of [( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)Ru(CO)<sub>2</sub>]<sub>2</sub> in polar and non-polar solvents, 221
- Ruthenium(I) dinuclear complexes  
photochemistry of [( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)Ru(CO)<sub>2</sub>]<sub>2</sub> in polar and non-polar solvents, 221
- Ruthenium(II) complexes  
substitutional photochemistry of Ru( $\eta^6$ -mes)<sub>2</sub><sup>2+</sup> and Ru( $\eta^6$ -mes)(CH<sub>3</sub>CN)<sub>3</sub><sup>2+</sup> (mes = 1,3,5-trimethylbenzene), 213
- Safranin  
the excited states quenching of safranin T by *p*-benzoquinones in polar solvents, 115
- SBS matrices  
1-heptene, 3-heptenes and cumene as model compounds of SBS block copolymers. Study of their photoreactions in the presence of photoinitiators of polymerization, 177
- Semiconductor  
heterogeneous photocatalysis. XV. Mechanistic aspects of cadmium sulfide-catalyzed photoaddition of olefins to Schiff bases, 257
- Semiconductor oxides  
use of semiconductor oxides in the photocatalytic reaction of sodium hexanitrocobaltate(III), 133
- Sensitization  
the sensitization of the ligand-field state of the hexaammine-ruthenium(II) complex ion by organic compounds, 121
- Singlet oxygen  
semi-empirical molecular orbital calculations on the interaction between singlet oxygen and amines: modeling charge transfer quenching, 33  
comparison of the photoinductive properties of commercial, synthetic and soil-extracted humic substances, 163
- Sodium hexanitrocobaltate(III)  
use of semiconductor oxides in the photocatalytic reaction of sodium hexanitrocobaltate(III), 133
- Solvent effect  
solvent effect on the quenching of the mono-*L*-aspartyl chlorin e<sub>8</sub> triplet state by metronidazole, 57
- Spectroscopic markers  
energy transfer and energy pooling from Ba[6s5d(<sup>3</sup>D<sub>1,2,3</sub>)] generated following pulsed dye-laser excitation at  $\lambda = 553.5$  nm {Ba[6s6p(<sup>1</sup>P<sub>1</sub>)] ← Ba[6s<sup>2</sup>(<sup>1</sup>S<sub>0</sub>)]} and monitored by time-resolved atomic emission from Ba[6s5d(<sup>1</sup>D<sub>2</sub>)], Ba[6s6p(<sup>3</sup>P<sub>1</sub>)] and Ba[6s6p(<sup>1</sup>P<sub>1</sub>)]. Part I, 1
- Spin-trapping technique  
photoinduced reaction of diethyl 2-bromo-1-phenylethylenemalonate with 1-benzyl-1,4-dihydronicotinamide and the effect of magnesium(II) ion on the reaction, 101

- Steady state absorption and fluorescence spectroscopy  
inclusion complexes of some 3H-indoles with cyclodextrins studied through excited state dynamics and steady state absorption and fluorescence spectroscopy, 143
- Steady state photolysis  
phototransformations of bridgehead-substituted dibenzobarrelenes. Steady state and laser flash photolysis studies of 9-benzoyl- and 9-( $\alpha$ -hydroxybenzyl)-substituted dibenzobarrelenes, 69
- Structural composition  
comparison of the photoinductive properties of commercial, synthetic and soil-extracted humic substances, 163
- Styrylpyridine  
photochemistry of (*trans*-4-styrylpyridine)methyl-(trioxo)rhenium(VII). Photoassisted isomerization of 4-styrylpyridine, 227
- Substituent and solvent effects  
photoreactions of some monoaryl- and diaryl-*p*-benzoquinones in solution. Dependence of dimerizations, cyclizations and rearrangements on the substituents and solvents, 75
- 2,5-Thienylene-vinylenes  
photodimerization of heteroarylene-vinylenes, 169
- Thionine  
photophysical properties of protoporphyrin IX and thionine covalently attached to macromolecules, 201
- Time resolution  
methodical studies on the time resolution of photoacoustic calorimetry, 39
- Time-resolved studies  
investigation of the collisional behaviour of Ba[6s5d( $^3D_{1,2,3}$ )] generated following pulsed dye-laser excitation at  $\lambda = 553.5$  nm {Ba[6s6p( $^1P_1$ )]  $\leftarrow$  Ba[6s $^2$ ( $^1S_0$ )]} by spectroscopic marker methods in the presence of krypton. Part II, 11
- TiO<sub>2</sub>  
effect of activated carbon content in TiO<sub>2</sub>-loaded activated carbon on photodegradation behaviors of dichloromethane, 153
- Totally-chlorine-free bleaching  
the action of phloroglucinol in the presence of hydrochloric acid on photoaged, totally-chlorine-free, bleached chemical pulps, 159
- Triad molecule  
photoinduced intramolecular electron transfer in an anthraquinone-fluorescein-carbazole model, 63
- Triplet state  
solvent effect on the quenching of the mono-*L*-aspartyl chlorin  $e_6$  triplet state by metronidazole, 57
- Triplet-triplet absorption  
spin-state-dependent two-way and one-way photoisomerization of *N*-methoxy-1-(9-anthryl)-methanimine in the excited state, 85
- $\gamma,\delta$ -Unsaturated amines  
heterogeneous photocatalysis. XV. Mechanistic aspects of cadmium sulfide-catalyzed photoaddition of olefins to Schiff bases, 257
- $\alpha,\beta$ -Unsaturated oxime  
photoisomerization and photocyclization reactivity of a cinnamaldehyde oxime analog, 91
- UV-Vis diffuse reflectance spectroscopy  
the action of phloroglucinol in the presence of hydrochloric acid on photoaged, totally-chlorine-free, bleached chemical pulps, 159