

Journal of Photochemistry and Photobiology A: Chemistry 118 (1998) 213-215



Subject Index of Volume 118

Absorption

Adiabatic structural relaxation in heterocyclic nitrogen-containing cations. The structure, absorption and fluorescence of the 2,4,6triarylsubstituted pyridinium cations, 151

Acetazolamide

- Photolysis and photosensitized degradation of the diuretic drug acetazolamide, 19
- Adiabatic structural relaxation
 - Adiabatic structural relaxation in heterocyclic nitrogen-containing cations. The structure, absorption and fluorescence of the 2,4,6triarylsubstituted pyridinium cations, 151

Adsorbed hydrocarbons

- The excimer emission of aromatic hydrocarbons on clays, 205
- Alkylation
 - Benzophenone-photosensitized alkylation of arylalkenes with acetone, dimethyl sulfoxide, and their related compounds in the presence of *tert*-butylamine, 165

Amino acid

Towards a better understanding of the initial steps in the photocatalyzed mineralization of amino acids at the titania/water interface. An experimental and theoretical examination of L-alanine, L-serine and L-phenylalanine, 123

Benzene

Benzene and toluene gas-phase photocatalytic degradation over H₂O and HCL pretreated TiO₂: by-products and mechanisms, 197

Benzophenone-photosensitization

- Benzophenone-photosensitized alkylation of arylalkenes with acetone, dimethyl sulfoxide, and their related compounds in the presence of *tert*-butylamine, 165
- 2,2'-Bipyridyl-3,3'-diol
 - Global analysis of time-resolved emission a powerful tool for the analytical discrimination of chemically similar Zn^{II} and Cd^{II} complexes, 143
- Bubble column reactor
 - The photo-oxidative degradation of sodium dodecyl sulphate in aerated aqueous TiO₂ suspension, 111

Capped CdS

Nanosecond laser flash photolysis of thioglycerol-capped cadmium sulfide particles, 131

$\mathrm{Cd}^{\mathrm{II}}$

- Global analysis of time-resolved emission a powerful tool for the analytical discrimination of chemically similar Zn^{II} and Cd^{II} complexes, 143
- 4-Chlorophenol
- Photomineralisation of 4-chlorophenol sensitised by TiO_2 thin films, 53 Clay interactions
- The excimer emission of aromatic hydrocarbons on clays, 205 Cyclohexane
- Evidence for nonemissive exciplexes in the singlet quenching of polycyclic aromatic hydrocarbons by polychlorobenzenes in cyclohexane, 157
- Cytochromes

Modelling intramolecular electron transfer reactions in cytochromes and in photosynthetic bacteria reaction centres, 173

Decomposition

Continuous-flow photoreactor packed with titanium dioxide immobilized on large silica gel beads to decompose oxalic acid in excess water, 65

Diuretic drug

Photolysis and photosensitized degradation of the diuretic drug acetazolamide, 19

DMMP

Photocatalytic decomposition of DMMP on titania, 45

Electron transfer reactions

Modelling intramolecular electron transfer reactions in cytochromes and in photosynthetic bacteria reaction centres, 173

Electron transfer

Design of a new molecular fluorescent signalling system acting via both electron and energy transfer, 7

Electrostatic potential of polar solvents

Evidence of the specific solvation of selected fluorescent dyes with methoxy group and its analogues derivatives of the 7H-indolo[1,2a]quinolinium system, 81

Energy transfer

Design of a new molecular fluorescent signalling system acting via both electron and energy transfer, 7

Ervthrosin B

Effects of oxygen and temperature on phosphorescence and delayed fluorescence of erythrosin B trapped in sol-gel silica, 25

Excimer emission

The excimer emission of aromatic hydrocarbons on clays, 205 Excited state H-bond transfer

Induced fluorescence of phenylpyridines by hydrogen bonding complexation, 1

Flavonoids

Tautomerism of flavonol glucosides: relevance to plant UV protection and flower colour, 99

Flower colour

Tautomerism of flavonol glucosides: relevance to plant UV protection and flower colour, 99

Fluorescence chemosensor

Design of a new molecular fluorescent signalling system acting via both electron and energy transfer, 7

Fluorescence quantum yield

Evidence of the specific solvation of selected fluorescent dyes with methoxy group and its analogues derivatives of the 7H-indolo[1,2a]quinolinium system, 81

Fluorescence

Global analysis of time-resolved emission – a powerful tool for the analytical discrimination of chemically similar Zn^{II} and Cd^{II} complexes, 143

Formic acid

Photodissociation dynamics of formic acid at 193 nm, 71

Towards a better understanding of the initial steps in the photocatalyzed mineralization of amino acids at the titania/water interface. An experimental and theoretical examination of L-alanine, L-serine and L-phenylalanine, 123

Hydrated electrons

Nanosecond laser flash photolysis of thioglycerol-capped cadmium sulfide particles, 131

Hydrogen abstraction

Benzophenone-photosensitized alkylation of arylalkenes with acetone, dimethyl sulfoxide, and their related compounds in the presence of *tert*-butylamine, 165

a-Hydroxymethylbenzoin (meth) acrylate

- The application of some polymeric type-I photoinitiators based on αhydroxymethylbenzoin and α-hydroxymethylbenzoin methyl ether, 183
- Hypocrellin derivatives
 - Photovoltaic and electrical properties of Langmuir–Blodgett films incorporating hypocrellins derivatives, 189
- Intersecting-state model

Modelling intramolecular electron transfer reactions in cytochromes and in photosynthetic bacteria reaction centres, 173

Ionic derivatives

Spectral characteristics of probes based on ionic derivatives of pyrene in polar polymer matrices, 137

Laser flash photolysis

Mechanism of alkyl phenylglyoxylates photoreaction in the presence of oxygen, 75

LB films

Photovoltaic and electrical properties of Langmuir–Blodgett films incorporating hypocrellins derivatives, 189

Lignins

Singlet oxygen degradation of lignin in the pulp, 107

Local dielectric constant

Evidence of the specific solvation of selected fluorescent dyes with methoxy group and its analogues derivatives of the 7H-indolo[1,2a]quinolinium system, 81

p-Methoxycinnamic acid

The effect of molecular environment on the photochemistry of *p*-methoxycinnamic acid and its esters, 93

Molecular environment

The effect of molecular environment on the photochemistry of *p*methoxycinnamic acid and its esters, 93

Nanosecond spectroscopy

Nanosecond laser flash photolysis of thioglycerol-capped cadmium sulfide particles, 131

Nerve gas

Photocatalytic decomposition of DMMP on titania, 45

Organophosphorus

Photocatalytic decomposition of DMMP on titania, 45

- Oxalic acid
 - Continuous-flow photoreactor packed with titanium dioxide immobilized on large silica gel beads to decompose oxalic acid in excess water, 65

Oxygen

- Effects of oxygen and temperature on phosphorescence and delayed fluorescence of erythrosin B trapped in sol-gel silica, 25
- Mechanism of alkyl phenylglyoxylates photoreaction in the presence of oxygen, 75
- Photocatalytic oxidation of water on TiO₂-coated WO₃ particles by visible light using Iron(III) ions as electron acceptor, 41

pH dependent fluorescence

Induced fluorescence of phenylpyridines by hydrogen bonding complexation, 1

Phenylglyoxylates

Mechanism of alkyl phenylglyoxylates photoreaction in the presence of oxygen, 75

Phenylpyridines

Induced fluorescence of phenylpyridines by hydrogen bonding complexation, 1

Phosphorescence

Effects of oxygen and temperature on phosphorescence and delayed fluorescence of erythrosin B trapped in sol-gel silica, 25

Photo-oxidation

Photocatalytic decomposition of DMMP on titania, 45

Photocatalysis Continuous-flow photoreactor packed with titanium dioxide immobilized on large silica gel beads to decompose oxalic acid in excess water, 65

Photocatalytic decomposition of DMMP on titania, 45

Photocatalytic oxidations

Benzene and toluene gas-phase photocatalytic degradation over H₂O and HCL pretreated TiO₂: by-products and mechanisms, 197

Photochemical energy conversion

Photocatalytic oxidation of water on TiO_2 -coated WO_3 particles by visible light using Iron(III) ions as electron acceptor, 41

Photochemical fixation

Factors affecting the photoelectrochemical fixation of carbon dioxide with semiconductor colloids, 31

Photodegradation

Photolysis and photosensitized degradation of the diuretic drug acetazolamide, 19

- The photo-oxidative degradation of sodium dodecyl sulphate in aerated aqueous TiO₂ suspension, 111
- Towards a better understanding of the initial steps in the photocatalyzed mineralization of amino acids at the titania/water interface. An experimental and theoretical examination of L-alanine, L-serine and L-phenylalanine, 123

Photodissociation dynamics

- Photodissociation dynamics of formic acid at 193 nm, 71
- Photoelectric effect
 - Photovoltaic and electrical properties of Langmuir–Blodgett films incorporating hypocrellins derivatives, 189
- Photomineralisation

Photomineralisation of 4-chlorophenol sensitised by TiO_2 thin films, 53 Photooxidation

- Photolysis and photosensitized degradation of the diuretic drug acetazolamide, 19
- Towards a better understanding of the initial steps in the photocatalyzed mineralization of amino acids at the titania/water interface. An experimental and theoretical examination of L-alanine, L-serine and L-phenylalanine, 123

Photosynthetic reaction centres

Modelling intramolecular electron transfer reactions in cytochromes and in photosynthetic bacteria reaction centres, 173

Point charge

Towards a better understanding of the initial steps in the photocatalyzed mineralization of amino acids at the titania/water interface. An experimental and theoretical examination of L-alanine, L-serine and L-phenylalanine, 123

Polychlorobenzenes

Evidence for nonemissive exciplexes in the singlet quenching of polycyclic aromatic hydrocarbons by polychlorobenzenes in cyclohexane, 157

Polycyclic aromatic hydrocarbons

Evidence for nonemissive exciplexes in the singlet quenching of polycyclic aromatic hydrocarbons by polychlorobenzenes in cyclohexane, 157

214

Polymeric type-I photoinitiators

- The application of some polymeric type-I photoinitiators based on α -hydroxymethylbenzoin and α -hydroxymethylbenzoin methyl ether, 183
- Porphyrazine
 - Spectroelectrochemical and photophysical properties of a (3,4-pyridyl) porphyrazine supermolecule containing four [Ru(bipy)₂Cl]⁺ groups, 11
- Pulps

Singlet oxygen degradation of lignin in the pulp, 107

Pvrene

Spectral characteristics of probes based on ionic derivatives of pyrene in polar polymer matrices, 137

Q-particles

Nanosecond laser flash photolysis of thioglycerol-capped cadmium sulfide particles, 131

5-(4-R-phenyl)-7,7-dimethyl-7H-indolo[1,2-a]quinolinium salts

Evidence of the specific solvation of selected fluorescent dyes with methoxy group and its analogues derivatives of the 7H-indolo[1,2a]quinolinium system, 81

Semiconductor colloids

- Factors affecting the photoelectrochemical fixation of carbon dioxide with semiconductor colloids, 31
- Silica gel bead
 - Continuous-flow photoreactor packed with titanium dioxide immobilized on large silica gel beads to decompose oxalic acid in excess water, 65
- Singlet oxygen degradation
- Singlet oxygen degradation of lignin in the pulp, 107

Singlet oxygen

- Photolysis and photosensitized degradation of the diuretic drug acetazolamide, 19
- Sodium dodecyl sulphate
- The photo-oxidative degradation of sodium dodecyl sulphate in aerated aqueous TiO₂ suspension, 111
- Sol-gel
- Effects of oxygen and temperature on phosphorescence and delayed fluorescence of erythrosin B trapped in sol-gel silica, 25
- Solvates stability constants
 - Evidence of the specific solvation of selected fluorescent dyes with methoxy group and its analogues derivatives of the 7H-indolo[1,2a]quinolinium system, 81

Solvent dipolar interaction

- Evidence of the specific solvation of selected fluorescent dyes with methoxy group and its analogues derivatives of the 7H-indolo[1,2a]quinolinium system, 81
- Spectral characteristics
- Spectral characteristics of probes based on ionic derivatives of pyrene in polar polymer matrices, 137

Supersensitization

Photovoltaic and electrical properties of Langmuir–Blodgett films incorporating hypocrellins derivatives, 189

Supramolecular photochemistry

Spectroelectrochemical and photophysical properties of a (3,4-pyridyl) porphyrazine supermolecule containing four [Ru(bipy)₂Cl]⁺ groups, 11

Tautomerism

Tautomerism of flavonol glucosides: relevance to plant UV protection and flower colour, 99

Temperature

Effects of oxygen and temperature on phosphorescence and delayed fluorescence of erythrosin B trapped in sol-gel silica, 25 Tetramethylammonium ions Factors affecting the photoelectrochemical fixation of carbon dioxide with semiconductor colloids, 31

Time-resolved

Global analysis of time-resolved emission – a powerful tool for the analytical discrimination of chemically similar Zn^{II} and Cd^{II} complexes, 143

TiO₂ thin films

Photomineralisation of 4-chlorophenol sensitised by TiO₂ thin films, 53 Benzene and toluene gas-phase photocatalytic degradation over H₂O and HCL pretreated TiO₂: by-products and mechanisms, 197

Titania

- Photocatalytic decomposition of DMMP on titania, 45
- The photo-oxidative degradation of sodium dodecyl sulphate in aerated aqueous TiO_2 suspension, 111

Titanium dioxide

- Continuous-flow photoreactor packed with titanium dioxide immobilized on large silica gel beads to decompose oxalic acid in excess water, 65
- Photocatalytic oxidation of water on TiO_2 -coated WO_3 particles by visible light using Iron(III) ions as electron acceptor, 41
- Towards a better understanding of the initial steps in the photocatalyzed mineralization of amino acids at the titania/water interface. An experimental and theoretical examination of L-alanine, L-serine and L-phenylalanine, 123

tert-Butylamine

Benzophenone-photosensitized alkylation of arylalkenes with acetone, dimethyl sulfoxide, and their related compounds in the presence of *tert*-butylamine, 165

2,4,6-triarylsubstituted pyridinium cations

Adiabatic structural relaxation in heterocyclic nitrogen-containing cations. The structure, absorption and fluorescence of the 2,4,6triarylsubstituted pyridinium cations, 151

Toluene

Benzene and toluene gas-phase photocatalytic degradation over H₂O and HCL pretreated TiO₂: by-products and mechanisms, 197

Tubular photoreactor

Continuous-flow photoreactor packed with titanium dioxide immobilized on large silica gel beads to decompose oxalic acid in excess water, 65 Tungsten trioxide

Photocatalytic oxidation of water on TiO₂-coated WO₃ particles by visible light using Iron(III) ions as electron acceptor, 41

UV protection

Tautomerism of flavonol glucosides: relevance to plant UV protection and flower colour, 99

UVB blocking compounds

The effect of molecular environment on the photochemistry of *p*-methoxycinnamic acid and its esters, 93

Vector correlations

Photodissociation dynamics of formic acid at 193 nm, 71

Vectorial energy transfer

Spectroelectrochemical and photophysical properties of a (3,4-pyridyl) porphyrazine supermolecule containing four [Ru(bipy)₂Cl]⁺ groups, 11

Water splitting

Photocatalytic oxidation of water on TiO₂-coated WO₃ particles by visible light using Iron(III) ions as electron acceptor, 41

Weak bonding energy determination

Evidence of the specific solvation of selected fluorescent dyes with methoxy group and its analogues derivatives of the 7H-indolo[1,2a]quinolinium system, 81

Zn^Ⅱ

Global analysis of time-resolved emission – a powerful tool for the analytical discrimination of chemically similar Zn^{II} and Cd^{II} complexes, 143