



ELSEVIER

Journal of Photochemistry and Photobiology A: Chemistry 124 (1999) 169–171

Journal of
Photochemistry
and
Photobiology
A: Chemistry

Subject Index of Volume 124

- Absorption spectroscopy
Excited states properties of some phenoxathiin derivatives, 67
- J* aggregate
Self-organized *J* aggregates of pseudoisocyanine dye in nanometer dimensions at the vicinity of a glass/solution interface: a time-resolved and total-internal-reflection fluorescence spectroscopic study, 147
- Allylic rearrangement
Photochemistry of bicyclo[2.2.2]Octene-2,3-dione. Intersystem crossing via an excimer, 41
- AM1 calculations
Excited states properties of some phenoxathiin derivatives, 67
- 2-Anilino-6-naphthalenesulfonic acid
Inclusion complexes of poly- β -cyclodextrin with 2-anilino-6-naphthalenesulfonic acid, 1-chloronaphthalene, and azulene in aqueous solutions, 153
- Antihole
A low temperature spectrophotometric study of the photomerocyanine form of spirooxazine doped in polystyrene film, 141
- Auto fluorescence
UV laser induced fluorescence of unirradiated and irradiated low density polyethylene, 35
- Azulene
Inclusion complexes of poly- β -cyclodextrin with 2-anilino-6-naphthalenesulfonic acid, 1-chloronaphthalene, and azulene in aqueous solutions, 153
- Binary solvent
Fluorescence anisotropy of ketocyanine dyes in pure and mixed binary solvents, 135
- 1,4-Bis[β -(benzothiazolyl)vinyl]benzene
Photophysical properties: laser activity of and energy transfer from 1,4-bis[β -(2-benzothiazolyl)vinyl]benzene (BVB), 127
- Chemical rigidization
Unsymmetric cyanines: chemical rigidization and photophysical properties, 75
- Chemiluminescence
Photo- and radiochemiluminescence: reductive chemiluminescence of lucigenin by photo- or radiooxygenated amines and amides, 85
- 1-Chloronaphthalene
Inclusion complexes of poly- β -cyclodextrin with 2-anilino-6-naphthalenesulfonic acid, 1-chloronaphthalene, and azulene in aqueous solutions, 153
- Collagen
Photochemical transformations in collagen in the presence of melanin, 91
- Conical intersections
Unsymmetric cyanines: chemical rigidization and photophysical properties, 75
- Critical micelle concentration (cmc)
Effect of pressure on the critical micelle concentration of neutral surfactant using fluorescence probe method, 159
- Dicyanoanthracene
Organic sulfides photooxidation using sensitizers covalently grafted on silica: towards a more efficient and selective solar photochemistry, 1
- α -Diketones
Photochemistry of bicyclo[2.2.2]Octene-2,3-dione. Intersystem crossing via an excimer, 41
- 5,5-Dimethyl-1-pyrroline-*N*-oxide (DMPO)
Photodynamic action of some naturally occurring quinones: formation of reactive oxygen species, 95
- Electron paramagnetic resonance
Electron paramagnetic resonance study on the triplet species produced from 2-nitrobiphenyl derivatives by UV irradiation, 53
- Electron transfer properties
Formation, excited state and electron transfer properties of the phenoxyl radical of 4,4'-thiodiphenol, 119
- Energy transfer
Photophysical properties: laser activity of and energy transfer from 1,4-bis[β -(2-benzothiazolyl)vinyl]benzene (BVB), 127
- Excimer
Photochemistry of bicyclo[2.2.2]Octene-2,3-dione. Intersystem crossing via an excimer, 41
- Excited-state properties
Excited states properties of some phenoxathiin derivatives, 67
- Fluorescence anisotropies
Fluorescence anisotropy of ketocyanine dyes in pure and mixed binary solvents, 135
- Fluorescence quenching
Organic sulfides photooxidation using sensitizers covalently grafted on silica: towards a more efficient and selective solar photochemistry, 1
- Free radicals
Photodynamic action of some naturally occurring quinones: formation of reactive oxygen species, 95
- Grafted silica
Organic sulfides photooxidation using sensitizers covalently grafted on silica: towards a more efficient and selective solar photochemistry, 1
- Heavy metal
Heavy metal ions detection in solution, in sol-gel and with grafted porphyrin monolayers, 23
- Hexamethylbenzene (HMB)
Effect of high pressure on the quenching by hexamethylbenzene of singlet oxygen in liquid solution, 113
- Hole
A low temperature spectrophotometric study of the photomerocyanine form of spirooxazine doped in polystyrene film, 141
- Hydrocarbons
A box model of the photolysis of methane at 123.6 and 147 nm—comparison between model and experiment, 101
- Hydrogen atom abstraction
Electron paramagnetic resonance study on the triplet species produced from 2-nitrobiphenyl derivatives by UV irradiation, 53

Inclusion complexes

Inclusion complexes of poly- β -cyclodextrin with 2-anilino-6-naphthalenesulfonic acid, 1-chloronaphthalene, and azulene in aqueous solutions, 153

Interface

Self-organized *J* aggregates of pseudoisocyanine dye in nanometer dimensions at the vicinity of a glass/solution interface: a time-resolved and total-internal-reflection fluorescence spectroscopic study, 147

Isomer

A low temperature spectrophotometric study of the photomerocyanine form of spirooxazine doped in polystyrene film, 141

Jupiter

A box model of the photolysis of methane at 123.6 and 147 nm—comparison between model and experiment, 101

Ketocyanine dye

Fluorescence anisotropy of ketocyanine dyes in pure and mixed binary solvents, 135

Laser ablation

Novel coordination chemistry of monovalent metal ions in the gas phase as studied by the laser ablation-molecular beam (LAMB) method. Reactions with ammonia–acetone binary clusters, 9

Laser dyes

Photophysical properties: laser activity of and energy transfer from 1,4-bis[β -(2-benzothiazolyl)vinyl]benzene (BVB), 127

Laser photolysis

Naphthoynaphthvalene \rightarrow naphthoynaphthalene valence isomerization via an intermediate generated from the lowest excited singlet state, 47

LDPE films

UV laser induced fluorescence of unirradiated and irradiated low density polyethylene, 35

Light harvesting complexes (LH2)

Photoreaction and thermal deactivation of excitation in purple bacteria light harvesting complexes (LH2) with and without reaction centres, 15

Light induced absorption changes

Photoreaction and thermal deactivation of excitation in purple bacteria light harvesting complexes (LH2) with and without reaction centres, 15

Lucigenin

Photo- and radiochemiluminescence: reductive chemiluminescence of lucigenin by photo- or radiooxygenated amines and amides, 85

Medium effect

Photophysical properties: laser activity of and energy transfer from 1,4-bis[β -(2-benzothiazolyl)vinyl]benzene (BVB), 127

Melanin

Photochemical transformations in collagen in the presence of melanin, 91

Metal complex ions

Novel coordination chemistry of monovalent metal ions in the gas phase as studied by the laser ablation-molecular beam (LAMB) method. Reactions with ammonia–acetone binary clusters, 9

Methane

A box model of the photolysis of methane at 123.6 and 147 nm—comparison between model and experiment, 101

Micellar solutions

Photoinitiation of MMA polymerization by thionine/amine systems in the presence of SDS micelles, 29

Modelling

A box model of the photolysis of methane at 123.6 and 147 nm—comparison between model and experiment, 101

Multi-layer

Heavy metal ions detection in solution, in sol–gel and with grafted porphyrin monolayers, 23

Naphthoynaphthvalene

Naphthoynaphthvalene \rightarrow naphthoynaphthalene valence isomerization via an intermediate generated from the lowest excited singlet state, 47

2-Nitrobiphenyl

Electron paramagnetic resonance study on the triplet species produced from 2-nitrobiphenyl derivatives by UV irradiation, 53

Phenoxathiin

Excited states properties of some phenoxathiin derivatives, 67

Photoacoustic spectra

Photoreaction and thermal deactivation of excitation in purple bacteria light harvesting complexes (LH2) with and without reaction centres, 15

Photobisdecarbonylation

Photochemistry of bicyclo[2.2.2]octene-2,3-dione. Intersystem crossing via an excimer, 41

Photobleaching

A low temperature spectrophotometric study of the photomerocyanine form of spirooxazine doped in polystyrene film, 141

Photoinduced electron transfer

Organic sulfides photooxidation using sensitizers covalently grafted on silica: towards a more efficient and selective solar photochemistry, 1

Photoinitiation

Photoinitiation of MMA polymerization by thionine/amine systems in the presence of SDS micelles, 29

Photolysis

A box model of the photolysis of methane at 123.6 and 147 nm—comparison between model and experiment, 101

Photolysis

Photo- and radiochemiluminescence: reductive chemiluminescence of lucigenin by photo- or radiooxygenated amines and amides, 85

Photooxidation

Organic sulfides photooxidation using sensitizers covalently grafted on silica: towards a more efficient and selective solar photochemistry, 1

Photophysical properties

Unsymmetric cyanines: chemical rigidization and photophysical properties, 75

Photopolymerization

Photoinitiation of MMA polymerization by thionine/amine systems in the presence of SDS micelles, 29

Poly- β -cyclodextrin

Inclusion complexes of poly- β -cyclodextrin with 2-anilino-6-naphthalenesulfonic acid, 1-chloronaphthalene, and azulene in aqueous solutions, 153

Polymer

A low temperature spectrophotometric study of the photomerocyanine form of spirooxazine doped in polystyrene film, 141

Porphyrin

Heavy metal ions detection in solution, in sol–gel and with grafted porphyrin monolayers, 23

Pressure effect

Effect of pressure on the critical micelle concentration of neutral surfactant using fluorescence probe method, 159

Pseudoisocyanine

Self-organized *J* aggregates of pseudoisocyanine dye in nanometer dimensions at the vicinity of a glass/solution interface: a time-resolved and total-internal-reflection fluorescence spectroscopic study, 147

Quenching

Effect of high pressure on the quenching by hexamethylbenzene of singlet oxygen in liquid solution, 113

- Radiolysis
Formation, excited state and electron transfer properties of the phenoxyl radical of 4,4'-thiodiphenol, 119
Photo- and radiochemiluminescence: reductive chemiluminescence of lucigenin by photo- or radiooxygenated amines and amides, 85
- Rat tail tendon
Photochemical transformations in collagen in the presence of melanin, 91
- Reaction centres
Photoreaction and thermal deactivation of excitation in purple bacteria light harvesting complexes (LH2) with and without reaction centres, 15
- Rhodobacter sphaeroides*
Photoreaction and thermal deactivation of excitation in purple bacteria light harvesting complexes (LH2) with and without reaction centres, 15
- Rhodospirillum molischanum*
Photoreaction and thermal deactivation of excitation in purple bacteria light harvesting complexes (LH2) with and without reaction centres, 15
- Saturn
A box model of the photolysis of methane at 123.6 and 147 nm—comparison between model and experiment, 101
- Sensor
Heavy metal ions detection in solution, in sol–gel and with grafted porphyrin monolayers, 23
- Singlet oxygen
Effect of high pressure on the quenching by hexamethylbenzene of singlet oxygen in liquid solution, 113
- Singlet oxygen
Photodynamic action of some naturally occurring quinones: formation of reactive oxygen species, 95
- Sol–gel
Heavy metal ions detection in solution, in sol–gel and with grafted porphyrin monolayers, 23
- Spin trapping
Photodynamic action of some naturally occurring quinones: formation of reactive oxygen species, 95
- Spirooxazine
A low temperature spectrophotometric study of the photomerocyanine form of spirooxazine doped in polystyrene film, 141
- Steady-state fluorescence
Excited states properties of some phenoxathiin derivatives, 67
- Steady-state photolysis
Naphthoynaphthvalene → naphthoynaphthalene valence isomerization via an intermediate generated from the lowest excited singlet state, 47
- Sulfides
Organic sulfides photooxidation using sensitizers covalently grafted on silica: towards a more efficient and selective solar photochemistry, 1
- Superoxide anion radical
Photodynamic action of some naturally occurring quinones: formation of reactive oxygen species, 95
- Thionine
Photoinitiation of MMA polymerization by thionine/amine systems in the presence of SDS micelles, 29
- Time-resolved fluorescence spectroscopy
Self-organized *J* aggregates of pseudoisocyanine dye in nanometer dimensions at the vicinity of a glass/solution interface: a time-resolved and total-internal-reflection fluorescence spectroscopic study, 147
- Time-resolved fluorescence
Unsymmetric cyanines: chemical rigidization and photophysical properties, 75
- Titan
A box model of the photolysis of methane at 123.6 and 147 nm—comparison between model and experiment, 101
- 2-*p*-Toluidinylnaphthalene-6-sulfonate (TNS)
Effect of pressure on the critical micelle concentration of neutral surfactant using fluorescence probe method, 159
- Total-internal-reflection fluorescence
Self-organized *J* aggregates of pseudoisocyanine dye in nanometer dimensions at the vicinity of a glass/solution interface: a time-resolved and total-internal-reflection fluorescence spectroscopic study, 147
- Transient absorption bonds
Formation, excited state and electron transfer properties of the phenoxyl radical of 4,4'-thiodiphenol, 119
- Triplet state
Electron paramagnetic resonance study on the triplet species produced from 2-nitrobiphenyl derivatives by UV irradiation, 53
- Triton-X-100 (TX100)
Effect of pressure on the critical micelle concentration of neutral surfactant using fluorescence probe method, 159
- Unsymmetric cyanines
Unsymmetric cyanines: chemical rigidization and photophysical properties, 75
- UV irradiation
Electron paramagnetic resonance study on the triplet species produced from 2-nitrobiphenyl derivatives by UV irradiation, 53
- UV laser
UV laser induced fluorescence of unirradiated and irradiated low density polyethylene, 35
- UV radiation
Photochemical transformations in collagen in the presence of melanin, 91
- Zero-field splitting
Electron paramagnetic resonance study on the triplet species produced from 2-nitrobiphenyl derivatives by UV irradiation, 53