

## Subject Index of Volume 129

- Acid–base equilibria  
Acid–base properties of bis-pyrazolopyridine derivatives in nonaqueous solutions, 33
- Anisotropic reorientation  
Polarization-induced intramolecular photodimerization in uniaxially stretched poly(methyl methacrylate), 147
- Anisotropy  
Comparison of the fluorescence behaviour of rhodamine 6G in bulk and thin film tetraethylorthosilicate derived sol–gel matrices, 71
- Anthracene  
Polarization-induced intramolecular photodimerization in uniaxially stretched poly(methyl methacrylate), 147
- Atomic carbon, C( $2^3P_j$ )  
Collisional removal of atomic carbon, C[ $2p^2(^3P_j)$ ], by aldehydes and ketones, investigated by time-resolved atomic resonance absorption spectroscopy in the vacuum ultra-violet, 1
- Aza aromatic compounds  
Photoreaction in two-component molecular crystals of  $\alpha$ -hydroxycarboxylic acids and aza aromatic compounds, 121
- Benzoquinone  
Photoalkylation of quinones with ethers, 49
- bis-Pyrazolopyridines  
Acid–base properties of bis-pyrazolopyridine derivatives in nonaqueous solutions, 33
- By-products  
Removal of hydroxylamine by processes generating OH<sup>\*</sup> radicals in aqueous solution, 105
- Charge transfer  
Acid–base properties of bis-pyrazolopyridine derivatives in nonaqueous solutions, 33
- Chlorophyll  
Chlorophyll *a* aggregates stabilized by a synthesized peptide, 51
- Cis–trans* isomerization  
Photochemical *cis–trans* isomerization of 1,2-dibenzoyl-3-substituted cyclopropanes, 43
- ClOCl  
A resonance Raman study of Cl<sub>2</sub>O photochemistry in solution: evidence for ClClO formation, 9
- Collisional removal  
Collisional removal of atomic carbon, C[ $2p^2(^3P_j)$ ], by aldehydes and ketones, investigated by time-resolved atomic resonance absorption spectroscopy in the vacuum ultra-violet, 1
- Cr(VI)  
Photocatalytic properties of ZrO<sub>2</sub> and Fe/ZrO<sub>2</sub> semiconductors prepared by a sol–gel technique, 89
- 43,4-Dehydroxohimbine  
Photophysics and photochemical oxidation of yohimbine in moderately concentrated sulfuric acid methanol–water media, 57
- Dihydropyridine  
On the mechanism of bleaching reactions in a photochromic dihydropyridine derivative, 81
- EDTA  
Photocatalytic properties of ZrO<sub>2</sub> and Fe/ZrO<sub>2</sub> semiconductors prepared by a sol–gel technique, 89
- Electron-hole recombination  
Electron-hole recombination via reactive intermediates formed on PdO-doped SrTiO<sub>3</sub> electrodes. Estimation from comparison of photoluminescence and photocurrent, 143
- Energy transfer  
Comparison of the fluorescence behaviour of rhodamine 6G in bulk and thin film tetraethylorthosilicate derived sol–gel matrices, 71
- Energy transfer  
Laser flash photolysis study of *N*-alkylated phthalimides, 111
- ESR spin trapping  
Photochemistry of *ansa*-zirconocenes: ethylene-bis(1-indenyl)- and ethylene-bis(4,7-dimethyl-1-indenyl) zirconium dichlorides, 137
- Excited state intramolecular proton transfer  
*o*-Quinone methide formation from excited state intramolecular proton transfer (ESIPT) in an *o*-hydroxystyrene, 157
- Fluorescence  
Acid–base properties of bis-pyrazolopyridine derivatives in nonaqueous solutions, 33
- Fluorescence  
Laser flash photolysis study of *N*-alkylated phthalimides, 111
- Gas phase reactions  
Collisional removal of atomic carbon, C[ $2p^2(^3P_j)$ ], by aldehydes and ketones, investigated by time-resolved atomic resonance absorption spectroscopy in the vacuum ultra-violet, 1
- H<sub>2</sub>O<sub>2</sub>/UV process  
Removal of hydroxylamine by processes generating OH<sup>\*</sup> radicals in aqueous solution, 105
- Halooxide photochemistry  
A resonance Raman study of Cl<sub>2</sub>O photochemistry in solution: evidence for ClClO formation, 9
- Herbicides  
Photochemical behaviour of oxyfluorfen: a diphenyl-ether herbicide, 65
- Heterogeneous photocatalysis  
Photocatalytic properties of ZrO<sub>2</sub> and Fe/ZrO<sub>2</sub> semiconductors prepared by a sol–gel technique, 89
- Heterogeneous photocatalysis  
The application of oscillatory flow mixing to photocatalytic wet oxidation, 17
- Hydrogen-bonding  
Acid–base properties of bis-pyrazolopyridine derivatives in nonaqueous solutions, 33
- Hydroxylamine  
Removal of hydroxylamine by processes generating OH<sup>\*</sup> radicals in aqueous solution, 105
- $\alpha$ -Hydroxycarboxylic acids  
Photoreaction in two-component molecular crystals of  $\alpha$ -hydroxycarboxylic acids and aza aromatic compounds, 121

- Hydroxystyrene  
  *o*-Quinone methide formation from excited state intramolecular proton transfer (ESIPT) in an *o*-hydroxystyrene, 157
- $\pi$ - $\pi$  interaction  
  Photochemical *cis*-*trans* isomerization of 1,2-dibenzoyl-3-substituted cyclopropanes, 43
- $\gamma$ -irradiation  
  Removal of hydroxylamine by processes generating OH<sup>•</sup> radicals in aqueous solution, 105
- Kinetic parameters  
  Photochemical behaviour of oxyfluorfen: a diphenyl-ether herbicide, 65
- Kinetics  
  On the mechanism of bleaching reactions in a photochromic dihydropyridine derivative, 81  
  Photophysics and photochemical oxidation of yohimbine in moderately concentrated sulfuric acid methanol-water media, 57
- LALLS, low-angle laser light scattering  
  Chlorophyll *a* aggregates stabilized by a synthesized peptide, 51
- Liquid phase  
  Photochemical behaviour of oxyfluorfen: a diphenyl-ether herbicide, 65
- Long distance proton transfer  
  Active participation of solvent molecules in photo-induced enol-keto tautomerisation of 7-hydroxyquinoline with a mobile proton carrier as substituent, 129
- Metallocenes  
  Photochemistry of *ansa*-zirconocenes: ethylene-bis(1-indenyl)- and ethylene-bis(4,7-dimethyl-1-indenyl) zirconium dichlorides, 137
- Monosubstituted naphthalenes  
  Monosubstituted naphthalenes as quenchers and generators of singlet molecular oxygen, 25
- Multiphoton effects in aerosols  
  The necessity for multiphoton processes in the 193-nm photochemistry of sulphuric acid aerosols, 101
- Nitrite  
  Photocatalytic properties of ZrO<sub>2</sub> and Fe/ZrO<sub>2</sub> semiconductors prepared by a sol-gel technique, 89
- OH<sup>•</sup> radicals  
  Removal of hydroxylamine by processes generating OH<sup>•</sup> radicals in aqueous solution, 105
- Oscillatory flow  
  The application of oscillatory flow mixing to photocatalytic wet oxidation, 17
- Oxyfluorfen  
  Photochemical behaviour of oxyfluorfen: a diphenyl-ether herbicide, 65
- PdO-doped SrTiO<sub>3</sub> electrodes  
  Electron-hole recombination via reactive intermediates formed on PdO-doped SrTiO<sub>3</sub> electrodes. Estimation from comparison of photoluminescence and photocurrent, 143
- Peptides  
  Chlorophyll *a* aggregates stabilized by a synthesized peptide, 51
- Photo-oxidation  
  Photophysics and photochemical oxidation of yohimbine in moderately concentrated sulfuric acid methanol-water media, 57
- Photoalkylation  
  Photoalkylation of quinones with ethers, 49
- Photocatalyst  
  Electron-hole recombination via reactive intermediates formed on PdO-doped SrTiO<sub>3</sub> electrodes. Estimation from comparison of photoluminescence and photocurrent, 143
- Photochemical alkylation  
  Photoalkylation of quinones with ethers, 49
- Photochromism  
  On the mechanism of bleaching reactions in a photochromic dihydropyridine derivative, 81
- Photocurrent  
  Electron-hole recombination via reactive intermediates formed on PdO-doped SrTiO<sub>3</sub> electrodes. Estimation from comparison of photoluminescence and photocurrent, 143
- Photodecarboxylative dehydrogenation  
  Photoreaction in two-component molecular crystals of  $\alpha$ -hydroxycarboxylic acids and aza aromatic compounds, 121
- Photodegradation  
  Photochemical behaviour of oxyfluorfen: a diphenyl-ether herbicide, 65
- Photodimerization  
  Polarization-induced intramolecular photodimerization in uniaxially stretched poly(methyl methacrylate), 147
- Photohydration  
  *o*-Quinone methide formation from excited state intramolecular proton transfer (ESIPT) in an *o*-hydroxystyrene, 157
- Photoluminescence  
  Electron-hole recombination via reactive intermediates formed on PdO-doped SrTiO<sub>3</sub> electrodes. Estimation from comparison of photoluminescence and photocurrent, 143
- Photolysis  
  Photochemistry of *ansa*-zirconocenes: ethylene-bis(1-indenyl)- and ethylene-bis(4,7-dimethyl-1-indenyl) zirconium dichlorides, 137
- Photooxidation mechanism  
  Monosubstituted naphthalenes as quenchers and generators of singlet molecular oxygen, 25
- Photooxidation products  
  Monosubstituted naphthalenes as quenchers and generators of singlet molecular oxygen, 25
- Photophysical properties  
  Photochemical behaviour of oxyfluorfen: a diphenyl-ether herbicide, 65
- Photophysics  
  Photophysics and photochemical oxidation of yohimbine in moderately concentrated sulfuric acid methanol-water media, 57
- N*-phthalimides  
  Laser flash photolysis study of *N*-alkylated phthalimides, 111
- Polarization-induced photochemical reaction  
  Polarization-induced intramolecular photodimerization in uniaxially stretched poly(methyl methacrylate), 147
- 2-Propanol  
  Electron-hole recombination via reactive intermediates formed on PdO-doped SrTiO<sub>3</sub> electrodes. Estimation from comparison of photoluminescence and photocurrent, 143
- Quinone methide  
  *o*-Quinone methide formation from excited state intramolecular proton transfer (ESIPT) in an *o*-hydroxystyrene, 157
- Racemization  
  Photochemical *cis*-*trans* isomerization of 1,2-dibenzoyl-3-substituted cyclopropanes, 43
- Reaction rates with aldehydes and ketones  
  Collisional removal of atomic carbon, C[2p<sup>2</sup>(<sup>3</sup>P<sub>j</sub>)], by aldehydes and ketones, investigated by time-resolved atomic resonance absorption spectroscopy in the vacuum ultra-violet, 1
- Relaxation  
  Polarization-induced intramolecular photodimerization in uniaxially stretched poly(methyl methacrylate), 147
- Resonance Raman  
  A resonance Raman study of Cl<sub>2</sub>O photochemistry in solution: evidence for ClClO formation, 9

- Semiempirical calculations  
Acid–base properties of bis-pyrazolopyridine derivatives in nonaqueous solutions, 33
- Singlet molecular oxygen quenching and generation  
Monosubstituted naphthalenes as quenchers and generators of singlet molecular oxygen, 25
- Singlet oxygen  
Laser flash photolysis study of *N*-alkylated phthalimides, 111
- Solid-state photoreaction  
Photoreaction in two-component molecular crystals of  $\alpha$ -hydroxycarboxylic acids and aza aromatic compounds, 121
- Solvent assisted proton transfer  
Active participation of solvent molecules in photo-induced enol-keto tautomerisation of 7-hydroxyquinoline with a mobile proton carrier as substituent, 129
- Sulphuric acid absorption spectrum  
The necessity for multiphoton processes in the 193-nm photochemistry of sulphuric acid aerosols, 101
- Sulphuric acid aerosols  
The necessity for multiphoton processes in the 193-nm photochemistry of sulphuric acid aerosols, 101
- Sulphuric acid excited states  
The necessity for multiphoton processes in the 193-nm photochemistry of sulphuric acid aerosols, 101
- Sulphuric acid photochemistry  
The necessity for multiphoton processes in the 193-nm photochemistry of sulphuric acid aerosols, 101
- Thin film and bulk sol–gel derived matrices  
Comparison of the fluorescence behaviour of rhodamine 6G in bulk and thin film tetraethylorthosilicate derived sol–gel matrices, 71
- Time-resolved atomic resonance absorption spectroscopy  
Collisional removal of atomic carbon,  $C[2p^2(^3P_j)]$ , by aldehydes and ketones, investigated by time-resolved atomic resonance absorption spectroscopy in the vacuum ultra-violet, 1
- Time-resolved fluorescence  
Comparison of the fluorescence behaviour of rhodamine 6G in bulk and thin film tetraethylorthosilicate derived sol–gel matrices, 71
- Titania  
Photocatalytic properties of  $ZrO_2$  and  $Fe/ZrO_2$  semiconductors prepared by a sol–gel technique, 89
- Triplet  
Laser flash photolysis study of *N*-alkylated phthalimides, 111
- Two-component molecular crystals  
Photoreaction in two-component molecular crystals of  $\alpha$ -hydroxycarboxylic acids and aza aromatic compounds, 121
- Ultra-fast proton transfer  
Active participation of solvent molecules in photo-induced enol-keto tautomerisation of 7-hydroxyquinoline with a mobile proton carrier as substituent, 129
- Uniaxially orientated poly(methyl methacrylate)  
Polarization-induced intramolecular photodimerization in uniaxially stretched poly(methyl methacrylate), 147
- Vacuum ultra-violet  
Collisional removal of atomic carbon,  $C[2p^2(^3P_j)]$ , by aldehydes and ketones, investigated by time-resolved atomic resonance absorption spectroscopy in the vacuum ultra-violet, 1
- Yohimbine  
Photo physics and photochemical oxidation of yohimbine in moderately concentrated sulfuric acid methanol–water media, 57
- Zirconia  
Photocatalytic properties of  $ZrO_2$  and  $Fe/ZrO_2$  semiconductors prepared by a sol–gel technique, 89
- Zirconium complexes  
Photochemistry of *ansa*-zirconocenes: ethylene-bis(1-indenyl)- and ethylene-bis(4,7-dimethyl-1-indenyl) zirconium dichlorides, 137