

Subject Index of Volume 146

- Ab initio molecular orbital calculations
Ab initio molecular orbital study of the complexing behavior of *N*-ethyl-1-naphthalenecarboxamide as fluorescent chemosensors for alkali and alkaline earth metal ions, 163
- Acid solutions
Photoreduction of the uranyl ion in aqueous solution. II. Alcohols in acid solutions, 157
- Acid–base behaviour
Triplet state studies of β -carboline, 29
- Acrolein
Chemical reactivity of vinyltrimethoxysilane in aerosol particle formation with acrolein under two-photon excitation, 141
- Advanced oxidation
Photocatalytic degradation of 4-nitrophenol in aqueous TiO₂ suspensions: Theoretical prediction of the intermediates, 189
- Aequorin
Fluorescence properties of phenolate anions of coelenteramide analogues: the light-emitter structure in aequorin bioluminescence, 95
- Aerosol particle formation
Chemical reactivity of vinyltrimethoxysilane in aerosol particle formation with acrolein under two-photon excitation, 141
- Alcohols
Photoreduction of the uranyl ion in aqueous solution. II. Alcohols in acid solutions, 157
- γ -Alumina
Synthesis of TiO₂ photocatalyst thin film by solvothermal method with a small amount of water and its photocatalytic performance, 121
- Benzoxazole
New highly fluorescent amino-acid derivatives. Substituted 3-[2-(phenyl)benzoxazol-5-yl]-alanines: synthesis and photophysical properties, 9
- 3-(Benzoxazol-5-yl)alanine derivatives
New highly fluorescent amino-acid derivatives. Substituted 3-[2-(phenyl)benzoxazol-5-yl]-alanines: synthesis and photophysical properties, 9
- Biacetyl
The UV–VIS absorption cross sections of the α -dicarbonyl compounds: pyruvic acid, biacetyl and glyoxal, 19
- Bioluminescence
Fluorescence properties of phenolate anions of coelenteramide analogues: the light-emitter structure in aequorin bioluminescence, 95
- Capacitance measurements
Photoelectrochemical characterization of nanocrystalline TiO₂ films on titanium substrates, 175
- β -Carbolines
Triplet state studies of β -carboline, 29
- Cerium complexes
Excited state behavior of tetrakis(2,2,6,6-tetramethyl-3,5-heptanedionato)cerium(IV). Emission and photoredox reaction from ligand-to-metal charge transfer states, 63
- Charge transfer
Excited state behavior of tetrakis(2,2,6,6-tetramethyl-3,5-heptanedionato)cerium(IV). Emission and photoredox reaction from ligand-to-metal charge transfer states, 63
- CHCl₃ decomposition
Synthesis of TiO₂ photocatalyst thin film by solvothermal method with a small amount of water and its photocatalytic performance, 121
- 4-Chlorophenol
Comparison of methods for the photochemical degradation of chlorophenols, 149
- Coelenteramide
Fluorescence properties of phenolate anions of coelenteramide analogues: the light-emitter structure in aequorin bioluminescence, 95
- Combined 2,2,6,6-tetramethylpiperidine–2-hydroxybenzophenone 1,3,5-triazine derivatives
Synthesis and application of new combined 2,2,6,6-tetramethylpiperidine–2-hydroxybenzophenone 1,3,5-triazine derivatives as photostabilizers for polymer materials, 199
- Contact angle
Effect of repeated photo-illumination on the wettability conversion of titanium dioxide, 129
- Cyclic voltammetry
Photoelectrochemical characterization of nanocrystalline TiO₂ films on titanium substrates, 175
- Cyclopentadienyliidene methane
Photoreaction mechanisms of 2-chlorophenol and its multiple chloro-substituted derivatives studied by low-temperature matrix-isolation infrared spectroscopy and density-functional-theory calculations, 49
- Cyclopropane
The photochemistry of an 1,1-dicyano-3-oxa-1-alkene and of its 3-aza analogue, 137
- DFT calculation
Photoreaction mechanisms of 2-chlorophenol and its multiple chloro-substituted derivatives studied by low-temperature matrix-isolation infrared spectroscopy and density-functional-theory calculations, 49
- 2,4-Dichlorophenol
Comparison of methods for the photochemical degradation of chlorophenols, 149
- Electron transfer
Photoproduction of hydroxyl radicals from Fe(III)-hydroxy complex: a quantitative assessment, 67
- Electronic spectra
Excited state behavior of tetrakis(2,2,6,6-tetramethyl-3,5-heptanedionato)cerium(IV). Emission and photoredox reaction from ligand-to-metal charge transfer states, 63
- Fe(OH)²⁺
Photoproduction of hydroxyl radicals from Fe(III)-hydroxy complex: a quantitative assessment, 67

- Fluorescence**
New highly fluorescent amino-acid derivatives. Substituted 3-[2-(phenyl)benzoxazol-5-yl]-alanines: synthesis and photophysical properties, 9
Substituent and solvent effects on the photophysical properties of 3-azafluorenone derivatives, 59
Photochemistry of photochromic 2-indolylfulgides with substituents at the 1'-position of the indolylmethylene moiety, 83
Fluorescence properties of phenolate anions of coelenteramide analogues: the light-emitter structure in aequorin bioluminescence, 95
- Fluorescent chemosensors**
Ab initio molecular orbital study of the complexing behavior of *N*-ethyl-1-naphthalenecarboxamide as fluorescent chemosensors for alkali and alkaline earth metal ions, 163
- Fulgides**
Photochemistry of photochromic 2-indolylfulgides with substituents at the 1'-position of the indolylmethylene moiety, 83
Photochromic properties of a vacuum-deposited film of (*E*)-dicyclopropylmethylene-(2,5-dimethyl-3-furylethyldiene)-succinic anhydride, 133
- Glyoxal**
The UV-VIS absorption cross sections of the α -dicarbonyl compounds: pyruvic acid, biacetyl and glyoxal, 19
- Hydrogen-bonded complex**
Fluorescence properties of phenolate anions of coelenteramide analogues: the light-emitter structure in aequorin bioluminescence, 95
- Hydroxyl radical**
Photoproduction of hydroxyl radicals from Fe(III)-hydroxy complex: a quantitative assessment, 67
- Induced phototransformation**
Photochemical behaviour of 4-chloro-2-methylphenoxyacetic acid. Influence of pH and irradiation wavelength, 37
- Infrared multiphoton dissociation**
Laser induced fluorescence detection of CF, CF₂ and CF₃ in the infrared multiphoton dissociation of C₃F₆, 1
- Internal conversion**
Substituent and solvent effects on the photophysical properties of 3-azafluorenone derivatives, 59
- Intersystem crossing**
Substituent and solvent effects on the photophysical properties of 3-azafluorenone derivatives, 59
- Intramolecular charge transfer**
Fluorescence properties of phenolate anions of coelenteramide analogues: the light-emitter structure in aequorin bioluminescence, 95
- Intramolecular quenching**
The photochemistry of an 1,1-dicyano-3-oxa-1-alkene and of its 3-aza analogue, 137
- Laser induced fluorescence technique**
Laser induced fluorescence detection of CF, CF₂ and CF₃ in the infrared multiphoton dissociation of C₃F₆, 1
- Low temperature**
Thermal reactions of spironaphthooxazine dispersed in polystyrene film at low temperatures, 169
- Luminescence**
Excited state behavior of tetrakis(2,2,6,6-tetramethyl-3,5-heptanedionato)cerium(IV). Emission and photoredox reaction from ligand-to-metal charge transfer states, 63
- Matrix isolation**
Photoreaction mechanisms of 2-chlorophenol and its multiple chloro-substituted derivatives studied by low-temperature matrix-isolation infrared spectroscopy and density-functional-theory calculations, 49
- MCPA**
Photochemical behaviour of 4-chloro-2-methylphenoxyacetic acid. Influence of pH and irradiation wavelength, 37
- Metal ion recognition**
Ab initio molecular orbital study of the complexing behavior of *N*-ethyl-1-naphthalenecarboxamide as fluorescent chemosensors for alkali and alkaline earth metal ions, 163
- Naphthalene**
Ab initio molecular orbital study of the complexing behavior of *N*-ethyl-1-naphthalenecarboxamide as fluorescent chemosensors for alkali and alkaline earth metal ions, 163
- 4-Nitrophenol**
Photocatalytic degradation of 4-nitrophenol in aqueous TiO₂ suspensions: Theoretical prediction of the intermediates, 189
- Organic radical**
Photoproduction of hydroxyl radicals from Fe(III)-hydroxy complex: a quantitative assessment, 67
- 2-Oxocyclohexa-3,5-dienylidene**
Photoreaction mechanisms of 2-chlorophenol and its multiple chloro-substituted derivatives studied by low-temperature matrix-isolation infrared spectroscopy and density-functional-theory calculations, 49
- Phase transfer catalysis**
Synthesis and application of new combined 2,2,6,6-tetramethylpiperidine-2-hydroxybenzophenone 1,3,5-triazine derivatives as photostabilizers for polymer materials, 199
- Phenolate anion**
Fluorescence properties of phenolate anions of coelenteramide analogues: the light-emitter structure in aequorin bioluminescence, 95
- Phosphorescence**
Triplet state studies of β -carboline, 29
- Photocatalysis**
Photochemical behaviour of 4-chloro-2-methylphenoxyacetic acid. Influence of pH and irradiation wavelength, 37
- Photocatalyst**
Synthesis of TiO₂ photocatalyst thin film by solvothermal method with a small amount of water and its photocatalytic performance, 121
- Photo-catalyst**
Effect of repeated photo-illumination on the wettability conversion of titanium dioxide, 129
- Photocatalytic degradation**
Photocatalytic degradation of 4-nitrophenol in aqueous TiO₂ suspensions: Theoretical prediction of the intermediates, 189
- Photochemical**
Photoproduction of hydroxyl radicals from Fe(III)-hydroxy complex: a quantitative assessment, 67
- Photochemical reaction**
Comparison of methods for the photochemical degradation of chlorophenols, 149
- Photochromic**
Photochromic properties of a vacuum-deposited film of (*E*)-dicyclopropylmethylene-(2,5-dimethyl-3-furylethyldiene)-succinic anhydride, 133
- Photochromism**
Photochemistry of photochromic 2-indolylfulgides with substituents at the 1'-position of the indolylmethylene moiety, 83
Photochromic properties of a vacuum-deposited film of (*E*)-dicyclopropylmethylene-(2,5-dimethyl-3-furylethyldiene)-succinic anhydride, 133
- Photocurrent**
Enhanced photocurrent generation and photooxidation of benzene sulfonate in a continuous flow reactor using hybrid TiO₂ thin films immobilized on OTE electrodes, 109
- Photodecomposition**
The influence of polychromatic UV-irradiation on new thiophene copolymers, 207

- Photodegradation
Enhanced photocurrent generation and photooxidation of benzene sulfonate in a continuous flow reactor using hybrid TiO₂ thin films immobilized on OTE electrodes, 109
Synthesis and application of new combined 2,2,6,6-tetramethylpiperidine-2-hydroxybenzophenone 1,3,5-triazine derivatives as photostabilizers for polymer materials, 199
The influence of polychromatic UV-irradiation on new thiophene copolymers, 207
- Photo-emission
Photoreduction of the uranyl ion in aqueous solution. II. Alcohols in acid solutions, 157
- Photoisomerization
The photochemistry of an 1,1-dicyano-3-oxa-1-alkene and of its 3-aza analogue, 137
- Photolysis
Photochemical behaviour of 4-chloro-2-methylphenoxyacetic acid. Influence of pH and irradiation wavelength, 37
- Photomerocyanine
Thermal reactions of spironaphthooxazine dispersed in polystyrene film at low temperatures, 169
- Photooxidation
Enhanced photocurrent generation and photooxidation of benzene sulfonate in a continuous flow reactor using hybrid TiO₂ thin films immobilized on OTE electrodes, 109
The influence of polychromatic UV-irradiation on new thiophene copolymers, 207
- Photoreaction of chloro-substituted phenols
Photoreaction mechanisms of 2-chlorophenol and its multiple chloro-substituted derivatives studied by low-temperature matrix-isolation infrared spectroscopy and density-functional-theory calculations, 49
- Photorearrangement
Photochemical behaviour of 4-chloro-2-methylphenoxyacetic acid. Influence of pH and irradiation wavelength, 37
- Photoreduction
Photoreduction of the uranyl ion in aqueous solution. II. Alcohols in acid solutions, 157
- Photostability
Synthesis and application of new combined 2,2,6,6-tetramethylpiperidine-2-hydroxybenzophenone 1,3,5-triazine derivatives as photostabilizers for polymer materials, 199
- Polymerizable photostabilizers
Synthesis and application of new combined 2,2,6,6-tetramethylpiperidine-2-hydroxybenzophenone 1,3,5-triazine derivatives as photostabilizers for polymer materials, 199
- Psoralens
Photophysical properties of two new psoralen analogs, 75
- Pyruvic acid
The UV-VIS absorption cross sections of the α -dicarbonyl compounds: pyruvic acid, biacetyl and glyoxal, 19
- Quantum efficiency
Photophysical properties of two new psoralen analogs, 75
- Quantum yield
Photoproduction of hydroxyl radicals from Fe(III)-hydroxy complex: a quantitative assessment, 67
Photochemistry of photochromic 2-indolylfulgides with substituents at the 1'-position of the indolylmethylene moiety, 83
- Quenching
Photoreduction of the uranyl ion in aqueous solution. II. Alcohols in acid solutions, 157
- Radiation chemical
Photoproduction of hydroxyl radicals from Fe(III)-hydroxy complex: a quantitative assessment, 67
- Semiconductor electrode
Enhanced photocurrent generation and photooxidation of benzene sulfonate in a continuous flow reactor using hybrid TiO₂ thin films immobilized on OTE electrodes, 109
- Semiconductor photocatalysis
Photocatalytic degradation of 4-nitrophenol in aqueous TiO₂ suspensions: Theoretical prediction of the intermediates, 189
- 1,2-Shift
The photochemistry of an 1,1-dicyano-3-oxa-1-alkene and of its 3-aza analogue, 137
- Singlet oxygen
Photophysical properties of two new psoralen analogs, 75
- Solvent effect
Fluorescence properties of phenolate anions of coelenteramide analogues: the light-emitter structure in aequorin bioluminescence, 95
- Solvothermal method
Synthesis of TiO₂ photocatalyst thin film by solvothermal method with a small amount of water and its photocatalytic performance, 121
- Spirooxazine
Thermal reactions of spironaphthooxazine dispersed in polystyrene film at low temperatures, 169
- Sub-bandgap absorption
Photoelectrochemical characterization of nanocrystalline TiO₂ films on titanium substrates, 175
- Substituent effect
Photochemistry of photochromic 2-indolylfulgides with substituents at the 1'-position of the indolylmethylene moiety, 83
- Thermal bleaching
Thermal reactions of spironaphthooxazine dispersed in polystyrene film at low temperatures, 169
- Thermal evaporation
Photochromic properties of a vacuum-deposited film of (*E*)-dicyclopropylmethylene-(2,5-dimethyl-3-furylethylidene)-succinic anhydride, 133
- Thermal oxide
Photoelectrochemical characterization of nanocrystalline TiO₂ films on titanium substrates, 175
- Thin film
Synthesis of TiO₂ photocatalyst thin film by solvothermal method with a small amount of water and its photocatalytic performance, 121
Photochromic properties of a vacuum-deposited film of (*E*)-dicyclopropylmethylene-(2,5-dimethyl-3-furylethylidene)-succinic anhydride, 133
- Thiophene copolymers
The influence of polychromatic UV-irradiation on new thiophene copolymers, 207
- TiO₂
Synthesis of TiO₂ photocatalyst thin film by solvothermal method with a small amount of water and its photocatalytic performance, 121
Comparison of methods for the photochemical degradation of chlorophenols, 149
- TiO₂ nanocrystalline
Photoelectrochemical characterization of nanocrystalline TiO₂ films on titanium substrates, 175
- Titanium dioxide
Enhanced photocurrent generation and photooxidation of benzene sulfonate in a continuous flow reactor using hybrid TiO₂ thin films immobilized on OTE electrodes, 109
Effect of repeated photo-illumination on the wettability conversion of titanium dioxide, 129
Photocatalytic degradation of 4-nitrophenol in aqueous TiO₂ suspensions: Theoretical prediction of the intermediates, 189

- Toxicity
Photochemical behaviour of 4-chloro-2-methylphenoxyacetic acid.
Influence of pH and irradiation wavelength, 37
- 2,4,6-Trichlorophenol
Comparison of methods for the photochemical degradation of chlorophenols, 149
- Triplet yield
Substituent and solvent effects on the photophysical properties of 3-azafluorenone derivatives, 59
- Triplet-triplet absorption spectra
Triplet state studies of β -carboline, 29
- Two-photon excitation
Chemical reactivity of vinyltrimethoxysilane in aerosol particle formation with acrolein under two-photon excitation, 141
- Uranyl ion
Photoreduction of the uranyl ion in aqueous solution. II. Alcohols in acid solutions, 157
- UV-irradiation
The influence of polychromatic UV-irradiation on new thiophene copolymers, 207
- Vibrational temperature
Laser induced fluorescence detection of CF, CF₂ and CF₃ in the infrared multiphoton dissociation of C₃F₆, 1
- Vinyltrimethoxysilane
Chemical reactivity of vinyltrimethoxysilane in aerosol particle formation with acrolein under two-photon excitation, 141
- Wavelength effect
Photochemical behaviour of 4-chloro-2-methylphenoxyacetic acid.
Influence of pH and irradiation wavelength, 37
- Wettability
Effect of repeated photo-illumination on the wettability conversion of titanium dioxide, 129