

Subject Index of Volume 148

- Acid brown 14
Photocatalytic decomposition of leather dye. Comparative study of TiO₂ supported on alumina and glass beads, 153
- Adsorption
An investigation of the photocatalytic efficiencies of TiO₂ powders on the decolourisation of humic acids, 121
- Alkaline earth metal antimonates
Photocatalytic water decomposition by RuO₂-loaded antimonates, M₂Sb₂O₇ (M = Ca, Sr), CaSb₂O₆ and NaSbO₃, with d¹⁰ configuration, 85
- Alkaline metal antimonates
Photocatalytic water decomposition by RuO₂-loaded antimonates, M₂Sb₂O₇ (M = Ca, Sr), CaSb₂O₆ and NaSbO₃, with d¹⁰ configuration, 85
- Anatase
The effect of chemisorbed dyes on the *I*–*V* tunnel characteristics of nanocrystalline anatase TiO₂ observed in scanning tunnelling spectroscopy, 145
Light-induced super-hydrophilicity and photocatalytic activity of mesoporous TiO₂ thin films, 331
- Aqueous wastes
FTIR study of the photocatalytic degradation of NH₄⁺ determination wastes, 215
- Aromatic VOCs
Photocatalytic destruction of VOCs for in-vehicle air cleaning, 109
- Artificial photosynthesis
A new photocatalytic water splitting system under visible light irradiation mimicking a Z-scheme mechanism in photosynthesis, 71
- Aryl alcohols
Photocatalytic oxidation of selected aryl alcohols in acetonitrile, 205
- Azo-dyes
New dyes for solar cells based on nanostructured semiconducting metal oxides. Synthesis and characterisation of ruthenium(II) complexes with thiol-substituted ligands, 41
- Cadmium
Cadmium removal from water using thiolactic acid-modified titanium dioxide nanoparticles, 393
- Cadmium sulphide
Enhancement of photocatalytic activity by semiconductor heterojunctions: α-Fe₂O₃, WO₃ and CdS deposited on ZnO, 283
Photoelectrochemistry with the optical rotating disc electrode. Part 4. Steady state and transient studies on colloidal CdS in the presence of solution phase photogenerated charge scavengers, 375
- Characterization
Preparation, characterization and photocatalytic activity of ZnO, Fe₂O₃ and ZnFe₂O₄, 177
- Charge separation
Contactless determination of the efficiency of photo-induced charge separation in a porphyrin–TiO₂ bilayer, 49
- Chemically cross-linked
Quasi-solid dye-sensitized solar cells containing chemically cross-linked gel. How to make gels with a small amount of gelator, 33
- 4-Chlorophenol
Enhancement of the photocatalytic activity of various TiO₂ materials by platinisation, 223
- Chlorophenols
Photolytic degradation of all chlorophenols with polyoxometallates and H₂O₂, 191
- Colloidal semiconductors
Photoelectrochemistry with the optical rotating disc electrode. Part 4. Steady state and transient studies on colloidal CdS in the presence of solution phase photogenerated charge scavengers, 375
- Controlled particle size
Synthesis of size-controlled silica-supported TiO₂ photocatalysts, 315
- Cr(VI)
Heterogeneous photocatalytic reactions comparing TiO₂ and Pt/TiO₂, 247
Modification of the physicochemical properties of commercial TiO₂ samples by soft mechanical activation, 341
- Decomposition of water
Photocatalytic hydrogen and oxygen formation under visible light irradiation with M-doped InTaO₄ (M = Mn, Fe, Co, Ni and Cu) photocatalysts, 65
- Degradation of organic compounds
Degradation of propanol diluted in water under visible light irradiation using metal ion-implanted titanium dioxide photocatalysts, 257
- Degradation rate constant
Photocatalytic degradation of methyl orange as a model compound, 161
- Dichloro acetic acid
Enhancement of photocatalytic activity by semiconductor heterojunctions: α-Fe₂O₃, WO₃ and CdS deposited on ZnO, 283
- Dye-adsorption
Nanostructured ZnO electrodes for dye-sensitized solar cell applications, 57
- Dye sensitisation
Modulating interfacial electron transfer dynamics in dye sensitised nanocrystalline metal oxide films, 5
Optimization of dye-sensitized solar cells prepared by compression method, 11
- Dye-sensitised
Quasi-solid dye-sensitized solar cells containing chemically cross-linked gel. How to make gels with a small amount of gelator, 33
New dyes for solar cells based on nanostructured semiconducting metal oxides. Synthesis and characterisation of ruthenium(II) complexes with thiol-substituted ligands, 41
- Dye-sensitised photovoltaic cell
The effect of chemisorbed dyes on the *I*–*V* tunnel characteristics of nanocrystalline anatase TiO₂ observed in scanning tunnelling spectroscopy, 145
- E. coli*
The photocatalytic removal of bacterial pollutants from drinking water, 355
- EDTA
Enhancement of the photocatalytic activity of various TiO₂ materials by platinisation, 223

- Heterogeneous photocatalytic reactions comparing TiO₂ and Pt/TiO₂, 247
- Effect of changing pH
Photocatalytic degradation of methyl orange as a model compound, 161
- Effect of concentration
Photocatalytic degradation of methyl orange as a model compound, 161
- Effect of solar energy
Photocatalytic degradation of methyl orange as a model compound, 161
- Exfoliated nanosheets
Preparation and characterizations of Fe- or Ni-substituted titania nanosheets as photocatalysts, 273
- Fenton reagent
Photocatalytic decomposition of leather dye. Comparative study of TiO₂ supported on alumina and glass beads, 153
- First order kinetics
Photocatalytic degradation of methyl orange as a model compound, 161
- Flash-photolysis
Contactless determination of the efficiency of photo-induced charge separation in a porphyrin-TiO₂ bilayer, 49
- Formaldehyde
Photonic efficiency and quantum yield of formaldehyde formation from methanol in the presence of various TiO₂ photocatalysts, 169
- Formic acid
Water treatment using nano-crystalline TiO₂ electrodes, 365
- FTIR
FTIR study of the photocatalytic degradation of NH₄⁺ determination wastes, 215
- Gel electrolyte
Quasi-solid dye-sensitized solar cells containing chemically cross-linked gel. How to make gels with a small amount of gelator, 33
- Gelation
Quasi-solid dye-sensitized solar cells containing chemically cross-linked gel. How to make gels with a small amount of gelator, 33
- Grinding
Modification of the physicochemical properties of commercial TiO₂ samples by soft mechanical activation, 341
- H₂ evolution
Correlation of crystal and electronic structures with photophysical properties of water splitting photocatalysts InMO₄ (M = V⁵⁺, Nb⁵⁺, Ta⁵⁺), 79
- Heterogeneous photocatalysis
Heterogeneous photocatalytic reactions comparing TiO₂ and Pt/TiO₂, 247
- Heterogeneous system
Spectral dependence of quantum yields in gas-solid heterogeneous photosystems. Influence of anatase/rutile content on the photostimulated adsorption of dioxygen and dihydrogen on titania, 97
- Heterojunction
Enhancement of photocatalytic activity by semiconductor heterojunctions: α-Fe₂O₃, WO₃ and CdS deposited on ZnO, 283
- Humic acid
An investigation of the photocatalytic efficiencies of TiO₂ powders on the decolourisation of humic acids, 121
Visible light-induced reactions of humic acids on TiO₂, 129
The effect of operational parameters on the photocatalytic degradation of humic acid, 137
- Humidity
Photocatalytic destruction of VOCs for in-vehicle air cleaning, 109
- Hydraulic diameter
Photocatalytic destruction of VOCs for in-vehicle air cleaning, 109
- Hydrogen peroxide
Photocatalytic decomposition of leather dye. Comparative study of TiO₂ supported on alumina and glass beads, 153
- Photolytic degradation of all chlorophenols with polyoxometallates and H₂O₂, 191
- Hydrogen production
Photocatalytic water-gas shift reaction at ambient temperature, 91
- Hydrogenase
A preliminary comparison between hydrogenase and oxygen as electron acceptors in irradiated aqueous dispersion of titanium dioxide, 199
- Hydroxyl radical
Quantum yields of hydroxyl radicals in illuminated TiO₂ nanocrystallite layers, 387
- Interfacial electron transfer
Modulating interfacial electron transfer dynamics in dye sensitised nanocrystalline metal oxide films, 5
- In-vehicle cleaning
Photocatalytic destruction of VOCs for in-vehicle air cleaning, 109
- Iron oxide
Enhancement of photocatalytic activity by semiconductor heterojunctions: α-Fe₂O₃, WO₃ and CdS deposited on ZnO, 283
- Layered titanates
Preparation and characterizations of Fe- or Ni-substituted titania nanosheets as photocatalysts, 273
- Light
Photoconductivity and charge trapping in porous nanocrystalline titanium dioxide, 25
- Magnetic photocatalyst
Synthesis of a novel magnetic photocatalyst by direct deposition of nanosized TiO₂ crystals onto a magnetic core, 303
- Mercury
Reduction and removal of mercury from water using arginine-modified TiO₂, 211
- Mesoporous materials
Effects of templates on the structure, stability and photocatalytic activity of mesostructured TiO₂, 295
- Mesoporous TiO₂ thin films
Light-induced super-hydrophilicity and photocatalytic activity of mesoporous TiO₂ thin films, 331
- Mesostructured silica
Synthesis of size-controlled silica-supported TiO₂ photocatalysts, 315
- Metal ion-implantation
Degradation of propanol diluted in water under visible light irradiation using metal ion-implanted titanium dioxide photocatalysts, 257
- Methanol
Photonic efficiency and quantum yield of formaldehyde formation from methanol in the presence of various TiO₂ photocatalysts, 169
- Methyl orange
Photocatalytic degradation of methyl orange as a model compound, 161
- Methylviologen
A preliminary comparison between hydrogenase and oxygen as electron acceptors in irradiated aqueous dispersion of titanium dioxide, 199
- Microcystins
Mechanistic and toxicity studies of the photocatalytic oxidation of microcystin-LR, 349
- Microwave conductivity
Contactless determination of the efficiency of photo-induced charge separation in a porphyrin-TiO₂ bilayer, 49
- Microwave irradiation
Photocatalytic oxidation in the presence of microwave irradiation: observations with ethylene and water, 323
- Modified reverse micellar method
Light-induced super-hydrophilicity and photocatalytic activity of mesoporous TiO₂ thin films, 331
- Nanocrystalline
Modulating interfacial electron transfer dynamics in dye sensitised nanocrystalline metal oxide films, 5

- Synthesis of a novel magnetic photocatalyst by direct deposition of nanosized TiO₂ crystals onto a magnetic core, 303
- Nanocrystalline TiO₂
- The effect of chemisorbed dyes on the *I-V* tunnel characteristics of nanocrystalline anatase TiO₂ observed in scanning tunnelling spectroscopy, 145
- Nanocrystalline titanium dioxide
- Synthesis of size-controlled silica-supported TiO₂ photocatalysts, 315
- Nanocrystallites
- Photosensitization of nanocrystalline TiO₂ films by anthocyanin dyes, 17
- Nanostructured
- Optimization of dye-sensitized solar cells prepared by compression method, 11
 - Nanostructured ZnO electrodes for dye-sensitized solar cell applications, 57
- OH radical
- Photonic efficiency and quantum yield of formaldehyde formation from methanol in the presence of various TiO₂ photocatalysts, 169
 - Photolytic degradation of all chlorophenols with polyoxometallates and H₂O₂, 191
- Operational parameters
- The effect of operational parameters on the photocatalytic degradation of humic acid, 137
- Oxide-materials
- Preparation, characterization and photocatalytic activity of ZnO, Fe₂O₃ and ZnFe₂O₄, 177
- Oxygen
- A preliminary comparison between hydrogenase and oxygen as electron acceptors in irradiated aqueous dispersion of titanium dioxide, 199
- Phase separation
- Quasi-solid dye-sensitized solar cells containing chemically cross-linked gel. How to make gels with a small amount of gelator, 33
- Phenol oxidation
- Pathways of phenol and benzene photooxidation using TiO₂ supported on a zeolite, 183
- Phenol photodegradation
- Preparation, characterization and photocatalytic activity of ZnO, Fe₂O₃ and ZnFe₂O₄, 177
- Photoadsorption
- Spectral dependence of quantum yields in gas-solid heterogeneous photosystems. Influence of anatase/rutile content on the photostimulated adsorption of dioxygen and dihydrogen on titania, 97
- Photocatalysis
- Photoconductivity and charge trapping in porous nanocrystalline titanium dioxide, 25
 - Photocatalytic water-gas shift reaction at ambient temperature, 91
 - Detection and identification of gaseous organics using a TiO₂ sensor, 103
 - Visible light-induced reactions of humic acids on TiO₂, 129
 - Photocatalytic degradation of methyl orange as a model compound, 161
 - Photolytic degradation of all chlorophenols with polyoxometallates and H₂O₂, 191
 - A preliminary comparison between hydrogenase and oxygen as electron acceptors in irradiated aqueous dispersion of titanium dioxide, 199
 - Reduction and removal of mercury from water using arginine-modified TiO₂, 211
 - FTIR study of the photocatalytic degradation of NH₄⁺ determination wastes, 215
 - Enhancement of the photocatalytic activity of various TiO₂ materials by platinisation, 223
 - Photocatalytic oxidation of organics in water using pure and silver-modified titanium dioxide particles, 233
 - Preparation and characterizations of Fe- or Ni-substituted titania nanosheets as photocatalysts, 273
- Effects of templates on the structure, stability and photocatalytic activity of mesostructured TiO₂, 295
 - Synthesis of size-controlled silica-supported TiO₂ photocatalysts, 315
 - Modification of the physicochemical properties of commercial TiO₂ samples by soft mechanical activation, 341
 - The photocatalytic removal of bacterial pollutants from drinking water, 355
 - Water treatment using nano-crystalline TiO₂ electrodes, 365
 - Photoelectrochemistry with the optical rotating disc electrode. Part 4. Steady state and transient studies on colloidal CdS in the presence of solution phase photogenerated charge scavengers, 375
 - Quantum yields of hydroxyl radicals in illuminated TiO₂ nanocrystallite layers, 387
 - Cadmium removal from water using thiolactic acid-modified titanium dioxide nanoparticles, 393
- Photocatalyst
- Photocatalytic hydrogen and oxygen formation under visible light irradiation with M-doped InTaO₄ (M = Mn, Fe, Co, Ni and Cu) photocatalysts, 65
 - Correlation of crystal and electronic structures with photophysical properties of water splitting photocatalysts InMO₄ (M = V⁵⁺, Nb⁵⁺, Ta⁵⁺), 79
 - Photocatalytic water decomposition by RuO₂-loaded antimonates, M₂Sb₂O₇ (M = Ca, Sr), CaSb₂O₆ and NaSbO₃, with d¹⁰ configuration, 85
 - Degradation of propanol diluted in water under visible light irradiation using metal ion-implanted titanium dioxide photocatalysts, 257
- Photocatalytic activity
- Enhancing effects of water content and ultrasonic irradiation on the photocatalytic activity of nano-sized TiO₂ powders, 263
 - Light-induced super-hydrophilicity and photocatalytic activity of mesoporous TiO₂ thin films, 331
- Photocatalytic decolourisation
- An investigation of the photocatalytic efficiencies of TiO₂ powders on the decolourisation of humic acids, 121
- Photocatalytic destruction
- Photocatalytic destruction of VOCs for in-vehicle air cleaning, 109
- Photocatalytic oxidation
- Photocatalytic oxidation of selected aryl alcohols in acetonitrile, 205
 - Photocatalytic oxidation in the presence of microwave irradiation: observations with ethylene and water, 323
 - Mechanistic and toxicity studies of the photocatalytic oxidation of microcystin-LR, 349
- Photoconductivity
- Photoconductivity and charge trapping in porous nanocrystalline titanium dioxide, 25
- Photocurrent
- Photosensitization of nanocrystalline TiO₂ films by anthocyanin dyes, 17
- Photodegradation
- Photocatalytic decomposition of leather dye. Comparative study of TiO₂ supported on alumina and glass beads, 153
 - Photolytic degradation of all chlorophenols with polyoxometallates and H₂O₂, 191
 - Enhancement of the photocatalytic activity of various TiO₂ materials by platinisation, 223
- Photo-electrochemical conversion
- Photosensitization of nanocrystalline TiO₂ films by anthocyanin dyes, 17
- Photoelectrochemistry
- New dyes for solar cells based on nanostructured semiconducting metal oxides. Synthesis and characterisation of ruthenium(II) complexes with thiol-substituted ligands, 41
 - The photocatalytic removal of bacterial pollutants from drinking water, 355
 - Photoelectrochemistry with the optical rotating disc electrode. Part 4. Steady state and transient studies on colloidal CdS in the presence of solution phase photogenerated charge scavengers, 375

- Photo-Fenton
FTIR study of the photocatalytic degradation of NH_4^+ determination wastes, 215
- Photoinduced hydrophilicity
Light-induced super-hydrophilicity and photocatalytic activity of mesoporous TiO_2 thin films, 331
- Photonic efficiency
Photonic efficiency and quantum yield of formaldehyde formation from methanol in the presence of various TiO_2 photocatalysts, 169
- Photo-oxidation
 $\text{TiO}_2/\text{SiO}_2$ photocatalysts at low levels of loading: preparation, structure and photocatalysis, 277
Enhancement of photocatalytic activity by semiconductor heterojunctions: $\alpha\text{-Fe}_2\text{O}_3$, WO_3 and CdS deposited on ZnO , 283
- Photoreduction
Modification of the physicochemical properties of commercial TiO_2 samples by soft mechanical activation, 341
- Photosensitization
Photosensitization of nanocrystalline TiO_2 films by anthocyanin dyes, 17
- Photovoltaics
Contactless determination of the efficiency of photo-induced charge separation in a porphyrin- TiO_2 bilayer, 49
- Platinisation
Enhancement of the photocatalytic activity of various TiO_2 materials by platinisation, 223
- Platinized TiO_2
Heterogeneous photocatalytic reactions comparing TiO_2 and Pt/TiO_2 , 247
- Pollutants
Effects of templates on the structure, stability and photocatalytic activity of mesostructured TiO_2 , 295
- Polymorphic transformation
Modification of the physicochemical properties of commercial TiO_2 samples by soft mechanical activation, 341
- Polyoxometallates
Photolytic degradation of all chlorophenols with polyoxometallates and H_2O_2 , 191
- Porphyrin
Contactless determination of the efficiency of photo-induced charge separation in a porphyrin- TiO_2 bilayer, 49
- Precipitation
Preparation, characterization and photocatalytic activity of ZnO , Fe_2O_3 and ZnFe_2O_4 , 177
- Press
Optimization of dye-sensitized solar cells prepared by compression method, 11
- Protein phosphatase 1
Mechanistic and toxicity studies of the photocatalytic oxidation of microcystin-LR, 349
- Quantum yield
Spectral dependence of quantum yields in gas-solid heterogeneous photosystems. Influence of anatase/rutile content on the photostimulated adsorption of dioxygen and dihydrogen on titania, 97
Photonic efficiency and quantum yield of formaldehyde formation from methanol in the presence of various TiO_2 photocatalysts, 169
Quantum yields of hydroxyl radicals in illuminated TiO_2 nanocrystallite layers, 387
- Raman
 $\text{TiO}_2/\text{SiO}_2$ photocatalysts at low levels of loading: preparation, structure and photocatalysis, 277
- Redox mediator
A new photocatalytic water splitting system under visible light irradiation mimicking a Z-scheme mechanism in photosynthesis, 71
- Reduction
Reduction and removal of mercury from water using arginine-modified TiO_2 , 211
Cadmium removal from water using thiolactic acid-modified titanium dioxide nanoparticles, 393
- Rutile
Light-induced super-hydrophilicity and photocatalytic activity of mesoporous TiO_2 thin films, 331
- Salicylic acid
Photocatalytic oxidation of organics in water using pure and silver-modified titanium dioxide particles, 233
- SCR
 $\text{TiO}_2/\text{SiO}_2$ photocatalysts at low levels of loading: preparation, structure and photocatalysis, 277
- Self-assembled ultrathin films
Preparation and characterizations of Fe- or Ni-substituted titania nanosheets as photocatalysts, 273
- Semiconductor photocatalysis
The effect of operational parameters on the photocatalytic degradation of humic acid, 137
- Semiconductor photocatalyst
A new photocatalytic water splitting system under visible light irradiation mimicking a Z-scheme mechanism in photosynthesis, 71
- Sensitization
Visible light-induced reactions of humic acids on TiO_2 , 129
- Silver ion
Photocatalytic oxidation of organics in water using pure and silver-modified titanium dioxide particles, 233
- Solar cell
Modulating interfacial electron transfer dynamics in dye sensitised nanocrystalline metal oxide films, 5
Optimization of dye-sensitized solar cells prepared by compression method, 11
Photoconductivity and charge trapping in porous nanocrystalline titanium dioxide, 25
Nanostructured ZnO electrodes for dye-sensitized solar cell applications, 57
- Solar radiation
Photocatalytic degradation of methyl orange as a model compound, 161
- Sol-gel method
Enhancing effects of water content and ultrasonic irradiation on the photocatalytic activity of nano-sized TiO_2 powders, 263
- Sol-gel processing
Synthesis of a novel magnetic photocatalyst by direct deposition of nanosized TiO_2 crystals onto a magnetic core, 303
- STM //V
The effect of chemisorbed dyes on the I - V tunnel characteristics of nanocrystalline anatase TiO_2 observed in scanning tunnelling spectroscopy, 145
- Stream flow rate
Photocatalytic destruction of VOCs for in-vehicle air cleaning, 109
- STS
The effect of chemisorbed dyes on the I - V tunnel characteristics of nanocrystalline anatase TiO_2 observed in scanning tunnelling spectroscopy, 145
- Sucrose
Photocatalytic oxidation of organics in water using pure and silver-modified titanium dioxide particles, 233
- Supported photocatalyst
Pathways of phenol and benzene photooxidation using TiO_2 supported on a zeolite, 183
- The d^{10} configuration
Photocatalytic water decomposition by RuO_2 -loaded antimonates, $\text{M}_2\text{Sb}_2\text{O}_7$ ($\text{M} = \text{Ca}, \text{Sr}$), CaSb_2O_6 and NaSbO_3 , with d^{10} configuration, 85

- Thick-film sensor
 Detection and identification of gaseous organics using a TiO₂ sensor, 103
- Thin layers
 Photosensitization of nanocrystalline TiO₂ films by anthocyanin dyes, 17
 Quantum yields of hydroxyl radicals in illuminated TiO₂ nanocrystallite layers, 387
- TiO₂
 Optimization of dye-sensitized solar cells prepared by compression method, 11
 Photoconductivity and charge trapping in porous nanocrystalline titanium dioxide, 25
 Contactless determination of the efficiency of photo-induced charge separation in a porphyrin–TiO₂ bilayer, 49
 Photocatalytic oxidation of selected aryl alcohols in acetonitrile, 205
 Enhancement of the photocatalytic activity of various TiO₂ materials by platinisation, 223
 Heterogeneous photocatalytic reactions comparing TiO₂ and Pt/TiO₂, 247
 Degradation of propanol diluted in water under visible light irradiation using metal ion-implanted titanium dioxide photocatalysts, 257
 Effects of templates on the structure, stability and photocatalytic activity of mesostructured TiO₂, 295
 Modification of the physicochemical properties of commercial TiO₂ samples by soft mechanical activation, 341
 Mechanistic and toxicity studies of the photocatalytic oxidation of microcystin-LR, 349
- TiO₂ nano-sized powders
 Enhancing effects of water content and ultrasonic irradiation on the photocatalytic activity of nano-sized TiO₂ powders, 263
- TiO₂ photocatalysis
 Photonic efficiency and quantum yield of formaldehyde formation from methanol in the presence of various TiO₂ photocatalysts, 169
- TiO₂/SiO₂
 TiO₂/SiO₂ photocatalysts at low levels of loading: preparation, structure and photocatalysis, 277
- TiO₂/ZrO₂ mixed metal oxide
 Photocatalytic oxidation in the presence of microwave irradiation: observations with ethylene and water, 323
- TiO₂–alumina beads
 Photocatalytic decomposition of leather dye. Comparative study of TiO₂ supported on alumina and glass beads, 153
- TiO₂–glass beads
 Photocatalytic decomposition of leather dye. Comparative study of TiO₂ supported on alumina and glass beads, 153
- Titania
 Photocatalytic water-gas shift reaction at ambient temperature, 91
- Titanium dioxide
 Photosensitization of nanocrystalline TiO₂ films by anthocyanin dyes, 17
 Spectral dependence of quantum yields in gas–solid heterogeneous photosystems. Influence of anatase/rutile content on the photostimulated adsorption of dioxygen and dihydrogen on titania, 97
 Detection and identification of gaseous organics using a TiO₂ sensor, 103
 An investigation of the photocatalytic efficiencies of TiO₂ powders on the decolourisation of humic acids, 121
 Visible light-induced reactions of humic acids on TiO₂, 129
 Photocatalytic degradation of methyl orange as a model compound, 161
 A preliminary comparison between hydrogenase and oxygen as electron acceptors in irradiated aqueous dispersion of titanium dioxide, 199
 Reduction and removal of mercury from water using arginine-modified TiO₂, 211
 Photocatalytic oxidation of organics in water using pure and silver-modified titanium dioxide particles, 233
 Synthesis of a novel magnetic photocatalyst by direct deposition of nanosized TiO₂ crystals onto a magnetic core, 303
 The photocatalytic removal of bacterial pollutants from drinking water, 355
 Water treatment using nano-crystalline TiO₂ electrodes, 365
 Quantum yields of hydroxyl radicals in illuminated TiO₂ nanocrystallite layers, 387
 Cadmium removal from water using thiolactic acid-modified titanium dioxide nanoparticles, 393
- Trap states
 Photoconductivity and charge trapping in porous nanocrystalline titanium dioxide, 25
- Tungsten oxide
 Enhancement of photocatalytic activity by semiconductor heterojunctions: α -Fe₂O₃, WO₃ and CdS deposited on ZnO, 283
- Tunnelling
 The effect of chemisorbed dyes on the *I*–*V* tunnel characteristics of nanocrystalline anatase TiO₂ observed in scanning tunnelling spectroscopy, 145
- Ultrasonic
 Enhancing effects of water content and ultrasonic irradiation on the photocatalytic activity of nano-sized TiO₂ powders, 263
- UV–visible spectroscopy
 Photocatalytic degradation of methyl orange as a model compound, 161
- Visible light
 A new photocatalytic water splitting system under visible light irradiation mimicking a Z-scheme mechanism in photosynthesis, 71
 Visible light-induced reactions of humic acids on TiO₂, 129
 Degradation of propanol diluted in water under visible light irradiation using metal ion-implanted titanium dioxide photocatalysts, 257
- Visible light irradiation
 Photocatalytic hydrogen and oxygen formation under visible light irradiation with M-doped InTaO₄ (M = Mn, Fe, Co, Ni and Cu) photocatalysts, 65
 Correlation of crystal and electronic structures with photophysical properties of water splitting photocatalysts InMO₄ (M = V⁵⁺, Nb⁵⁺, Ta⁵⁺), 79
- Water adsorption
 Photocatalytic oxidation in the presence of microwave irradiation: observations with ethylene and water, 323
- Water content
 Enhancing effects of water content and ultrasonic irradiation on the photocatalytic activity of nano-sized TiO₂ powders, 263
- Water decomposition
 Correlation of crystal and electronic structures with photophysical properties of water splitting photocatalysts InMO₄ (M = V⁵⁺, Nb⁵⁺, Ta⁵⁺), 79
 Photocatalytic water decomposition by RuO₂-loaded antimonates, M₂Sb₂O₇ (M = Ca, Sr), CaSb₂O₆ and NaSbO₃, with d¹⁰ configuration, 85
- Water splitting
 A new photocatalytic water splitting system under visible light irradiation mimicking a Z-scheme mechanism in photosynthesis, 71
- Water treatment
 Mechanistic and toxicity studies of the photocatalytic oxidation of microcystin-LR, 349
 Water treatment using nano-crystalline TiO₂ electrodes, 365
- XAFS
 Degradation of propanol diluted in water under visible light irradiation using metal ion-implanted titanium dioxide photocatalysts, 257
- XANES
 TiO₂/SiO₂ photocatalysts at low levels of loading: preparation, structure and photocatalysis, 277

Zeolite

Pathways of phenol and benzene photooxidation using TiO_2 supported on a zeolite, 183

Zinc oxide

Nanostructured ZnO electrodes for dye-sensitized solar cell applications, 57

Enhancement of photocatalytic activity by semiconductor heterojunctions: $\alpha\text{-Fe}_2\text{O}_3$, WO_3 and CdS deposited on ZnO, 283

ZnO

New dyes for solar cells based on nanostructured semiconducting metal oxides. Synthesis and characterisation of ruthenium(II) complexes with thiol-substituted ligands, 41

Z-Scheme reaction

A new photocatalytic water splitting system under visible light irradiation mimicking a Z-scheme mechanism in photosynthesis, 71