

Subject Index of Volume 149

- Ab initio calculations
Ab initio study of the photochemical isomerization of thiophene derivatives, 31
- AFM
A solvent-free composite polymer/inorganic oxide electrolyte for high efficiency solid-state dye-sensitized solar cells, 191
- All solid-state dye-sensitized solar cell
A solvent-free composite polymer/inorganic oxide electrolyte for high efficiency solid-state dye-sensitized solar cells, 191
- Alloxazines
Photophysics of methyl substituted alloxazines in water: efficiency of singlet oxygen generation, 39
- Aminoxide
Preparation, spectral characteristics and photolytic stability of anthracene-hindered amine probes: influence of the medium, 207
- Anthracene
Preparation, spectral characteristics and photolytic stability of anthracene-hindered amine probes: influence of the medium, 207
- Aromatic hydrocarbons
Effect of improved crystallinity of titanium silicalite-2 on photodecomposition of simple aromatic hydrocarbons, 175
- Artificial neural networks (ANN)
Artificial neural network modeling of a multiphase photodegradation system, 139
- Atmospheric remote-sensing
The temperature and pressure dependence of the absorption cross-sections of NO₂ in the 250–800 nm region measured by Fourier-transform spectroscopy, 1
- Backpropagation
Artificial neural network modeling of a multiphase photodegradation system, 139
- Bayer liquor
Artificial neural network modeling of a multiphase photodegradation system, 139
- Bentonite clay
Photocatalytic degradation of a cationic azo dye by TiO₂/bentonite nanocomposite, 169
- Benzazole dyes
Synthesis and spectroscopic characterisation of 2-(2'-hydroxyphenyl)-benzazole isothiocyanates as new fluorescent probes for proteins, 217
- Bi-photochromes
Photokinetic behaviour of bi-photochromic supramolecular systems. Part 3. Compounds with chromene and spirooxazine units linked through ethane, ester and acetylene bridges, 91
- Calixresorcinarene
Effect of chemisorption methods on fluorescence behavior of cyanobiphenyl units attached to silica surfaces, 199
- Cationic Red GTL
Photocatalytic degradation of a cationic azo dye by TiO₂/bentonite nanocomposite, 169
- CF₃CF₂C(O)F
Photochemistry of fluorinated compounds: reaction between FCO and CF₃CF₂ radicals, 9
- Chromene
Photoprocesses in 2,2-diphenyl-5,6-benzo(2H)chromene, 83
Photokinetic behaviour of bi-photochromic supramolecular systems. Part 3. Compounds with chromene and spirooxazine units linked through ethane, ester and acetylene bridges, 91
- Coating
Photo-physics of surface-treated titanium dioxides, 227
- Composite PEO/titania/I⁻/I₃⁻ electrolyte
A solvent-free composite polymer/inorganic oxide electrolyte for high efficiency solid-state dye-sensitized solar cells, 191
- Crystallinity
Effect of improved crystallinity of titanium silicalite-2 on photodecomposition of simple aromatic hydrocarbons, 175
- Cyanobiphenyl
Effect of chemisorption methods on fluorescence behavior of cyanobiphenyl units attached to silica surfaces, 199
- Cyclodextrin complexation
Selectivity in photohydroxylation of 4-nitroveratrole and nitroanisoles catalysed by cyclodextrins, 131
- D–B–A molecules
Photophysics of novel donor–{saturated rigid hydrocarbon bridge}–acceptor systems exhibiting efficient excitation energy transfer, 55
- Decolourization
Kinetics of photocatalytic degradation of reactive dyes in a TiO₂ slurry reactor, 147
- Degradation mechanism
Degradation of pararosaniline dye photoassisted by visible light, 247
- Desulfurization
Photocatalytic oxidation of dibenzothiophenes in acetonitrile using TiO₂: effect of hydrogen peroxide and ultrasound irradiation, 183
- Dibenzothiophene
Photocatalytic oxidation of dibenzothiophenes in acetonitrile using TiO₂: effect of hydrogen peroxide and ultrasound irradiation, 183
- 3,5-Dichlorophenol
Preparation, characterization and photocatalytic activity of nanocrystalline thin film TiO₂ catalysts towards 3,5-dichlorophenol degradation, 237
- 4,6-Dimethyldibenzothiophene
Photocatalytic oxidation of dibenzothiophenes in acetonitrile using TiO₂: effect of hydrogen peroxide and ultrasound irradiation, 183
- Dip coating
Preparation, characterization and photocatalytic activity of nanocrystalline thin film TiO₂ catalysts towards 3,5-dichlorophenol degradation, 237
- Dithiolate Ni(II) complexes
Photochromic reactions of reversible coordination of perfluorothionaphthyl radical with flat Ni(II) dithiolate complexes, 101

- Doctor blade
Preparation, characterization and photocatalytic activity of nanocrystalline thin film TiO₂ catalysts towards 3,5-dichlorophenol degradation, 237
- Donor–acceptor coupling
Photophysics of novel donor–{saturated rigid hydrocarbon bridge}–acceptor systems exhibiting efficient excitation energy transfer, 55
- Doppler profiles
Photodissociation dynamics of *tert*-butyl hydroperoxide at 266 nm, 15
- Dye
Kinetics of photocatalytic degradation of reactive dyes in a TiO₂ slurry reactor, 147
- Energy transfer
Photophysics of novel donor–{saturated rigid hydrocarbon bridge}–acceptor systems exhibiting efficient excitation energy transfer, 55
- Excimer
Effect of chemisorption methods on fluorescence behavior of cyanobiphenyl units attached to silica surfaces, 199
- Excited state intramolecular proton transfer (ESIPT)
Synthesis and spectroscopic characterisation of 2-(2'-hydroxyphenyl)-benzazole isothiocyanates as new fluorescent probes for proteins, 217
- Excited state proton transfer
Photogeneration of quinone methide-type intermediates from pyridoxine and derivatives, 71
- Fluorescence
Preparation, spectral characteristics and photolytic stability of anthracene-hindered amine probes: influence of the medium, 207
- Fluorescent probes
Synthesis and spectroscopic characterisation of 2-(2'-hydroxyphenyl)-benzazole isothiocyanates as new fluorescent probes for proteins, 217
- Fluorinated compounds
Photochemistry of fluorinated compounds: reaction between FCO and CF₃CF₂ radicals, 9
- Free-radical initiation
Synthesis of poly(*N*-vinyl-2-pyrrolidone) and copolymers with methacrylic acid initiated by the photo-Fenton reaction, 115
- Hindered amine
Preparation, spectral characteristics and photolytic stability of anthracene-hindered amine probes: influence of the medium, 207
- Isomerization
Ab initio study of the photochemical isomerization of thiophene derivatives, 31
- Laser dyes
Search for vibronic spin–orbit interactions in the triplet-manifold of phenanthrene *N*-heterocyclic analogues, 45
- Laser flash photolysis
Photochromic reactions of reversible coordination of perfluorothionaphthyl radical with flat Ni(II) dithiolate complexes, 101
- Laser-induced fluorescence spectra
Photodissociation dynamics of *tert*-butyl hydroperoxide at 266 nm, 15
- Liquid crystal
Effect of chemisorption methods on fluorescence behavior of cyanobiphenyl units attached to silica surfaces, 199
- Long lifetime
Photo-induced valence tautomerism in a Co compound, 111
- Nanocomposite
Photocatalytic degradation of a cationic azo dye by TiO₂/bentonite nanocomposite, 169
- Nitroanisoles
Selectivity in photohydroxylation of 4-nitroveratrole and nitroanisoles catalysed by cyclodextrins, 131
- 4-Nitroveratrole
Selectivity in photohydroxylation of 4-nitroveratrole and nitroanisoles catalysed by cyclodextrins, 131
- NO₂
The temperature and pressure dependence of the absorption cross-sections of NO₂ in the 250–800 nm region measured by Fourier-transform spectroscopy, 1
- Oxidation
Photooxidation of sodium sulfide and sodium thiosulfate under irradiation with visible light catalyzed by water soluble polynuclear phthalocyanine complexes, 23
- Pararosaniline dye
Degradation of pararosaniline dye photoassisted by visible light, 247
- Perfluoronaphthyl disulfide
Photochromic reactions of reversible coordination of perfluorothionaphthyl radical with flat Ni(II) dithiolate complexes, 101
- N*-Phenylglycine
Photolysis of *N*-phenylglycines sensitized by polycyclic aromatic hydrocarbons. Effects of sensitizers and substituent groups and application to photopolymerization, 121
- Photoassisted degradation
Degradation of pararosaniline dye photoassisted by visible light, 247
- Photocatalysis
Photooxidation of sodium sulfide and sodium thiosulfate under irradiation with visible light catalyzed by water soluble polynuclear phthalocyanine complexes, 23
Kinetics of photocatalytic degradation of reactive dyes in a TiO₂ slurry reactor, 147
Photocatalytic degradation mechanism for heterocyclic derivatives of triazolidine and triazole, 155
Preparation, characterization and photocatalytic activity of nanocrystalline thin film TiO₂ catalysts towards 3,5-dichlorophenol degradation, 237
- Photocatalyst
Photocatalytic oxidation of dibenzothiophenes in acetonitrile using TiO₂: effect of hydrogen peroxide and ultrasound irradiation, 183
- Photocatalytic degradation
Photocatalytic degradation of a cationic azo dye by TiO₂/bentonite nanocomposite, 169
- Photochemical modelling
The temperature and pressure dependence of the absorption cross-sections of NO₂ in the 250–800 nm region measured by Fourier-transform spectroscopy, 1
- Photochemistry
Ab initio study of the photochemical isomerization of thiophene derivatives, 31
- Photochromic system
Photochromic reactions of reversible coordination of perfluorothionaphthyl radical with flat Ni(II) dithiolate complexes, 101
- Photochromism
Photoprocesses in 2,2-diphenyl-5,6-benzo(2*H*)chromene, 83
Photokinetic behaviour of bi-photochromic supramolecular systems. Part 3. Compounds with chromene and spirooxazine units linked through ethane, ester and acetylene bridges, 91
- Photocolouration
Photoprocesses in 2,2-diphenyl-5,6-benzo(2*H*)chromene, 83
- Photodecomposition
Effect of improved crystallinity of titanium silicalite-2 on photodecomposition of simple aromatic hydrocarbons, 175
- Photodegradation
Artificial neural network modeling of a multiphase photodegradation system, 139

- Photocatalytic degradation mechanism for heterocyclic derivatives of triazolidine and triazole, 155
- Photo-electromotive-force (PEMF)
- Photo-physics of surface-treated titanium dioxides, 227
- Photo-Fenton
- Synthesis of poly(*N*-vinyl-2-pyrrolidone) and copolymers with methacrylic acid initiated by the photo-Fenton reaction, 115
- Photohydroxylation
- Selectivity in photohydroxylation of 4-nitroveratrole and nitroanisoles catalysed by cyclodextrins, 131
- Photo-induced electron transfer
- Photo-induced valence tautomerism in a Co compound, 111
- Photolysis of *N*-phenylglycines sensitized by polycyclic aromatic hydrocarbons. Effects of sensitizers and substituent groups and application to photopolymerization, 121
- Photoisomerization
- Photoprocesses in 2,2-diphenyl-5,6-benzo(2*H*)chromene, 83
- Photokinetics
- Photokinetic behaviour of bi-photochromic supramolecular systems. Part 3. Compounds with chromene and spirooxazine units linked through ethane, ester and acetylene bridges, 91
- Photolysis
- Photochemistry of fluorinated compounds: reaction between FCO and CF₃CF₂ radicals, 9
- Photooxidation
- Photocatalytic degradation mechanism for heterocyclic derivatives of triazolidine and triazole, 155
- Photocatalytic oxidation of dibenzothiophenes in acetonitrile using TiO₂: effect of hydrogen peroxide and ultrasound irradiation, 183
- Photophysics
- Photophysics of methyl substituted alloxazines in water: efficiency of singlet oxygen generation, 39
- Photophysics of novel donor–{saturated rigid hydrocarbon bridge}–acceptor systems exhibiting efficient excitation energy transfer, 55
- Photopolymerization
- Photolysis of *N*-phenylglycines sensitized by polycyclic aromatic hydrocarbons. Effects of sensitizers and substituent groups and application to photopolymerization, 121
- Poly(*N*-vinyl-2-pyrrolidone)
- Synthesis of poly(*N*-vinyl-2-pyrrolidone) and copolymers with methacrylic acid initiated by the photo-Fenton reaction, 115
- Polymer Matrices
- Preparation, spectral characteristics and photolytic stability of anthracene-hindered amine probes: influence of the medium, 207
- Polynuclear phthalocyanine complexes
- Photooxidation of sodium sulfide and sodium thiosulfate under irradiation with visible light catalyzed by water soluble polynuclear phthalocyanine complexes, 23
- Probe
- Preparation, spectral characteristics and photolytic stability of anthracene-hindered amine probes: influence of the medium, 207
- Protein detection
- Synthesis and spectroscopic characterisation of 2-(2'-hydroxyphenyl)-benzazole isothiocyanates as new fluorescent probes for proteins, 217
- Pyridoxine
- Photogeneration of quinone methide-type intermediates from pyridoxine and derivatives, 71
- Quenching
- Preparation, spectral characteristics and photolytic stability of anthracene-hindered amine probes: influence of the medium, 207
- o*-Quinone methide
- Photogeneration of quinone methide-type intermediates from pyridoxine and derivatives, 71
- Rate constant
- Photochemistry of fluorinated compounds: reaction between FCO and CF₃CF₂ radicals, 9
- Reaction mechanism
- Photokinetic behaviour of bi-photochromic supramolecular systems. Part 3. Compounds with chromene and spirooxazine units linked through ethane, ester and acetylene bridges, 91
- Relaxation kinetics
- Photoprocesses in 2,2-diphenyl-5,6-benzo(2*H*)chromene, 83
- Semiconductor
- Kinetics of photocatalytic degradation of reactive dyes in a TiO₂ slurry reactor, 147
- Sensitized photolysis
- Photolysis of *N*-phenylglycines sensitized by polycyclic aromatic hydrocarbons. Effects of sensitizers and substituent groups and application to photopolymerization, 121
- Silica surface
- Effect of chemisorption methods on fluorescence behavior of cyanobiphenyl units attached to silica surfaces, 199
- Singlet oxygen
- Photophysics of methyl substituted alloxazines in water: efficiency of singlet oxygen generation, 39
- Singlet state
- Photophysics of methyl substituted alloxazines in water: efficiency of singlet oxygen generation, 39
- Spirooxazines
- Photokinetic behaviour of bi-photochromic supramolecular systems. Part 3. Compounds with chromene and spirooxazine units linked through ethane, ester and acetylene bridges, 91
- Substitution effect
- Photolysis of *N*-phenylglycines sensitized by polycyclic aromatic hydrocarbons. Effects of sensitizers and substituent groups and application to photopolymerization, 121
- Sulfides
- Photooxidation of sodium sulfide and sodium thiosulfate under irradiation with visible light catalyzed by water soluble polynuclear phthalocyanine complexes, 23
- Superexchange
- Photophysics of novel donor–{saturated rigid hydrocarbon bridge}–acceptor systems exhibiting efficient excitation energy transfer, 55
- Surface properties
- Preparation, characterization and photocatalytic activity of nanocrystalline thin film TiO₂ catalysts towards 3,5-dichlorophenol degradation, 237
- Surface treatment
- Photo-physics of surface-treated titanium dioxides, 227
- tert*-Butyl hydroperoxide
- Photodissociation dynamics of *tert*-butyl hydroperoxide at 266 nm, 15
- Thiophene
- Ab initio study of the photochemical isomerization of thiophene derivatives, 31
- Thiosulfates
- Photooxidation of sodium sulfide and sodium thiosulfate under irradiation with visible light catalyzed by water soluble polynuclear phthalocyanine complexes, 23
- TiO₂
- Photocatalytic oxidation of dibenzothiophenes in acetonitrile using TiO₂: effect of hydrogen peroxide and ultrasound irradiation, 183
- Photo-physics of surface-treated titanium dioxides, 227
- TiO₂ catalyst
- Degradation of pararosiline dye photoassisted by visible light, 247

- TiO₂ films
A solvent-free composite polymer/inorganic oxide electrolyte for high efficiency solid-state dye-sensitized solar cells, 191
Preparation, characterization and photocatalytic activity of nanocrystalline thin film TiO₂ catalysts towards 3,5-dichlorophenol degradation, 237
- Titanium dioxide
Photocatalytic degradation mechanism for heterocyclic derivatives of triazolidine and triazole, 155
Photocatalytic degradation of a cationic azo dye by TiO₂/bentonite nanocomposite, 169
- Triazole
Photocatalytic degradation mechanism for heterocyclic derivatives of triazolidine and triazole, 155
- Triazolidine
Photocatalytic degradation mechanism for heterocyclic derivatives of triazolidine and triazole, 155
- Triplet–triplet absorption
Search for vibronic spin–orbit interactions in the triplet-manifold of phenanthrene *N*-heterocyclic analogues, 45
- Valence tautomerism
Photo-induced valence tautomerism in a Co compound, 111
- Vibronic spin–orbit interactions in heterocyclics
Search for vibronic spin–orbit interactions in the triplet-manifold of phenanthrene *N*-heterocyclic analogues, 45
- Vitamin B₆
Photogeneration of quinone methide-type intermediates from pyridoxine and derivatives, 71
- XeCl
Photochromic reactions of reversible coordination of perfluorothionaphthyl radical with flat Ni(II) dithiolate complexes, 101