

## Subject Index of Volume 156

### Acid–base behaviour

An experimental and theoretical approach to the acid–base and photophysical properties of 3-substituted  $\beta$ -carboline in aqueous solutions, 1

### Adsorption

Photoelectrochemical measurement of phthalic acid adsorption on porous TiO<sub>2</sub> film electrodes, 201

### Ag<sup>+</sup>-activated Q-CdS–TiO<sub>2</sub>

Photophysics and photocatalytic properties of Ag<sup>+</sup>-activated sandwich Q-CdS–TiO<sub>2</sub>, 207

### Aggregation

Synthesis and photophysical properties of *N,N'*-bis(4-cyanophenyl)-3,4,9,10-perylenebis(dicarboximide) and *N,N'*-bis(4-cyanophenyl)-1,4,5,8-naphthalenediimide, 45

### Air pollution

TiO<sub>2</sub> photocatalytic oxidation of nitric oxide: transient behavior and reaction kinetics, 161

### Amphiphilic porphyrins

The triplet excited state changes of amphiphilic porphyrins with different side-chain length in AOT reverse micelles, 139

### Antenna molecule

Europium(III) complex formed with pyridine containing azamacrocyclic triacetate ligand: characterization by sensitized Eu(III) luminescence, 23

### Anthracene and pyrene

Broadening of the fluorescence spectra of hydrocarbons in ethylene-vinyl acetate copolymers and the dynamics of the glass transition, 91

### AOT

High-pressure studies on AOT reverse micellar aggregate by fluorescence probe method, 145

### AOT reverse micelles

The triplet excited state changes of amphiphilic porphyrins with different side-chain length in AOT reverse micelles, 139

### Azulene

Development of kinetic analysis system in pump–probe measurement based on femtosecond chromium: forsterite laser and its application to S<sub>1</sub>–S<sub>0</sub> relaxation dynamics of azulene, 69

### Bactericidal effect

Visible light-assisted bactericidal effect of metalphthalocyanine-sensitized titanium dioxide films, 235

### Benzoannellated [2H]-benzopyrans

Spectrokinetic study of a series of photochromic 2-ferrocenyl-2-methyl[2H]-chromenes, 77

### Benzophenone

Preparation and photoreaction of organogels based on benzophenone, 83

### BET surface area

Photocatalyst TiO<sub>2</sub> supported on glass fiber for indoor air purification: effect of NO on the photodegradation of CO and NO<sub>2</sub>, 171

### Biodegradable

Photocatalytic degradation of H-acid over a novel TiO<sub>2</sub> thin film fixed bed reactor and in aqueous suspensions, 179

### *N,N'*-Bis(4-cyanophenyl)-1,4,5,8-naphthalenediimide

Synthesis and photophysical properties of *N,N'*-bis(4-cyanophenyl)-3,4,9,10-perylenebis(dicarboximide) and *N,N'*-bis(4-cyanophenyl)-1,4,5,8-naphthalenediimide, 45

### *N,N'*-Bis(4-cyanophenyl)-3,4,9,10-perylenebis(dicarboximide)

Synthesis and photophysical properties of *N,N'*-bis(4-cyanophenyl)-3,4,9,10-perylenebis(dicarboximide) and *N,N'*-bis(4-cyanophenyl)-1,4,5,8-naphthalenediimide, 45

### BTEX

Photocatalyst TiO<sub>2</sub> supported on glass fiber for indoor air purification: effect of NO on the photodegradation of CO and NO<sub>2</sub>, 171

### C<sub>60</sub>

Photoinduced electron transfer of the triplet states of C<sub>60</sub> and C<sub>70</sub> from oxotitanium(IV) tetra-*t*-butyl-phthalocyanine as an electron-donor in polar solvent, 31

### C<sub>70</sub>

Photoinduced electron transfer of the triplet states of C<sub>60</sub> and C<sub>70</sub> from oxotitanium(IV) tetra-*t*-butyl-phthalocyanine as an electron-donor in polar solvent, 31

### Carbamate

Phototransformation of carbaryl in aqueous solution. Laser-flash photolysis and steady-state studies, 9

### $\beta$ -Carbolines

An experimental and theoretical approach to the acid–base and photophysical properties of 3-substituted  $\beta$ -carboline in aqueous solutions, 1

### Carbon monoxide

Photocatalyst TiO<sub>2</sub> supported on glass fiber for indoor air purification: effect of NO on the photodegradation of CO and NO<sub>2</sub>, 171

### Catalyst deactivation

A comparative study on decomposition of gaseous toluene by O<sub>3</sub>/UV, TiO<sub>2</sub>/UV and O<sub>3</sub>/TiO<sub>2</sub>/UV, 189

### Cellulose

Photophysics of lumichrome on cellulose, 267

### Chemiluminescence

A chemiluminescence study of micron and nanoparticle titanium dioxide: effect on the thermal stability of metallocene polyethylene, 151

### 4-Chlorophenol

Silica gel-supported porphyrinatoantimony(V) complex acting as visible-light driven photocatalyst for dechlorination of chlorophenols in aqueous solution, 115

### Chromenes

Spectrokinetic study of a series of photochromic 2-ferrocenyl-2-methyl[2H]-chromenes, 77

### Chromium:forsterite laser

Development of kinetic analysis system in pump–probe measurement based on femtosecond chromium: forsterite laser and its application to S<sub>1</sub>–S<sub>0</sub> relaxation dynamics of azulene, 69

### Composite particle

Photocatalytic behavior of titanium oxide-perovskite type Sr(Zr<sub>1-x</sub>Y<sub>x</sub>)O<sub>3- $\delta$</sub>  composite particles, 243

- Copper(II) phthalocyaninechloride  
Visible light-assisted bactericidal effect of metalphthalocyanine-sensitized titanium dioxide films, 235
- Copper(II) phthalocyaninetetrasulfonic acid  
Visible light-assisted bactericidal effect of metalphthalocyanine-sensitized titanium dioxide films, 235
- Dechlorination  
Silica gel-supported porphyrinatoantimony(V) complex acting as visible-light driven photocatalyst for dechlorination of chlorophenols in aqueous solution, 115
- Degradation  
OH-radical reactivity and direct photolysis of triphenyltin hydroxide in aqueous solution, 105
- Detoxification  
Heterogeneous photocatalytic degradation of 3-nitroacetophenone in TiO<sub>2</sub> aqueous suspension, 195
- Dihydroxo(tetraphenylporphyrinato)antimony(V) complex  
Silica gel-supported porphyrinatoantimony(V) complex acting as visible-light driven photocatalyst for dechlorination of chlorophenols in aqueous solution, 115
- Donor-acceptor dialkyl-diarylamino substituted compounds  
Fluorescence quenching of the ketocyanine dyes in polar solvents: anti-TICT behavior, 55
- Electron transfer  
Photoinduced electron transfer of the triplet states of C<sub>60</sub> and C<sub>70</sub> from oxotitanium(IV) tetra-*t*-butyl-phthalocyanine as an electron-donor in polar solvent, 31
- Electron transfer reactions  
Synthesis and photophysical properties of *N,N'*-bis(4-cyanophenyl)-3,4,9,10-perylenebis(dicarboximide) and *N,N'*-bis(4-cyanophenyl)-1,4,5,8-naphthalenediimide, 45
- Energy transfer  
Photoinduced electron transfer of the triplet states of C<sub>60</sub> and C<sub>70</sub> from oxotitanium(IV) tetra-*t*-butyl-phthalocyanine as an electron-donor in polar solvent, 31
- Escherichia coli*  
Visible light-assisted bactericidal effect of metalphthalocyanine-sensitized titanium dioxide films, 235
- Ethylene-co-vinyl acetate copolymers  
Broadening of the fluorescence spectra of hydrocarbons in ethylene-vinyl acetate copolymers and the dynamics of the glass transition, 91
- Europium  
Europium(III) complex formed with pyridine containing azamacrocyclic triacetate ligand: characterization by sensitized Eu(III) luminescence, 23
- Europium complex  
Optical properties of the highly ordered Langmuir-Blodgett film of a strongly luminescent Eu(III) complex, 39
- Excited triplet state  
The triplet excited state changes of amphiphilic porphyrins with different side-chain length in AOT reverse micelles, 139
- Excited-state reactions  
Luminescence quenching of uranyl ion adsorbed in nafion membrane by alcohols and vinyl monomers, 65
- Fe<sup>3+</sup>-impregnated SiO<sub>2</sub>  
Silica gel-supported porphyrinatoantimony(V) complex acting as visible-light driven photocatalyst for dechlorination of chlorophenols in aqueous solution, 115
- Femtosecond laser spectroscopy  
Spectral luminescent properties and dynamics of intramolecular processes in 2,4,5-triarylimidazoles, 15
- Femtosecond spectroscopy  
Development of kinetic analysis system in pump-probe measurement based on femtosecond chromium: forsterite laser and its application to S<sub>1</sub>-S<sub>0</sub> relaxation dynamics of azulene, 69
- Fentin hydroxide  
OH-radical reactivity and direct photolysis of triphenyltin hydroxide in aqueous solution, 105
- Ferrocenyl  
Spectrokinetic study of a series of photochromic 2-ferrocenyl-2-methyl[2H]-chromenes, 77
- Fluorescence probe method  
High-pressure studies on AOT reverse micellar aggregate by fluorescence probe method, 145
- Fluorescence quenching  
Fluorescence quenching of the ketocyanine dyes in polar solvents: anti-TICT behavior, 55
- Fluorescence spectroscopy  
Broadening of the fluorescence spectra of hydrocarbons in ethylene-vinyl acetate copolymers and the dynamics of the glass transition, 91
- Formic acid  
Photocatalytic behavior of titanium oxide-perovskite type Sr(Zr<sub>1-x</sub>Y<sub>x</sub>)O<sub>3-δ</sub> composite particles, 243
- H<sub>2</sub> evolution  
H<sub>2</sub> evolution from aqueous sulfite solutions under visible-light irradiation over Pb and halogen-codoped ZnS photocatalysts, 249
- H-acid  
Photocatalytic degradation of H-acid over a novel TiO<sub>2</sub> thin film fixed bed reactor and in aqueous suspensions, 179
- Hexadecyltrimethylammonium chloride  
Cationic micellar effects on the proton transfer reactions of *N*-substituted 2-(7-hydroxycoumarin-4-yl)acetamides and related compound in the ground and excited singlet states, 127
- Hydrogen abstraction  
Preparation and photoreaction of organogels based on benzophenone, 83
- Hydrogen bonding  
Spectrokinetic study of a series of photochromic 2-ferrocenyl-2-methyl[2H]-chromenes, 77
- 7-Hydroxycoumarin derivatives  
Cationic micellar effects on the proton transfer reactions of *N*-substituted 2-(7-hydroxycoumarin-4-yl)acetamides and related compound in the ground and excited singlet states, 127
- Hydroxynaphthoquinones  
Phototransformation of carbaryl in aqueous solution. Laser-flash photolysis and steady-state studies, 9
- Immobilized TiO<sub>2</sub>  
Photocatalytic degradation of H-acid over a novel TiO<sub>2</sub> thin film fixed bed reactor and in aqueous suspensions, 179
- Indoor air  
A comparative study on decomposition of gaseous toluene by O<sub>3</sub>/UV, TiO<sub>2</sub>/UV and O<sub>3</sub>/TiO<sub>2</sub>/UV, 189
- Intramolecular proton transfer  
Spectral luminescent properties and dynamics of intramolecular processes in 2,4,5-triarylimidazoles, 15
- Ketocyanine dyes  
Fluorescence quenching of the ketocyanine dyes in polar solvents: anti-TICT behavior, 55
- Kinetics  
Kinetic investigation on UV and UV/H<sub>2</sub>O<sub>2</sub> degradations of pharmaceutical intermediates in aqueous solution, 121
- Langmuir-Blodgett films  
Optical properties of the highly ordered Langmuir-Blodgett film of a strongly luminescent Eu(III) complex, 39
- Laser flash photolysis  
Photoinduced electron transfer of the triplet states of C<sub>60</sub> and C<sub>70</sub> from oxotitanium(IV) tetra-*t*-butyl-phthalocyanine as an electron-donor in polar solvent, 31

- Lead  
H<sub>2</sub> evolution from aqueous sulfite solutions under visible-light irradiation over Pb and halogen-codoped ZnS photocatalysts, 249
- Lignin model compounds  
Routes of degradation of  $\beta$ -O-4 syringyl and guaiacyl lignin model compounds during photobleaching processes, 253
- Lumichrome  
Photophysics of lumichrome on cellulose, 267
- Luminescence  
Spectral luminescent properties and dynamics of intramolecular processes in 2,4,5-triarylimidazoles, 15  
Europium(III) complex formed with pyridine containing azamacrocyclic triacetate ligand: characterization by sensitized Eu(III) luminescence, 23  
Luminescence quenching of uranyl ion adsorbed in nafion membrane by alcohols and vinyl monomers, 65
- Membranes  
Luminescence quenching of uranyl ion adsorbed in nafion membrane by alcohols and vinyl monomers, 65
- Metallocene polyethylene  
A chemiluminescence study of micron and nanoparticle titanium dioxide: effect on the thermal stability of metallocene polyethylene, 151
- Methylene blue  
Photocatalytic behavior of titanium oxide-perovskite type Sr(Zr<sub>1-x</sub>Y<sub>x</sub>)O<sub>3- $\delta$</sub>  composite particles, 243
- Micellar effects  
Cationic micellar effects on the proton transfer reactions of *N*-substituted 2-(7-hydroxycoumarin-4-yl)acetamides and related compound in the ground and excited singlet states, 127
- Microemulsion  
High-pressure studies on AOT reverse micellar aggregate by fluorescence probe method, 145
- Microstructures  
Preparation and photoreaction of organogels based on benzophenone, 83
- Mineralization  
Heterogeneous photocatalytic degradation of 3-nitroacetophenone in TiO<sub>2</sub> aqueous suspension, 195
- Nanoporous TiO<sub>2</sub> film  
Photoelectrochemical measurement of phthalic acid adsorption on porous TiO<sub>2</sub> film electrodes, 201
- Naphthoquinones  
Phototransformation of carbaryl in aqueous solution. Laser-flash photolysis and steady-state studies, 9
- Naphthoxyl radicals  
Phototransformation of carbaryl in aqueous solution. Laser-flash photolysis and steady-state studies, 9
- 3-Nitroacetophenone  
Heterogeneous photocatalytic degradation of 3-nitroacetophenone in TiO<sub>2</sub> aqueous suspension, 195
- Nitrogen oxides  
TiO<sub>2</sub> photocatalytic oxidation of nitric oxide: transient behavior and reaction kinetics, 161
- OH-rate constant  
OH-radical reactivity and direct photolysis of triphenyltin hydroxide in aqueous solution, 105
- Organic solar cells  
Synthesis and photophysical properties of *N,N'*-bis(4-cyanophenyl)-3,4,9,10-perylenebis(dicarboximide) and *N,N'*-bis(4-cyanophenyl)-1,4,5,8-naphthalenediimide, 45
- Organogels  
Preparation and photoreaction of organogels based on benzophenone, 83
- Outer membrane  
Studies on photokilling of bacteria on TiO<sub>2</sub> thin film, 227
- Oxotitanium(IV) tetra-*t*-butyl-phthalocyanine  
Photoinduced electron transfer of the triplet states of C<sub>60</sub> and C<sub>70</sub> from oxotitanium(IV) tetra-*t*-butyl-phthalocyanine as an electron-donor in polar solvent, 31
- Oxygen species  
Routes of degradation of  $\beta$ -O-4 syringyl and guaiacyl lignin model compounds during photobleaching processes, 253
- Ozonation  
A comparative study on decomposition of gaseous toluene by O<sub>3</sub>/UV, TiO<sub>2</sub>/UV and O<sub>3</sub>/TiO<sub>2</sub>/UV, 189
- Ozone  
A comparative study on decomposition of gaseous toluene by O<sub>3</sub>/UV, TiO<sub>2</sub>/UV and O<sub>3</sub>/TiO<sub>2</sub>/UV, 189
- Pharmaceutical intermediates  
Kinetic investigation on UV and UV/H<sub>2</sub>O<sub>2</sub> degradations of pharmaceutical intermediates in aqueous solution, 121
- Phenylurea herbicide diuron  
Kinetics of photocatalytic degradation of diuron in aqueous colloidal solutions of Q-TiO<sub>2</sub> particles, 273
- Photobleaching  
Routes of degradation of  $\beta$ -O-4 syringyl and guaiacyl lignin model compounds during photobleaching processes, 253
- Photo-catalysis  
Luminescence quenching of uranyl ion adsorbed in nafion membrane by alcohols and vinyl monomers, 65
- Photocatalysis  
A comparative study on decomposition of gaseous toluene by O<sub>3</sub>/UV, TiO<sub>2</sub>/UV and O<sub>3</sub>/TiO<sub>2</sub>/UV, 189  
Heterogeneous photocatalytic degradation of 3-nitroacetophenone in TiO<sub>2</sub> aqueous suspension, 195  
Photocatalysis of a transparent titanate aqueous sol prepared from titanium tetraisopropoxide and tetramethylammonium hydroxide, 219  
Studies on photokilling of bacteria on TiO<sub>2</sub> thin film, 227  
Routes of degradation of  $\beta$ -O-4 syringyl and guaiacyl lignin model compounds during photobleaching processes, 253
- Photocatalyst  
H<sub>2</sub> evolution from aqueous sulfite solutions under visible-light irradiation over Pb and halogen-codoped ZnS photocatalysts, 249
- Photocatalysts  
Photocatalytic behavior of titanium oxide-perovskite type Sr(Zr<sub>1-x</sub>Y<sub>x</sub>)O<sub>3- $\delta$</sub>  composite particles, 243
- Photocatalytic  
Photophysics and photocatalytic properties of Ag<sup>+</sup>-activated sandwich Q-CdS-TiO<sub>2</sub>, 207
- Photocatalytic degradation  
Kinetics of photocatalytic degradation of diuron in aqueous colloidal solutions of Q-TiO<sub>2</sub> particles, 273
- Photocatalytic oxidation  
TiO<sub>2</sub> photocatalytic oxidation of nitric oxide: transient behavior and reaction kinetics, 161
- Photochromism  
Spectrokinetic study of a series of photochromic 2-ferrocenyl-2-methyl[2H]-chromenes, 77
- Photodegradation  
Photocatalyst TiO<sub>2</sub> supported on glass fiber for indoor air purification: effect of NO on the photodegradation of CO and NO<sub>2</sub>, 171  
Photocatalytic degradation of H-acid over a novel TiO<sub>2</sub> thin film fixed bed reactor and in aqueous suspensions, 179  
Photocatalytic behavior of titanium oxide-perovskite type Sr(Zr<sub>1-x</sub>Y<sub>x</sub>)O<sub>3- $\delta$</sub>  composite particles, 243
- Photoelectrochemistry  
Photoelectrochemical measurement of phthalic acid adsorption on porous TiO<sub>2</sub> film electrodes, 201
- Photo-fading of rhodamine B  
Photocatalysis of a transparent titanate aqueous sol prepared from titanium tetraisopropoxide and tetramethylammonium hydroxide, 219

- Photoionisation  
 Phototransformation of carbaryl in aqueous solution. Laser-flash photolysis and steady-state studies, 9
- Photokilling process  
 Studies on photokilling of bacteria on TiO<sub>2</sub> thin film, 227
- Photo-oxidation  
 Luminescence quenching of uranyl ion adsorbed in nafion membrane by alcohols and vinyl monomers, 65
- Photooxidation of indole  
 Photophysics and photocatalytic properties of Ag<sup>+</sup>-activated sandwich Q-CdS-TiO<sub>2</sub>, 207
- Photophysic  
 An experimental and theoretical approach to the acid-base and photophysical properties of 3-substituted β-carbolines in aqueous solutions, 1
- Photophysics  
 Photophysics and photocatalytic properties of Ag<sup>+</sup>-activated sandwich Q-CdS-TiO<sub>2</sub>, 207  
 Photophysics of lumichrome on cellulose, 267
- Photoreaction  
 Preparation and photoreaction of organogels based on benzophenone, 83
- Phthalic acid  
 Photoelectrochemical measurement of phthalic acid adsorption on porous TiO<sub>2</sub> film electrodes, 201
- Pinacolization  
 Preparation and photoreaction of organogels based on benzophenone, 83
- Pressure effect  
 High-pressure studies on AOT reverse micellar aggregate by fluorescence probe method, 145
- Proton transfer  
 Cationic micellar effects on the proton transfer reactions of *N*-substituted 2-(7-hydroxycoumarin-4-yl)acetamides and related compound in the ground and excited singlet states, 127
- Q-CdS-Ag<sub>2</sub>S  
 Photophysics and photocatalytic properties of Ag<sup>+</sup>-activated sandwich Q-CdS-TiO<sub>2</sub>, 207
- Q-CdS-TiO<sub>2</sub>-Ag<sub>2</sub>S  
 Photophysics and photocatalytic properties of Ag<sup>+</sup>-activated sandwich Q-CdS-TiO<sub>2</sub>, 207
- Q-TiO<sub>2</sub> particles  
 Kinetics of photocatalytic degradation of diuron in aqueous colloidal solutions of Q-TiO<sub>2</sub> particles, 273
- Quantum yield  
 OH-radical reactivity and direct photolysis of triphenyltin hydroxide in aqueous solution, 105
- Reaction kinetics  
 TiO<sub>2</sub> photocatalytic oxidation of nitric oxide: transient behavior and reaction kinetics, 161
- Relaxation processes  
 Broadening of the fluorescence spectra of hydrocarbons in ethylene-vinyl acetate copolymers and the dynamics of the glass transition, 91
- Reverse micelle  
 High-pressure studies on AOT reverse micellar aggregate by fluorescence probe method, 145
- Side-chain length  
 The triplet excited state changes of amphiphilic porphyrins with different side-chain length in AOT reverse micelles, 139
- SiO<sub>2</sub>-support  
 Silica gel-supported porphyrinatoantimony(V) complex acting as visible-light driven photocatalyst for dechlorination of chlorophenols in aqueous solution, 115
- Solar irradiation  
 Photocatalytic degradation of H-acid over a novel TiO<sub>2</sub> thin film fixed bed reactor and in aqueous suspensions, 179
- Solvation time  
 High-pressure studies on AOT reverse micellar aggregate by fluorescence probe method, 145
- Solvent effects  
 Fluorescence quenching of the ketocyanine dyes in polar solvents: anti-TICT behavior, 55
- Spectral broadening  
 Broadening of the fluorescence spectra of hydrocarbons in ethylene-vinyl acetate copolymers and the dynamics of the glass transition, 91
- Spectrokinetics  
 Spectrokinetic study of a series of photochromic 2-ferrocenyl-2-methyl[2H]-chromenes, 77
- Spectroscopy  
 Optical properties of the highly ordered Langmuir-Blodgett film of a strongly luminescent Eu(III) complex, 39
- Stability constant  
 Europium(III) complex formed with pyridine containing azamacrocyclic triacetate ligand: characterization by sensitized Eu(III) luminescence, 23
- Substituent effects  
 Cationic micellar effects on the proton transfer reactions of *N*-substituted 2-(7-hydroxycoumarin-4-yl)acetamides and related compound in the ground and excited singlet states, 127
- Tetramethylammonium hydroxide  
 Photocatalysis of a transparent titanate aqueous sol prepared from titanium tetraisopropoxide and tetramethylammonium hydroxide, 219
- TICT states  
 Fluorescence quenching of the ketocyanine dyes in polar solvents: anti-TICT behavior, 55
- Time-dependent fluorescence Stokes shift  
 High-pressure studies on AOT reverse micellar aggregate by fluorescence probe method, 145
- TiO<sub>2</sub>  
 Heterogeneous photocatalytic degradation of 3-nitroacetophenone in TiO<sub>2</sub> aqueous suspension, 195
- TiO<sub>2</sub> film  
 Studies on photokilling of bacteria on TiO<sub>2</sub> thin film, 227
- Titanium dioxide  
 A chemiluminescence study of micron and nanoparticle titanium dioxide: effect on the thermal stability of metallocene polyethylene, 151  
 TiO<sub>2</sub> photocatalytic oxidation of nitric oxide: transient behavior and reaction kinetics, 161  
 A comparative study on decomposition of gaseous toluene by O<sub>3</sub>/UV, TiO<sub>2</sub>/UV and O<sub>3</sub>/TiO<sub>2</sub>/UV, 189
- Titanium tetraisopropoxide  
 Photocatalysis of a transparent titanate aqueous sol prepared from titanium tetraisopropoxide and tetramethylammonium hydroxide, 219
- Toluene  
 A comparative study on decomposition of gaseous toluene by O<sub>3</sub>/UV, TiO<sub>2</sub>/UV and O<sub>3</sub>/TiO<sub>2</sub>/UV, 189
- Transient behavior  
 TiO<sub>2</sub> photocatalytic oxidation of nitric oxide: transient behavior and reaction kinetics, 161
- Transparent titanate aqueous sol  
 Photocatalysis of a transparent titanate aqueous sol prepared from titanium tetraisopropoxide and tetramethylammonium hydroxide, 219
- 2,4,5-Triarylimidazoles  
 Spectral luminescent properties and dynamics of intramolecular processes in 2,4,5-triarylimidazoles, 15
- Triphenyltin hydroxide  
 OH-radical reactivity and direct photolysis of triphenyltin hydroxide in aqueous solution, 105
- T-T absorption  
 Phototransformation of carbaryl in aqueous solution. Laser-flash photolysis and steady-state studies, 9

## Ultrafast dynamics

- Development of kinetic analysis system in pump-probe measurement based on femtosecond chromium: forsterite laser and its application to  $S_1$ - $S_0$  relaxation dynamics of azulene, 69

## UV

- Kinetic investigation on UV and UV/ $H_2O_2$  degradations of pharmaceutical intermediates in aqueous solution, 121

UV/ $H_2O_2$ 

- Kinetic investigation on UV and UV/ $H_2O_2$  degradations of pharmaceutical intermediates in aqueous solution, 121

## Visible light

- Visible light-assisted bactericidal effect of metalphthalocyanine-sensitized titanium dioxide films, 235

## Visible light irradiation

- Photocatalytic behavior of titanium oxide-perovskite type  $Sr(Zr_{1-x}Y_x)O_{3-\delta}$  composite particles, 243

## Visible-light response

- $H_2$  evolution from aqueous sulfite solutions under visible-light irradiation over Pb and halogen-codoped ZnS photocatalysts, 249

## Water treatment

- Kinetic investigation on UV and UV/ $H_2O_2$  degradations of pharmaceutical intermediates in aqueous solution, 121

## Zinc sulfide

- $H_2$  evolution from aqueous sulfite solutions under visible-light irradiation over Pb and halogen-codoped ZnS photocatalysts, 249