

Subject Index of Volume 158

- Ablation
Advanced materials processing based on interaction of laser beam and a medium, 171
Surface micro-fabrication of silica glass by excimer laser irradiation of organic solvent, 179
- Alloxazines
Spectroscopy and photophysics of alloxazines studied in their ground and first excited singlet states, 45
- Amplification
Molecular amplification of photochemical events, 205
- Aniline cation
Suppression of decomposition of aniline cation in intense laser fields by cluster formation with NH_3 and H_2O , 77
- Aniline–ammonia cluster cation
Suppression of decomposition of aniline cation in intense laser fields by cluster formation with NH_3 and H_2O , 77
- Aniline–water cluster cation
Suppression of decomposition of aniline cation in intense laser fields by cluster formation with NH_3 and H_2O , 77
- Azobenzene
J-aggregate formation of dyes in Langmuir–Blodgett films, 199
- Benzo and naphthopyran
Photoswitchable molecular receptors, 183
- Bilayer
Photoluminescence quenching of silicon nanoparticles in phospholipid vesicle bilayers, 111
- Camptothecin
Spectral-luminescent and solvatochromic properties of anticancer drug camptothecin, 13
- Champagne
On the origin of “Goût de Lumière” in champagne, 21
- Charge recombination
Dye-sensitized photoelectrochemical and solid-state solar cells: charge separation, transport and recombination mechanisms, 125
- Charge transfer
Fundamental processes of surface enhanced Raman scattering detected by transient reflecting grating spectroscopy, 105
- Chemically amplified resist
Design and application of high-sensitivity two-photon initiators for three-dimensional microfabrication, 163
- Coherent control
Control of photodissociation: vibrational mode selection and quantum interference, 69
- Commander–soldier concept
Molecular amplification of photochemical events, 205
- Complex formation
Photoswitchable molecular receptors, 183
- Computer simulation
Competitive electron transfers in model ionic triad systems: MD simulations, 83
- Crown-containing photochromic system
Photoswitchable molecular receptors, 183
- Crystal violet
Fundamental processes of surface enhanced Raman scattering detected by transient reflecting grating spectroscopy, 105
- Cyanine
J-aggregate formation of dyes in Langmuir–Blodgett films, 199
- Cycloaddition reaction
Photoswitchable molecular receptors, 183
- d^{10} configuration
Photocatalytic activities for water decomposition of RuO_2 -loaded AlNO_2 ($A = \text{Li}, \text{Na}$) with d^{10} configuration, 139
- Diamide
Photo-oxidation of two malonamides, extractant models for minor actinides in nuclear fuel reprocessing, 55
- Diarylethylene
Photoswitchable molecular receptors, 183
- 2,8-Dichlorodibenzo-*p*-dioxin
Photochemical conversion of triclosan to 2,8-dichlorodibenzo-*p*-dioxin in aqueous solution, 63
- Dihydroindolizine
Photoswitchable molecular receptors, 183
- Dipolar moments
Spectral-luminescent and solvatochromic properties of anticancer drug camptothecin, 13
- Direct photolysis
Photochemical conversion of triclosan to 2,8-dichlorodibenzo-*p*-dioxin in aqueous solution, 63
- Dyes
Influence of chemical structure of dyes, of pH and of inorganic salts on their photocatalytic degradation by TiO_2 comparison of the efficiency of powder and supported TiO_2 , 27
- Dye-sensitization
Dye-sensitized photoelectrochemical and solid-state solar cells: charge separation, transport and recombination mechanisms, 125
- Effective valence electron potentials
Spectroscopy and photophysics of alloxazines studied in their ground and first excited singlet states, 45
- Electrocyclic reaction
Photoswitchable molecular receptors, 183
- Electrodeless discharge lamp
The electrodeless discharge lamp: a prospective tool for photochemistry. Part 4. Temperature- and envelope material-dependent emission characteristics, 1
- Electron trapping
Dye-sensitized photoelectrochemical and solid-state solar cells: charge separation, transport and recombination mechanisms, 125
- Emission
The electrodeless discharge lamp: a prospective tool for photochemistry. Part 4. Temperature- and envelope material-dependent emission characteristics, 1
- F_2 laser
Advanced materials processing based on interaction of laser beam and a medium, 171

- Fluorescence quenching
Spectral-luminescent and solvatochromic properties of anticancer drug camptothecin, 13
- Fluorescent sensors
A copolymer of 4-*N,N*-dimethylaminoethylene-*N*-allyl-1,8-naphthalimide with methylmethacrylate as a selective fluorescent chemosensor in homogeneous systems for metal cations, 37
- Fulgide
Photoswitchable molecular receptors, 183
- Fullerenes
Dynamics and spectroscopy of single C₆₀ molecules adsorbed on Au(111) at the liquid–solid interface, 101
- Fused silica
Advanced materials processing based on interaction of laser beam and a medium, 171
- Gain-narrowing
Gain-narrowing characteristics of fluorescent organic molecules with symmetrical or asymmetrical structures in a neat thin-film optical waveguide, 219
- Goût de Lumiere
On the origin of “Goût de Lumiere” in champagne, 21
- Ground states
Spectroscopy and photophysics of alloxazines studied in their ground and first excited singlet states, 45
- Hard material
Advanced materials processing based on interaction of laser beam and a medium, 171
- Hybrid laser processing
Advanced materials processing based on interaction of laser beam and a medium, 171
- Hydrogen bond
Control of photodissociation: vibrational mode selection and quantum interference, 69
- Intense laser fields
Suppression of decomposition of aniline cation in intense laser fields by cluster formation with NH₃ and H₂O, 77
- Ions
Influence of chemical structure of dyes, of pH and of inorganic salts on their photocatalytic degradation by TiO₂ comparison of the efficiency of powder and supported TiO₂, 27
- J-aggregate
J-aggregate formation of dyes in Langmuir–Blodgett films, 199
- Laser-induced plasma
Advanced materials processing based on interaction of laser beam and a medium, 171
- LB films
J-aggregate formation of dyes in Langmuir–Blodgett films, 199
- Light enhancement
Photoresponsive organic electroluminescent devices, 215
- Light up-conversion
Photoresponsive organic electroluminescent devices, 215
- Liquid–solid interface
Dynamics and spectroscopy of single C₆₀ molecules adsorbed on Au(111) at the liquid–solid interface, 101
- Malonamide
Photo-oxidation of two malonamides, extractant models for minor actinides in nuclear fuel reprocessing, 55
- Merocyanine
J-aggregate formation of dyes in Langmuir–Blodgett films, 199
- Micro-electromechanical structures (MEMS)
Design and application of high-sensitivity two-photon initiators for three-dimensional microfabrication, 163
- Microfluidics
Design and application of high-sensitivity two-photon initiators for three-dimensional microfabrication, 163
- Micromachining
Advanced materials processing based on interaction of laser beam and a medium, 171
- Microwave
The electrodeless discharge lamp: a prospective tool for photochemistry. Part 4. Temperature- and envelope material-dependent emission characteristics, 1
- Mode selective photo-dissociation
Control of photodissociation: vibrational mode selection and quantum interference, 69
- Molecular compounds
Molecular control of photo-induced electron and energy transfer at nanocrystalline semiconductor interfaces, 119
- Molecular dynamics
Competitive electron transfers in model ionic triad systems: MD simulations, 83
- Multiwavelength excitation
Advanced materials processing based on interaction of laser beam and a medium, 171
- Nanocrystalline films
Dye-sensitized photoelectrochemical and solid-state solar cells: charge separation, transport and recombination mechanisms, 125
- Nanocrystalline semiconductor interfaces
Molecular control of photo-induced electron and energy transfer at nanocrystalline semiconductor interfaces, 119
- Nanoparticles
Dye-sensitized photoelectrochemical and solid-state solar cells: charge separation, transport and recombination mechanisms, 125
- 1,8-Naphthalimides
A copolymer of 4-*N,N*-dimethylaminoethylene-*N*-allyl-1,8-naphthalimide with methylmethacrylate as a selective fluorescent chemosensor in homogeneous systems for metal cations, 37
- Natural water
Photochemical conversion of triclosan to 2,8-dichlorodibenzo-*p*-dioxin in aqueous solution, 63
- ns-Pulsed UV laser
Surface micro-fabrication of silica glass by excimer laser irradiation of organic solvent, 179
- Optical micro-electromechanical systems (OMEMS)
Design and application of high-sensitivity two-photon initiators for three-dimensional microfabrication, 163
- Optical switch
Photoresponsive organic electroluminescent devices, 215
- Optical waveguide
Gain-narrowing characteristics of fluorescent organic molecules with symmetrical or asymmetrical structures in a neat thin-film optical waveguide, 219
- Organic electroluminescent device
Photoresponsive organic electroluminescent devices, 215
- Organic lasers
Gain-narrowing characteristics of fluorescent organic molecules with symmetrical or asymmetrical structures in a neat thin-film optical waveguide, 219
- Organic light-emitting diodes
Gain-narrowing characteristics of fluorescent organic molecules with symmetrical or asymmetrical structures in a neat thin-film optical waveguide, 219
- Organic photoconductor
Photoresponsive organic electroluminescent devices, 215
- Organic–inorganic interface
Dynamics and spectroscopy of single C₆₀ molecules adsorbed on Au(111) at the liquid–solid interface, 101

- Oxidation
Photo-oxidation of two malonamides, extractant models for minor actinides in nuclear fuel reprocessing, 55
- p-Block alkaline metal indates
Photocatalytic activities for water decomposition of RuO₂-loaded AlInO₂ (A = Li, Na) with d¹⁰ configuration, 139
- pH
Influence of chemical structure of dyes, of pH and of inorganic salts on their photocatalytic degradation by TiO₂ comparison of the efficiency of powder and supported TiO₂, 27
- Photoacid generator
Design and application of high-sensitivity two-photon initiators for three-dimensional microfabrication, 163
- Photocatalysis
Influence of chemical structure of dyes, of pH and of inorganic salts on their photocatalytic degradation by TiO₂ comparison of the efficiency of powder and supported TiO₂, 27
- Photocatalyst
Photocatalytic activities for water decomposition of RuO₂-loaded AlInO₂ (A = Li, Na) with d¹⁰ configuration, 139
Direct water splitting into H₂ and O₂ under visible light irradiation with a new series of mixed oxide semiconductor photocatalysts, 145
- Photochemical cyclization
Photochemical conversion of triclosan to 2,8-dichlorodibenzo-*p*-dioxin in aqueous solution, 63
- Photochemical events
Molecular amplification of photochemical events, 205
- Photochemistry
The electrodeless discharge lamp: a prospective tool for photochemistry. Part 4. Temperature- and envelope material-dependent emission characteristics, 1
- Photocyclization
Photochemical cyclization reaction in *cis*-tetramethoxystilbene, 7
- Photodegradation
Photo-oxidation of two malonamides, extractant models for minor actinides in nuclear fuel reprocessing, 55
- Photo-dissociation
Control of photodissociation: vibrational mode selection and quantum interference, 69
- Photoelectrochemical cells
Dye-sensitized photoelectrochemical and solid-state solar cells: charge separation, transport and recombination mechanisms, 125
- Photoinduced electron transfer
A copolymer of 4-*N,N*-dimethylaminoethylene-*N*-allyl-1,8-naphthalimide with methylmethacrylate as a selective fluorescent chemosensor in homogeneous systems for metal cations, 37
Competitive electron transfers in model ionic triad systems: MD simulations, 83
- Photoisomerization
Photochemical cyclization reaction in *cis*-tetramethoxystilbene, 7
- Photophysics
Spectroscopy and photophysics of alloxazines studied in their ground and first excited singlet states, 45
- Photosensitizers
Molecular design of ruthenium(II) polypyridyl photosensitizers for efficient nanocrystalline TiO₂ solar cells, 131
- Poly(methylmethacrylate)
A copolymer of 4-*N,N*-dimethylaminoethylene-*N*-allyl-1,8-naphthalimide with methylmethacrylate as a selective fluorescent chemosensor in homogeneous systems for metal cations, 37
- Polypyridine ligands
Molecular design of ruthenium(II) polypyridyl photosensitizers for efficient nanocrystalline TiO₂ solar cells, 131
- Positive-tone resist
Design and application of high-sensitivity two-photon initiators for three-dimensional microfabrication, 163
- Precision microfabrication
Advanced materials processing based on interaction of laser beam and a medium, 171
- Quantum dot
Photoluminescence quenching of silicon nanoparticles in phospholipid vesicle bilayers, 111
- Quenching
Photoluminescence quenching of silicon nanoparticles in phospholipid vesicle bilayers, 111
- Ruthenium(II) complexes
Molecular design of ruthenium(II) polypyridyl photosensitizers for efficient nanocrystalline TiO₂ solar cells, 131
- Self-assembly
Dynamics and spectroscopy of single C₆₀ molecules adsorbed on Au(1 1 1) at the liquid–solid interface, 101
- Shock wave
Surface micro-fabrication of silica glass by excimer laser irradiation of organic solvent, 179
- Silica glass
Surface micro-fabrication of silica glass by excimer laser irradiation of organic solvent, 179
- Silicon nanoparticle
Photoluminescence quenching of silicon nanoparticles in phospholipid vesicle bilayers, 111
- Solar cells
Molecular design of ruthenium(II) polypyridyl photosensitizers for efficient nanocrystalline TiO₂ solar cells, 131
- Solar energy
Influence of chemical structure of dyes, of pH and of inorganic salts on their photocatalytic degradation by TiO₂ comparison of the efficiency of powder and supported TiO₂, 27
- Solid phase microextraction
On the origin of “Goût de Lumiere” in champagne, 21
- Solvatochromism
Spectral-luminescent and solvatochromic properties of anticancer drug camptothecin, 13
- Spectra
The electrodeless discharge lamp: a prospective tool for photochemistry. Part 4. Temperature- and envelope material-dependent emission characteristics, 1
- Spirooxazine
Photoswitchable molecular receptors, 183
- Spiropyran
Photoswitchable molecular receptors, 183
- Stilbenes
Photochemical cyclization reaction in *cis*-tetramethoxystilbene, 7
- Styrylbenzene derivatives
Gain-narrowing characteristics of fluorescent organic molecules with symmetrical or asymmetrical structures in a neat thin-film optical waveguide, 219
- Supported TiO₂
Influence of chemical structure of dyes, of pH and of inorganic salts on their photocatalytic degradation by TiO₂ comparison of the efficiency of powder and supported TiO₂, 27
- Suppression of decomposition
Suppression of decomposition of aniline cation in intense laser fields by cluster formation with NH₃ and H₂O, 77
- Supramolecular compounds
Molecular control of photo-induced electron and energy transfer at nanocrystalline semiconductor interfaces, 119
- Surface enhanced Raman scattering
Fundamental processes of surface enhanced Raman scattering detected by transient reflecting grating spectroscopy, 105

- Tandem mass spectrometer
Suppression of decomposition of aniline cation in intense laser fields by cluster formation with NH_3 and H_2O , 77
- Three-dimensional lithographic microfabrication
Design and application of high-sensitivity two-photon initiators for three-dimensional microfabrication, 163
- Tin(IV) oxide
Dye-sensitized photoelectrochemical and solid-state solar cells: charge separation, transport and recombination mechanisms, 125
- Titanyl phthalocyanine
Photoresponsive organic electroluminescent devices, 215
- Toluene
Surface micro-fabrication of silica glass by excimer laser irradiation of organic solvent, 179
- Transient reflecting grating spectroscopy
Fundamental processes of surface enhanced Raman scattering detected by transient reflecting grating spectroscopy, 105
- Triad system
Competitive electron transfers in model ionic triad systems: MD simulations, 83
- Triclosan
Photochemical conversion of triclosan to 2,8-dichlorodibenzo-*p*-dioxin in aqueous solution, 63
- Two-photon absorption
Design and application of high-sensitivity two-photon initiators for three-dimensional microfabrication, 163
- Ultrafast
Fundamental processes of surface enhanced Raman scattering detected by transient reflecting grating spectroscopy, 105
- Vapor-deposited gold film
Fundamental processes of surface enhanced Raman scattering detected by transient reflecting grating spectroscopy, 105
- Vesicle
Photoluminescence quenching of silicon nanoparticles in phospholipid vesicle bilayers, 111
- Visible light irradiation
Direct water splitting into H_2 and O_2 under visible light irradiation with a new series of mixed oxide semiconductor photocatalysts, 145
- VUV laser
Advanced materials processing based on interaction of laser beam and a medium, 171
- Water decomposition
Photocatalytic activities for water decomposition of RuO_2 -loaded AlInO_2 ($A = \text{Li}, \text{Na}$) with d^{10} configuration, 139
- Water splitting
Direct water splitting into H_2 and O_2 under visible light irradiation with a new series of mixed oxide semiconductor photocatalysts, 145