

Subject Index of Volume 161

- Acid–base equilibrium constants
Effect of medium relaxation on the acidity constants of electronically excited states obtained by the Förster cycle method, 21
- Acoustic wave impedance analysis
Photocatalytic inhibitory effect of immobilized TiO₂ semiconductor on the growth of *Escherichia coli* studied by acoustic wave impedance analysis, 193
- Ag deposition
Antibacterial textiles prepared by RF-plasma and vacuum-UV mediated deposition of silver, 27
- Agrochemicals
Environmental remediation by an integrated microwave/UV illumination technique. VI. A simple modified domestic microwave oven integrating an electrodeless UV-Vis lamp to photodegrade environmental pollutants in aqueous media, 221
- Air purification
Combination effect of activated carbon with TiO₂ for the photodegradation of binary pollutants at typical indoor air level, 131
- Alkaline earth metal ions
Photoluminescent properties of Rhodamine 6G in the nanoaggregates of poly(ethylene oxide)-*b*-polymethacrylate in aqueous solutions, 125
- Amino acids
Excited state properties of Ir^{III}(phpy)₂(naphthylalaninate) with phpyH = 2-phenylpyridine. Energy transfer and luminescence, 95
- Amperometric detection
Photo electrochemical study of ferrioxalate actinometry at a glassy carbon electrode, 151
- Anesthetics
Photoluminescent properties of Rhodamine 6G in the nanoaggregates of poly(ethylene oxide)-*b*-polymethacrylate in aqueous solutions, 125
- Anthocyanin
Modulation of color changing paths for flavylum salts by solvent and concentration, 111
- 9,10-Anthraquinone-2-sulfonate
Steady-state and laser flash photolysis studies on the oxidative splitting of cyclobutane thymine dimer by triplet 9,10-anthraquinone-2-sulfonate, 99
- Antibacterial textiles
Antibacterial textiles prepared by RF-plasma and vacuum-UV mediated deposition of silver, 27
- Azo dyes
Oxidation of commercial reactive azo dye aqueous solutions by the photo-Fenton and Fenton-like processes, 87
- Barium ion
Intramolecular exciplex formation and complexing behavior of 1-(2-naphthalenecarboxy)-*n*-(*p*-substituted benzenecarboxy)oxaalkanes as fluorescent chemosensors for calcium and barium ions, 141
- Biological testing
Antibacterial textiles prepared by RF-plasma and vacuum-UV mediated deposition of silver, 27
- Biradicals
Photo- and chemically-produced phylloquinone biradicals: EPR and ENDOR study, 255
- bis-Spiro photochromic compounds
Synthesis of functionalized spiroopyran and spirooxazine derivatives and their photochromic properties, 201
- 6-Bromo-2-naphthol
Room-temperature phosphorescence of 6-bromo-2-naphthol in poly(vinyl alcohol) films containing cyclodextrins, 61
- BTEX
Combination effect of activated carbon with TiO₂ for the photodegradation of binary pollutants at typical indoor air level, 131
- Cadmium sulfide
Influences of proton-dissociation equilibrium of capping agents on the photo-chemical events of the colloidal solutions containing the thiol-capped cadmium sulfide particles, 227
- Calcium ion
Intramolecular exciplex formation and complexing behavior of 1-(2-naphthalenecarboxy)-*n*-(*p*-substituted benzenecarboxy)oxaalkanes as fluorescent chemosensors for calcium and barium ions, 141
- Carbene
Photolysis of *m*-phenylene-bis(chlorodiazirine)+2-vinylpyridine: does an indolizine chromophore inhibit the photolysis of a diazirine?, 43
- Cetyltrimethylammonium chloride
Photoluminescent properties of Rhodamine 6G in the nanoaggregates of poly(ethylene oxide)-*b*-polymethacrylate in aqueous solutions, 125
- Charge transfer character
Modulation of color changing paths for flavylum salts by solvent and concentration, 111
- Chiral isomers
 β -Ionone cyclodextrins inclusion complexes. ¹H NMR study and photolysis, 261
- Chloride ion
Photoelectrocatalytic degradation of quinoline with a novel three-dimensional electrode-packed bed photocatalytic reactor, 233
- Co compound
Novel Co complex with high transformation temperature of valence tautomerism, 243
- Color change of flavylums in solution
Modulation of color changing paths for flavylum salts by solvent and concentration, 111
- Complex formation
Spectral properties and complex formation with Cu²⁺ ions of 2- and 4-(*N*-arylimino)-quinolines, 247
- Configurational isomer
Photoisomerization of octyl methoxycinnamate, 269
- Counter ion
Photoluminescent properties of Rhodamine 6G in the nanoaggregates of poly(ethylene oxide)-*b*-polymethacrylate in aqueous solutions, 125
- Cyclodextrin
 β -Ionone cyclodextrins inclusion complexes. ¹H NMR study and photolysis, 261
Room-temperature phosphorescence of 6-bromo-2-naphthol in poly(vinyl alcohol) films containing cyclodextrins, 61

- Decolourization
Oxidation of commercial reactive azo dye aqueous solutions by the photo-Fenton and Fenton-like processes, 87
- Decomposition of ozone
Photocatalytic performance of Pt-loaded TiO₂ in the decomposition of gaseous ozone, 155
- Diazirine
Photolysis of *m*-phenylene-bis(chlorodiazirine)+2-vinylpyridine: does an indolizine chromophore inhibit the photolysis of a diazirine?, 43
- 2,4-Dichlorophenoxyacetic acid
Environmental remediation by an integrated microwave/UV illumination technique. VI. A simple modified domestic microwave oven integrating an electrodeless UV-Vis lamp to photodegrade environmental pollutants in aqueous media, 221
- Dimerization and aggregation
Modulation of color changing paths for flavylum salts by solvent and concentration, 111
- Dimethyl phthalate (DMP)
Photochemical degradation of dimethyl phthalate by Fenton reagent, 215
- Dimethylthymine dimer
Steady-state and laser flash photolysis studies on the oxidative splitting of cyclobutane thymine dimer by triplet 9,10-anthraquinone-2-sulfonate, 99
- Direct sampling mass spectrometer
Study on the gas-phase photolytic and photocatalytic oxidation of trichloroethylene, 51
- Dye-sensitized
Photovoltaic characteristics of dye-sensitized surface-modified nanocrystalline SnO₂ solar cells, 105
- Electrolysis
A study on characteristics of an electrolytic-photocatalytic reactor using an anode coated with TiO₂, 11
- Electron D/A
Electron-transfer absorption of sterically bulky donor-acceptor pairs: electron donor-acceptor complexes or random pairs?, 1
- Electron nuclear double resonance
Photo- and chemically-produced phylloquinone biradicals: EPR and ENDOR study, 255
- Electron paramagnetic resonance
Photo- and chemically-produced phylloquinone biradicals: EPR and ENDOR study, 255
- Electron transfer
Photo- and chemically-produced phylloquinone biradicals: EPR and ENDOR study, 255
- Electron transfer absorption
Electron-transfer absorption of sterically bulky donor-acceptor pairs: electron donor-acceptor complexes or random pairs?, 1
- Electron-hole
A study on characteristics of an electrolytic-photocatalytic reactor using an anode coated with TiO₂, 11
- Electronic spectra
Excited state properties of Ir^{III}(ppy)₂(naphthylalaninate) with pppyH = 2-phenylpyridine. Energy transfer and luminescence, 95
- Energy transfer
Photolysis of *m*-phenylene-bis(chlorodiazirine)+2-vinylpyridine: does an indolizine chromophore inhibit the photolysis of a diazirine?, 43
- Exciplex
Intramolecular exciplex formation and complexing behavior of 1-(2-naphthalenecarboxy)-*n*-(*p*-substituted benzenecarboxy)oxaalkanes as fluorescent chemosensors for calcium and barium ions, 141
- Excited-state dipole moments
Effect of medium relaxation on the acidity constants of electronically excited states obtained by the Förster cycle method, 21
- Fatigue resistance
Synthesis of functionalized spiropyran and spirooxazine derivatives and their photochromic properties, 201
- Fe(II)
Photochemical degradation of dimethyl phthalate by Fenton reagent, 215
- Fenton reagent
Photochemical degradation of dimethyl phthalate by Fenton reagent, 215
- Fluorescence
Cation binding characteristics of tetrandrine studied by UV-Vis absorption and fluorescence spectroscopies, 79
- Fluorescence quenching
Spectral properties and complex formation with Cu²⁺ ions of 2- and 4-(*N*-arylimino)-quinolines, 247
- Fluorescent chemosensors
Intramolecular exciplex formation and complexing behavior of 1-(2-naphthalenecarboxy)-*n*-(*p*-substituted benzenecarboxy)oxaalkanes as fluorescent chemosensors for calcium and barium ions, 141
- Förster cycle
Effect of medium relaxation on the acidity constants of electronically excited states obtained by the Förster cycle method, 21
- Franck-Condon effect
Effect of medium relaxation on the acidity constants of electronically excited states obtained by the Förster cycle method, 21
- Growth process
Photocatalytic inhibitory effect of immobilized TiO₂ semiconductor on the growth of *Escherichia coli* studied by acoustic wave impedance analysis, 193
- H₂O₂
Photochemical degradation of dimethyl phthalate by Fenton reagent, 215
- Hole transfer
Picosecond electron transfer dynamics in polymer systems in solutions: cellulose tris(9-ethylcarbazoyl-3-carbamate) and amylose tris(9-ethylcarbazoyl-3-carbamate), 35
- Hole trapping
Picosecond electron transfer dynamics in polymer systems in solutions: cellulose tris(9-ethylcarbazoyl-3-carbamate) and amylose tris(9-ethylcarbazoyl-3-carbamate), 35
- Hydrogen atom transfer
Photophysical properties of 5-hydroxyflavone, 163
- 5-Hydroxyflavone
Photophysical properties of 5-hydroxyflavone, 163
- Hydroxyl radical
Photochemical degradation of dimethyl phthalate by Fenton reagent, 215
- Hydroxypropyl-cyclodextrin
β-Ionone cyclodextrins inclusion complexes. ¹H NMR study and photolysis, 261
- Illumination intensity
Photo electrochemical study of ferrioxalate actinometry at a glassy carbon electrode, 151
- Impedance response model
Photocatalytic inhibitory effect of immobilized TiO₂ semiconductor on the growth of *Escherichia coli* studied by acoustic wave impedance analysis, 193
- Inclusion complex
β-Ionone cyclodextrins inclusion complexes. ¹H NMR study and photolysis, 261
- Indolizine
Photolysis of *m*-phenylene-bis(chlorodiazirine)+2-vinylpyridine: does an indolizine chromophore inhibit the photolysis of a diazirine?, 43

- Intramolecular hydrogen bond
Photophysical properties of 5-hydroxyflavone, 163
- Intramolecular hydrogen bonding
Inter- and intramolecular hydrogen bond in methyl 2-hydroxy-9H-1-carbazole carboxylate: effect of solvents and acid concentration, 169
- Ionic recognition
Cation binding characteristics of tetrandrine studied by UV-Vis absorption and fluorescence spectroscopies, 79
- β -ionone
 β -Ionone cyclodextrins inclusion complexes. ^1H NMR study and photolysis, 261
- Iridium complexes
Excited state properties of $\text{Ir}^{\text{III}}(\text{phpy})_2(\text{naphthylalaninate})$ with $\text{phpyH} = 2$ -phenylpyridine. Energy transfer and luminescence, 95
- Laser flash photolysis
Steady-state and laser flash photolysis studies on the oxidative splitting of cyclobutane thymine dimer by triplet 9,10-anthraquinone-2-sulfonate, 99
- Liquid phase actinometry
Photo electrochemical study of ferrioxalate actinometry at a glassy carbon electrode, 151
- Lowest excited singlet state
Effect of medium relaxation on the acidity constants of electronically excited states obtained by the Förster cycle method, 21
- Luminescence
Excited state properties of $\text{Ir}^{\text{III}}(\text{phpy})_2(\text{naphthylalaninate})$ with $\text{phpyH} = 2$ -phenylpyridine. Energy transfer and luminescence, 95
- Mercaptoacetate-capped CdS
Influences of proton-dissociation equilibrium of capping agents on the photo-chemical events of the colloidal solutions containing the thiol-capped cadmium sulfide particles, 227
- Metal ion recognition
Intramolecular exciplex formation and complexing behavior of 1-(2-naphthalenecarboxy)-*n*-(*p*-substituted benzenecarboxy)oxaalkanes as fluorescent chemosensors for calcium and barium ions, 141
- Metal-cations
Photobleaching and mineralization of Orange II by oxone and metal ions involving Fenton-like chemistry under visible light, 185
- Methyl 2-hydroxy-9H-1-carbazole carboxylate (MPCC)
Inter- and intramolecular hydrogen bond in methyl 2-hydroxy-9H-1-carbazole carboxylate: effect of solvents and acid concentration, 169
- Microwave
Environmental remediation by an integrated microwave/UV illumination technique. VI. A simple modified domestic microwave oven integrating an electrodeless UV-Vis lamp to photodegrade environmental pollutants in aqueous media, 221
- Microwave plasma
Environmental remediation by an integrated microwave/UV illumination technique. VI. A simple modified domestic microwave oven integrating an electrodeless UV-Vis lamp to photodegrade environmental pollutants in aqueous media, 221
- Molar absorptivity
Photoisomerization of octyl methoxycinnamate, 269
- Nanoaggregate
Photoluminescent properties of Rhodamine 6G in the nanoaggregates of poly(ethylene oxide)-*b*-polymethacrylate in aqueous solutions, 125
- Nanocrystalline
Photovoltaic characteristics of dye-sensitized surface-modified nanocrystalline SnO_2 solar cells, 105
- Naphthalene
Intramolecular exciplex formation and complexing behavior of 1-(2-naphthalenecarboxy)-*n*-(*p*-substituted benzenecarboxy)oxaalkanes as fluorescent chemosensors for calcium and barium ions, 141
- NO
Combination effect of activated carbon with TiO_2 for the photodegradation of binary pollutants at typical indoor air level, 131
- Octyl methoxycinnamate
Photoisomerization of octyl methoxycinnamate, 269
- Onsager cavity model
Effect of medium relaxation on the acidity constants of electronically excited states obtained by the Förster cycle method, 21
- Orange II mineralization
Photobleaching and mineralization of Orange II by oxone and metal ions involving Fenton-like chemistry under visible light, 185
- Orange II photobleaching
Photobleaching and mineralization of Orange II by oxone and metal ions involving Fenton-like chemistry under visible light, 185
- Oxidative splitting
Steady-state and laser flash photolysis studies on the oxidative splitting of cyclobutane thymine dimer by triplet 9,10-anthraquinone-2-sulfonate, 99
- Oxone
Photobleaching and mineralization of Orange II by oxone and metal ions involving Fenton-like chemistry under visible light, 185
- Packed bed reactor
Photoelectrocatalytic degradation of quinoline with a novel three-dimensional electrode-packed bed photocatalytic reactor, 233
- Peroxymonosulfate
Photobleaching and mineralization of Orange II by oxone and metal ions involving Fenton-like chemistry under visible light, 185
- Phosphonate
Isotope studies of photocatalysis. TiO_2 -mediated degradation of dimethyl phenylphosphonate, 69
- Photo electrochemical
Photo electrochemical study of ferrioxalate actinometry at a glassy carbon electrode, 151
- Photocatalysis
Study on the gas-phase photolytic and photocatalytic oxidation of trichloroethylene, 51
Combination effect of activated carbon with TiO_2 for the photodegradation of binary pollutants at typical indoor air level, 131
Photobleaching and mineralization of Orange II by oxone and metal ions involving Fenton-like chemistry under visible light, 185
- Photocatalytic
A study on characteristics of an electrolytic-photocatalytic reactor using an anode coated with TiO_2 , 11
- Photocatalytic degradation
Isotope studies of photocatalysis. TiO_2 -mediated degradation of dimethyl phenylphosphonate, 69
- Photocatalytic enhancement
Photoelectrocatalytic degradation of quinoline with a novel three-dimensional electrode-packed bed photocatalytic reactor, 233
- Photocatalytic inhibition
Photocatalytic inhibitory effect of immobilized TiO_2 semiconductor on the growth of *Escherichia coli* studied by acoustic wave impedance analysis, 193
- Photocatalytic reaction
Photocatalytic performance of Pt-loaded TiO_2 in the decomposition of gaseous ozone, 155
- Photochromism
Synthesis of functionalized spiropyran and spirooxazine derivatives and their photochromic properties, 201
- Photo-degradation
Photochemical degradation of dimethyl phthalate by Fenton reagent, 215
- Photodegradation
Environmental remediation by an integrated microwave/UV illumination technique. VI. A simple modified domestic microwave oven

- integrating an electrodeless UV-Vis lamp to photodegrade environmental pollutants in aqueous media, 221
- Photodeposition
Transmittance change of the TiO₂ thin film by photoreductive deposition of Cu(II), 57
- Photoelectrocatalytic
Photoelectrocatalytic degradation of quinoline with a novel three-dimensional electrode-packed bed photocatalytic reactor, 233
- Photo-Fenton
Oxidation of commercial reactive azo dye aqueous solutions by the photo-Fenton and Fenton-like processes, 87
- Photoinduced charge separation
Quasi-solid medium for photoinduced charge separation, 119
- Photoinduced electron transfer
Picosecond electron transfer dynamics in polymer systems in solutions: cellulose tris(9-ethylcarbazoyl-3-carbamate) and amylose tris(9-ethylcarbazoyl-3-carbamate), 35
Novel Co complex with high transformation temperature of valence tautomerism, 243
- Photoinduced hydrogen production
Quasi-solid medium for photoinduced charge separation, 119
- Photoisomerization
 β -Ionone cyclodextrins inclusion complexes. ¹H NMR study and photolysis, 261
- Photolysis
Photolysis of *m*-phenylene-bis(chlorodiazirine)+2-vinylpyridine: does an indolizine chromophore inhibit the photolysis of a diazirine?, 43
Study on the gas-phase photolytic and photocatalytic oxidation of trichloroethylene, 51
Photo electrochemical study of ferrioxalate actinometry at a glassy carbon electrode, 151
- Photo-stability
Influences of proton-dissociation equilibrium of capping agents on the photo-chemical events of the colloidal solutions containing the thiol-capped cadmium sulfide particles, 227
- Phylloquinone
Photo- and chemically-produced phylloquinone biradicals: EPR and ENDOR study, 255
- Picosecond laser photolysis
Picosecond electron transfer dynamics in polymer systems in solutions: cellulose tris(9-ethylcarbazoyl-3-carbamate) and amylose tris(9-ethylcarbazoyl-3-carbamate), 35
- Poly(ethylene oxide)-*b*-polymethacrylate
Photoluminescent properties of Rhodamine 6G in the nanoaggregates of poly(ethylene oxide)-*b*-polymethacrylate in aqueous solutions, 125
- Poly(vinyl alcohol) film
Room-temperature phosphorescence of 6-bromo-2-naphthol in poly(vinyl alcohol) films containing cyclodextrins, 61
- Poly-L-lysine
Photoluminescent properties of Rhodamine 6G in the nanoaggregates of poly(ethylene oxide)-*b*-polymethacrylate in aqueous solutions, 125
- Polypyridine ruthenium complex
Quasi-solid medium for photoinduced charge separation, 119
- Polysaccharide
Quasi-solid medium for photoinduced charge separation, 119
- Proton transfer
Photophysical properties of 5-hydroxyflavone, 163
- Proton-dissociation equilibrium
Influences of proton-dissociation equilibrium of capping agents on the photo-chemical events of the colloidal solutions containing the thiol-capped cadmium sulfide particles, 227
- Pt/TiO₂
Photocatalytic performance of Pt-loaded TiO₂ in the decomposition of gaseous ozone, 155
- α -pyran
 β -Ionone cyclodextrins inclusion complexes. ¹H NMR study and photolysis, 261
- Quasi-solid medium
Quasi-solid medium for photoinduced charge separation, 119
- Quinoline
Photoelectrocatalytic degradation of quinoline with a novel three-dimensional electrode-packed bed photocatalytic reactor, 233
- Radical cation
Steady-state and laser flash photolysis studies on the oxidative splitting of cyclobutane thymine dimer by triplet 9,10-anthraquinone-2-sulfonate, 99
- Random pair
Electron-transfer absorption of sterically bulky donor-acceptor pairs: electron donor-acceptor complexes or random pairs?, 1
- Recombination
A study on characteristics of an electrolytic-photocatalytic reactor using an anode coated with TiO₂, 11
- Retro- γ -ionone
 β -Ionone cyclodextrins inclusion complexes. ¹H NMR study and photolysis, 261
- RF-plasma
Antibacterial textiles prepared by RF-plasma and vacuum-UV mediated deposition of silver, 27
- Rhodamine 6G
Photoluminescent properties of Rhodamine 6G in the nanoaggregates of poly(ethylene oxide)-*b*-polymethacrylate in aqueous solutions, 125
- Room-temperature phosphorescence
Room-temperature phosphorescence of 6-bromo-2-naphthol in poly(vinyl alcohol) films containing cyclodextrins, 61
- Singlet state
Inter- and intramolecular hydrogen bond in methyl 2-hydroxy-9H-1-carbazole carboxylate: effect of solvents and acid concentration, 169
- Size of Ag-clusters
Antibacterial textiles prepared by RF-plasma and vacuum-UV mediated deposition of silver, 27
- SO₂
Combination effect of activated carbon with TiO₂ for the photodegradation of binary pollutants at typical indoor air level, 131
- Solar light
Oxidation of commercial reactive azo dye aqueous solutions by the photo-Fenton and Fenton-like processes, 87
- Sol-gel method
Transmittance change of the TiO₂ thin film by photoreductive deposition of Cu(II), 57
- Solvent effect
Modulation of color changing paths for flavylum salts by solvent and concentration, 111
- Spectral-fluorescence properties
Spectral properties and complex formation with Cu²⁺ ions of 2- and 4-(*N*-arylimino)-quinolines, 247
- Spirooxazine
Synthesis of functionalized spiroopyran and spirooxazine derivatives and their photochromic properties, 201
- Spiropyran
Synthesis of functionalized spiroopyran and spirooxazine derivatives and their photochromic properties, 201
- Stokes shifts
Effect of medium relaxation on the acidity constants of electronically excited states obtained by the Förster cycle method, 21
- Subpicosecond spectroscopy
Influences of proton-dissociation equilibrium of capping agents on the photo-chemical events of the colloidal solutions containing the thiol-capped cadmium sulfide particles, 227
- Sunscreen
Photoisomerization of octyl methoxycinnamate, 269

- Surface modification
Photovoltaic characteristics of dye-sensitized surface-modified nanocrystalline SnO₂ solar cells, 105
- Synergetic effect
Photoelectrocatalytic degradation of quinoline with a novel three-dimensional electrode-packed bed photocatalytic reactor, 233
- Tetracyanoethene
Electron-transfer absorption of sterically bulky donor–acceptor pairs: electron donor–acceptor complexes or random pairs?, 1
- Tetrandrine
Cation binding characteristics of tetrandrine studied by UV-Vis absorption and fluorescence spectroscopies, 79
- Thickness effect
Photovoltaic characteristics of dye-sensitized surface-modified nanocrystalline SnO₂ solar cells, 105
- Thioglycerol-capped CdS
Influences of proton-dissociation equilibrium of capping agents on the photo-chemical events of the colloidal solutions containing the thiol-capped cadmium sulfide particles, 227
- Three types of flavylum salts
Modulation of color changing paths for flavylum salts by solvent and concentration, 111
- Tin oxide
Photovoltaic characteristics of dye-sensitized surface-modified nanocrystalline SnO₂ solar cells, 105
- TiO₂
A study on characteristics of an electrolytic–photocatalytic reactor using an anode coated with TiO₂, 11
- TiO₂ photocatalyst
Photocatalytic inhibitory effect of immobilized TiO₂ semiconductor on the growth of *Escherichia coli* studied by acoustic wave impedance analysis, 193
- Titanium dioxide
Transmittance change of the TiO₂ thin film by photoreductive deposition of Cu(II), 57
Isotope studies of photocatalysis. TiO₂-mediated degradation of dimethyl phenylphosphonate, 69
Environmental remediation by an integrated microwave/UV illumination technique. VI. A simple modified domestic microwave oven integrating an electrodeless UV-Vis lamp to photodegrade environmental pollutants in aqueous media, 221
- Transient absorption
Picosecond electron transfer dynamics in polymer systems in solutions: cellulose tris(9-ethylcarbazoyl-3-carbamate) and amylose tris(9-ethylcarbazoyl-3-carbamate), 35
Photophysical properties of 5-hydroxyflavone, 163
- Trichloroethylene
Study on the gas-phase photolytic and photocatalytic oxidation of trichloroethylene, 51
- Triplet state
Photophysical properties of 5-hydroxyflavone, 163
- UV
Oxidation of commercial reactive azo dye aqueous solutions by the photo-Fenton and Fenton-like processes, 87
- UV irradiation
Photocatalytic performance of Pt-loaded TiO₂ in the decomposition of gaseous ozone, 155
- UV-Vis absorption
Cation binding characteristics of tetrandrine studied by UV-Vis absorption and fluorescence spectroscopies, 79
- Vacuum-UV
Antibacterial textiles prepared by RF-plasma and vacuum-UV mediated deposition of silver, 27
- Valence tautomerism
Novel Co complex with high transformation temperature of valence tautomerism, 243
- VOCs
Combination effect of activated carbon with TiO₂ for the photodegradation of binary pollutants at typical indoor air level, 131
- XPS of Ag-clusters
Antibacterial textiles prepared by RF-plasma and vacuum-UV mediated deposition of silver, 27
- Ylide
Photolysis of *m*-phenylene-bis(chlorodiazirine)+2-vinylpyridine: does an indolizine chromophore inhibit the photolysis of a diazirine?, 43