

## Subject Index of Volume 163

- Ab initio calculations  
The photodimerisation of coumarin, 557
- Absorption  
Spectral and photophysical properties of some imidazo[1,2-*a*]purine derivatives related to acyclovir, 171
- Absorption spectroscopy  
Spectroscopic investigation of inner filter effects by phthalocyanine solutions, 113
- 1-(3-Acetoxy-2-pyridyl)-2-(pentamethyldisilanyl)ethyne  
Photoreactions of 1-(3-acetoxy or methoxycarbonylmethoxy-2-pyridyl)-2-(pentamethyldisilanyl)ethynes, 87
- Acetylation  
Investigation of the photo-oxidative chemistry of acetylated softwood lignin, 215
- Acid sites  
Photo-oxidation of 4-nitrophenol in aqueous suspensions, catalysed by titania intercalated zirconium phosphate (ZrP) and titanium phosphate (TiP), 561
- Activated carbon  
Synthesis of TiO<sub>2</sub> via hydrolysis of titanium tetraisopropoxide and its photocatalytic activity on a suspended mixture with activated carbon in the degradation of 2-naphthol, 317
- Acyclovir derivatives  
Spectral and photophysical properties of some imidazo[1,2-*a*]purine derivatives related to acyclovir, 171
- Adsorption  
True quantum yields and adsorption constants as tools for a mechanistic study of the TiO<sub>2</sub>-sensitized photooxidation of benzylic derivatives, 481
- Aerogel  
Sol–gel synthesis of titania–silica photocatalyst for cyanide photodegradation, 445
- Ag deposition  
Comparison of Ag deposition effects on the photocatalytic activity of nanoparticulate TiO<sub>2</sub> under visible and UV light irradiation, 37
- Ag loaded-TiO<sub>2</sub> and anions  
Photocatalytic degradation of a textile azo dye, Sirius Gelb GC on TiO<sub>2</sub> or Ag-TiO<sub>2</sub> particles in the absence and presence of UV irradiation: the effects of some inorganic anions on the photocatalysis, 29
- Aggregation state  
Spectroscopic investigation of inner filter effects by phthalocyanine solutions, 113
- Alq<sub>3</sub>  
Singlet oxygen quenching of tris(8-hydroxyquinoline)aluminum (Alq<sub>3</sub>) and *N,N'*-diphenyl-*N,N'*-bis(3-methylphenyl)-[1,1-biphenyl]-4,4-diamine (TPD), 439
- Amine sensor  
Photochemistry of the amine-sensor dye 4-*N,N*-dioctylamino-4'-trifluoroacetylazobenzene, 341
- Aminosquarylium cyanine dyes  
Efficiency of singlet oxygen generation of aminosquarylium cyanines, 267
- Antraquinone  
Photosensitisation with naphthoquinones and binaphthoquinones: EPR spin trapping and optical studies-formation of semiquinone radical and reactive oxygen species on photoillumination, 141
- Anti  
Photochemical syn–anti isomerization reactions in *N*<sup>4</sup>-methoxycytosines. A matrix isolation study, 489
- Antioxidants  
Dual fluorophore-nitronyl probe for investigation of superoxide dynamics and antioxidant status of biological systems, 45
- Aromatic amines  
Ultrafast photoinduced electron transfer from *N,N,N',N'*-tetramethyl-*p*-phenylenediamine and *N,N,N',N'*-tetramethylbenzidine to dichloromethane, 529
- Aromatic ketone  
Radical species derived from phenalene: characterization and role of upper excited states, 9
- Azaphthalocyanines  
Synthesis and comparison of photodynamic activity of alkylheteroatom substituted azaphthalocyanines, 21
- Azobenzene dyes  
Color changes accompanying one-electron reduction and oxidation of the azo dyes, 373
- Band damage index  
Effect of UV laser radiation with different wavelengths on the spectrum of lignin extracted from hard wood materials, 187
- Benzenesulfonate derivatives  
Kinetics of benzenesulfonates elimination by UV and UV/H<sub>2</sub>O<sub>2</sub>, 389
- Benzo[1,2-*b*:4,5-*b'*]difuran  
Synthesis of benzo[1,2-*b*:4,5-*b'*]difuran derivatives utilizing concomitant photocyclization and photo-Fries rearrangement reactions, 241
- Benzylic derivatives  
True quantum yields and adsorption constants as tools for a mechanistic study of the TiO<sub>2</sub>-sensitized photooxidation of benzylic derivatives, 481
- Binuclear ruthenium(II) complexes  
Mononuclear and binuclear ruthenium(II) heteroleptic complexes based on 1,10-phenanthroline ligands. Part I: synthesis, spectroscopic and photophysical study, 381
- Biodegradation  
Synergistic effect of combining UV-sunlight–soil burial treatment on the biodegradation rate of LDPE/starch blends, 547
- Bi<sub>2</sub>S<sub>3</sub>  
Bi<sub>2</sub>S<sub>3</sub>/TiO<sub>2</sub> and CdS/TiO<sub>2</sub> heterojunctions as an available configuration for photocatalytic degradation of organic pollutant, 569
- N,N'*-bis-(Carboxymethyl)-*N,N'*-dinitroso-1,4-phenylenediamine  
Photochemically-induced reduction and rearrangements of *N,N'*-bis-(carboxymethyl)-*N,N'*-dinitroso-1,4-phenylenediamine, 53
- Bisphenol A  
Optimization of solar photocatalytic degradation conditions of bisphenol A in water using titanium dioxide, 419
- p*-Bromoroaniline  
Photochemistry of halogenated anilines studied by time-variation of microwave dielectric absorption, 153
- C<sub>60</sub>  
Singlet oxygen quenching of tris(8-hydroxyquinoline)aluminum (Alq<sub>3</sub>) and *N,N'*-diphenyl-*N,N'*-bis(3-methylphenyl)-[1,1-biphenyl]-4,4-diamine (TPD), 439

- Calcination  
The effect of calcination on photocatalytic activity of TiO<sub>2</sub> particles: femtosecond study, 395
- Calcination atmosphere  
Effect of calcination atmosphere on TiO<sub>2</sub> photocatalysis in hydrogen production from methanol/water solution, 277
- Cationic photopolymerization  
A study of the photoactivities and thermomechanical properties of epoxy resins using novel [cyclopentadien-Fe-arene]<sup>+</sup>PF<sub>6</sub><sup>-</sup> photoinitiators, 77
- CdS  
Bi<sub>2</sub>S<sub>3</sub>/TiO<sub>2</sub> and CdS/TiO<sub>2</sub> heterojunctions as an available configuration for photocatalytic degradation of organic pollutant, 569
- Cellulose support  
Kinetic study of ketones photocatalytic oxidation in gas phase using TiO<sub>2</sub>-containing paper: effect of water vapor, 425
- Charge separation  
Comparison of Ag deposition effects on the photocatalytic activity of nanoparticulate TiO<sub>2</sub> under visible and UV light irradiation, 37
- Chemiluminescence  
Synthesis of photosensitive luminol releasing compound, luminol-*O*-2-nitrobenzylate, 149  
Chemiluminescence study of commercial type-B gelatines, 537
- p*-Chloroaniline  
Photochemistry of halogenated anilines studied by time-variation of microwave dielectric absorption, 153
- Cholesteric polymers  
Comparative study of photoorientation phenomena in photosensitive azobenzene-containing homopolymers and copolymers, 347
- Chromium doping  
H<sub>2</sub> evolution from an aqueous methanol solution on SrTiO<sub>3</sub> photocatalysts codoped with chromium and tantalum ions under visible light irradiation, 181
- Chromoreactant  
Photochemistry of the amine-sensor dye 4-*N,N*-diocetyl-amino-4'-trifluoroacetylazobenzene, 341
- Colloid  
True quantum yields and adsorption constants as tools for a mechanistic study of the TiO<sub>2</sub>-sensitized photooxidation of benzylic derivatives, 481
- Composite  
A composite sol-gel/fluoropolymer matrix for dissolved oxygen optical sensing, 193
- Composite PEO-titania-I<sup>-</sup>/I<sub>3</sub><sup>-</sup> electrolyte  
Comparative studies of substituted ruthenium(II)-pyrazoyl-pyridine complexes with classical N3 photosensitizer: the influence of -NCS dye ligands on the efficiency of solid-state nanocrystalline solar cells, 331
- CO<sub>2</sub>-reduction  
Photo-catalytic reduction of carbon dioxide to methane using TiO<sub>2</sub> as suspension in water, 503
- Coumarin  
The photodimerisation of coumarin, 557
- Cryogenic matrices  
Color changes accompanying one-electron reduction and oxidation of the azo dyes, 373
- Cyanide  
Sol-gel synthesis of titania-silica photocatalyst for cyanide photodegradation, 445
- Cyanines  
Efficiency of singlet oxygen generation of aminosquarylium cyanines, 267
- [Cyclopentadien-Fe-arene]<sup>+</sup>PF<sub>6</sub><sup>-</sup>  
A study of the photoactivities and thermomechanical properties of epoxy resins using novel [cyclopentadien-Fe-arene]<sup>+</sup>PF<sub>6</sub><sup>-</sup> photoinitiators, 77
- Degradation  
Effect of UV laser radiation with different wavelengths on the spectrum of lignin extracted from hard wood materials, 187
- Density functional theory  
Photochemical syn-anti isomerization reactions in *N*<sup>4</sup>-methoxycytosines. A matrix isolation study, 489
- Dibenzalicyclopentanone  
New fluorescent dye of dibenzalicyclopentanone series possessing increased solvatochromism and "energy gap law" regulated fluorescence quenching in polar solvents, 95
- Diode-array spectrophotometer  
Photoreduction of 2,6-dichloroquinone in aqueous solution. Use of a diode array spectrophotometer concurrently to drive and detect a photochemical reaction, 249
- Dissolved organic matter  
Trifluralin photolysis in natural waters and under the presence of isolated organic matter and nitrate ions: kinetics and photoproduct analysis, 473
- Dissolved oxygen  
A composite sol-gel/fluoropolymer matrix for dissolved oxygen optical sensing, 193
- DMPO  
Photosensitisation with naphthoquinones and binaphthoquinones: EPR spin trapping and optical studies-formation of semiquinone radical and reactive oxygen species on photoillumination, 141
- Doping mode  
Effect of doping mode on the photocatalytic activities of Mo/TiO<sub>2</sub>, 517
- Doubly *N*-confused porphyrin  
Photochemistry of doubly *N*-confused porphyrin bonded to non-conventional high oxidation state Ag(III) and Cu(III) ions, 403
- Dye pollutants  
Photodegradation of dye pollutants on silica gel supported TiO<sub>2</sub> particles under visible light irradiation, 281
- Dynamic quenching  
Quantifying ground-state complexation between Ag<sup>+</sup> and polycyclic aromatic hydrocarbons in dilute aqueous solution via fluorescence quenching, 165
- Electron scavenger  
Early stages in the TiO<sub>2</sub>-photocatalyzed degradation of simple phenolic and non-phenolic lignin model compounds, 453
- Electron transfer  
Reactivity of the photo excited forms of Hypericin, Hypocrellin A, Hypocrellin B and methylated Hypericin towards molecular oxygen. The role of charge transfer interaction, 297  
Ultrafast photoinduced electron transfer from *N,N,N',N'*-tetramethyl-*p*-phenylenediamine and *N,N,N',N'*-tetramethylbenzidine to dichloromethane, 529
- Emission spectrum  
Spectroscopic signatures of protonated perylene in concentrated sulfuric acid, 433
- Endocrine disruptor  
Optimization of solar photocatalytic degradation conditions of bisphenol A in water using titanium dioxide, 419
- Energy gap law  
New fluorescent dye of dibenzalicyclopentanone series possessing increased solvatochromism and "energy gap law" regulated fluorescence quenching in polar solvents, 95
- Energy transfer  
Spectral properties of stilbazolium merocyanines – potential sensitizers in photodynamic therapy and diagnosis. Part I. Merocyanines in model systems, 127  
Photochemistry of doubly *N*-confused porphyrin bonded to non-conventional high oxidation state Ag(III) and Cu(III) ions, 403

- Epoxy resins  
A study of the photoactivities and thermomechanical properties of epoxy resins using novel [cyclopentadien-Fe-arene]<sup>+</sup>PF<sub>6</sub><sup>-</sup> photoinitiators, 77
- Erythrosin B  
A composite sol-gel/fluoropolymer matrix for dissolved oxygen optical sensing, 193
- Ethanol  
Thin-film transmission IR spectroscopy as an in situ probe of the gas-solid interface in photocatalytic processes, 323
- ETH<sup>T</sup> 4001  
Photochemistry of the amine-sensor dye 4-*N,N*-dioctylamino-4'-trifluoroacetylazobenzene, 341
- Exciplex  
Quantifying ground-state complexation between Ag<sup>+</sup> and polycyclic aromatic hydrocarbons in dilute aqueous solution via fluorescence quenching, 165
- Fate  
Trifluralin photolysis in natural waters and under the presence of isolated organic matter and nitrate ions: kinetics and photoproduct analysis, 473
- Femtosecond diffuse reflectance spectroscopy  
The effect of calcination on photocatalytic activity of TiO<sub>2</sub> particles: femtosecond study, 395
- Fiber coating  
TiO<sub>2</sub> photocatalysts deposited on fiber substrates by liquid phase deposition, 359
- Film device  
Film device to visualize UV irradiation, 271
- Flash photolysis  
Photochemistry of the amine-sensor dye 4-*N,N*-dioctylamino-4'-trifluoroacetylazobenzene, 341
- Fluoran dye  
Film device to visualize UV irradiation, 271
- Fluorescence  
Dual fluorophore-nitronyl probe for investigation of superoxide dynamics and antioxidant status of biological systems, 45  
Photophysical properties of an extended bis-oxonol dye, 61  
Photodegradation of Nabumetone in *n*-butanol solutions, 159  
Spectral and photophysical properties of some imidazo[1,2-*a*]purine derivatives related to acyclovir, 171  
The fluorescent and photoelectric conversion properties of porphyrin-*perylene* tetracarboxylic complex, 259  
Fluorescence of substituted pyrrolyl pyridines, 463  
Effect of viscosity and temperature on some photophysical parameters of 9-phenyl-10-methoxy anthracene, 497  
Chemiluminescence study of commercial type-B gelatines, 537
- Fluorescence lifetime  
Photophysical properties of benzoannelated metal-free phthalocyanines, 231
- Fluorescence quenching  
New fluorescent dye of dibenzalcylopentanone series possessing increased solvatochromism and "energy gap law" regulated fluorescence quenching in polar solvents, 95
- Fluorescence spectroscopy  
Spectroscopic investigation of inner filter effects by phthalocyanine solutions, 113
- Fluorophore-nitronyl nitroxide  
Dual fluorophore-nitronyl probe for investigation of superoxide dynamics and antioxidant status of biological systems, 45
- Fluoropolymer  
A composite sol-gel/fluoropolymer matrix for dissolved oxygen optical sensing, 193
- Frontier orbitals control  
The photodimerisation of coumarin, 557
- FTIR spectroscopy  
Photodegradation of Nabumetone in *n*-butanol solutions, 159
- Furan derivatives  
Regio- and stereoselectivity in the Paternò-Büchi reaction on furan derivatives, 103
- Gas chromatography-mass spectrometry  
Photodegradation of Nabumetone in *n*-butanol solutions, 159
- Guaiaacyl phenolics  
Investigation of the photo-oxidative chemistry of acetylated softwood lignin, 215
- Heterojunction  
Bi<sub>2</sub>S<sub>3</sub>/TiO<sub>2</sub> and CdS/TiO<sub>2</sub> heterojunctions as an available configuration for photocatalytic degradation of organic pollutant, 569
- HO radicals  
Kinetics of benzenesulfonates elimination by UV and UV/H<sub>2</sub>O<sub>2</sub>, 389
- Hole drift mobility  
Photoconductive glass-forming phenothiazine-based hydrazones, 523
- Hole scavenger  
Photo-catalytic reduction of carbon dioxide to methane using TiO<sub>2</sub> as suspension in water, 503
- Holographic diffraction grating  
A novel hyperbranched polyisophthalate used as polymeric binders in holographic diffraction gratings, 223
- Hydrazone  
Photoconductive glass-forming phenothiazine-based hydrazones, 523
- Hydrogen abstraction  
Radical species derived from phenalenone: characterization and role of upper excited states, 9
- Hydrogen evolution  
Synthesis of visible-light-active nanosize rutile titania photocatalyst by low temperature dissolution-reprecipitation process, 1
- Hydrogen peroxide  
Kinetics of benzenesulfonates elimination by UV and UV/H<sub>2</sub>O<sub>2</sub>, 389
- Hydrogen production  
Effect of calcination atmosphere on TiO<sub>2</sub> photocatalysis in hydrogen production from methanol/water solution, 277
- Hydroxyl/superoxide radicals  
Early stages in the TiO<sub>2</sub>-photocatalyzed degradation of simple phenolic and non-phenolic lignin model compounds, 453
- Hydroxylamine derivatives  
Viscosity effects on 9,10-dicyanoanthracene-sensitized photooxidation of *N,N*-dibenzylhydroxylamine and its derivatives in protic polar solvents, 135
- Hypericin  
Reactivity of the photo excited forms of Hypericin, Hypocrellin A, Hypocrellin B and methylated Hypericin towards molecular oxygen. The role of charge transfer interaction, 297
- Hypocrellin  
Reactivity of the photo excited forms of Hypericin, Hypocrellin A, Hypocrellin B and methylated Hypericin towards molecular oxygen. The role of charge transfer interaction, 297
- Imidazo[1,2-*a*]purine  
Spectral and photophysical properties of some imidazo[1,2-*a*]purine derivatives related to acyclovir, 171
- Imino  
Photochemical syn-anti isomerization reactions in *N*<sup>4</sup>-methoxycytosines. A matrix isolation study, 489
- Infrared spectra  
Photochemical syn-anti isomerization reactions in *N*<sup>4</sup>-methoxycytosines. A matrix isolation study, 489
- Inner filter effects  
Spectroscopic investigation of inner filter effects by phthalocyanine solutions, 113

- In-plane  
Comparative study of photoorientation phenomena in photosensitive azobenzene-containing homopolymers and copolymers, 347
- Interfacial water  
Thin-film transmission IR spectroscopy as an in situ probe of the gas–solid interface in photocatalytic processes, 323
- Intramolecular charge transfer  
Fluorescence of substituted pyrrolyl pyridines, 463
- p*-Iodoaniline  
Photochemistry of halogenated anilines studied by time-variation of microwave dielectric absorption, 153
- Ion pair  
Photochemistry of halogenated anilines studied by time-variation of microwave dielectric absorption, 153
- Ion transport  
Photophysical properties of an extended bis-oxonol dye, 61
- Ionic matrices  
Photolysis of  $[(\eta^5\text{-C}_5\text{H}_5)\text{M}(\text{CO})_2\text{NO}]^+$ , where M = Mn and Re, in inert ionic matrices. Evidence for nitrosyl linkage isomerism, 209
- Ionization potential  
Photoconductive glass-forming phenothiazine-based hydrazones, 523
- Irradiation  
Effect of UV laser radiation with different wavelengths on the spectrum of lignin extracted from hard wood materials, 187
- Isomers  
Photophysical properties of benzoannulated metal-free phthalocyanines, 231
- Kerr ellipsometry  
Photo-induced charge separation in molybdenum–mononitrosyl–ferrocenyl–stilbene, 413
- Ketones  
Kinetic study of ketones photocatalytic oxidation in gas phase using TiO<sub>2</sub>-containing paper: effect of water vapor, 425
- Ketyl radical  
Radical species derived from phenalene: characterization and role of upper excited states, 9
- Kinetics  
Substituent and solvent effect on the photochromic properties of a series of spiroindolinonaphthooxazines, 121
- Laser induced optoacoustic spectroscopy  
Spectral properties of stilbazolium merocyanines – potential sensitizers in photodynamic therapy and diagnosis. Part I. Merocyanines in model systems, 127
- LDPE/starch blends  
Synergistic effect of combining UV-sunlight–soil burial treatment on the biodegradation rate of LDPE/starch blends, 547
- Lifetime  
Effect of viscosity and temperature on some photophysical parameters of 9-phenyl-10-methoxy anthracene, 497
- Lignin  
Effect of UV laser radiation with different wavelengths on the spectrum of lignin extracted from hard wood materials, 187  
Investigation of the photo-oxidative chemistry of acetylated softwood lignin, 215
- Lignin model compounds  
Early stages in the TiO<sub>2</sub>-photocatalyzed degradation of simple phenolic and non-phenolic lignin model compounds, 453
- Liquid phase deposition  
TiO<sub>2</sub> photocatalysts deposited on fiber substrates by liquid phase deposition, 359
- Long-lived charge separation  
Photo-induced charge separation in molybdenum–mononitrosyl–ferrocenyl–stilbene, 413
- Low temperature dissolution–reprecipitation process  
Synthesis of visible-light-active nanosize rutile titania photocatalyst by low temperature dissolution–reprecipitation process, 1
- Luminol derivative  
Synthesis of photosensitive luminol releasing compound, luminol-*O*-2-nitrobenzylate, 149
- Luminol-*O*-2-nitrobenzylate  
Synthesis of photosensitive luminol releasing compound, luminol-*O*-2-nitrobenzylate, 149
- Matrix isolation  
Photochemical syn–anti isomerization reactions in *N*<sup>4</sup>-methoxycytosines. A matrix isolation study, 489
- Mechanical pulp  
Investigation of the photo-oxidative chemistry of acetylated softwood lignin, 215
- Membrane  
Photophysical properties of an extended bis-oxonol dye, 61
- Metal complexation  
Quantifying ground-state complexation between Ag<sup>+</sup> and polycyclic aromatic hydrocarbons in dilute aqueous solution via fluorescence quenching, 165
- Methane  
Photo-catalytic reduction of carbon dioxide to methane using TiO<sub>2</sub> as suspension in water, 503
- Methanol  
Effect of calcination atmosphere on TiO<sub>2</sub> photocatalysis in hydrogen production from methanol/water solution, 277  
Photo-catalytic reduction of carbon dioxide to methane using TiO<sub>2</sub> as suspension in water, 503
- 1-(3-Methoxycarbonylmethoxy-2-pyridyl)-2-(pentamethyldisilanyl)ethyne  
Photoreactions of 1-(3-acetoxy or methoxycarbonylmethoxy-2-pyridyl)-2-(pentamethyldisilanyl)ethynes, 87
- Methoxycytosine  
Photochemical syn–anti isomerization reactions in *N*<sup>4</sup>-methoxycytosines. A matrix isolation study, 489
- Microsecond timescale  
Photochemically-induced reduction and rearrangements of *N,N'*-bis-(carboxymethyl)-*N,N'*-dinitroso-1,4-phenylenediamine, 53
- Microwave  
The fluorescent and photoelectric conversion properties of porphyrin–perylene tetracarboxylic complex, 259
- MLCT excited state  
The effect of H/D-bond solute–solvent interaction on deactivation channels of MLCT excited state of  $[\text{Ru}(\text{bpy})(\text{CN})_4]^{2-}$ , 13
- Mn<sup>2+</sup>  
TiO<sub>2</sub>-mediated photocatalytic degradation of Orange II with the presence of Mn<sup>2+</sup> in solution, 311
- Molecular glass  
Photoconductive glass-forming phenothiazine-based hydrazones, 523
- Molybdenum  
Effect of doping mode on the photocatalytic activities of Mo/TiO<sub>2</sub>, 517
- Nabumetone  
Photodegradation of Nabumetone in *n*-butanol solutions, 159
- Nanosize rutile titania  
Synthesis of visible-light-active nanosize rutile titania photocatalyst by low temperature dissolution–reprecipitation process, 1
- Naphthalene  
Quantifying ground-state complexation between Ag<sup>+</sup> and polycyclic aromatic hydrocarbons in dilute aqueous solution via fluorescence quenching, 165
- NCS ligands  
Comparative studies of substituted ruthenium(II)–pyrazoyl–pyridine complexes with classical N3 photosensitizer: the influence of –NCS dye ligands on the efficiency of solid-state nanocrystalline solar cells, 331

- Nitric oxide synthesis  
Photochemically-induced reduction and rearrangements of *N,N'*-bis-(carboxymethyl)-*N,N'*-dinitroso-1,4-phenylenediamine, 53
- Nitrogen monoxide destruction  
Synthesis of visible-light-active nanosize rutile titania photocatalyst by low temperature dissolution–reprecipitation process, 1
- Nitrosyl linkage  
Photolysis of  $[(\eta^5\text{-C}_5\text{H}_5)\text{M}(\text{CO})_2\text{NO}]^+$ , where M = Mn and Re, in inert ionic matrices. Evidence for nitrosyl linkage isomerism, 209
- Non-linear spectroscopy  
Photo-induced charge separation in molybdenum–mononitrosyl–ferrocenyl–stilbene, 413
- Non-radiative relaxation  
Photothermal methods as tools for investigation of weakly interacting non-fluorescent phthalocyanines, 201
- Orange II  
TiO<sub>2</sub>-mediated photocatalytic degradation of Orange II with the presence of Mn<sup>2+</sup> in solution, 311
- Out-of-plane order  
Comparative study of photoorientation phenomena in photosensitive azobenzene-containing homopolymers and copolymers, 347
- Oxonol dye  
Photophysical properties of an extended bis-oxonol dye, 61
- Paternò–Büchi reaction  
Regio- and stereoselectivity in the Paternò–Büchi reaction on furan derivatives, 103
- Peroxides  
Thin-film transmission IR spectroscopy as an in situ probe of the gas–solid interface in photocatalytic processes, 323
- Perylene  
The fluorescent and photoelectric conversion properties of porphyrin–perylene tetracarboxylic complex, 259
- pH  
Influence of pH and irradiation wavelength on the photochemical degradation of sulfonylureas, 69
- Phenalenone  
Radical species derived from phenalenone: characterization and role of upper excited states, 9
- 9-Phenyl-10-methoxy anthracene  
Effect of viscosity and temperature on some photophysical parameters of 9-phenyl-10-methoxy anthracene, 497
- Phosphorescence  
A composite sol–gel/fluoropolymer matrix for dissolved oxygen optical sensing, 193  
Singlet oxygen quenching of tris(8-hydroxyquinoline)aluminum (Alq<sub>3</sub>) and *N,N'*-diphenyl-*N,N'*-bis(3-methylphenyl)-[1,1-biphenyl]-4,4-diamine (TPD), 439
- Photoactivity  
A study of the photoactivities and thermomechanical properties of epoxy resins using novel  $[\text{cyclopentadien-Fe-arene}]^+\text{PF}_6^-$  photoinitiators, 77
- Photocatalysis  
Thin-film transmission IR spectroscopy as an in situ probe of the gas–solid interface in photocatalytic processes, 323  
TiO<sub>2</sub> photocatalysts deposited on fiber substrates by liquid phase deposition, 359  
The effect of calcination on photocatalytic activity of TiO<sub>2</sub> particles: femtosecond study, 395  
Kinetic study of ketones photocatalytic oxidation in gas phase using TiO<sub>2</sub>-containing paper: effect of water vapor, 425  
Effect of doping mode on the photocatalytic activities of Mo/TiO<sub>2</sub>, 517  
Bi<sub>2</sub>S<sub>3</sub>/TiO<sub>2</sub> and CdS/TiO<sub>2</sub> heterojunctions as an available configuration for photocatalytic degradation of organic pollutant, 569
- Photocatalytic  
Sol–gel synthesis of titania–silica photocatalyst for cyanide photodegradation, 445
- Photocatalytic degradation  
TiO<sub>2</sub>-mediated photocatalytic degradation of Orange II with the presence of Mn<sup>2+</sup> in solution, 311  
Optimization of solar photocatalytic degradation conditions of bisphenol A in water using titanium dioxide, 419
- Photocatalytic H<sub>2</sub> evolution  
H<sub>2</sub> evolution from an aqueous methanol solution on SrTiO<sub>3</sub> photocatalysts codoped with chromium and tantalum ions under visible light irradiation, 181
- Photocatalytic oxidation  
Photocatalytic degradation of a textile azo dye, Sirius Gelb GC on TiO<sub>2</sub> or Ag-TiO<sub>2</sub> particles in the absence and presence of UV irradiation: the effects of some inorganic anions on the photocatalysis, 29
- Photochemical degradation  
Early stages in the TiO<sub>2</sub>-photocatalyzed degradation of simple phenolic and non-phenolic lignin model compounds, 453
- Photochemistry  
Photochemically-induced reduction and rearrangements of *N,N'*-bis-(carboxymethyl)-*N,N'*-dinitroso-1,4-phenylenediamine, 53  
Photolysis of  $[(\eta^5\text{-C}_5\text{H}_5)\text{M}(\text{CO})_2\text{NO}]^+$ , where M = Mn and Re, in inert ionic matrices. Evidence for nitrosyl linkage isomerism, 209  
Reactivity of the photo excited forms of Hypericin, Hypocrellin A, Hypocrellin B and methylated Hypericin towards molecular oxygen. The role of charge transfer interaction, 297  
Photochemical syn–anti isomerization reactions in *N*<sup>4</sup>-methoxycytosines. A matrix isolation study, 489
- Photochromism  
Substituent and solvent effect on the photochromic properties of a series of spiroindolinonaphthooxazines, 121
- Photocyclization  
Synthesis of benzo[1,2-*b*:4,5-*b'*]difuran derivatives utilizing concomitant photocyclization and photo-Fries rearrangement reactions, 241
- Photodegradation  
Comparison of Ag deposition effects on the photocatalytic activity of nanoparticulate TiO<sub>2</sub> under visible and UV light irradiation, 37  
Influence of pH and irradiation wavelength on the photochemical degradation of sulfonylureas, 69  
Photodegradation of Nabumetone in *n*-butanol solutions, 159  
Photodegradation of dye pollutants on silica gel supported TiO<sub>2</sub> particles under visible light irradiation, 281  
Synthesis of TiO<sub>2</sub> via hydrolysis of titanium tetraisopropoxide and its photocatalytic activity on a suspended mixture with activated carbon in the degradation of 2-naphthol, 317  
Trifluralin photolysis in natural waters and under the presence of isolated organic matter and nitrate ions: kinetics and photoproduct analysis, 473  
Photo-oxidation of 4-nitrophenol in aqueous suspensions, catalysed by titania intercalated zirconium phosphate (ZrP) and titanium phosphate (TiP), 561
- Photodestruction of macroradicals  
Photochain destruction of excited peroxide polystyrene macroradicals, 367
- Photodimerisation  
The photodimerisation of coumarin, 557
- Photodynamic diagnosis  
Spectral properties of stilbazolium merocyanines – potential sensitizers in photodynamic therapy and diagnosis. Part I. Merocyanines in model systems, 127
- Photodynamic therapy  
Synthesis and comparison of photodynamic activity of alkylheteroatom substituted azaphthalocyanines, 21  
Spectral properties of stilbazolium merocyanines – potential sensitizers in photodynamic therapy and diagnosis. Part I. Merocyanines in model systems, 127

- Efficiency of singlet oxygen generation of aminosquarylium cyanines, 267
- Photoelectric conversion  
The fluorescent and photoelectric conversion properties of porphyrin-*perylene tetracarboxylic complex*, 259
- Photo-Fries rearrangement  
Synthesis of benzo[1,2-*b*:4,5-*b'*]difuran derivatives utilizing concomitant photocyclization and photo-Fries rearrangement reactions, 241
- Photographic gelatine  
Chemiluminescence study of commercial type-B gelatines, 537
- Photo-induced charge transfer  
Photo-induced charge separation in molybdenum–mononitrosyl–ferrocenyl–stilbene, 413
- Photoinduced electron transfer  
Radical species derived from phenalene: characterization and role of upper excited states, 9
- Photoisomerization  
Photochemistry of the amine-sensor dye 4-*N,N*-dioctylamino-4'-trifluoroacetylazobenzene, 341  
Comparative study of photoorientation phenomena in photosensitive azobenzene-containing homopolymers and copolymers, 347  
Photochemical syn–anti isomerization reactions in *N*<sup>4</sup>-methoxycytosines. A matrix isolation study, 489
- Photoorientation phenomena  
Comparative study of photoorientation phenomena in photosensitive azobenzene-containing homopolymers and copolymers, 347
- Photo-oxidation  
Photochain destruction of excited peroxide polystyrene macroradicals, 367  
True quantum yields and adsorption constants as tools for a mechanistic study of the TiO<sub>2</sub>-sensitized photooxidation of benzylic derivatives, 481  
Synergistic effect of combining UV-sunlight–soil burial treatment on the biodegradation rate of LDPE/starch blends, 547
- Photophysics  
The effect of H/D-bond solute–solvent interaction on deactivation channels of MLCT excited state of [Ru(bpy)(CN)<sub>4</sub>]<sup>2-</sup>, 13  
Mononuclear and binuclear ruthenium(II) heteroleptic complexes based on 1,10-phenanthroline ligands. Part I: synthesis, spectroscopic and photophysical study, 381
- Photopolymerizable hyperbranched polyisophthalate  
A novel hyperbranched polyisophthalate used as polymeric binders in holographic diffraction gratings, 223
- Photopolymerizable recording dry film  
A novel hyperbranched polyisophthalate used as polymeric binders in holographic diffraction gratings, 223
- Photopolymerization–diffusion model  
A novel hyperbranched polyisophthalate used as polymeric binders in holographic diffraction gratings, 223
- Photoreactions  
Photoreduction of 2,6-dichloroquinone in aqueous solution. Use of a diode array spectrophotometer concurrently to drive and detect a photochemical reaction, 249
- Photosensitive compound  
Synthesis of photosensitive luminol releasing compound, luminol-*O*-2-nitrobenzylate, 149
- Photosystem II  
Reconstruction of the water-oxidizing complex in manganese-depleted Photosystem II by using Schiff base manganese complexes, 307
- Photocatalysis  
Effect of calcination atmosphere on TiO<sub>2</sub> photocatalysis in hydrogen production from methanol/water solution, 277
- Photothermal spectroscopy  
Photothermal methods as tools for investigation of weakly interacting non-fluorescent phthalocyanines, 201
- Phototransformation  
Kinetics of benzenesulfonates elimination by UV and UV/H<sub>2</sub>O<sub>2</sub>, 389
- Photoyellowing  
Investigation of the photo-oxidative chemistry of acetylated softwood lignin, 215
- Phthalocyanine  
Photothermal methods as tools for investigation of weakly interacting non-fluorescent phthalocyanines, 201  
Spectroscopic investigation of inner filter effects by phthalocyanine solutions, 113  
Photophysical properties of benzoannelated metal-free phthalocyanines, 231
- Piperazine  
Novel fluorescence probe based on pyrene and piperazine; spectral properties in solution and in polymer matrices, 289
- Polyamine/polymethylene chain  
Mononuclear and binuclear ruthenium(II) heteroleptic complexes based on 1,10-phenanthroline ligands. Part I: synthesis, spectroscopic and photophysical study, 381
- Polymer matrices  
Novel fluorescence probe based on pyrene and piperazine; spectral properties in solution and in polymer matrices, 289
- Polysaccharide solid  
Film device to visualize UV irradiation, 271
- Polystyrene  
Photochain destruction of excited peroxide polystyrene macroradicals, 367
- Porphyrazines  
Photophysical properties of benzoannelated metal-free phthalocyanines, 231
- Porphyrin  
The fluorescent and photoelectric conversion properties of porphyrin-*perylene tetracarboxylic complex*, 259
- Preparation  
Synthesis of TiO<sub>2</sub> via hydrolysis of titanium tetraisopropoxide and its photocatalytic activity on a suspended mixture with activated carbon in the degradation of 2-naphthol, 317
- Protonated perylene  
Spectroscopic signatures of protonated perylene in concentrated sulfuric acid, 433
- Pulse radiolysis  
Color changes accompanying one-electron reduction and oxidation of the azo dyes, 373
- Pyrene  
Quantifying ground-state complexation between Ag<sup>+</sup> and polycyclic aromatic hydrocarbons in dilute aqueous solution via fluorescence quenching, 165  
Novel fluorescence probe based on pyrene and piperazine; spectral properties in solution and in polymer matrices, 289
- Quantum yield  
Photophysical properties of benzoannelated metal-free phthalocyanines, 231  
Effect of viscosity and temperature on some photophysical parameters of 9-phenyl-10-methoxy anthracene, 497
- Quenching  
Singlet oxygen quenching of tris(8-hydroxyquinoline)aluminum (Alq<sub>3</sub>) and *N,N'*-diphenyl-*N,N'*-bis(3-methylphenyl)-[1,1-biphenyl]-4,4-diamine (TPD), 439
- Quenching by oxygen  
Effect of viscosity and temperature on some photophysical parameters of 9-phenyl-10-methoxy anthracene, 497
- Quinones  
Photoreduction of 2,6-dichloroquinone in aqueous solution. Use of a diode array spectrophotometer concurrently to drive and detect a photochemical reaction, 249
- Radical anion  
Radical species derived from phenalene: characterization and role of upper excited states, 9

- Radical cations  
Early stages in the TiO<sub>2</sub>-photocatalyzed degradation of simple phenolic and non-phenolic lignin model compounds, 453
- Radical ion pair  
Viscosity effects on 9,10-dicyanoanthracene-sensitized photooxidation of *N,N*-dibenzylhydroxylamine and its derivatives in protic polar solvents, 135
- Radical ions  
Color changes accompanying one-electron reduction and oxidation of the azo dyes, 373
- Radicals  
Color changes accompanying one-electron reduction and oxidation of the azo dyes, 373
- Raman  
Ultrafast photoinduced electron transfer from *N,N,N',N'*-tetramethyl-*p*-phenylenediamine and *N,N,N',N'*-tetramethylbenzidine to dichloromethane, 529
- Reconstruction of manganese-depleted  
Reconstruction of the water-oxidizing complex in manganese-depleted Photosystem II by using Schiff base manganese complexes, 307
- Regiochemistry  
Regio- and stereoselectivity in the Paternò-Büchi reaction on furan derivatives, 103
- Rhodamine B  
Comparison of Ag deposition effects on the photocatalytic activity of nanoparticulate TiO<sub>2</sub> under visible and UV light irradiation, 37
- ROS  
Photosensitisation with naphthoquinones and binaphthoquinones: EPR spin trapping and optical studies-formation of semiquinone radical and reactive oxygen species on photoillumination, 141
- Ru(II)-bdmpp-dcbpy complexes  
Comparative studies of substituted ruthenium(II)-pyrazoyl-pyridine complexes with classical N3 photosensitizer: the influence of -NCS dye ligands on the efficiency of solid-state nanocrystalline solar cells, 331
- Ruthenium(II) complex  
The effect of H/D-bond solute-solvent interaction on deactivation channels of MLCT excited state of [Ru(bpy)(CN)<sub>4</sub>]<sup>2-</sup>, 13
- Schiff base  
Reconstruction of the water-oxidizing complex in manganese-depleted Photosystem II by using Schiff base manganese complexes, 307
- Semiconductor photocatalysis  
Early stages in the TiO<sub>2</sub>-photocatalyzed degradation of simple phenolic and non-phenolic lignin model compounds, 453
- Sensitized photooxidation  
Viscosity effects on 9,10-dicyanoanthracene-sensitized photooxidation of *N,N*-dibenzylhydroxylamine and its derivatives in protic polar solvents, 135
- Sensor  
A composite sol-gel/fluoropolymer matrix for dissolved oxygen optical sensing, 193
- 1-Silaallene  
Photoreactions of 1-(3-acetoxy or methoxycarbonylmethoxy-2-pyridyl)-2-(pentamethyldisilanyl)ethynes, 87
- Silacyclopentene  
Photoreactions of 1-(3-acetoxy or methoxycarbonylmethoxy-2-pyridyl)-2-(pentamethyldisilanyl)ethynes, 87
- Silica gel  
Photodegradation of dye pollutants on silica gel supported TiO<sub>2</sub> particles under visible light irradiation, 281
- Silver ion  
Quantifying ground-state complexation between Ag<sup>+</sup> and polycyclic aromatic hydrocarbons in dilute aqueous solution via fluorescence quenching, 165
- Singlet oxygen  
Synthesis and comparison of photodynamic activity of alkylheteroatom substituted azaphthalocyanines, 21  
Photophysical properties of benzoannelated metal-free phthalocyanines, 231  
Efficiency of singlet oxygen generation of aminosquarylium cyanines, 267  
Reactivity of the photo excited forms of Hypericin, Hypocrellin A, Hypocrellin B and methylated Hypericin towards molecular oxygen. The role of charge transfer interaction, 297  
Photochemistry of doubly *N*-confused porphyrin bonded to non-conventional high oxidation state Ag(III) and Cu(III) ions, 403  
Singlet oxygen quenching of tris(8-hydroxyquinoline)aluminum (Alq<sub>3</sub>) and *N,N'*-diphenyl-*N,N'*-bis(3-methylphenyl)-[1,1'-biphenyl]-4,4'-diamine (TPD), 439
- Sirius Gelb GC  
Photocatalytic degradation of a textile azo dye, Sirius Gelb GC on TiO<sub>2</sub> or Ag-TiO<sub>2</sub> particles in the absence and presence of UV irradiation: the effects of some inorganic anions on the photocatalysis, 29
- Six-wave-mixing  
Photo-induced charge separation in molybdenum-mononitrosyl-ferrocenyl-stilbene, 413
- Solar  
Optimization of solar photocatalytic degradation conditions of bisphenol A in water using titanium dioxide, 419
- Sol-gel  
A composite sol-gel/fluoropolymer matrix for dissolved oxygen optical sensing, 193  
Sol-gel synthesis of titania-silica photocatalyst for cyanide photodegradation, 445  
A visible-light response vanadium-doped titania nanocatalyst by sol-gel method, 509
- Solid nanocrystalline solar cell  
Comparative studies of substituted ruthenium(II)-pyrazoyl-pyridine complexes with classical N3 photosensitizer: the influence of -NCS dye ligands on the efficiency of solid-state nanocrystalline solar cells, 331
- Solvatochromism  
New fluorescent dye of dibenzalcylopentanone series possessing increased solvatochromism and "energy gap law" regulated fluorescence quenching in polar solvents, 95
- Solvent dependence  
Fluorescence of substituted pyrrolyl pyridines, 463
- Specific solute-solvent interaction  
The effect of H/D-bond solute-solvent interaction on deactivation channels of MLCT excited state of [Ru(bpy)(CN)<sub>4</sub>]<sup>2-</sup>, 13
- Spectral properties  
Substituent and solvent effect on the photochromic properties of a series of spiroindolinonaphthooxazines, 121
- Spin trapping  
Photosensitisation with naphthoquinones and binaphthoquinones: EPR spin trapping and optical studies-formation of semiquinone radical and reactive oxygen species on photoillumination, 141
- Spiroindolinonaphthooxazines  
Substituent and solvent effect on the photochromic properties of a series of spiroindolinonaphthooxazines, 121
- Squarylium cyanine dyes  
Efficiency of singlet oxygen generation of aminosquarylium cyanines, 267
- Static quenching  
A composite sol-gel/fluoropolymer matrix for dissolved oxygen optical sensing, 193
- Steady state photoacoustic spectroscopy  
Spectral properties of stilbazolium merocyanines - potential sensitizers in photodynamic therapy and diagnosis. Part I. Merocyanines in model systems, 127

- Steady-state fluorescence  
 Quantifying ground-state complexation between  $\text{Ag}^+$  and polycyclic aromatic hydrocarbons in dilute aqueous solution via fluorescence quenching, 165
- Stereoselectivity  
 Regio- and stereoselectivity in the Paternò-Büchi reaction on furan derivatives, 103
- Stilbazolium merocyanines  
 Spectral properties of stilbazolium merocyanines – potential sensitizers in photodynamic therapy and diagnosis. Part I. Merocyanines in model systems, 127
- Substituent effects  
 Viscosity effects on 9,10-dicyanoanthracene-sensitized photooxidation of *N,N*-dibenzylhydroxylamine and its derivatives in protic polar solvents, 135
- Sulfonylureas  
 Influence of pH and irradiation wavelength on the photochemical degradation of sulfonylureas, 69
- Sulfuric acid  
 Spectroscopic signatures of protonated perylene in concentrated sulfuric acid, 433
- Superoxide  
 Dual fluorophore-nitronyl probe for investigation of superoxide dynamics and antioxidant status of biological systems, 45  
 Thin-film transmission IR spectroscopy as an in situ probe of the gas–solid interface in photocatalytic processes, 323
- Superoxide generation  
 Photosensitisation with naphthoquinones and binaphthoquinones: EPR spin trapping and optical studies-formation of semiquinone radical and reactive oxygen species on photoillumination, 141
- Surface area  
 Photo-oxidation of 4-nitrophenol in aqueous suspensions, catalysed by titania intercalated zirconium phosphate (ZrP) and titanium phosphate (TiP), 561
- Surface species  
 Thin-film transmission IR spectroscopy as an in situ probe of the gas–solid interface in photocatalytic processes, 323
- Syn  
 Photochemical syn–anti isomerization reactions in *N*<sup>4</sup>-methoxycytosines. A matrix isolation study, 489
- Synergistic effect  
 Synergistic effect of combining UV-sunlight–soil burial treatment on the biodegradation rate of LDPE/starch blends, 547
- Tetrapyrizinoporphyrazines  
 Synthesis and comparison of photodynamic activity of alkylheteroatom substituted azaphthalocyanines, 21
- Thermomechanical property  
 A study of the photoactivities and thermomechanical properties of epoxy resins using novel [cyclopentadien-Fe-arene]<sup>+</sup>PF<sub>6</sub><sup>-</sup> photoinitiators, 77
- Thin film  
 Effect of doping mode on the photocatalytic activities of Mo/TiO<sub>2</sub>, 517
- Time-resolved fluorescence  
 Quantifying ground-state complexation between  $\text{Ag}^+$  and polycyclic aromatic hydrocarbons in dilute aqueous solution via fluorescence quenching, 165
- Time-resolved spectroscopy  
 Ultrafast photoinduced electron transfer from *N,N,N',N'*-tetramethyl-*p*-phenylenediamine and *N,N,N',N'*-tetramethylbenzidine to dichloromethane, 529
- Time-variation of microwave dielectric absorption  
 Photochemistry of halogenated anilines studied by time-variation of microwave dielectric absorption, 153
- TiO<sub>2</sub>  
 Comparison of Ag deposition effects on the photocatalytic activity of nanoparticulate TiO<sub>2</sub> under visible and UV light irradiation, 37  
 Effect of calcination atmosphere on TiO<sub>2</sub> photocatalysis in hydrogen production from methanol/water solution, 277  
 Photodegradation of dye pollutants on silica gel supported TiO<sub>2</sub> particles under visible light irradiation, 281  
 TiO<sub>2</sub>-mediated photocatalytic degradation of Orange II with the presence of  $\text{Mn}^{2+}$  in solution, 311  
 Synthesis of TiO<sub>2</sub> via hydrolysis of titanium tetraisopropoxide and its photocatalytic activity on a suspended mixture with activated carbon in the degradation of 2-naphthol, 317  
 Thin-film transmission IR spectroscopy as an in situ probe of the gas–solid interface in photocatalytic processes, 323  
 TiO<sub>2</sub> photocatalysts deposited on fiber substrates by liquid phase deposition, 359  
 The effect of calcination on photocatalytic activity of TiO<sub>2</sub> particles: femtosecond study, 395  
 True quantum yields and adsorption constants as tools for a mechanistic study of the TiO<sub>2</sub>-sensitized photooxidation of benzylic derivatives, 481  
 Photo-catalytic reduction of carbon dioxide to methane using TiO<sub>2</sub> as suspension in water, 503
- TiO<sub>2</sub> films  
 Comparative studies of substituted ruthenium(II)–pyrazoyl–pyridine complexes with classical N3 photosensitizer: the influence of –NCS dye ligands on the efficiency of solid-state nanocrystalline solar cells, 331
- TiO<sub>2</sub> pillared  
 Photo-oxidation of 4-nitrophenol in aqueous suspensions, catalysed by titania intercalated zirconium phosphate (ZrP) and titanium phosphate (TiP), 561
- TiO<sub>2</sub> semiconductor  
 Optimization of solar photocatalytic degradation conditions of bisphenol A in water using titanium dioxide, 419
- TiO<sub>2</sub>–SiO<sub>2</sub>  
 Sol–gel synthesis of titania–silica photocatalyst for cyanide photodegradation, 445
- Titania  
 Photocatalytic degradation of a textile azo dye, Sirius Gelb GC on TiO<sub>2</sub> or Ag–TiO<sub>2</sub> particles in the absence and presence of UV irradiation: the effects of some inorganic anions on the photocatalysis, 29  
 A visible-light response vanadium-doped titania nanocatalyst by sol–gel method, 509
- Titanium dioxide  
 Kinetic study of ketones photocatalytic oxidation in gas phase using TiO<sub>2</sub>-containing paper: effect of water vapor, 425  
 Effect of doping mode on the photocatalytic activities of Mo/TiO<sub>2</sub>, 517  
 Bi<sub>2</sub>S<sub>3</sub>/TiO<sub>2</sub> and CdS/TiO<sub>2</sub> heterojunctions as an available configuration for photocatalytic degradation of organic pollutant, 569
- N*-tosyloxyphtalimide  
 Film device to visualize UV irradiation, 271
- TPD  
 Singlet oxygen quenching of tris(8-hydroxyquinoline)aluminum (Alq<sub>3</sub>) and *N,N'*-diphenyl-*N,N'*-bis(3-methylphenyl)-[1,1-biphenyl]-4,4-diamine (TPD), 439
- Transmission IR  
 Thin-film transmission IR spectroscopy as an in situ probe of the gas–solid interface in photocatalytic processes, 323
- Trifluralin  
 Trifluralin photolysis in natural waters and under the presence of isolated organic matter and nitrate ions: kinetics and photoproduct analysis, 473
- Triplet state generation  
 Spectral properties of stilbazolium merocyanines – potential sensitizers in photodynamic therapy and diagnosis. Part I. Merocyanines in model systems, 127  
 Photothermal methods as tools for investigation of weakly interacting non-fluorescent phthalocyanines, 201



- Type-B gelatine  
Chemiluminescence study of commercial type-B gelatines, 537
- UV  
Kinetics of benzenesulfonates elimination by UV and UV/H<sub>2</sub>O<sub>2</sub>, 389
- UV laser  
Effect of UV laser radiation with different wavelengths on the spectrum of lignin extracted from hard wood materials, 187
- UV-Vis absorption spectroscopy  
Photodegradation of Nabumetone in *n*-butanol solutions, 159
- Vanadium doping  
A visible-light response vanadium-doped titania nanocatalyst by sol-gel method, 509
- Viscosity effects  
Viscosity effects on 9,10-dicyanoanthracene-sensitized photooxidation of *N,N*-dibenzylhydroxylamine and its derivatives in protic polar solvents, 135
- Visible light  
Comparison of Ag deposition effects on the photocatalytic activity of nanoparticulate TiO<sub>2</sub> under visible and UV light irradiation, 37  
Photodegradation of dye pollutants on silica gel supported TiO<sub>2</sub> particles under visible light irradiation, 281
- Visible light irradiation  
H<sub>2</sub> evolution from an aqueous methanol solution on SrTiO<sub>3</sub> photocatalysts codoped with chromium and tantalum ions under visible light irradiation, 181
- Visible-light photocatalyst  
A visible-light response vanadium-doped titania nanocatalyst by sol-gel method, 509
- Visible-light-active photocatalyst  
Synthesis of visible-light-active nanosize rutile titania photocatalyst by low temperature dissolution-precipitation process, 1
- Visualization of UV irradiation  
Film device to visualize UV irradiation, 271
- Water vapor  
Kinetic study of ketones photocatalytic oxidation in gas phase using TiO<sub>2</sub>-containing paper: effect of water vapor, 425
- Water-oxidizing complex  
Reconstruction of the water-oxidizing complex in manganese-depleted Photosystem II by using Schiff base manganese complexes, 307
- Wavelength dependence  
Effect of UV laser radiation with different wavelengths on the spectrum of lignin extracted from hard wood materials, 187
- Wavelength effect  
Influence of pH and irradiation wavelength on the photochemical degradation of sulfonyleureas, 69
- XeCl excimer  
Photochemistry of halogenated anilines studied by time-variation of microwave dielectric absorption, 153
- X-ray photoelectron spectroscopy  
Effect of calcination atmosphere on TiO<sub>2</sub> photocatalysis in hydrogen production from methanol/water solution, 277
- ZrP and TiP  
Photo-oxidation of 4-nitrophenol in aqueous suspensions, catalysed by titania intercalated zirconium phosphate (ZrP) and titanium phosphate (TiP), 561