

Subject Index of Volume 164

- Additive effect
Influence of aminotriazole additives in electrolytic solution on dye-sensitized solar cell performance, 103
- Aminotriazoles
Influence of aminotriazole additives in electrolytic solution on dye-sensitized solar cell performance, 103
- Anatase phase
Highly efficient dye-sensitized solar cell using nanocrystalline titania containing nanotube structure, 145
- Angle of incidence
Outdoor performance of large scale DSC modules, 203
- Carbon nanotube
Improved dye-sensitized solar cells using ionic nanocomposite gel electrolytes, 97
- CdSe quantum dot
Photosensitization of nanostructured TiO₂ with CdSe quantum dots: effects of microstructure and electron transport in TiO₂ substrates, 75
- Chlorine-e₆
Preparation and properties of dye-sensitized solar cell using chlorophyll derivative immobilized TiO₂ film electrode, 47
- Chlorophyll
Preparation and properties of dye-sensitized solar cell using chlorophyll derivative immobilized TiO₂ film electrode, 47
- Cole–cole plot
Quasi-solid dye sensitized solar cells solidified with chemically cross-linked gelators. Control of TiO₂/gel electrolytes and counter Pt/gel electrolytes interfaces, 117
- Conjugated polymer
I⁻/I₃⁻ redox reaction behavior on poly(3,4-ethylenedioxythiophene) counter electrode in dye-sensitized solar cells, 153
- Counter electrode
I⁻/I₃⁻ redox reaction behavior on poly(3,4-ethylenedioxythiophene) counter electrode in dye-sensitized solar cells, 153
Performances characteristics of dye-sensitized solar cells based on counter electrodes with Pt films of different thickness, 179
- CVD
Low temperature preparation of mesoporous TiO₂ films for efficient dye-sensitized photoelectrode by chemical vapor deposition combined with UV light irradiation, 187
- Dicyanamide
High performance dye-sensitized solar cells using ionic liquids as their electrolytes, 87
- DSSC
Preparation and photoelectrochemical characterization of a red sensitive osmium complex containing 4,4',4''-tricarboxy-2,2':6',2''-terpyridine and cyanide ligands, 15
Electrochemical properties of dye-sensitized solar cells fabricated with PVDF-type polymeric solid electrolytes, 111
- Dye
Low temperature preparation of mesoporous TiO₂ films for efficient dye-sensitized photoelectrode by chemical vapor deposition combined with UV light irradiation, 187
- Light and energy—dye solar cells for the 21st century, 209
- Dye sensitization
I⁻/I₃⁻ redox reaction behavior on poly(3,4-ethylenedioxythiophene) counter electrode in dye-sensitized solar cells, 153
Hydrothermal preparation of porous nano-crystalline TiO₂ electrodes for flexible solar cells, 159
- Dye-sensitization
Multi-colored dye-sensitized solar cells, 67
Dye-sensitized solid-state solar cells made from magnesiumoxide-coated nanocrystalline titanium dioxide films: enhancement of the efficiency, 183
- Dye-sensitized
Long-term stability testing of dye-sensitized solar cells, 137
- Dye-sensitized solar cell (DSSC)
Conversion of sunlight to electric power by nanocrystalline dye-sensitized solar cells, 3
Coordinative interactions in a dye-sensitized solar cell, 23
Highly efficient metal-free organic dyes for dye-sensitized solar cells, 29
Dye-sensitized solar cells: improvement of spectral response by tandem structure, 33
Modelling interfacial charge transfer in dye-sensitized solar cells, 41
A new polymeric photosensitizer for dye-sensitized solar cell with porous TiO₂ from forest carbon resources, 53
A new alkyl-imidazole polymer prepared as an inonic polymer electrolyte by in situ polymerization of dye sensitized solar cells, 81
High performance dye-sensitized solar cells using ionic liquids as their electrolytes, 87
Flexible dye-sensitized solar cells by 28 GHz microwave irradiation, 93
Improved dye-sensitized solar cells using ionic nanocomposite gel electrolytes, 97
Influence of aminotriazole additives in electrolytic solution on dye-sensitized solar cell performance, 103
Quasi-solid dye sensitized solar cells solidified with chemically cross-linked gelators. Control of TiO₂/gel electrolytes and counter Pt/gel electrolytes interfaces, 117
Highly efficient quasi-solid state dye-sensitized solar cell with ion conducting polymer electrolyte, 123
Application of an ionic liquid-based electrolyte to a 100 mm × 100 mm sized dye-sensitized solar cell, 129
Highly efficient dye-sensitized solar cell using nanocrystalline titania containing nanotube structure, 145
Fabrication of dye-sensitized solar cells by spray pyrolysis deposition (SPD) technique, 167
Performances characteristics of dye-sensitized solar cells based on counter electrodes with Pt films of different thickness, 179
100 mm × 100 mm large-sized dye sensitized solar cells, 193
FTO/ITO double-layered transparent conductive oxide for dye-sensitized solar cells, 199
Outdoor performance of large scale DSC modules, 203
- Electrochemical
Light and energy—dye solar cells for the 21st century, 209
- Electrode
Preparation of a porous ITO electrode, 173

- Electrode kinetics
 Modelling interfacial charge transfer in dye-sensitized solar cells, 41
- Electrolyte
 Electrochemical properties of dye-sensitized solar cells fabricated with PVDF-type polymeric solid electrolytes, 111
- Electrolytic solution
 Influence of aminotriazole additives in electrolytic solution on dye-sensitized solar cell performance, 103
- Electron transport
 Photosensitization of nanostructured TiO₂ with CdSe quantum dots: effects of microstructure and electron transport in TiO₂ substrates, 75
- Energy conversion efficiency
 Outdoor performance of large scale DSC modules, 203
- Firing
 Flexible dye-sensitized solar cells by 28 GHz microwave irradiation, 93
- Flexible
 Low temperature preparation of mesoporous TiO₂ films for efficient dye-sensitized photoelectrode by chemical vapor deposition combined with UV light irradiation, 187
- Flexible solar cells
 Hydrothermal preparation of porous nano-crystalline TiO₂ electrodes for flexible solar cells, 159
- Fluorine-doped tin oxide
 FTO/ITO double-layered transparent conductive oxide for dye-sensitized solar cells, 199
- Forest carbon resources
 A new polymeric photosensitizer for dye-sensitized solar cell with porous TiO₂ from forest carbon resources, 53
- Gel
 Quasi-solid dye sensitized solar cells solidified with chemically cross-linked gelators. Control of TiO₂/gel electrolytes and counter Pt/gel electrolytes interfaces, 117
- 28 GHz
 Flexible dye-sensitized solar cells by 28 GHz microwave irradiation, 93
- Hydrothermal crystallization
 Hydrothermal preparation of porous nano-crystalline TiO₂ electrodes for flexible solar cells, 159
- Imidazolium cation
 A new alkyl-imidazole polymer prepared as an inonic polymer electrolyte by in situ polymerization of dye sensitized solar cells, 81
- In situ polymerization
 A new alkyl-imidazole polymer prepared as an inonic polymer electrolyte by in situ polymerization of dye sensitized solar cells, 81
- Indium-tin oxide
 FTO/ITO double-layered transparent conductive oxide for dye-sensitized solar cells, 199
- Insolation
 Outdoor performance of large scale DSC modules, 203
- Interfacial charge transfer
 Modelling interfacial charge transfer in dye-sensitized solar cells, 41
- Ion-gel
 Application of an ionic liquid-based electrolyte to a 100 mm × 100 mm sized dye-sensitized solar cell, 129
- Ionic conductivity
 Highly efficient quasi-solid state dye-sensitized solar cell with ion conducting polymer electrolyte, 123
- Ionic liquid
 A new alkyl-imidazole polymer prepared as an inonic polymer electrolyte by in situ polymerization of dye sensitized solar cells, 81
 High performance dye-sensitized solar cells using ionic liquids as their electrolytes, 87
 Improved dye-sensitized solar cells using ionic nanocomposite gel electrolytes, 97
 Quasi-solid dye sensitized solar cells solidified with chemically cross-linked gelators. Control of TiO₂/gel electrolytes and counter Pt/gel electrolytes interfaces, 117
 Application of an ionic liquid-based electrolyte to a 100 mm × 100 mm sized dye-sensitized solar cell, 129
- Ionic nanocomposite gel electrolyte
 Improved dye-sensitized solar cells using ionic nanocomposite gel electrolytes, 97
- Ionic polymer
 A new alkyl-imidazole polymer prepared as an inonic polymer electrolyte by in situ polymerization of dye sensitized solar cells, 81
- ITO
 Preparation of a porous ITO electrode, 173
- J-aggregate
 Highly efficient metal-free organic dyes for dye-sensitized solar cells, 29
- Large modules
 100 mm × 100 mm large-sized dye sensitized solar cells, 193
- Large scale modules
 Outdoor performance of large scale DSC modules, 203
- Ligand exchange
 Coordinative interactions in a dye-sensitized solar cell, 23
- Lignin
 A new polymeric photosensitizer for dye-sensitized solar cell with porous TiO₂ from forest carbon resources, 53
- Lignophenol
 A new polymeric photosensitizer for dye-sensitized solar cell with porous TiO₂ from forest carbon resources, 53
- Long term stability
 Outdoor performance of large scale DSC modules, 203
- Mesoporous, nanostructured
 Coordinative interactions in a dye-sensitized solar cell, 23
- Metal grid
 100 mm × 100 mm large-sized dye sensitized solar cells, 193
- Metal-free organic dyes
 Highly efficient metal-free organic dyes for dye-sensitized solar cells, 29
- Microwave
 Flexible dye-sensitized solar cells by 28 GHz microwave irradiation, 93
- Module
 Light and energy—dye solar cells for the 21st century, 209
- Molten salt
 Multi-colored dye-sensitized solar cells, 67
- Multi-colored solar cell
 Multi-colored dye-sensitized solar cells, 67
- Nanocomposite
 Preparation of a porous ITO electrode, 173
- Nanocrystalline
 Conversion of sunlight to electric power by nanocrystalline dye-sensitized solar cells, 3
- Nanocrystalline TiO₂
 Flexible dye-sensitized solar cells by 28 GHz microwave irradiation, 93
- Nano-crystalline TiO₂ films
 Hydrothermal preparation of porous nano-crystalline TiO₂ electrodes for flexible solar cells, 159
- Nanocrystalline titania
 Highly efficient dye-sensitized solar cell using nanocrystalline titania containing nanotube structure, 145
- Nanocrystalline titanium dioxide film
 Dye-sensitized solid-state solar cells made from magnesiumoxide-coated nanocrystalline titanium dioxide films: enhancement of the efficiency, 183

- Nanostructured
 Photosensitization of nanostructured TiO₂ with CdSe quantum dots: effects of microstructure and electron transport in TiO₂ substrates, 75
- Organic semiconductors
 Deposition of polyaniline via molecular self-assembly on TiO₂ and its uses as a sensitizer in solid-state solar cells, 61
- Osmium
 Preparation and photoelectrochemical characterization of a red sensitive osmium complex containing 4,4',4''-tricarboxy-2,2':6',2''-terpyridine and cyanide ligands, 15
- Outdoor performance
 Outdoor performance of large scale DSC modules, 203
- P25 titania
 Highly efficient dye-sensitized solar cell using nanocrystalline titania containing nanotube structure, 145
- PEDOT
 I⁻/I₃⁻ redox reaction behavior on poly(3,4-ethylenedioxythiophene) counter electrode in dye-sensitized solar cells, 153
- Performance
 Performances characteristics of dye-sensitized solar cells based on counter electrodes with Pt films of different thickness, 179
- Photoacoustic (PA)
 Photosensitization of nanostructured TiO₂ with CdSe quantum dots: effects of microstructure and electron transport in TiO₂ substrates, 75
- Photoelectrochemical
 Low temperature preparation of mesoporous TiO₂ films for efficient dye-sensitized photoelectrode by chemical vapor deposition combined with UV light irradiation, 187
- Photoelectrochemical (PEC) current
 Photosensitization of nanostructured TiO₂ with CdSe quantum dots: effects of microstructure and electron transport in TiO₂ substrates, 75
- Photoelectrochemical solar cell
 Dye-sensitized solid-state solar cells made from magnesiumoxide-coated nanocrystalline titanium dioxide films: enhancement of the efficiency, 183
- Photo-energy conversion
 High performance dye-sensitized solar cells using ionic liquids as their electrolytes, 87
- Photo-voltaic cell
 High performance dye-sensitized solar cells using ionic liquids as their electrolytes, 87
- Photovoltaic conversion device
 Preparation and properties of dye-sensitized solar cell using chlorophyll derivative immobilized TiO₂ film electrode, 47
- Polymer electrolyte
 Highly efficient quasi-solid state dye-sensitized solar cell with ion conducting polymer electrolyte, 123
- Polymeric solid electrolyte
 Electrochemical properties of dye-sensitized solar cells fabricated with PVDF-type polymeric solid electrolytes, 111
- Polymers
 Deposition of polyaniline via molecular self-assembly on TiO₂ and its uses as a sensitizer in solid-state solar cells, 61
- Porous glass
 Preparation of a porous ITO electrode, 173
- Product
 Light and energy—dye solar cells for the 21st century, 209
- Pt film
 Performances characteristics of dye-sensitized solar cells based on counter electrodes with Pt films of different thickness, 179
- PVDF
 Electrochemical properties of dye-sensitized solar cells fabricated with PVDF-type polymeric solid electrolytes, 111
- Quasi-solidification
 Highly efficient quasi-solid state dye-sensitized solar cell with ion conducting polymer electrolyte, 123
- Quasi-solid-state cell
 A new alkyl-imidazole polymer prepared as an inonic polymer electrolyte by in situ polymerization of dye sensitized solar cells, 81
- Raman scattering
 Coordinative interactions in a dye-sensitized solar cell, 23
- Recombination
 Dye-sensitized solid-state solar cells made from magnesiumoxide-coated nanocrystalline titanium dioxide films: enhancement of the efficiency, 183
- Renewable resources
 A new polymeric photosensitizer for dye-sensitized solar cell with porous TiO₂ from forest carbon resources, 53
- Room temperature molten salt
 A new alkyl-imidazole polymer prepared as an inonic polymer electrolyte by in situ polymerization of dye sensitized solar cells, 81
- Sensitizer
 Conversion of sunlight to electric power by nanocrystalline dye-sensitized solar cells, 3
 Preparation and photoelectrochemical characterization of a red sensitive osmium complex containing 4,4',4''-tricarboxy-2,2':6',2''-terpyridine and cyanide ligands, 15
- Sensitizing dye
 Multi-colored dye-sensitized solar cells, 67
- Series-connected
 Outdoor performance of large scale DSC modules, 203
- Sheet resistance
 Performances characteristics of dye-sensitized solar cells based on counter electrodes with Pt films of different thickness, 179
- Si solar cells
 Outdoor performance of large scale DSC modules, 203
- Solar
 Light and energy—dye solar cells for the 21st century, 209
- Solar cell
 Deposition of polyaniline via molecular self-assembly on TiO₂ and its uses as a sensitizer in solid-state solar cells, 61
 I⁻/I₃⁻ redox reaction behavior on poly(3,4-ethylenedioxythiophene) counter electrode in dye-sensitized solar cells, 153
 Low temperature preparation of mesoporous TiO₂ films for efficient dye-sensitized photoelectrode by chemical vapor deposition combined with UV light irradiation, 187
- Solid-state cell
 Dye-sensitized solid-state solar cells made from magnesiumoxide-coated nanocrystalline titanium dioxide films: enhancement of the efficiency, 183
- Spray pyrolysis deposition
 Fabrication of dye-sensitized solar cells by spray pyrolysis deposition (SPD) technique, 167
 FTO/ITO double-layered transparent conductive oxide for dye-sensitized solar cells, 199
- Stability
 Long-term stability testing of dye-sensitized solar cells, 137
- Surface area
 Preparation of a porous ITO electrode, 173
- Surface modification
 Quasi-solid dye sensitized solar cells solidified with chemically cross-linked gelators. Control of TiO₂/gel electrolytes and counter Pt/gel electrolytes interfaces, 117
- Surfactant-assisted templating mechanism
 Highly efficient dye-sensitized solar cell using nanocrystalline titania containing nanotube structure, 145

- Sustainable
 - Light and energy—dye solar cells for the 21st century, 209
- Tandem
 - Dye-sensitized solar cells: improvement of spectral response by tandem structure, 33
- Temperature
 - Outdoor performance of large scale DSC modules, 203
- Terpyridine
 - Preparation and photoelectrochemical characterization of a red sensitive osmium complex containing 4,4',4''-tricarboxy-2,2':6',2''-terpyridine and cyanide ligands, 15
- Thin film
 - Highly efficient dye-sensitized solar cell using nanocrystalline titania containing nanotube structure, 145
 - Fabrication of dye-sensitized solar cells by spray pyrolysis deposition (SPD) technique, 167
- Three-dimensional network
 - Highly efficient quasi-solid state dye-sensitized solar cell with ion conducting polymer electrolyte, 123
- TiO₂
 - Preparation and properties of dye-sensitized solar cell using chlorophyll derivative immobilized TiO₂ film electrode, 47
 - Photosensitization of nanostructured TiO₂ with CdSe quantum dots: effects of microstructure and electron transport in TiO₂ substrates, 75
 - Quasi-solid dye sensitized solar cells solidified with chemically cross-linked gelators. Control of TiO₂/gel electrolytes and counter Pt/gel electrolytes interfaces, 117
 - Application of an ionic liquid-based electrolyte to a 100 mm × 100 mm sized dye-sensitized solar cell, 129
 - Long-term stability testing of dye-sensitized solar cells, 137
- Titanium dioxide
 - Multi-colored dye-sensitized solar cells, 67
 - Improved dye-sensitized solar cells using ionic nanocomposite gel electrolytes, 97
 - Fabrication of dye-sensitized solar cells by spray pyrolysis deposition (SPD) technique, 167
- Titanium oxide
 - Deposition of polyaniline via molecular self-assembly on TiO₂ and its uses as a sensitizer in solid-state solar cells, 61
- UV
 - Low temperature preparation of mesoporous TiO₂ films for efficient dye-sensitized photoelectrode by chemical vapor deposition combined with UV light irradiation, 187
- Visible light sensitization
 - Preparation and properties of dye-sensitized solar cell using chlorophyll derivative immobilized TiO₂ film electrode, 47