

Subject Index of Volume 167

- Activated carbon
Photocatalytic removal and recovery of mercury from water using TiO₂-modified sewage sludge carbon, 223
- Adsorption
Hybridization of adsorptivity with photocatalytic activity—carbon-coated anatase, 127
Photocatalytic removal and recovery of mercury from water using TiO₂-modified sewage sludge carbon, 223
- Advanced oxidation technologies
Destruction of EDTA using Fenton and photo-Fenton-like reactions under UV-A irradiation, 59
- Alumina
Surface and adsorbates effects on the photochemistry and photophysics of adsorbed perylene on unactivated silica gel and alumina, 191
- Aquatic environment
Photolysis of 2-mercaptobenzothiazole in aqueous medium. Laboratory and field experiments, 121
- Aqueous and non-aqueous reverse micelles
Effect of hydrogen bonding on intramolecular charge transfer in aqueous and non-aqueous reverse micelles, 23
- Ascorbic acid
Type-I and type-II photoprocesses in the system photosense–ascorbic acid, 37
- Benzotriazole
Synthesis and photophysical properties of bipolar low-molar-mass amorphous materials, 163
- Bimetallic
Micelle-mediated UV-photoactivation route for the evolution of Pd_{core}–Au_{shell} and Pd_{core}–Ag_{shell} bimetallics from photogenerated Pd nanoparticles, 17
- Binding study
The study on the interaction between human serum albumin and a new reagent with antitumour activity by spectrophotometric methods, 213
- Bipolar
Synthesis and photophysical properties of bipolar low-molar-mass amorphous materials, 163
- Carbazole
Synthesis and photophysical properties of bipolar low-molar-mass amorphous materials, 163
- Carbon-coated TiO₂
Hybridization of adsorptivity with photocatalytic activity—carbon-coated anatase, 127
- CD spectroscopy
The study on the interaction between human serum albumin and a new reagent with antitumour activity by spectrophotometric methods, 213
- cis*-/*trans*-Carvomenthene oxide
Photo-assisted kinetic resolution of diastereomeric limonene and carvomenthene oxides in methanol in the presence of Lewis acids, 137
- cis*-/*trans*-Limonene oxide
Photo-assisted kinetic resolution of diastereomeric limonene and carvomenthene oxides in methanol in the presence of Lewis acids, 137
- Co complex
Mechanism and relaxation kinetics of photo-induced valence tautomerism of [Co(phen)(3,5-DBSQ)₂].C₆H₅Cl, 69
- Controlled/“living” radical polymerization
Preparation of polystyrene grafted silica nanoparticles by two-steps UV induced reaction, 237
- Copper
Destruction of EDTA using Fenton and photo-Fenton-like reactions under UV-A irradiation, 59
- Core–shell
Micelle-mediated UV-photoactivation route for the evolution of Pd_{core}–Au_{shell} and Pd_{core}–Ag_{shell} bimetallics from photogenerated Pd nanoparticles, 17
- Crystalline size effects
Effects of crystal structure on photolysis of H₂O on K–Ta mixed oxide, 149
- CTA micelles
Sensitized chemiluminescence in micellar mixtures of phthalhydrazide and selected dyes, 169
- Curing monitoring
New fluorescent probes for monitoring the polymerization reaction. Part 3: pulsed-laser polymerization of acrylic adhesives, 229
- p,p'*-DDT
Different effects of humic substances on photodegradation of *p,p'*-DDT on soil surfaces in the presence of TiO₂ under UV and visible light, 177
- Dibenzodioxocins
Photochemical study of an *o*-ethyl dibenzodioxocin molecule as a model for the photodegradation of non-phenolic lignin units of lignocelluloses, 111
- 1,4-Dioxane
Sonophotocatalytic destruction of 1,4-dioxane in aqueous systems by HF-treated TiO₂ powder, 75
- Doping
Effect of alkaline-doped TiO₂ on photocatalytic efficiency, 49
- Dynamic quenching
Characterizing pyrene–Ag⁺ exciplex formation in aqueous and ethanolic solutions, 141
- EDTA destruction
Destruction of EDTA using Fenton and photo-Fenton-like reactions under UV-A irradiation, 59
- Electron spin paramagnetic resonance
Type-I and type-II photoprocesses in the system photosense–ascorbic acid, 37
- Energy transfer
Sensitized chemiluminescence in micellar mixtures of phthalhydrazide and selected dyes, 169
- Excited states
Electronic excitation spectra and singlet–triplet coupling in psoralen and its sulfur and selenium analogs, 201
- Excited uranyl ion
Studies on photo-degradation of thionine in the presence of uranyl ion and H₂O₂, 11

- Fenton
Destruction of EDTA using Fenton and photo-Fenton-like reactions under UV-A irradiation, 59
- Fluorescein
Layer-by-layer self-assembly of polyelectrolyte and the divalent salt of fluorescein, 31
- Fluorescence
Photochemical study of an *o*-ethyl dibenzodioxocin molecule as a model for the photodegradation of non-phenolic lignin units of lignocellulose, 111
- Fluorescence lifetime
Characterizing pyrene–Ag⁺ exciplex formation in aqueous and ethanolic solutions, 141
- Fluorescence quenching
The study on the interaction between human serum albumin and a new reagent with antitumour activity by spectrophotometric methods, 213
- Fluorescent probes
New fluorescent probes for monitoring the polymerization reaction. Part 3: pulsed-laser polymerization of acrylic adhesives, 229
- FT-IR spectroscopy
The study on the interaction between human serum albumin and a new reagent with antitumour activity by spectrophotometric methods, 213
- Glass-forming
Synthesis and photophysical properties of bipolar low-molar-mass amorphous materials, 163
- Gold
Micelle-mediated UV-photoactivation route for the evolution of Pd_{core}–Au_{shell} and Pd_{core}–Ag_{shell} bimetallics from photogenerated Pd nanoparticles, 17
- Hexane
Photocatalytic degradation of trace hexane in the gas phase with and without ozone addition: kinetic study, 87
- HF
Sonophotocatalytic destruction of 1,4-dioxane in aqueous systems by HF-treated TiO₂ powder, 75
- Human serum albumin
The study on the interaction between human serum albumin and a new reagent with antitumour activity by spectrophotometric methods, 213
- Humic substances
Different effects of humic substances on photodegradation of *p,p'*-DDT on soil surfaces in the presence of TiO₂ under UV and visible light, 177
- Hydrogen bonding
Effect of hydrogen bonding on intramolecular charge transfer in aqueous and non-aqueous reverse micelles, 23
- 2-Hydroxy-3-nitro-9-fluorenone
The study on the interaction between human serum albumin and a new reagent with antitumour activity by spectrophotometric methods, 213
- Indoor air
Photocatalytic degradation of trace hexane in the gas phase with and without ozone addition: kinetic study, 87
- Intramolecular charge transfer
Effect of hydrogen bonding on intramolecular charge transfer in aqueous and non-aqueous reverse micelles, 23
- Ionisation potential
Synthesis and photophysical properties of bipolar low-molar-mass amorphous materials, 163
- Iron
Destruction of EDTA using Fenton and photo-Fenton-like reactions under UV-A irradiation, 59
- Iron(III) complexes
Photochemical behaviour of iron(III) oxalato complexes with *N,N'*-ethylenebis(benzoylacetoneiminato) Schiff base derivatives, 81
- Kinetic resolution
Photo-assisted kinetic resolution of diastereomeric limonene and carvomenthene oxides in methanol in the presence of Lewis acids, 137
- Kinetics
Photocatalysis in microreactors, 95
- K₂Ta₂O₆, KTaO₃
Effects of crystal structure on photolysis of H₂O on K–Ta mixed oxide, 149
- Laser dye
The concentration dependence of the normalized photostability of 1,3,5,7,8-pentamethyl-2,6-di-*t*-butylpyrromethene-difluoroborate complex (PM-597) methanol solutions, 185
- Lewis acid
Photo-assisted kinetic resolution of diastereomeric limonene and carvomenthene oxides in methanol in the presence of Lewis acids, 137
- Lignin models
Photochemical study of an *o*-ethyl dibenzodioxocin molecule as a model for the photodegradation of non-phenolic lignin units of lignocellulose, 111
- Lithium
Effect of alkaline-doped TiO₂ on photocatalytic efficiency, 49
- Mass transfer
Photocatalysis in microreactors, 95
- Mechanism
Photochemical behaviour of iron(III) oxalato complexes with *N,N'*-ethylenebis(benzoylacetoneiminato) Schiff base derivatives, 81
- 2-Mercaptobenzothiazole
Photolysis of 2-mercaptobenzothiazole in aqueous medium. Laboratory and field experiments, 121
- Mercury
Photocatalytic removal and recovery of mercury from water using TiO₂-modified sewage sludge carbon, 223
- Methylene blue
Hybridization of adsorptivity with photocatalytic activity—carbon-coated anatase, 127
- Microreactor
Photocatalysis in microreactors, 95
- Molecular probe
Fluorescent symmetric phenazines from naphthoquinones. 4. Solvent effect on time-resolved fluorescence, 1
- Monomer-iniferter
Preparation of polystyrene grafted silica nanoparticles by two-steps UV induced reaction, 237
- Multi-reference configuration interaction
Electronic excitation spectra and singlet–triplet coupling in psoralen and its sulfur and selenium analogs, 201
- Nanosized particle
Effect of alkaline-doped TiO₂ on photocatalytic efficiency, 49
- Normalized photostability
The concentration dependence of the normalized photostability of 1,3,5,7,8-pentamethyl-2,6-di-*t*-butylpyrromethene-difluoroborate complex (PM-597) methanol solutions, 185
- Oxalato ligand
Photochemical behaviour of iron(III) oxalato complexes with *N,N'*-ethylenebis(benzoylacetoneiminato) Schiff base derivatives, 81
- Ozonation
Photocatalytic degradation of trace hexane in the gas phase with and without ozone addition: kinetic study, 87

- Ozone
Photocatalytic degradation of trace hexane in the gas phase with and without ozone addition: kinetic study, 87
- Palladium
Micelle-mediated UV-photoactivation route for the evolution of Pd_{core}-Au_{shell} and Pd_{core}-Ag_{shell} bimetallics from photogenerated Pd nanoparticles, 17
- Perylene
Surface and adsorbates effects on the photochemistry and photophysics of adsorbed perylene on unactivated silica gel and alumina, 191
- Phenanthroline
Redox chemistry of Ru(II) complexes of 6,7-dicyanodipyridoquinoline: a radiation chemical study, 101
- Photocatalysis
Effect of alkaline-doped TiO₂ on photocatalytic efficiency, 49
Sonophotocatalytic destruction of 1,4-dioxane in aqueous systems by HF-treated TiO₂ powder, 75
Photocatalytic degradation of trace hexane in the gas phase with and without ozone addition: kinetic study, 87
- Photocatalysts
Effects of crystal structure on photolysis of H₂O on K-Ta mixed oxide, 149
- Photocatalytic
Photocatalysis in microreactors, 95
- Photocatalytic properties
Hybridization of adsorptivity with photocatalytic activity—carbon-coated anatase, 127
- Photochemistry
Surface and adsorbates effects on the photochemistry and photophysics of adsorbed perylene on unactivated silica gel and alumina, 191
- Photo-degradation
Studies on photo-degradation of thionine in the presence of uranyl ion and H₂O₂, 11
- Photodegradation
The concentration dependence of the normalized photostability of 1,3,5,7,8-pentamethyl-2,6-di-*t*-butylpyrromethene-difluoroborate complex (PM-597) methanol solutions, 185
- Photodynamic therapy
Type-I and type-II photoprocesses in the system photosense–ascorbic acid, 37
Electronic excitation spectra and singlet–triplet coupling in psoralen and its sulfur and selenium analogs, 201
- Photo-Fenton
Destruction of EDTA using Fenton and photo-Fenton-like reactions under UV-A irradiation, 59
- Photo-induced valence tautomerism
Mechanism and relaxation kinetics of photo-induced valence tautomerism of [Co(phen)(3,5-DBSQ₂)]-C₆H₅Cl, 69
- Photolysis
Photochemical behaviour of iron(III) oxalato complexes with *N,N'*-ethylenebis(benzoylacetoneiminato) Schiff base derivatives, 81
Photolysis of 2-mercaptobenzothiazole in aqueous medium. Laboratory and field experiments, 121
- Photolysis of water
Effects of crystal structure on photolysis of H₂O on K-Ta mixed oxide, 149
- Photooxidation
The concentration dependence of the normalized photostability of 1,3,5,7,8-pentamethyl-2,6-di-*t*-butylpyrromethene-difluoroborate complex (PM-597) methanol solutions, 185
- Photoreactivity
Photochemical study of an *o*-ethyl dibenzodioxocin molecule as a model for the photodegradation of non-phenolic lignin units of lignocelluloses, 111
- Photoreduction
Photocatalytic removal and recovery of mercury from water using TiO₂-modified sewage sludge carbon, 223
- Photosense
Type-I and type-II photoprocesses in the system photosense–ascorbic acid, 37
- Photosensitization
Different effects of humic substances on photodegradation of *p,p'*-DDT on soil surfaces in the presence of TiO₂ under UV and visible light, 177
- Photosensitizer
Type-I and type-II photoprocesses in the system photosense–ascorbic acid, 37
- Photosolvolyis
Photo-assisted kinetic resolution of diastereomeric limonene and carvomenthene oxides in methanol in the presence of Lewis acids, 137
- Phthalhydrazide
Sensitized chemiluminescence in micellar mixtures of phthalhydrazide and selected dyes, 169
- Polyelectrolyte multilayer
Layer-by-layer self-assembly of polyelectrolyte and the divalent salt of fluorescein, 31
- Polystyrene grafted silica nanoparticles
Preparation of polystyrene grafted silica nanoparticles by two-steps UV induced reaction, 237
- Potassium
Effect of alkaline-doped TiO₂ on photocatalytic efficiency, 49
- Psoralen
Electronic excitation spectra and singlet–triplet coupling in psoralen and its sulfur and selenium analogs, 201
- Pulse radiolysis
Redox chemistry of Ru(II) complexes of 6,7-dicyanodipyridoquinoline: a radiation chemical study, 101
- Pulsed-laser polymerization
New fluorescent probes for monitoring the polymerization reaction. Part 3: pulsed-laser polymerization of acrylic adhesives, 229
- Pyrrromethene difluoroborate complex
The concentration dependence of the normalized photostability of 1,3,5,7,8-pentamethyl-2,6-di-*t*-butylpyrromethene-difluoroborate complex (PM-597) methanol solutions, 185
- Quantum yield
Photochemical behaviour of iron(III) oxalato complexes with *N,N'*-ethylenebis(benzoylacetoneiminato) Schiff base derivatives, 81
Characterizing pyrene–Ag⁺ exciplex formation in aqueous and ethanolic solutions, 141
- Quinoxaline
Redox chemistry of Ru(II) complexes of 6,7-dicyanodipyridoquinoline: a radiation chemical study, 101
- Rate constants
Characterizing pyrene–Ag⁺ exciplex formation in aqueous and ethanolic solutions, 141
- Reactive Black 5
Hybridization of adsorptivity with photocatalytic activity—carbon-coated anatase, 127
- Relaxation kinetics
Mechanism and relaxation kinetics of photo-induced valence tautomerism of [Co(phen)(3,5-DBSQ₂)]-C₆H₅Cl, 69
- Rotational spectra
The ro-vibrational spectra of CO molecule resulting from the photolysis of acetone, 159
- Ru(II) complex
Redox chemistry of Ru(II) complexes of 6,7-dicyanodipyridoquinoline: a radiation chemical study, 101
- Schiff base
Photochemical behaviour of iron(III) oxalato complexes with *N,N'*-ethylenebis(benzoylacetoneiminato) Schiff base derivatives, 81

- Self-assembly
 Layer-by-layer self-assembly of polyelectrolyte and the divalent salt of fluorescein, 31
- Sensitized chemiluminescence
 Sensitized chemiluminescence in micellar mixtures of phthalhydrazide and selected dyes, 169
- Sewage sludge
 Photocatalytic removal and recovery of mercury from water using TiO₂-modified sewage sludge carbon, 223
- Silica gel
 Surface and adsorbates effects on the photochemistry and photophysics of adsorbed perylene on unactivated silica gel and alumina, 191
- Silver
 Micelle-mediated UV-photoactivation route for the evolution of Pd_{core}-Au_{shell} and Pd_{core}-Ag_{shell} bimetallics from photogenerated Pd nanoparticles, 17
- Silver ion
 Characterizing pyrene-Ag⁺ exciplex formation in aqueous and ethanolic solutions, 141
- Simulation
 The ro-vibrational spectra of CO molecule resulting from the photolysis of acetone, 159
- Singlet oxygen
 Type-I and type-II photoprocesses in the system photosense-ascorbic acid, 37
 The concentration dependence of the normalized photostability of 1,3,5,7,8-pentamethyl-2,6-di-*t*-butylpyrromethene-difluoroborate complex (PM-597) methanol solutions, 185
- Sodium
 Effect of alkaline-doped TiO₂ on photocatalytic efficiency, 49
- Solar light
 Photolysis of 2-mercaptobenzothiazole in aqueous medium. Laboratory and field experiments, 121
- Sol-gel route
 Effect of alkaline-doped TiO₂ on photocatalytic efficiency, 49
- Solvent effect
 Fluorescent symmetric phenazines from naphthoquinones. 4. Solvent effect on time-resolved fluorescence, 1
- Sonolysis
 Sonophotocatalytic destruction of 1,4-dioxane in aqueous systems by HF-treated TiO₂ powder, 75
- Spin-orbit coupling
 Electronic excitation spectra and singlet-triplet coupling in psoralen and its sulfur and selenium analogs, 201
- Steady-state fluorescence
 Characterizing pyrene-Ag⁺ exciplex formation in aqueous and ethanolic solutions, 141
- Surface-initiated
 Preparation of polystyrene grafted silica nanoparticles by two-steps UV induced reaction, 237
- Symmetry effect
 Fluorescent symmetric phenazines from naphthoquinones. 4. Solvent effect on time-resolved fluorescence, 1
- Thin films
 Layer-by-layer self-assembly of polyelectrolyte and the divalent salt of fluorescein, 31
- Thionine
 Studies on photo-degradation of thionine in the presence of uranyl ion and H₂O₂, 11
- Time-resolved fluorescence
 Fluorescent symmetric phenazines from naphthoquinones. 4. Solvent effect on time-resolved fluorescence, 1
- Characterizing pyrene-Ag⁺ exciplex formation in aqueous and ethanolic solutions, 141
- TiO₂
 Sonophotocatalytic destruction of 1,4-dioxane in aqueous systems by HF-treated TiO₂ powder, 75
 Photocatalysis in microreactors, 95
 Different effects of humic substances on photodegradation of *p,p'*-DDT on soil surfaces in the presence of TiO₂ under UV and visible light, 177
- Titanium dioxide
 Effect of alkaline-doped TiO₂ on photocatalytic efficiency, 49
 Photocatalytic degradation of trace hexane in the gas phase with and without ozone addition: kinetic study, 87
 Photocatalytic removal and recovery of mercury from water using TiO₂-modified sewage sludge carbon, 223
- Transient species
 Photolysis of 2-mercaptobenzothiazole in aqueous medium. Laboratory and field experiments, 121
- Trinitrophenol
 Synthesis and photophysical properties of bipolar low-molar-mass amorphous materials, 163
- Trioxothioxanthene
 Synthesis and photophysical properties of bipolar low-molar-mass amorphous materials, 163
- TX-100
 Micelle-mediated UV-photoactivation route for the evolution of Pd_{core}-Au_{shell} and Pd_{core}-Ag_{shell} bimetallics from photogenerated Pd nanoparticles, 17
- UV irradiation
 Preparation of polystyrene grafted silica nanoparticles by two-steps UV induced reaction, 237
- UV-A LED
 Photocatalysis in microreactors, 95
- UV-photoactivation
 Micelle-mediated UV-photoactivation route for the evolution of Pd_{core}-Au_{shell} and Pd_{core}-Ag_{shell} bimetallics from photogenerated Pd nanoparticles, 17
- UV-Vis spectroscopy
 The study on the interaction between human serum albumin and a new reagent with antitumour activity by spectrophotometric methods, 213
- Vibrational population
 The ro-vibrational spectra of CO molecule resulting from the photolysis of acetone, 159
- Visible light
 Different effects of humic substances on photodegradation of *p,p'*-DDT on soil surfaces in the presence of TiO₂ under UV and visible light, 177
- Water
 Photolysis of 2-mercaptobenzothiazole in aqueous medium. Laboratory and field experiments, 121
- Wavelength dependence
 Photochemical behaviour of iron(III) oxalato complexes with *N,N'*-ethylenebis(benzoylacetoneiminato) Schiff base derivatives, 81
- Zinc halides
 Photo-assisted kinetic resolution of diastereomeric limonene and carvomenthene oxides in methanol in the presence of Lewis acids, 137