

Subject Index of Volume 169

Absorption spectrum

Photophysics of 1-hydroxy-9-fluorenone: absence of excited state intramolecular proton transfer reaction, 79

Additive

Influence of nitrogen-containing heterocyclic additives in I^-/I_3^- redox electrolytic solution on the performance of Ru-dye-sensitized nano-crystalline TiO_2 solar cell, 169

o-Aminocinnamate

Preparation and photochemistry of *o*-aminocinnamates, 289

Aminopyrene

Fluorescence studies of the sol–gel transition using aminopyrene, 221

Antioxidant

Stereoselective photochemistry of heteroaryl chalcones in solution and the antioxidant activities, 229

AOS

Dye–surfactant interaction: solubilization of styryl pyridinium dyes of varying alkyl chain in alfa-olefinic sulfonate and linear alkyl benzene sulfonate solutions, 253

Baker's yeast

New strategies improve the efficiency of the *baker's yeast* reduction of ketoesters: near UV irradiation and a two-substrate application, 197

Baker's yeast oxidoreductases: alcohol dehydrogenase I (ADH I)

New strategies improve the efficiency of the *baker's yeast* reduction of ketoesters: near UV irradiation and a two-substrate application, 197

Benzene derivatives

Effect of benzene derivatives bearing electron-releasing and/or electron-withdrawing groups on the fluorescence of CdS-Q clusters, 1

Binding constant

Effect of hydrophobicity on micellar binding of carminic acid, 115

Biotransformation

New strategies improve the efficiency of the *baker's yeast* reduction of ketoesters: near UV irradiation and a two-substrate application, 197

Cadmium sulfide

Subpicosecond spectroscopic studies on the photochemical events of 2-dimethylaminoethanethiol-capped CdS nanoparticles in water, 309

Carbon isotopes

Laser enrichment of carbon-13: operational experience with a large photochemical reactor for macroscopic separation, 29

On scaling up of carbon isotopes' enrichment by infrared laser chemistry of CF_2HCl , 187

Carminic acid

Effect of hydrophobicity on micellar binding of carminic acid, 115

κ -Carrageenan

Effect of humidity on photoluminescence from $Ru(bpy)_3^{2+}$ incorporated into a polysaccharide solid film and its application to optical humidity sensor, 109

Catalyst deactivation

Photodegradation of gaseous volatile organic compounds (VOCs) using TiO_2 photoirradiated by an ozone-producing UV lamp: decomposition characteristics, identification of by-products and water-soluble organic intermediates, 279

Cationic surfactants

Effect of hydrophobicity on micellar binding of carminic acid, 115

β -CD complexes

Spectroscopic studies of β -cyclodextrin-complexed cyanine dyes, 211

CdS-Q clusters

Effect of benzene derivatives bearing electron-releasing and/or electron-withdrawing groups on the fluorescence of CdS-Q clusters, 1

Chitosan

Effect of humidity on photoluminescence from $Ru(bpy)_3^{2+}$ incorporated into a polysaccharide solid film and its application to optical humidity sensor, 109

Chloroform

Photocatalytic degradation of chloroform in the gas phase on the porous TiO_2 pellets: effect of Cl accumulated on the catalyst surface, 191

Chlorohydroquinone

Hydrogen-atom migration and Wolff rearrangement in photolysis of chlorohydroquinone to produce *p*-benzoquinone and 3-hydroxy-2,4-cyclopentadiene-1-ylidenemethanone, 47

Circular dichroism (CD)

New strategies improve the efficiency of the *baker's yeast* reduction of ketoesters: near UV irradiation and a two-substrate application, 197

Computational modelling

Spectroscopic studies of β -cyclodextrin-complexed cyanine dyes, 211

Cyclodextrin

Spectroscopic studies on the interaction of Safranin T with DNA in β -cyclodextrin and carboxymethyl- β -cyclodextrin, 153

Dibenzodioxocins

Photochemical study of 4-(4,9-dimethoxy-2,11-*n*-dipropyl-6,7-dihydro-5,8-dioxo-dibenzo[a,c]cycloocten-6-yl)-2-methoxyphenol, a lignin model of phenolic dibenzodioxocin unit, 261

Diffusion controlled processes

Evidence for superoxide-radical anion, singlet oxygen and OH-radical intervention during the degradation of the lignin model compound (3-methoxy-4-hydroxyphenylmethylcarbinol), 271

Diheptanoylphosphatidylcholine

Effect of hydrophobic tail on the mixed micelles of diheptanoylphosphatidylcholine with cationic and zwitterionic surfactants: a fluorescence study, 63

2-Dimethylaminoethanethiol-capped CdS

Subpicosecond spectroscopic studies on the photochemical events of 2-dimethylaminoethanethiol-capped CdS nanoparticles in water, 309

DNA

Spectroscopic studies on the interaction of Safranin T with DNA in β -cyclodextrin and carboxymethyl- β -cyclodextrin, 153

Dye

Phototendering of wool sensitized by naturally occurring polyphenolic dyes, 147

Dye-sensitization

Preparation and characterization of mesoporous SBA-15 supported dye-sensitized TiO_2 photocatalyst, 101

Dye-sensitized

Dye-sensitized photoelectrochemical solar cells based on nanocomposite organic–inorganic materials, 57

- Dye-sensitized solar cell
Influence of nitrogen-containing heterocyclic additives in I^-/I_3^- redox electrolytic solution on the performance of Ru-dye-sensitized nanocrystalline TiO_2 solar cell, 169
- E. coli* lysis
Dynamics of *E. coli* membrane cell peroxidation during TiO_2 photocatalysis studied by ATR-FTIR spectroscopy and AFM microscopy, 131
- E. coli* photokilling
Dynamics of *E. coli* membrane cell peroxidation during TiO_2 photocatalysis studied by ATR-FTIR spectroscopy and AFM microscopy, 131
- Electrolytic solution
Influence of nitrogen-containing heterocyclic additives in I^-/I_3^- redox electrolytic solution on the performance of Ru-dye-sensitized nanocrystalline TiO_2 solar cell, 169
- Electron relay
Investigation of photostationary state of chromophor/acceptor and related multistep electron relay by in situ visible absorption spectroscopy, 71
- Epoxy maleate
Effect of UV radiation on the semi-interpenetrating polymer networks based on polyurethane and epoxy maleate of bisphenol A, 177
- ESIPT
Photophysics of 1-hydroxy-9-fluorenone: absence of excited state intramolecular proton transfer reaction, 79
- Excited-state dipole moment
Photophysics of 1-hydroxy- and 1-methoxy-9-fluorenone. II. Non-radiative deactivation, 299
- Fluorescence
Effect of benzene derivatives bearing electron-releasing and/or electron-withdrawing groups on the fluorescence of CdS-Q clusters, 1
How do the novel substituted 3H-indole probe molecules reside in the AOT-based water-in-oil microemulsion? An investigation by absorption and fluorescence spectroscopy, 123
Fluorescence studies of the sol-gel transition using aminopyrene, 221
Photochemical study of 4-(4,9-dimethoxy-2,11-*n*-dipropyl-6,7-dihydro-5,8-dioxo-dibenzo[a,c]cycloocten-6-yl)-2-methoxyphenol, a lignin model of phenolic dibenzodioxocin unit, 261
- Fluorescence emission
Spectral properties of stilbazolium merocyanines – potential sensitizers in photodynamic therapy and diagnosis. Part II. Merocyanines in resting and stimulated lymphocytes, 159
- Fluorescence enhancement
A study of 4-(alkylamino)amino substituted 1,8-naphthalimide fluorionophores, 9
- Fluorescence excitation
Spectral properties of stilbazolium merocyanines – potential sensitizers in photodynamic therapy and diagnosis. Part II. Merocyanines in resting and stimulated lymphocytes, 159
- Fluorescence measurements
Effect of hydrophobic tail on the mixed micelles of diheptanoylphosphatidicholine with cationic and zwitterionic surfactants: a fluorescence study, 63
- Fluorescence spectrum
Photophysics of 1-hydroxy-9-fluorenone: absence of excited state intramolecular proton transfer reaction, 79
- Fluoroionophores
A study of 4-(alkylamino)amino substituted 1,8-naphthalimide fluorionophores, 9
- FTIR time dependent spectroscopy
Dynamics of *E. coli* membrane cell peroxidation during TiO_2 photocatalysis studied by ATR-FTIR spectroscopy and AFM microscopy, 131
- Gel electrolyte
Dye-sensitized photoelectrochemical solar cells based on nanocomposite organic-inorganic materials, 57
- H/J-stacking
Dye-surfactant interaction: solubilization of styryl pyridinium dyes of varying alkyl chain in alfa-olefinic sulfonate and linear alkyl benzene sulfonate solutions, 253
- Heteroaryl chalcone
Stereoselective photochemistry of heteroaryl chalcones in solution and the antioxidant activities, 229
- Hydrogen evolution
Investigation of photostationary state of chromophor/acceptor and related multistep electron relay by in situ visible absorption spectroscopy, 71
Photocatalytic activity of platinum loaded fibrous titania prepared by solvothermal process, 89
- Hydrogen-atom migration
Hydrogen-atom migration and Wolff rearrangement in photolysis of chlorohydroquinone to produce *p*-benzoquinone and 3-hydroxy-2,4-cyclopentadiene-1-ylidenemethanone, 47
- Hydrophobic interaction
Effect of hydrophobicity on micellar binding of carminic acid, 115
How do the novel substituted 3H-indole probe molecules reside in the AOT-based water-in-oil microemulsion? An investigation by absorption and fluorescence spectroscopy, 123
- 1-Hydroxy-9-fluorenone
Photophysics of 1-hydroxy-9-fluorenone: absence of excited state intramolecular proton transfer reaction, 79
Photophysics of 1-hydroxy- and 1-methoxy-9-fluorenone. II. Non-radiative deactivation, 299
- Hyper-Rayleigh scattering
Spectroscopic studies of β -cyclodextrin-complexed cyanine dyes, 211
- In situ visible absorption spectroscopy
Investigation of photostationary state of chromophor/acceptor and related multistep electron relay by in situ visible absorption spectroscopy, 71
- Intermediates
Photocatalyzed oxidation and mineralization of C1–C5 linear aliphatic acids in UV-irradiated aqueous titania dispersions—kinetics, identification of intermediates and quantum yields, 235
- IR MPD
Laser enrichment of carbon-13: operational experience with a large photochemical reactor for macroscopic separation, 29
- β -Ketoacylreductase
New strategies improve the efficiency of the *baker's yeast* reduction of ketoesters: near UV irradiation and a two-substrate application, 197
- LABS
Dye-surfactant interaction: solubilization of styryl pyridinium dyes of varying alkyl chain in alfa-olefinic sulfonate and linear alkyl benzene sulfonate solutions, 253
- Laser enrichment
Laser enrichment of carbon-13: operational experience with a large photochemical reactor for macroscopic separation, 29
On scaling up of carbon isotopes' enrichment by infrared laser chemistry of CF_2HCl , 187
- Laser-induced optoacoustic spectroscopy
Spectral properties of stilbazolium merocyanines – potential sensitizers in photodynamic therapy and diagnosis. Part II. Merocyanines in resting and stimulated lymphocytes, 159
- Light enhancement
New strategies improve the efficiency of the *baker's yeast* reduction of ketoesters: near UV irradiation and a two-substrate application, 197

- Lignin models
Photochemical study of 4-(4,9-dimethoxy-2,11-*n*-dipropyl-6,7-dihydro-5,8-dioxo-dibenzo[a,c]cycloocten-6-yl)-2-methoxyphenol, a lignin model of phenolic dibenzodioxocin unit, 261
- l-Lactate dehydrogenase (l-LDH)
New strategies improve the efficiency of the *baker's yeast* reduction of ketoesters: near UV irradiation and a two-substrate application, 197
- Macrocyclic complexes
Control of thermal and photochemical reaction pathways by NO₂ pendants in macrocyclic complexes. The redox photochemistry of Cu(10-methyl-1,4,8,12-tetraazacyclopentadecan-10-Y)²⁺, Y = NO₂, NH₂, in charge transfer and ligand field excited states, 139
- Mass transfer controlled processes
Evidence for superoxide-radical anion, singlet oxygen and OH-radical intervention during the degradation of the lignin model compound (3-methoxy-4-hydroxyphenylmethylcarbinol), 271
- Matrix-isolation infrared spectroscopy
Hydrogen-atom migration and Wolff rearrangement in photolysis of chlorohydroquinone to produce *p*-benzoquinone and 3-hydroxy-2,4-cyclopentadiene-1-ylidenemethanone, 47
- Mesoporous SBA-15
Preparation and characterization of mesoporous SBA-15 supported dye-sensitized TiO₂ photocatalyst, 101
- Metal ion
Phototendering of wool sensitized by naturally occurring polyphenolic dyes, 147
- 1-Methoxy-9-fluorenone
Photophysics of 1-hydroxy- and 1-methoxy-9-fluorenone. II. Non-radiative deactivation, 299
- Methylviologen
Investigation of photostationary state of chromophor/acceptor and related multistep electron relay by in situ visible absorption spectroscopy, 71
- Micelles
Effect of hydrophobicity on micellar binding of carminic acid, 115
- Mixed micelles
Effect of hydrophobic tail on the mixed micelles of diheptanoylphosphatidylcholine with cationic and zwitterionic surfactants: a fluorescence study, 63
- Molecular modelling
The application of molecular modelling techniques in the prediction of the photochromic behaviour of spiroindolinonaphthoxazines, 37
- Mordant
Phototendering of wool sensitized by naturally occurring polyphenolic dyes, 147
- β-NADH
New strategies improve the efficiency of the *baker's yeast* reduction of ketoesters: near UV irradiation and a two-substrate application, 197
- Naphthalimides
A study of 4-(alkylamino)amino substituted 1,8-naphthalimide fluorophores, 9
- Networks
Effect of UV radiation on the semi-interpenetrating polymer networks based on polyurethane and epoxy maleate of bisphenol A, 177
- Ni-phtahlocyaninetrasulfonic acid
Investigation of photostationary state of chromophor/acceptor and related multistep electron relay by in situ visible absorption spectroscopy, 71
- Nitrogen-containing heterocycles
Influence of nitrogen-containing heterocyclic additives in I⁻/I₃⁻ redox electrolytic solution on the performance of Ru-dye-sensitized nanocrystalline TiO₂ solar cell, 169
- NO₂ pendants
Control of thermal and photochemical reaction pathways by NO₂ pendants in macrocyclic complexes. The redox photochemistry of Cu(10-methyl-1,4,8,12-tetraazacyclopentadecan-10-Y)²⁺, Y = NO₂, NH₂, in charge transfer and ligand field excited states, 139
- Non-radiative deactivation
Photophysics of 1-hydroxy- and 1-methoxy-9-fluorenone. II. Non-radiative deactivation, 299
- Optical humidity sensor
Effect of humidity on photoluminescence from Ru(bpy)₃²⁺ incorporated into a polysaccharide solid film and its application to optical humidity sensor, 109
- Ozone UV lamp
Photodegradation of gaseous volatile organic compounds (VOCs) using TiO₂ photoirradiated by an ozone-producing UV lamp: decomposition characteristics, identification of by-products and water-soluble organic intermediates, 279
- Ozone-decomposition catalyst
Photodegradation of gaseous volatile organic compounds (VOCs) using TiO₂ photoirradiated by an ozone-producing UV lamp: decomposition characteristics, identification of by-products and water-soluble organic intermediates, 279
- Phase transformation
Photocatalytic activity of platinum loaded fibrous titania prepared by solvothermal process, 89
- Photocatalysis
Preparation and characterization of mesoporous SBA-15 supported dye-sensitized TiO₂ photocatalyst, 101
- Photocatalysis of lignin model compounds
Evidence for superoxide-radical anion, singlet oxygen and OH-radical intervention during the degradation of the lignin model compound (3-methoxy-4-hydroxyphenylmethylcarbinol), 271
- Photocatalyst
Photocatalytic degradation of chloroform in the gas phase on the porous TiO₂ pellets: effect of Cl accumulated on the catalyst surface, 191
- Subpicosecond spectroscopic studies on the photochemical events of 2-dimethylaminoethanethiol-capped CdS nanoparticles in water, 309
- Photocatalytic activity
Photocatalytic activity of platinum loaded fibrous titania prepared by solvothermal process, 89
- Photocatalytic oxidation
Photodegradation of gaseous volatile organic compounds (VOCs) using TiO₂ photoirradiated by an ozone-producing UV lamp: decomposition characteristics, identification of by-products and water-soluble organic intermediates, 279
- Photochemical oxidation
Photodegradation of gaseous volatile organic compounds (VOCs) using TiO₂ photoirradiated by an ozone-producing UV lamp: decomposition characteristics, identification of by-products and water-soluble organic intermediates, 279
- Photochemical reactor
Laser enrichment of carbon-13: operational experience with a large photochemical reactor for macroscopic separation, 29
- Photochemistry
New strategies improve the efficiency of the *baker's yeast* reduction of ketoesters: near UV irradiation and a two-substrate application, 197
- Photochromism
The application of molecular modelling techniques in the prediction of the photochromic behaviour of spiroindolinonaphthoxazines, 37
- Photodegradation
Photocatalyzed oxidation and mineralization of C1–C5 linear aliphatic acids in UV-irradiated aqueous titania dispersions—kinetics, identification of intermediates and quantum yields, 235
- Photodimerisation
Stereoselective photochemistry of heteroaryl chalcones in solution and the antioxidant activities, 229

- Photodynamic therapy
Spectral properties of stilbazolium merocyanines – potential sensitizers in photodynamic therapy and diagnosis. Part II. Merocyanines in resting and stimulated lymphocytes, 159
- Photoluminescence
Effect of humidity on photoluminescence from Ru(bpy)₃²⁺ incorporated into a polysaccharide solid film and its application to optical humidity sensor, 109
- Photomerocyanine
The application of molecular modelling techniques in the prediction of the photochromic behaviour of spiroindolinonaphthoxazines, 37
- Photomineralization
Photocatalyzed oxidation and mineralization of C1–C5 linear aliphatic acids in UV-irradiated aqueous titania dispersions—kinetics, identification of intermediates and quantum yields, 235
- Photooxidative degradation
Effect of UV radiation on the semi-interpenetrating polymer networks based on polyurethane and epoxy maleate of bisphenol A, 177
- Photoreactivity
Photochemical study of 4-(4,9-dimethoxy-2,11-*n*-dipropyl-6,7-dihydro-5,8-dioxo-dibenzo[a,c]cycloocten-6-yl)-2-methoxyphenol, a lignin model of phenolic dibenzodioxocin unit, 261
- Photo-removable protecting group
Preparation and photochemistry of *o*-aminocinnamates, 289
- Phototendering
Phototendering of wool sensitized by naturally occurring polyphenolic dyes, 147
- Platinum loaded fibrous TiO₂
Photocatalytic activity of platinum loaded fibrous titania prepared by solvothermal process, 89
- Polyphenolic
Phototendering of wool sensitized by naturally occurring polyphenolic dyes, 147
- Polysaccharide solid
Effect of humidity on photoluminescence from Ru(bpy)₃²⁺ incorporated into a polysaccharide solid film and its application to optical humidity sensor, 109
- Polyurethane
Effect of UV radiation on the semi-interpenetrating polymer networks based on polyurethane and epoxy maleate of bisphenol A, 177
- Quantum yields of photodegradation
Photocatalyzed oxidation and mineralization of C1–C5 linear aliphatic acids in UV-irradiated aqueous titania dispersions—kinetics, identification of intermediates and quantum yields, 235
- Radical intermediates
Evidence for superoxide-radical anion, singlet oxygen and OH-radical intervention during the degradation of the lignin model compound (3-methoxy-4-hydroxyphenylmethylcarbinol), 271
- Radical scavenging
Stereoselective photochemistry of heteroaryl chalcones in solution and the antioxidant activities, 229
- Reduction of ketoesters
New strategies improve the efficiency of the *baker's yeast* reduction of ketoesters: near UV irradiation and a two-substrate application, 197
- Resting lymphocytes
Spectral properties of stilbazolium merocyanines – potential sensitizers in photodynamic therapy and diagnosis. Part II. Merocyanines in resting and stimulated lymphocytes, 159
- Ru(bpy)₃²⁺
Investigation of photostationary state of chromophor/acceptor and related multistep electron relay by in situ visible absorption spectroscopy, 71
Effect of humidity on photoluminescence from Ru(bpy)₃²⁺ incorporated into a polysaccharide solid film and its application to optical humidity sensor, 109
- Safranin T
Spectroscopic studies on the interaction of Safranin T with DNA in β-cyclodextrin and carboxymethyl-β-cyclodextrin, 153
- Saturated linear C1–C5 carboxylic acids
Photocatalyzed oxidation and mineralization of C1–C5 linear aliphatic acids in UV-irradiated aqueous titania dispersions—kinetics, identification of intermediates and quantum yields, 235
- Silane
Fluorescence studies of the sol–gel transition using aminopyrene, 221
- Slippage
Dye–surfactant interaction: solubilization of styryl pyridinium dyes of varying alkyl chain in alfa-olefinic sulfonate and linear alkyl benzene sulfonate solutions, 253
- Solar cells
Dye-sensitized photoelectrochemical solar cells based on nanocomposite organic–inorganic materials, 57
- Sol–gel
Fluorescence studies of the sol–gel transition using aminopyrene, 221
- Sol–gel method
Photocatalytic degradation of chloroform in the gas phase on the porous TiO₂ pellets: effect of Cl accumulated on the catalyst surface, 191
- Solution
Stereoselective photochemistry of heteroaryl chalcones in solution and the antioxidant activities, 229
- Solvothermal reaction
Photocatalytic activity of platinum loaded fibrous titania prepared by solvothermal process, 89
- Spectroscopic states
Photophysics of 1-hydroxy- and 1-methoxy-9-fluorenone. II. Non-radiative deactivation, 299
- Spirooxazine
The application of molecular modelling techniques in the prediction of the photochromic behaviour of spiroindolinonaphthoxazines, 37
- Stilbazolium merocyanines
Spectral properties of stilbazolium merocyanines – potential sensitizers in photodynamic therapy and diagnosis. Part II. Merocyanines in resting and stimulated lymphocytes, 159
- Stimulated lymphocytes
Spectral properties of stilbazolium merocyanines – potential sensitizers in photodynamic therapy and diagnosis. Part II. Merocyanines in resting and stimulated lymphocytes, 159
- Styryl pyridinium dyes
Dye–surfactant interaction: solubilization of styryl pyridinium dyes of varying alkyl chain in alfa-olefinic sulfonate and linear alkyl benzene sulfonate solutions, 253
- Subpicosecond spectroscopy
Subpicosecond spectroscopic studies on the photochemical events of 2-dimethylaminoethanethiol-capped CdS nanoparticles in water, 309
- Substituted 3H-indole
How do the novel substituted 3H-indole probe molecules reside in the AOT-based water-in-oil microemulsion? An investigation by absorption and fluorescence spectroscopy, 123
- Supported photocatalyst
Preparation and performance of integrated photocatalyst adsorbent (IPCA) employed to degrade model organic compounds in synthetic wastewater, 21
- Supramolecular system
Spectroscopic studies on the interaction of Safranin T with DNA in β-cyclodextrin and carboxymethyl-β-cyclodextrin, 153
- Symmetrical cyanine dyes
Spectroscopic studies of β-cyclodextrin-complexed cyanine dyes, 211
- Synergism
Effect of hydrophobic tail on the mixed micelles of diheptanoylphosphatidylcholine with cationic and zwitterionic surfactants: a fluorescence study, 63

- Synthetic wastewater
Preparation and performance of integrated photocatalyst adsorbent (IPCA) employed to degrade model organic compounds in synthetic wastewater, 21
- Theoretical calculations
Photophysics of 1-hydroxy-9-fluorenone: absence of excited state intramolecular proton transfer reaction, 79
- Thermal and photochemical reaction pathways
Control of thermal and photochemical reaction pathways by NO₂ pendants in macrocyclic complexes. The redox photochemistry of Cu(10-methyl-1,4,8,12-tetraazacyclopentadecan-10-Y)²⁺, Y = NO₂, NH₂, in charge transfer and ligand field excited states, 139
- TiO₂ photocatalysis
Dynamics of *E. coli* membrane cell peroxidation during TiO₂ photocatalysis studied by ATR-FTIR spectroscopy and AFM microscopy, 131
- TiO₂ suspensions
Evidence for superoxide-radical anion, singlet oxygen and OH-radical intervention during the degradation of the lignin model compound (3-methoxy-4-hydroxyphenylmethylcarbinol), 271
- Titanium dioxide
Preparation and performance of integrated photocatalyst adsorbent (IPCA) employed to degrade model organic compounds in synthetic wastewater, 21
Preparation and characterization of mesoporous SBA-15 supported dye-sensitized TiO₂ photocatalyst, 101
- Transient absorption
Subpicosecond spectroscopic studies on the photochemical events of 2-dimethylaminoethanethiol-capped CdS nanoparticles in water, 309
- Triplet state decay time
Spectral properties of stilbazolium merocyanines – potential sensitizers in photodynamic therapy and diagnosis. Part II. Merocyanines in resting and stimulated lymphocytes, 159
- Triplet state generation
Spectral properties of stilbazolium merocyanines – potential sensitizers in photodynamic therapy and diagnosis. Part II. Merocyanines in resting and stimulated lymphocytes, 159
- Tunneling effect
Hydrogen-atom migration and Wolff rearrangement in photolysis of chlorohydroquinone to produce *p*-benzoquinone and 3-hydroxy-2,4-cyclopentadiene-1-ylidenemethanone, 47
- Two-substrate application
New strategies improve the efficiency of the *baker's yeast* reduction of ketoesters: near UV irradiation and a two-substrate application, 197
- UV light protection
New strategies improve the efficiency of the *baker's yeast* reduction of ketoesters: near UV irradiation and a two-substrate application, 197
- UV radiation
Effect of UV radiation on the semi-interpenetrating polymer networks based on polyurethane and epoxy maleate of bisphenol A, 177
- VOCs
Photodegradation of gaseous volatile organic compounds (VOCs) using TiO₂ photoirradiated by an ozone-producing UV lamp: decomposition characteristics, identification of by-products and water-soluble organic intermediates, 279
- w/o microemulsion
How do the novel substituted 3H-indole probe molecules reside in the AOT-based water-in-oil microemulsion? An investigation by absorption and fluorescence spectroscopy, 123
- Wolff rearrangement
Hydrogen-atom migration and Wolff rearrangement in photolysis of chlorohydroquinone to produce *p*-benzoquinone and 3-hydroxy-2,4-cyclopentadiene-1-ylidenemethanone, 47
- Wool
Phototendering of wool sensitized by naturally occurring polyphenolic dyes, 147
- Zeolite
Preparation and performance of integrated photocatalyst adsorbent (IPCA) employed to degrade model organic compounds in synthetic wastewater, 21