

## Subject Index of Volume 171

- Absorbance**  
Synthesis and spectrokinetic studies of a new family of thiophenic [2H]-chromens, 173
- Absorption spectra**  
Gas phase UV absorption spectra for a series of alkyl sulfides, 77
- Absorption spectrum**  
Spectral characteristics of various prototropic species of 2-(3'-aminophenyl)pyrido[3,4-d]imidazole, 9  
Excited state prototropism in 2-aminonicotinic acid: effect of solvents and acid–base concentrations, 281
- Acidichromic properties**  
Photochromism in solid state and acidichromism in solution of 1-phenyl-3-methyl-4-(4'-methylbenzal)-pyrazolone-5 thiosemicarbazone, 243
- Acid–base equilibrium**  
Spectral characteristics of various prototropic species of 2-(3'-aminophenyl)pyrido[3,4-d]imidazole, 9
- Active oxygen**  
Theoretical study on the photophysical and photochemical characteristics of aluminum ion-complexed perylenequinone, 275
- Adsorption**  
Photoactivity of carbon-coated anatase for decomposition of iminocytidine triacetate in water, 167
- Aggregation**  
Aggregation and fast diffusion of dye molecules on air–glycerol interface observed by confocal fluorescence microscopy, 215
- Air–glycerol interface**  
Aggregation and fast diffusion of dye molecules on air–glycerol interface observed by confocal fluorescence microscopy, 215
- Aldehydes**  
Sunlight-induced reactions of some heterocyclic bases with ethers in the presence of TiO<sub>2</sub>. A green route for the synthesis of heterocyclic aldehydes, 237
- Alkyl sulfides**  
Gas phase UV absorption spectra for a series of alkyl sulfides, 77
- Alnustone**  
Synthesis of chalconoid-like compounds and their [2 + 2] photodimerizations in solution and theoretical calculations, 291
- Aluminium ion**  
Theoretical study on the photophysical and photochemical characteristics of aluminum ion-complexed perylenequinone, 275
- Amide**  
Effect of the pH in the luminescence of ruthenium tris-bipyridine derivatives, 107
- α-Aminoalkyldithianes and trithianes**  
Dithiane and trithiane-based photolabile molecular linkers equipped with amino-functionality: synthesis and quantum yields of fragmentation, 121
- 2-Aminobenzothiazole**  
The relationship between the electrochemical and photochemical reduction of some azo dyes derived from 2-aminobenzothiazole, 69
- 2-Aminonicotinic acid**  
Excited state prototropism in 2-aminonicotinic acid: effect of solvents and acid–base concentrations, 281
- 2-(3'-Aminophenyl)pyrido-[3,4-d]imidazole**  
Spectral characteristics of various prototropic species of 2-(3'-aminophenyl)pyrido[3,4-d]imidazole, 9
- Anatase**  
Photoactivity of carbon-coated anatase for decomposition of iminocytidine triacetate in water, 167
- ArF laser**  
Formation of 1,3-hexadiene-5-yne by two-photon chemistry of benzene via hot molecule, 223
- Aromatic carboxylic acids**  
Photophysical properties of dysprosium complexes with aromatic carboxylic acids by molecular spectroscopy, 181
- Azo dyes**  
The relationship between the electrochemical and photochemical reduction of some azo dyes derived from 2-aminobenzothiazole, 69  
UV photodegradation of azo dye Diacryl Red X-GRL, 97
- Benzene**  
Formation of 1,3-hexadiene-5-yne by two-photon chemistry of benzene via hot molecule, 223
- Biological activated carbon (BAC)**  
Comparison of O<sub>3</sub>-BAC, UV/O<sub>3</sub>-BAC and TiO<sub>2</sub>/UV/O<sub>3</sub>-BAC processes for removing organic pollutants in secondary effluents, 145
- Carbon disulfide**  
N<sub>2</sub> laser-induced formation of copolymeric ultrafine particles in a gaseous tetraethenylgermane–carbon disulfide mixture, 21
- Carbon-coated TiO<sub>2</sub>**  
Photoactivity of carbon-coated anatase for decomposition of iminocytidine triacetate in water, 167
- Catalyst poisoning**  
Prevention against catalytic poisoning by H<sub>2</sub>S utilizing TiO<sub>2</sub> photocatalyst, 131
- Chalconoids**  
Synthesis of chalconoid-like compounds and their [2 + 2] photodimerizations in solution and theoretical calculations, 291
- Charge-transfer interaction**  
Density functional study of imidazole–iodine interaction and its implication in dye-sensitized solar cell, 197
- Chlorine dioxide photolysis**  
Reduced mechanism for the 366 nm chlorine dioxide photodecomposition in N<sub>2</sub>-saturated aqueous solutions, 59
- [2H]-chromens**  
Synthesis and spectrokinetic studies of a new family of thiophenic [2H]-chromens, 173
- Colloidal silver**  
Photoreduction of silver ions in a colloidal titanium dioxide suspension, 1

- Complexation  
Effect of complexation on the photochromism of 5'-(benzothiazol-2-yl)spiroindolinaphthooxazines in polar solvents, 153
- Composite  
Self-assembly to prepare the ordered hexagonal mesostructured tin oxide/surfactant composite and its room temperature optical properties, 161
- Confocal fluorescence microscopy  
Aggregation and fast diffusion of dye molecules on air-glycerol interface observed by confocal fluorescence microscopy, 215
- Crystallinity  
Photoactivity of carbon-coated anatase for decomposition of iminoctadine triacetate in water, 167
- Cyanine dye  
Novel cyanine dyes with different methine chains as sensitizers for nanocrystalline solar cell, 231
- Deactivation  
Spectral properties of probes based on pyrene and piperazine: the singlet and triplet route of deactivation, 27
- Density functional theory  
Density functional study of imidazole-iodine interaction and its implication in dye-sensitized solar cell, 197
- Diacryl Red X-GRL  
UV photodegradation of azo dye Diacryl Red X-GRL, 97
- Diarylethene  
Raman spectra study of photochromic diarylethene in a single crystalline phase, 205
- Dichlorine pentoxide  
Reduced mechanism for the 366 nm chlorine dioxide photodecomposition in N<sub>2</sub>-saturated aqueous solutions, 59
- Diethylstilbestrol  
Radiolysis and photolysis studies on active transient species of diethylstilbestrol, 209
- Diffusion constant  
Aggregation and fast diffusion of dye molecules on air-glycerol interface observed by confocal fluorescence microscopy, 215
- Dimers  
Synthesis of chalconoid-like compounds and their [2 + 2] photodimerizations in solution and theoretical calculations, 291
- Dissolved organic carbon (DOC)  
Comparison of O<sub>3</sub>-BAC, UV/O<sub>3</sub>-BAC and TiO<sub>2</sub>/UV/O<sub>3</sub>-BAC processes for removing organic pollutants in secondary effluents, 145
- Dual fluorescence  
Excited state prototropism in 2-aminonicotinic acid: effect of solvents and acid-base concentrations, 281
- Dye-sensitized solar cell  
Density functional study of imidazole-iodine interaction and its implication in dye-sensitized solar cell, 197  
Novel cyanine dyes with different methine chains as sensitizers for nanocrystalline solar cell, 231
- Dynamic and static modes  
Involvements of phenyldibenzophosphole and 9-phenylcarbazole in electron transfer reactions with photoexcited 9-cyanoanthracene, 39
- Dysprosium complexes  
Photophysical properties of dysprosium complexes with aromatic carboxylic acids by molecular spectroscopy, 181
- Electrochemical reduction  
The relationship between the electrochemical and photochemical reduction of some azo dyes derived from 2-aminobenzothiazole, 69
- Electrodeless discharge lamp  
The electrodeless discharge lamp: a prospective tool for photochemistry. Part 5: Fill material-dependent emission characteristics, 51
- Electron transfer  
Photoinduced electron transfer reactions of ruthenium(II) complexes containing 2,2'-bipyridine-4,4'-dicarboxylic acid with phenols. Steric and charge effects, 83
- Emission  
The electrodeless discharge lamp: a prospective tool for photochemistry. Part 5: Fill material-dependent emission characteristics, 51
- Energy match  
Photophysical properties of dysprosium complexes with aromatic carboxylic acids by molecular spectroscopy, 181
- ESIPT  
Excited state prototropism in 2-aminonicotinic acid: effect of solvents and acid-base concentrations, 281
- Ethers  
Sunlight-induced reactions of some heterocyclic bases with ethers in the presence of TiO<sub>2</sub>. A green route for the synthesis of heterocyclic aldehydes, 237
- Exciplex  
Involvements of phenyldibenzophosphole and 9-phenylcarbazole in electron transfer reactions with photoexcited 9-cyanoanthracene, 39
- Fe-based nanoparticles  
Solution photolysis of ferrocene into Fe-based nanoparticles, 251
- Ferrocene  
Solution photolysis of ferrocene into Fe-based nanoparticles, 251
- Flexible dye-sensitized solar cell  
Flexible dye-sensitized solar cells using ZnO coated TiO<sub>2</sub> nanoparticles, 269
- Fluorescence spectrum  
Spectral characteristics of various prototropic species of 2-(3'-aminophenyl)pyrido[3,4-d]imidazole, 9  
Excited state prototropism in 2-aminonicotinic acid: effect of solvents and acid-base concentrations, 281
- Hard triazene polyurethanes  
Synthesis and characterisation of new hard polyurethanes with triazene pendants, 261
- Heterocycles  
Sunlight-induced reactions of some heterocyclic bases with ethers in the presence of TiO<sub>2</sub>. A green route for the synthesis of heterocyclic aldehydes, 237
- 1,3-Hexadiene-5-yne  
Formation of 1,3-hexadiene-5-yne by two-photon chemistry of benzene via hot molecule, 223
- H<sub>2</sub>S  
Prevention against catalytic poisoning by H<sub>2</sub>S utilizing TiO<sub>2</sub> photocatalyst, 131
- Hot molecule  
Formation of 1,3-hexadiene-5-yne by two-photon chemistry of benzene via hot molecule, 223
- Imidazoles  
Density functional study of imidazole-iodine interaction and its implication in dye-sensitized solar cell, 197
- Inherent energy barrier  
Flexible dye-sensitized solar cells using ZnO coated TiO<sub>2</sub> nanoparticles, 269
- Intramolecular energy transfer  
Photophysical properties of dysprosium complexes with aromatic carboxylic acids by molecular spectroscopy, 181
- Iodine  
Density functional study of imidazole-iodine interaction and its implication in dye-sensitized solar cell, 197
- Ion-pair recombination mechanism  
Involvements of phenyldibenzophosphole and 9-phenylcarbazole in electron transfer reactions with photoexcited 9-cyanoanthracene, 39

- J-aggregate  
Photoreduction of silver ions in a colloidal titanium dioxide suspension, 1
- Kinetics  
UV photodegradation of azo dye Diacryl Red X-GRL, 97  
Effect of complexation on the photochromism of 5'-(benzothiazol-2-yl)spiroindolinonaphthooxazines in polar solvents, 153
- Laser ablation  
Synthesis and characterisation of new hard polyurethanes with triazine pendants, 261
- Laser flash photolysis  
Formation of 1,3-hexadiene-5-yne by two-photon chemistry of benzene via hot molecule, 223
- Laser photolysis  
Solution photolysis of ferrocene into Fe-based nanoparticles, 251
- Luminescence  
Effect of the pH in the luminescence of ruthenium tris-bipyridine derivatives, 107
- Mechanism  
Photocatalytic reduction of selenite and selenate using TiO<sub>2</sub> photocatalyst, 113
- Mesostructured tin oxide  
Self-assembly to prepare the ordered hexagonal mesostructured tin oxide/surfactant composite and its room temperature optical properties, 161
- Methylene link  
Spectral properties of probes based on pyrene and piperazine: the singlet and triplet route of deactivation, 27
- Microwave  
The electrodeless discharge lamp: a prospective tool for photochemistry. Part 5: Fill material-dependent emission characteristics, 51
- Molecular spectroscopy  
Photophysical properties of dysprosium complexes with aromatic carboxylic acids by molecular spectroscopy, 181
- Multifunctional probes  
Spectral properties of probes based on pyrene and piperazine: the singlet and triplet route of deactivation, 27
- Multilayered films  
Optical sensor for lithocholic acid based on multilayered assemblies from polyelectrolyte and cyclodextrin, 137
- Nanoparticle  
Photoreduction of silver ions in a colloidal titanium dioxide suspension, 1
- Nano-particles  
Water photoreduction with Cu<sub>2</sub>O quantum dots on TiO<sub>2</sub> nano-particles, 257
- Neutral red  
Optical sensor for lithocholic acid based on multilayered assemblies from polyelectrolyte and cyclodextrin, 137
- Non-radiative process  
Involvements of phenyldibenzophosphole and 9-phenylcarbazole in electron transfer reactions with photoexcited 9-cyanoanthracene, 39
- Optical properties  
Self-assembly to prepare the ordered hexagonal mesostructured tin oxide/surfactant composite and its room temperature optical properties, 161
- Optical sensor  
Optical sensor for lithocholic acid based on multilayered assemblies from polyelectrolyte and cyclodextrin, 137
- Ordered hexagonal mesostructure  
Self-assembly to prepare the ordered hexagonal mesostructured tin oxide/surfactant composite and its room temperature optical properties, 161
- Overall quantum yield  
UV photodegradation of azo dye Diacryl Red X-GRL, 97
- Ozonation  
Comparison of O<sub>3</sub>-BAC, UV/O<sub>3</sub>-BAC and TiO<sub>2</sub>/UV/O<sub>3</sub>-BAC processes for removing organic pollutants in secondary effluents, 145
- Pd catalyst  
Prevention against catalytic poisoning by H<sub>2</sub>S utilizing TiO<sub>2</sub> photocatalyst, 131
- Perylenequinone  
Theoretical study on the photophysical and photochemical characteristics of aluminum ion-complexed perylenequinone, 275
- Perylenequinonoid derivatives  
Theoretical study on the photophysical and photochemical characteristics of aluminum ion-complexed perylenequinone, 275
- Phenyl radical  
Formation of 1,3-hexadiene-5-yne by two-photon chemistry of benzene via hot molecule, 223
- Photoactivity  
Photoactivity of carbon-coated anatase for decomposition of iminocytidine triacetate in water, 167
- Photocatalysis  
Photoreduction of silver ions in a colloidal titanium dioxide suspension, 1  
Comparison of O<sub>3</sub>-BAC, UV/O<sub>3</sub>-BAC and TiO<sub>2</sub>/UV/O<sub>3</sub>-BAC processes for removing organic pollutants in secondary effluents, 145  
Sunlight-induced reactions of some heterocyclic bases with ethers in the presence of TiO<sub>2</sub>. A green route for the synthesis of heterocyclic aldehydes, 237
- Photochemical reactions  
Photochemical reactions in poly(vinyl chloride)/poly(vinyl alcohol) blends, 187
- Photochemical reduction  
The relationship between the electrochemical and photochemical reduction of some azo dyes derived from 2-aminobenzothiazole, 69
- Photochemistry  
The electrodeless discharge lamp: a prospective tool for photochemistry. Part 5: Fill material-dependent emission characteristics, 51
- Photochromic  
Raman spectra study of photochromic diarylethene in a single crystalline phase, 205
- Photochromism  
Effect of complexation on the photochromism of 5'-(benzothiazol-2-yl)spiroindolinonaphthooxazines in polar solvents, 153  
Synthesis and spectrokinetic studies of a new family of thiophenic [2H]-chromens, 173  
Photochromism in solid state and acidochromism in solution of 1-phenyl-3-methyl-4-(4'-methylbenzal)-pyrazolone-5 thiosemicarbazone, 243
- Photodegradation  
UV photodegradation of azo dye Diacryl Red X-GRL, 97
- Photodimerizations  
Synthesis of chalconoid-like compounds and their [2 + 2] photodimerizations in solution and theoretical calculations, 291
- Photodynamic therapy  
Convenient screening methods for the photosensitivity, 91
- Photoelectric conversion  
Novel cyanine dyes with different methine chains as sensitizers for nanocrystalline solar cell, 231
- Photoinduced electron transfer  
Involvements of phenyldibenzophosphole and 9-phenylcarbazole in electron transfer reactions with photoexcited 9-cyanoanthracene, 39

- Dithiane and trithiane-based photolabile molecular linkers equipped with amino-functionality: synthesis and quantum yields of fragmentation, 121
- Photolabile molecular systems  
Dithiane and trithiane-based photolabile molecular linkers equipped with amino-functionality: synthesis and quantum yields of fragmentation, 121
- Photolysis  
Radiolysis and photolysis studies on active transient species of diethylstilbestrol, 209
- Photophysical properties  
Photophysical properties of dysprosium complexes with aromatic carboxylic acids by molecular spectroscopy, 181
- Photo-polymerization  
 $N_2$  laser-induced formation of copolymeric ultrafine particles in a gaseous tetraethenylgermane-carbon disulfide mixture, 21
- Photoreduction  
Photocatalytic reduction of selenite and selenate using  $TiO_2$  photocatalyst, 113  
Water photoreduction with  $Cu_2O$  quantum dots on  $TiO_2$  nano-particles, 257
- Photosensitivity  
Convenient screening methods for the photosensitivity, 91  
Synthesis and characterisation of new hard polyurethanes with triazene pendants, 261
- Photosensitization mechanism  
Theoretical study on the photophysical and photochemical characteristics of aluminum ion-complexed perylenequinone, 275
- Photosensitizer  
Convenient screening methods for the photosensitivity, 91
- Piperazine  
Spectral properties of probes based on pyrene and piperazine: the singlet and triplet route of deactivation, 27
- $pK_a$   
Effect of the pH in the luminescence of ruthenium tris-bipyridine derivatives, 107
- Poly(allylamine) hydrochloride  
Optical sensor for lithocholic acid based on multilayered assemblies from polyelectrolyte and cyclodextrin, 137
- Poly(vinyl alcohol)  
Photochemical reactions in poly(vinyl chloride)/poly(vinyl alcohol) blends, 187
- Poly(vinyl chloride)  
Photochemical reactions in poly(vinyl chloride)/poly(vinyl alcohol) blends, 187
- Polymer blends  
Photochemical reactions in poly(vinyl chloride)/poly(vinyl alcohol) blends, 187
- Proton transfer  
Photochromism in solid state and acidochromism in solution of 1-phenyl-3-methyl-4-(4'-methylbenzal)-pyrazolone-5 thiosemicarbazone, 243
- Prototropic reactions  
Excited state prototropic in 2-aminonicotinic acid: effect of solvents and acid-base concentrations, 281
- Pulse radiolysis  
The relationship between the electrochemical and photochemical reduction of some azo dyes derived from 2-aminobenzothiazole, 69
- Pyrazolone  
Photochromism in solid state and acidochromism in solution of 1-phenyl-3-methyl-4-(4'-methylbenzal)-pyrazolone-5 thiosemicarbazone, 243
- Pyrene  
Spectral properties of probes based on pyrene and piperazine: the singlet and triplet route of deactivation, 27
- Quantum yields  
Reduced mechanism for the 366 nm chlorine dioxide photodecomposition in  $N_2$ -saturated aqueous solutions, 59  
Dithiane and trithiane-based photolabile molecular linkers equipped with amino-functionality: synthesis and quantum yields of fragmentation, 121
- Radiolysis  
Radiolysis and photolysis studies on active transient species of diethylstilbestrol, 209
- Raman spectra  
Raman spectra study of photochromic diarylethene in a single crystalline phase, 205
- Reactivation  
Prevention against catalytic poisoning by  $H_2S$  utilizing  $TiO_2$  photocatalyst, 131
- Recombination  
Flexible dye-sensitized solar cells using  $ZnO$  coated  $TiO_2$  nanoparticles, 269
- Rhodamine 6G  
Aggregation and fast diffusion of dye molecules on air-glycerol interface observed by confocal fluorescence microscopy, 215
- Room temperature photoluminescence  
Self-assembly to prepare the ordered hexagonal mesostructured tin oxide/surfactant composite and its room temperature optical properties, 161
- Ru(II) complexes  
Effect of the pH in the luminescence of ruthenium tris-bipyridine derivatives, 107
- Ru(II)-polypyridyl complexes  
Photoinduced electron transfer reactions of ruthenium(II) complexes containing 2,2'-bipyridine-4,4'-dicarboxylic acid with phenols. Steric and charge effects, 83
- Screening method  
Convenient screening methods for the photosensitivity, 91
- Secondary effluents  
Comparison of  $O_3$ -BAC, UV/ $O_3$ -BAC and  $TiO_2$ /UV/ $O_3$ -BAC processes for removing organic pollutants in secondary effluents, 145
- Selenate  
Photocatalytic reduction of selenite and selenate using  $TiO_2$  photocatalyst, 113
- Selenite  
Photocatalytic reduction of selenite and selenate using  $TiO_2$  photocatalyst, 113
- Single crystal  
Raman spectra study of photochromic diarylethene in a single crystalline phase, 205
- Single molecule detection  
Aggregation and fast diffusion of dye molecules on air-glycerol interface observed by confocal fluorescence microscopy, 215
- Singlet  
Spectral properties of probes based on pyrene and piperazine: the singlet and triplet route of deactivation, 27
- Spectra  
The electrodeless discharge lamp: a prospective tool for photochemistry. Part 5: Fill material-dependent emission characteristics, 51
- Spectral properties  
Effect of complexation on the photochromism of 5'-(benzothiazol-2-yl)spiroindolinonaphthooxazines in polar solvents, 153
- Spiroindolinonaphthooxazines  
Effect of complexation on the photochromism of 5'-(benzothiazol-2-yl)spiroindolinonaphthooxazines in polar solvents, 153
- Squarylium dye  
Novel cyanine dyes with different methine chains as sensitizers for nanocrystalline solar cell, 231

- Steric and charge effects  
Photoinduced electron transfer reactions of ruthenium(II) complexes containing 2,2'-bipyridine-4,4'-dicarboxylic acid with phenols. Steric and charge effects, 83
- Sulfonated  $\beta$ -cyclodextrin  
Optical sensor for lithocholic acid based on multilayered assemblies from polyelectrolyte and cyclodextrin, 137
- Sunlight  
Sunlight-induced reactions of some heterocyclic bases with ethers in the presence of  $\text{TiO}_2$ . A green route for the synthesis of heterocyclic aldehydes, 237
- Tetraethenylgermane  
 $\text{N}_2$  laser-induced formation of copolymeric ultrafine particles in a gaseous tetraethenylgermane-carbon disulfide mixture, 21
- Theoretical calculation  
Synthesis of chalconoid-like compounds and their [2 + 2] photodimerizations in solution and theoretical calculations, 291
- Theoretical calculations  
Spectral characteristics of various prototropic species of 2-(3'-aminophenyl)pyrido[3,4-d]imidazole, 9
- Thermal ring-closure rate constant  
Synthesis and spectrokinetic studies of a new family of thiophenic [2H]-chromens, 173
- Thiophene  
Synthesis and spectrokinetic studies of a new family of thiophenic [2H]-chromens, 173
- $\text{TiO}_2$  nanocrystalline electrode  
Novel cyanine dyes with different methine chains as sensitizers for nanocrystalline solar cell, 231
- $\text{TiO}_2$  photocatalyst  
Prevention against catalytic poisoning by  $\text{H}_2\text{S}$  utilizing  $\text{TiO}_2$  photocatalyst, 131
- $\text{TiO}_2$   
Sunlight-induced reactions of some heterocyclic bases with ethers in the presence of  $\text{TiO}_2$ . A green route for the synthesis of heterocyclic aldehydes, 237
- Titanium dioxide  
Photoreduction of silver ions in a colloidal titanium dioxide suspension, 1  
Photocatalytic reduction of selenite and selenate using  $\text{TiO}_2$  photocatalyst, 113  
Comparison of  $\text{O}_3$ -BAC, UV/ $\text{O}_3$ -BAC and  $\text{TiO}_2$ /UV/ $\text{O}_3$ -BAC processes for removing organic pollutants in secondary effluents, 145
- Triplet  
Spectral properties of probes based on pyrene and piperazine: the singlet and triplet route of deactivation, 27
- Two-photon chemistry  
Formation of 1,3-hexadiene-5-yne by two-photon chemistry of benzene via hot molecule, 223
- Ultrafine particles  
 $\text{N}_2$  laser-induced formation of copolymeric ultrafine particles in a gaseous tetraethenylgermane-carbon disulfide mixture, 21
- UV irradiation  
Synthesis and characterisation of new hard polyurethanes with triazene pendants, 261
- Water  
Water photoreduction with  $\text{Cu}_2\text{O}$  quantum dots on  $\text{TiO}_2$  nano-particles, 257
- ZnO layer  
Flexible dye-sensitized solar cells using ZnO coated  $\text{TiO}_2$  nano-particles, 269