

## Subject Index of Volume 174

### Acetone photodegradation

Tantalum doped titania photocatalysts: Preparation by dc reactive sputtering and catalytic behavior, 106

### Acetone

Near-UV molar absorptivities of acetone,alachlor, metolachlor, diazinon and dichlorvos in aqueous solution, 76

### “Adsorb & Shuttle”

Enhanced photodegradation of diisopropyl methyl phosphonate by the “Adsorb & Shuttle” approach, 253

### Alachlor

Near-UV molar absorptivities of acetone,alachlor, metolachlor, diazinon and dichlorvos in aqueous solution, 76

### Alkylaminoanthraquinone

Effect of some aminoanthraquinone derivatives as red fluorescers on chemiluminescence systems originating from bis-(2,4,6-trichlorophenyl) oxalate and lucigenin, 23

### Amorphous material

Phenothiazinyl-containing aromatic amines as novel amorphous molecular materials for optoelectronics, 1

Well defined carbazol-3,9-diyl based oligomers with diphenylamino end-cap as novel amorphous molecular materials for optoelectronics, 125

### Anion radical

Reductive photocyanation of 1,10-phenanthroline in aqueous media, 149

### Anisole

Evidence of phenoxymethyl radical formation in laser photolyses of anisole in solution, 194

### Benzophenone

Polymeric photoinitiators containing in-chain benzophenone and coinitiators amine: Effect of the structure of coinitiator amine on photopolymerization, 165

### Bond-cleavage mode

Bond-cleavage mode of *O*-acyl anthracene-9-methanol derivatives in the singlet excited state and their abilities to initiate radical and cationic photopolymerizations, 130

### Butan-1-ol

Role of Pd and Cu in gas-phase alcohols photocatalytic degradation with doped TiO<sub>2</sub>, 7

### Catechol

Fluorescence development during 514 nm irradiation of catechol adsorbed on nanocrystalline titanium dioxide, 62

### Chain length effect

Effect of the chain length on the excited state properties of  $\alpha$ -naphthyl, $\omega$ -phenyl-polyenes. Photobehaviour of hexatrienes, 181

### Charge recombination

Synthesis, characterization and laser flash photolysis studies of some naphthothiophenes bearing electron donor and acceptor functional groups, 138

### Charge transfer complex

Synthesis, characterization and laser flash photolysis studies of some naphthothiophenes bearing electron donor and acceptor functional groups, 138

### Charge transfer

Photochemistry of quinoxaline derivatives and mechanism of the triplet state quenching by electron-poor alkenes, 98

### Charge-separated species

Synthesis, characterization and laser flash photolysis studies of some naphthothiophenes bearing electron donor and acceptor functional groups, 138

### Chemiluminescence

Effect of some aminoanthraquinone derivatives as red fluorescers on chemiluminescence systems originating from bis-(2,4,6-trichlorophenyl) oxalate and lucigenin, 23

### Chlorin

Syntheses and screening tests of new chlorin derivatives as photosensitizer, 187

### Circular dichroism spectroscopy

Spectroscopic studies on binding of shikonin to human serum albumin, 53

### Coinitiator amine

Polymeric photoinitiators containing in-chain benzophenone and coinitiators amine: Effect of the structure of coinitiator amine on photopolymerization, 165

### Color centers

Photoactivity and photoselectivity of a dielectric metal-oxide photocatalyst (ZrO<sub>2</sub>) probed by the photoinduced reduction of oxygen and oxidation of hydrogen, 214

### Cotton textiles

Self-cleaning of modified cotton textiles by TiO<sub>2</sub> at low temperatures under daylight irradiation, 156

### Crystal structure

Crystal structures and luminescence properties of [Eu(ODA)·(phen)·4H<sub>2</sub>O]<sup>+</sup>, [Tb(ODA)·(phen)·4H<sub>2</sub>O]<sup>+</sup> and [Tb(ODA)<sub>3</sub>]<sup>3-</sup> (ODA: oxydiacetate, phen: 1,10-phenanthroline), 28

### ctDNA

Study on the interaction between methylene violet and calf thymus DNA by molecular spectroscopy, 15

### Cyanuric acid

On the recalcitrant nature of the triazinic ring species, cyanuric acid, to degradation in Fenton solutions and in UV-illuminated TiO<sub>2</sub> (naked) and fluorinated TiO<sub>2</sub> aqueous dispersions, 229

### Cycloaddition

Photoreactive furan derivatives, 222

### Daylight irradiation

Self-cleaning of modified cotton textiles by TiO<sub>2</sub> at low temperatures under daylight irradiation, 156

### dc plasma

The dc thermal plasma synthesis of ZnO nanoparticles for visible-light photocatalyst, 82

- Desulfurization  
Photocatalytic degradation of some organic sulfides as environmental pollutants using titanium dioxide suspension, 45
- Diarylnitron  
Photoreactivity of diarylnitron additive/pendant in poly(methyl methacrylate) film and photocontrol of refractive index for this polymer film, 199
- Diazinon  
Near-UV molar absorptivities of acetone, alachlor, metolachlor, diazinon and dichlorvos in aqueous solution, 76
- Dichlorvos  
Near-UV molar absorptivities of acetone, alachlor, metolachlor, diazinon and dichlorvos in aqueous solution, 76
- Dielectric metal oxide  
Photoactivity and photoselectivity of a dielectric metal-oxide photocatalyst (ZrO<sub>2</sub>) probed by the photoinduced reduction of oxygen and oxidation of hydrogen, 214
- Diisopropyl methylphosphonate  
Enhanced photodegradation of diisopropyl methyl phosphonate by the "Adsorb & Shuttle" approach, 253
- Dimerization  
Photoreactive furan derivatives, 222
- 1,2-Diphenoxyethane  
Evidence of phoxymethyl radical formation in laser photolyses of anisole in solution, 194
- Distance-dependence  
Fluorescence quenching reaction of porphyrins in micelles: Ionic porphyrins quenched by nitrobenzene in ionic micelles, 113
- DNA  
Raman spectroscopic studies on interactions of water soluble cationic oxovanadyl (IV) *meso*-tetrakis(1-methylpyridium-4-yl) porphyrin with nucleic acids, 207
- Dyes  
The mechanism of the photoinitiation of methyl methacrylate polymerization by the neutral red/triethylamine system, 239
- Electrodeless discharge lamp  
Microwave photochemistry III: Photochemistry of 4-*tert*-butylphenol, 38
- Electron-poor alkene  
Photochemistry of quinoxaline derivatives and mechanism of the triplet state quenching by electron-poor alkenes, 98
- $\pi$ -Electron system  
Phenothiazinyl-containing aromatic amines as novel amorphous molecular materials for optoelectronics, 1  
Well defined carbazol-3,9-diyl based oligomers with diphenylamino end-cap as novel amorphous molecular materials for optoelectronics, 125
- Electron-transfer  
Fluorescence quenching reaction of porphyrins in micelles: Ionic porphyrins quenched by nitrobenzene in ionic micelles, 113
- Energy transfer  
Crystal structures and luminescence properties of [Eu(ODA)·(phen)·4H<sub>2</sub>O]<sup>+</sup>, [Tb(ODA)·(phen)·4H<sub>2</sub>O]<sup>+</sup> and [Tb(ODA)<sub>3</sub>]<sup>3-</sup> (ODA: oxydiacetate, phen: 1,10-phenanthroline), 28  
Photophysical properties of novel lanthanide complexes with long chain mono-eicosyl *cis*-butene dicarboxylate, 119
- ESR  
Evidence of phoxymethyl radical formation in laser photolyses of anisole in solution, 194
- Europium  
Crystal structures and luminescence properties of [Eu(ODA)·(phen)·4H<sub>2</sub>O]<sup>+</sup>, [Tb(ODA)·(phen)·4H<sub>2</sub>O]<sup>+</sup> and [Tb(ODA)<sub>3</sub>]<sup>3-</sup> (ODA: oxydiacetate, phen: 1,10-phenanthroline), 28
- Exciplex  
Photochemistry of quinoxaline derivatives and mechanism of the triplet state quenching by electron-poor alkenes, 98
- Fluorescence dynamics  
Reductive photocyanation of 1,10-phenanthroline in aqueous media, 149
- Fluorescence quenching  
Spectroscopic studies on binding of shikonin to human serum albumin, 53  
Fluorescence quenching reaction of porphyrins in micelles: Ionic porphyrins quenched by nitrobenzene in ionic micelles, 113
- Fluorescence  
Study on the interaction between methylene violet and calf thymus DNA by molecular spectroscopy, 15  
Fluorescence development during 514 nm irradiation of catechol adsorbed on nanocrystalline titanium dioxide, 62  
Photophysical properties of novel lanthanide complexes with long chain mono-eicosyl *cis*-butene dicarboxylate, 119
- Fluorinated titania  
On the recalcitrant nature of the triazinic ring species, cyanuric acid, to degradation in Fenton solutions and in UV-illuminated TiO<sub>2</sub> (naked) and fluorinated TiO<sub>2</sub> aqueous dispersions, 229
- Fourier transform IR  
Spectroscopic studies on binding of shikonin to human serum albumin, 53
- Free radicals, Active oxygen species, Superoxide anion, Light-sensitive drugs, Electron spin resonance, Chemiluminescence analyzer  
Determination of free radicals generated from light exposed ketoprofen, 89
- Furan  
Photoreactive furan derivatives, 222
- Gas-phase  
Role of Pd and Cu in gas-phase alcohols photocatalytic degradation with doped TiO<sub>2</sub>, 7
- Global photonic efficiency  
Global photonic efficiency for phenol degradation and mineralization in heterogeneous photocatalysis, 246
- Hole drift mobility  
Phenothiazinyl-containing aromatic amines as novel amorphous molecular materials for optoelectronics, 1
- Human serum albumin  
Spectroscopic studies on binding of shikonin to human serum albumin, 53
- Initiators  
The mechanism of the photoinitiation of methyl methacrylate polymerization by the neutral red/triethylamine system, 239
- Interaction  
Study on the interaction between methylene violet and calf thymus DNA by molecular spectroscopy, 15
- Ionic micelle  
Fluorescence quenching reaction of porphyrins in micelles: Ionic porphyrins quenched by nitrobenzene in ionic micelles, 113
- Ionic porphyrin  
Fluorescence quenching reaction of porphyrins in micelles: Ionic porphyrins quenched by nitrobenzene in ionic micelles, 113
- Ionisation potential  
Phenothiazinyl-containing aromatic amines as novel amorphous molecular materials for optoelectronics, 1
- Isomerization  
Photoreactive furan derivatives, 222
- Kinetic  
Photoreactive furan derivatives, 222
- Lanthanide complexes  
Photophysical properties of novel lanthanide complexes with long chain mono-eicosyl *cis*-butene dicarboxylate, 119

- Laser flash photolysis  
 Photochemistry of quinoxaline derivatives and mechanism of the triplet state quenching by electron-poor alkenes, 98  
 Synthesis, characterization and laser flash photolysis studies of some naphthothiophenes bearing electron donor and acceptor functional groups, 138
- Laser photolysis  
 Evidence of phenoxymethyl radical formation in laser photolyses of anisole in solution, 194
- Light emitting diode  
 Well defined carbazol-3,9-diyl based oligomers with diphenylamino end-cap as novel amorphous molecular materials for optoelectronics, 125
- Long chain maleic monoester  
 Photophysical properties of novel lanthanide complexes with long chain mono-eicosyl *cis*-butene dicarboxylate, 119
- Low temperature plasma  
 Self-cleaning of modified cotton textiles by TiO<sub>2</sub> at low temperatures under daylight irradiation, 156
- Lucigenin  
 Effect of some aminoanthraquinone derivatives as red fluorescers on chemiluminescence systems originating from bis-(2,4,6-trichlorophenyl) oxalate and lucigenin, 23
- Methyl benzimidazol sulfide  
 Photocatalytic degradation of some organic sulfides as environmental pollutants using titanium dioxide suspension, 45
- Methyl phenyl sulfide  
 Photocatalytic degradation of some organic sulfides as environmental pollutants using titanium dioxide suspension, 45
- Methylene violet  
 Study on the interaction between methylene violet and calf thymus DNA by molecular spectroscopy, 15
- Metolachlor  
 Near-UV molar absorptivities of acetone,alachlor, metolachlor, diazinon and dichlorvos in aqueous solution, 76
- Mg<sup>2+</sup> effects  
 Reductive photocyanation of 1,10-phenanthroline in aqueous media, 149
- Microwave photochemistry  
 Microwave photochemistry III: Photochemistry of 4-*tert*-butylphenol, 38
- Molar absorptivity  
 Near-UV molar absorptivities of acetone,alachlor, metolachlor, diazinon and dichlorvos in aqueous solution, 76
- Molecular modeling  
 Spectroscopic studies on binding of shikonin to human serum albumin, 53
- Naked titania  
 On the recalcitrant nature of the triazinic ring species, cyanuric acid, to degradation in Fenton solutions and in UV-illuminated TiO<sub>2</sub> (naked) and fluorinated TiO<sub>2</sub> aqueous dispersions, 229
- Nano particle  
 The dc thermal plasma synthesis of ZnO nanoparticles for visible-light photocatalyst, 82
- Naphthothiophenes  
 Synthesis, characterization and laser flash photolysis studies of some naphthothiophenes bearing electron donor and acceptor functional groups, 138
- Naphthyl-phenyl-hexatriene  
 Effect of the chain length on the excited state properties of  $\alpha$ -naphthyl, $\omega$ -phenyl-polyenes. Photobehaviour of hexatrienes, 181
- Neutral red  
 The mechanism of the photoinitiation of methyl methacrylate polymerization by the neutral red/triethylamine system, 239
- p*-Nitrophenol  
 Photoelectrocatalytic treatment of *p*-nitrophenol using Ti/TiO<sub>2</sub> thin-film electrode, 71
- O*-acyl anthracene-9-methanol derivatives  
 Bond-cleavage mode of *O*-acyl anthracene-9-methanol derivatives in the singlet excited state and their abilities to initiate radical and cationic photopolymerizations, 130
- \*OH radicals  
 On the recalcitrant nature of the triazinic ring species, cyanuric acid, to degradation in Fenton solutions and in UV-illuminated TiO<sub>2</sub> (naked) and fluorinated TiO<sub>2</sub> aqueous dispersions, 229
- Oligomer  
 Well defined carbazol-3,9-diyl based oligomers with diphenylamino end-cap as novel amorphous molecular materials for optoelectronics, 125
- Oxidized ZrO<sub>2</sub> surface  
 Photoactivity and photoselectivity of a dielectric metal-oxide photocatalyst (ZrO<sub>2</sub>) probed by the photoinduced reduction of oxygen and oxidation of hydrogen, 214
- Oxovanadyl (IV) *meso*-tetrakis(1-methylpyridium-4-yl)porphyrin  
 Raman spectroscopic studies on interactions of water soluble cationic oxovanadyl (IV) *meso*-tetrakis(1-methylpyridium-4-yl) porphyrin with nucleic acids, 207
- Oxydiacetate  
 Crystal structures and luminescence properties of [Eu(ODA)·(phen)·4H<sub>2</sub>O]<sup>+</sup>, [Tb(ODA)·(phen)·4H<sub>2</sub>O]<sup>+</sup> and [Tb(ODA)<sub>3</sub>]<sup>3-</sup> (ODA: oxydiacetate, phen: 1,10-phenanthroline), 28
- Particle properties  
 Influence of the properties of TiO<sub>2</sub> particles on a photocatalytic acrylate polymerisation, 171
- Pesticides  
 Near-UV molar absorptivities of acetone,alachlor, metolachlor, diazinon and dichlorvos in aqueous solution, 76
- 1,10-Phenanthroline  
 Crystal structures and luminescence properties of [Eu(ODA)·(phen)·4H<sub>2</sub>O]<sup>+</sup>, [Tb(ODA)·(phen)·4H<sub>2</sub>O]<sup>+</sup> and [Tb(ODA)<sub>3</sub>]<sup>3-</sup> (ODA: oxydiacetate, phen: 1,10-phenanthroline), 28  
 Photophysical properties of novel lanthanide complexes with long chain mono-eicosyl *cis*-butene dicarboxylate, 119  
 Reductive photocyanation of 1,10-phenanthroline in aqueous media, 149
- Phenol photocatalytic mineralization  
 Global photonic efficiency for phenol degradation and mineralization in heterogeneous photocatalysis, 246
- Phenoxymethyl radical  
 Evidence of phenoxymethyl radical formation in laser photolyses of anisole in solution, 194
- Photoactivity  
 Photoactivity and photoselectivity of a dielectric metal-oxide photocatalyst (ZrO<sub>2</sub>) probed by the photoinduced reduction of oxygen and oxidation of hydrogen, 214
- Photocatalysis  
 Role of Pd and Cu in gas-phase alcohols photocatalytic degradation with doped TiO<sub>2</sub>, 7  
 Enhanced photodegradation of diisopropyl methyl phosphonate by the "Adsorb & Shuttle" approach, 253
- Photocatalytic degradation  
 Photocatalytic degradation of some organic sulfides as environmental pollutants using titanium dioxide suspension, 45
- Photochemistry  
 Fluorescence development during 514 nm irradiation of catechol adsorbed on nanocrystalline titanium dioxide, 62  
 Photoreactive furan derivatives, 222
- Photocontrol  
 Photoreactivity of diarylnitron additive/pendant in poly(methyl methacrylate) film and photocontrol of refractive index for this polymer film, 199

- Photocyanation  
Reductive photocyanation of 1,10-phenanthroline in aqueous media, 149
- Photodynamic therapy  
Syntheses and screening tests of new chlorin derivatives as photosensitizer, 187
- Photoelectrocatalysis  
Photoelectrocatalytic treatment of *p*-nitrophenol using Ti/TiO<sub>2</sub> thin-film electrode, 71
- Photoelectrochemical  
Photoelectrocatalytic treatment of *p*-nitrophenol using Ti/TiO<sub>2</sub> thin-film electrode, 71
- Photoelectromotive force (Photo-EMF)  
Influence of the properties of TiO<sub>2</sub> particles on a photocatalytic acrylate polymerisation, 171
- Photoinduced oxidation of hydrogen  
Photoactivity and photoselectivity of a dielectric metal-oxide photocatalyst (ZrO<sub>2</sub>) probed by the photoinduced reduction of oxygen and oxidation of hydrogen, 214
- Photoinduced reduction of oxygen  
Photoactivity and photoselectivity of a dielectric metal-oxide photocatalyst (ZrO<sub>2</sub>) probed by the photoinduced reduction of oxygen and oxidation of hydrogen, 214
- Photoinitiators  
Bond-cleavage mode of *O*-acyl anthracene-9-methanol derivatives in the singlet excited state and their abilities to initiate radical and cationic photopolymerizations, 130
- Photoisomerization  
Effect of the chain length on the excited state properties of  $\alpha$ -naphthyl, $\omega$ -phenyl-polyenes. Photobehaviour of hexatrienes, 181
- Photoluminescence and excitation  
Crystal structures and luminescence properties of [Eu(ODA) $\cdot$ (phen) $\cdot$ 4H<sub>2</sub>O]<sup>+</sup>, [Tb(ODA) $\cdot$ (phen) $\cdot$ 4H<sub>2</sub>O]<sup>+</sup> and [Tb(ODA)<sub>3</sub>]<sup>3-</sup> (ODA: oxydiacetate, phen: 1,10-phenanthroline), 28
- Photophysics  
Effect of the chain length on the excited state properties of  $\alpha$ -naphthyl, $\omega$ -phenyl-polyenes. Photobehaviour of hexatrienes, 181
- Photopolymerisation  
Influence of the properties of TiO<sub>2</sub> particles on a photocatalytic acrylate polymerisation, 171
- Photopolymerization  
Bond-cleavage mode of *O*-acyl anthracene-9-methanol derivatives in the singlet excited state and their abilities to initiate radical and cationic photopolymerizations, 130  
Polymeric photoinitiators containing in-chain benzophenone and coinitiators amine: Effect of the structure of coinitiator amine on photopolymerization, 165  
The mechanism of the photoinitiation of methyl methacrylate polymerization by the neutral red/triethylamine system, 239
- Photoreactivity  
Photoreactivity of diarylnitron additive/pendant in poly(methyl methacrylate) film and photocontrol of refractive index for this polymer film, 199
- Photoselectivity  
Photoactivity and photoselectivity of a dielectric metal-oxide photocatalyst (ZrO<sub>2</sub>) probed by the photoinduced reduction of oxygen and oxidation of hydrogen, 214
- Photosensitizer  
Syntheses and screening tests of new chlorin derivatives as photosensitizer, 187
- Polymer film  
Photoreactivity of diarylnitron additive/pendant in poly(methyl methacrylate) film and photocontrol of refractive index for this polymer film, 199
- Polymeric photoinitiator  
Polymeric photoinitiators containing in-chain benzophenone and coinitiators amine: Effect of the structure of coinitiator amine on photopolymerization, 165
- Propan-1-ol  
Role of Pd and Cu in gas-phase alcohols photocatalytic degradation with doped TiO<sub>2</sub>, 7
- 3-Propenyl benzimidazol sulfide  
Photocatalytic degradation of some organic sulfides as environmental pollutants using titanium dioxide suspension, 45
- Propyl benzimidazol sulfide  
Photocatalytic degradation of some organic sulfides as environmental pollutants using titanium dioxide suspension, 45
- Quantum yield  
Crystal structures and luminescence properties of [Eu(ODA) $\cdot$ (phen) $\cdot$ 4H<sub>2</sub>O]<sup>+</sup>, [Tb(ODA) $\cdot$ (phen) $\cdot$ 4H<sub>2</sub>O]<sup>+</sup> and [Tb(ODA)<sub>3</sub>]<sup>3-</sup> (ODA: oxydiacetate, phen: 1,10-phenanthroline), 28  
Photoactivity and photoselectivity of a dielectric metal-oxide photocatalyst (ZrO<sub>2</sub>) probed by the photoinduced reduction of oxygen and oxidation of hydrogen, 214
- Quinoxaline  
Photochemistry of quinoxaline derivatives and mechanism of the triplet state quenching by electron-poor alkenes, 98
- Raman microscopy  
Fluorescence development during 514 nm irradiation of catechol adsorbed on nanocrystalline titanium dioxide, 62
- Raman spectroscopy  
Raman spectroscopic studies on interactions of water soluble cationic oxovanadyl (IV) *meso*-tetrakis(1-methylpyridium-4-yl) porphyrin with nucleic acids, 207
- Red fluoescer  
Effect of some aminoanthraquinone derivatives as red fluoescers on chemiluminescence systems originating from bis-(2,4,6-trichlorophenyl) oxalate and lucigenin, 23
- Reduced ZrO<sub>2</sub> surface  
Photoactivity and photoselectivity of a dielectric metal-oxide photocatalyst (ZrO<sub>2</sub>) probed by the photoinduced reduction of oxygen and oxidation of hydrogen, 214
- Refractive index  
Photoreactivity of diarylnitron additive/pendant in poly(methyl methacrylate) film and photocontrol of refractive index for this polymer film, 199
- Relative photonic efficiencies  
Global photonic efficiency for phenol degradation and mineralization in heterogeneous photocatalysis, 246
- RLS  
Study on the interaction between methylene violet and calf thymus DNA by molecular spectroscopy, 15
- Self-cleaning  
Self-cleaning of modified cotton textiles by TiO<sub>2</sub> at low temperatures under daylight irradiation, 156
- Shikonin  
Spectroscopic studies on binding of shikonin to human serum albumin, 53
- SS-RTP  
Study on the interaction between methylene violet and calf thymus DNA by molecular spectroscopy, 15
- Substituent effects  
Bond-cleavage mode of *O*-acyl anthracene-9-methanol derivatives in the singlet excited state and their abilities to initiate radical and cationic photopolymerizations, 130
- Surface defects  
Photoactivity and photoselectivity of a dielectric metal-oxide photocatalyst (ZrO<sub>2</sub>) probed by the photoinduced reduction of oxygen and oxidation of hydrogen, 214
- Surface-diffusion  
Enhanced photodegradation of diisopropyl methyl phosphonate by the "Adsorb & Shuttle" approach, 253

- Tantalum ions doping  
Tantalum doped titania photocatalysts: Preparation by dc reactive sputtering and catalytic behavior, 106
- TCPO  
Effect of some aminoanthraquinone derivatives as red fluorescers on chemiluminescence systems originating from bis-(2,4,6-trichlorophenyl) oxalate and lucigenin, 23
- Terbium  
Crystal structures and luminescence properties of  $[\text{Eu}(\text{ODA})\cdot(\text{phen})\cdot 4\text{H}_2\text{O}]^+$ ,  $[\text{Tb}(\text{ODA})\cdot(\text{phen})\cdot 4\text{H}_2\text{O}]^+$  and  $[\text{Tb}(\text{ODA})_3]^{3-}$  (ODA: oxydiacetate, phen: 1,10-phenanthroline), 28
- 4-*tert*-Butylphenol  
Microwave photochemistry III: Photochemistry of 4-*tert*-butylphenol, 38
- TiO<sub>2</sub> colloids  
Self-cleaning of modified cotton textiles by TiO<sub>2</sub> at low temperatures under daylight irradiation, 156
- TiO<sub>2</sub> doped  
Role of Pd and Cu in gas-phase alcohols photocatalytic degradation with doped TiO<sub>2</sub>, 7
- TiO<sub>2</sub> rutile clusters  
Self-cleaning of modified cotton textiles by TiO<sub>2</sub> at low temperatures under daylight irradiation, 156
- TiO<sub>2</sub> thin-film electrode  
Photoelectrocatalytic treatment of *p*-nitrophenol using Ti/TiO<sub>2</sub> thin-film electrode, 71
- TiO<sub>2</sub>  
Influence of the properties of TiO<sub>2</sub> particles on a photocatalytic acrylate polymerisation, 171
- Titania photocatalysts  
Tantalum doped titania photocatalysts: Preparation by dc reactive sputtering and catalytic behavior, 106
- Titanium dioxide photocatalysts  
Global photonic efficiency for phenol degradation and mineralization in heterogeneous photocatalysis, 246
- Titanium dioxide  
Fluorescence development during 514 nm irradiation of catechol adsorbed on nanocrystalline titanium dioxide, 62  
Enhanced photodegradation of diisopropyl methyl phosphonate by the "Adsorb & Shuttle" approach, 253
- Triazines  
On the recalcitrant nature of the triazinic ring species, cyanuric acid, to degradation in Fenton solutions and in UV-illuminated TiO<sub>2</sub> (naked) and fluorinated TiO<sub>2</sub> aqueous dispersions, 229
- UV photocatalysis  
Global photonic efficiency for phenol degradation and mineralization in heterogeneous photocatalysis, 246
- UV spectrum  
Near-UV molar absorptivities of acetone, alachlor, metolachlor, diazinon and dichlorvos in aqueous solution, 76
- Visible-light photocatalyst  
The dc thermal plasma synthesis of ZnO nanoparticles for visible-light photocatalyst, 82
- V-UV  
Self-cleaning of modified cotton textiles by TiO<sub>2</sub> at low temperatures under daylight irradiation, 156
- Zero-zeta potentials  
On the recalcitrant nature of the triazinic ring species, cyanuric acid, to degradation in Fenton solutions and in UV-illuminated TiO<sub>2</sub> (naked) and fluorinated TiO<sub>2</sub> aqueous dispersions, 229
- Zirconia  
Photoactivity and photoselectivity of a dielectric metal-oxide photocatalyst (ZrO<sub>2</sub>) probed by the photoinduced reduction of oxygen and oxidation of hydrogen, 214