

Subject Index of Volume 181

- Acridone**
10-(2-Biotinyloxyethyl)-9-acridone. A novel fluorescent label for (strept)avidin–biotin based assays, 126
- Acrylate monomer**
Two-photon polymerization of an Eosin Y-sensitized acrylate composite, 132
- Activated carbon**
Photocatalytic and photochemical degradation of mono-, di- and tri-azo dyes in aqueous solution under UV irradiation, 314
- Advanced oxidative processes**
Electronic characterization and photocatalytic properties of CdS/TiO₂ semiconductor composite, 152
- Ag-clusters**
Performance and characterization of Ag–cotton and Ag/TiO₂ loaded textiles during the abatement of *E. coli*, 363
- Ag–cotton textiles**
Performance and characterization of Ag–cotton and Ag/TiO₂ loaded textiles during the abatement of *E. coli*, 363
- Aggregation**
Light-induced aggregation of cationic porphyrins, 283
- Alumina**
Photophysical properties of hydroxyanthraquinone derivatives (HQAs)-doped SiO₂, SiO₂–Al₂O₃ and Al₂O₃ matrices, 414
- Aminoazobenzenes**
Gradual change of one- and two-photon absorption properties in solution—Protonation of 4-*N,N*-dimethylamino-4'-aminoazobenzene, 274
- Ammonium–azonium tautomersim**
Gradual change of one- and two-photon absorption properties in solution—Protonation of 4-*N,N*-dimethylamino-4'-aminoazobenzene, 274
- Anisotropy**
New fluorescent polarization method to evaluate the orientation of adsorbed molecules in uniaxial 2D layered materials, 44
- Annular photoreactor**
Photocatalytic EDTA degradation on suspended and immobilized TiO₂, 188
- AO7 quantum yield**
Azo dye degradation using Fenton type processes assisted by UV irradiation: A kinetic study, 195
- Avidin**
10-(2-Biotinyloxyethyl)-9-acridone. A novel fluorescent label for (strept)avidin–biotin based assays, 126
- Azo dyes**
Azo dye degradation using Fenton type processes assisted by UV irradiation: A kinetic study, 195
Photocatalytic and photochemical degradation of mono-, di- and tri-azo dyes in aqueous solution under UV irradiation, 314
- Bacteria**
Laser kinetic spectroscopy of the interfacial charge transfer between membrane cell walls of *E. coli* and TiO₂, 401
- Benzophenone (BP)**
Using silica films and powders modified with benzophenone to photo-reduce silver nanoparticles, 385
- Benzoylacetone**
Determination of proteins using fluorescence enhancement of Tb³⁺–benzoylacetone–sodium dodecyl benzene sulfonate–protein system, 50
- Biotin**
10-(2-Biotinyloxyethyl)-9-acridone. A novel fluorescent label for (strept)avidin–biotin based assays, 126
- Cadmium sulfide**
Electronic characterization and photocatalytic properties of CdS/TiO₂ semiconductor composite, 152
- CdS**
Chemical bath deposited CdS/CdSe-sensitized porous TiO₂ solar cells, 306
- CdS nanoparticles**
Subpicosecond time-resolved photoluminescence of thioglycerol-capped CdS nanoparticles in water, 86
- CdSe**
Chemical bath deposited CdS/CdSe-sensitized porous TiO₂ solar cells, 306
- Cerium(IV)**
Chemiluminescence of cerium(IV)–rhodamine 6G–phenolic compound system, 238
- Charge-transfer complex**
Theoretical studies of 1:1 charge-transfer complexes between nitrogen-containing heterocycles and I₂ molecules, and implications on the performance of dye-sensitized solar cell, 268
- Chemical bath deposition**
Chemical bath deposited CdS/CdSe-sensitized porous TiO₂ solar cells, 306
- Chemiluminescence**
Chemiluminescence of cerium(IV)–rhodamine 6G–phenolic compound system, 238
- Chirality**
Size-tunable exciton chirality and fluorescence emission in (*R*)-(–)-2,2'-bis-(*p*-toluenesulfonyloxy)-1,1'-binaphthalene nanoparticles, 94
- Cholesterol**
Interaction of DODAB with neutral phospholipids and cholesterol studied using fluorescence anisotropy, 99
- Chromone**
An FT-EPR investigation of the anomalous CIDEP in photoreactions of chromone and chromone-2-carboxylic acid with alcohol induced by hydrochloric acid, 325
- CIDEP**
An FT-EPR investigation of the anomalous CIDEP in photoreactions of chromone and chromone-2-carboxylic acid with alcohol induced by hydrochloric acid, 325
- Circular dichroism**
Size-tunable exciton chirality and fluorescence emission in (*R*)-(–)-2,2'-bis-(*p*-toluenesulfonyloxy)-1,1'-binaphthalene nanoparticles, 94
- Clay thin**
New fluorescent polarization method to evaluate the orientation of adsorbed molecules in uniaxial 2D layered materials, 44
- Co²⁺-modified TiO₂**
The long-term photocatalytic stability of Co²⁺-modified P25-TiO₂ powders for the H₂ production from aqueous ethanol solution, 263

- Congo red removal
Photodegradation enhancement of Congo red aqueous solution using a mixture of $\text{SnO}_2 \cdot x\text{H}_2\text{O}$ gel/ ZnO powder, 137
- Cryptand receptors
Fluorescence signaling systems with a cryptand receptor incorporating electron-withdrawing groups: Metal ion specificity and solvent dependence, 215
- CTAB micelles
Effects of interaction with CTAB micelles on photophysical characteristics of *meso*-tetrakis(sulfonatophenyl) porphyrin, 378
- CTP
Interaction mechanism in pyromethene dye/photoacid generator photosensitive system for high-speed photopolymer, 60
- Degradation intermediates
Photocatalytic EDTA degradation on suspended and immobilized TiO_2 , 188
- Dendrimer
Photophysical and photochemical studies on bis(Dendron) poly(aryl ether) dendrimers: Intramolecular triplet energy transfer in poly(aryl ether) dendrimers via a folded conformation, 429
- Dendritic macrophotoinitiator
Water-compatible dendritic macrophotoinitiator containing thioxanthone, 233
- Dienes chemistry
Triplet photosensitization of myrcene and some dienes within zeolite Y through heavy atom effect, 56
- Di- π -methane rearrangements
An approach to the novel stereoselectivity in photorearrangement of 4,4-dialkyl-2,6-diphenyl-4*H*-thiopyran-1,1-dioxides, 408
- Dipyromethene
Triplet-state spectroscopy of dipyrromethene- BF_2 laser dyes, 142
- DODAB
Interaction of DODAB with neutral phospholipids and cholesterol studied using fluorescence anisotropy, 99
- DOPE
Interaction of DODAB with neutral phospholipids and cholesterol studied using fluorescence anisotropy, 99
- Dual fluorescence
Secondary amino group as charge donor for the excited state intramolecular charge transfer reaction in *trans*-3-(4-monomethylamino-phenyl)-acrylic acid: Spectroscopic measurement and theoretical calculations, 246
- Dye adsorption
New fluorescent polarization method to evaluate the orientation of adsorbed molecules in uniaxial 2D layered materials, 44
- Dye degradation
Azo dye degradation using Fenton type processes assisted by UV irradiation: A kinetic study, 195
- Dye-sensitized solar cell
Theoretical studies of 1:1 charge-transfer complexes between nitrogen-containing heterocycles and I_2 molecules, and implications on the performance of dye-sensitized solar cell, 268
- E. coli*
Laser kinetic spectroscopy of the interfacial charge transfer between membrane cell walls of *E. coli* and TiO_2 , 401
- E. coli* decontamination
Performance and characterization of Ag-cotton and Ag/ TiO_2 loaded textiles during the abatement of *E. coli*, 363
- EDTA
Photocatalytic EDTA degradation on suspended and immobilized TiO_2 , 188
- Environmental photochemistry
Electronic characterization and photocatalytic properties of CdS/TiO_2 semiconductor composite, 152
- Eosin Y
Two-photon polymerization of an Eosin Y-sensitized acrylate composite, 132
- ESIPT
Excited state acidity of bifunctional compounds. 9. Excited state intramolecular proton transfer in 3,5-dihydroxy-7,4'-dimethoxyflavone and 3,5-dihydroxy-7,4'-dimethoxyflavanone: spectral and fluorescence decay results, 370
- 3,4-Ethylenedioxythiophene
Hole transporting 3,4-ethylenedioxythiophene-based hydrazones, 67
- Ethyl violet
Photocatalytic degradation of ethyl violet in aqueous solution mediated by TiO_2 suspensions, 120
- Excimer
Size-tunable exciton chirality and fluorescence emission in (*R*)-(–)-2,2'-(bis-(*p*-toluenesulfonyloxy)-1,1'-binaphthalene nanoparticles, 94
- Exciplex
Different mechanisms both lead to the production of the naphthalene-OH adduct in the 355 nm and 266 nm laser flash photolysis of the mixed aqueous solution of naphthalene and nitrous acid, 348
- Exciplex emission
Fluorescence signaling systems with a cryptand receptor incorporating electron-withdrawing groups: Metal ion specificity and solvent dependence, 215
- Excited-state intramolecular proton transfer
Photophysical properties of hydroxyanthraquinone derivatives (HQAs)-doped SiO_2 , $\text{SiO}_2\text{-Al}_2\text{O}_3$ and Al_2O_3 matrices, 414
- Factorial design
Photocatalytic EDTA degradation on suspended and immobilized TiO_2 , 188
- Fast optical limiters and switches
Effects of interaction with CTAB micelles on photophysical characteristics of *meso*-tetrakis(sulfonatophenyl) porphyrin, 378
- Fast transient fluorescence
Reordering of polystyrene gel due to multiple swelling in organic vapor. Fast transient fluorescence technique study, 394
- Femtosecond Z-scan technique
Gradual change of one- and two-photon absorption properties in solution—Protonation of 4-*N,N*-dimethylamino-4'-aminoazobenzene, 274
- Fenton type processes
Azo dye degradation using Fenton type processes assisted by UV irradiation: A kinetic study, 195
- Flavanoids
Excited state acidity of bifunctional compounds. 9. Excited state intramolecular proton transfer in 3,5-dihydroxy-7,4'-dimethoxyflavone and 3,5-dihydroxy-7,4'-dimethoxyflavanone: spectral and fluorescence decay results, 370
- Fluorescence
Putative phototautomerization of 4-thiouridine in the S_2 excited state revealed by fluorescence study using picosecond laser spectroscopy, 12
- 10-(2-Biotinyloxyethyl)-9-acridone. A novel fluorescent label for (strept)avidin-biotin based assays, 126
- Triplet-state spectroscopy of dipyrromethene- BF_2 laser dyes, 142
- Synthesis of the first thieno- δ -carboline. Fluorescence studies in solution and in lipid vesicles, 290
- Fluorescence anisotropy
Interaction of DODAB with neutral phospholipids and cholesterol studied using fluorescence anisotropy, 99
- Fluorescence decay
Time-resolved fluorescence spectroscopy of cationic dyes incorporated in silica matrix by high pressure compaction, 147
- Fluorescence enhancement
Determination of proteins using fluorescence enhancement of Tb^{3+} -benzoyl-acetone-sodium dodecyl benzene sulfonate-protein system, 50
- Fluorescence signaling systems with a cryptand receptor incorporating electron-withdrawing groups: Metal ion specificity and solvent dependence, 215
- Fluorescence labeling
Photostabilities of novel heptamethine 3*H*-indolenine cyanine dyes with different *N*-substituents, 79

- Fluorescence quantum yield
Photostabilities of novel heptamethine 3*H*-indolenine cyanine dyes with different *N*-substituents, 79
- Fluorescence spectra
Excited state acidity of bifunctional compounds. 9. Excited state intramolecular proton transfer in 3,5-dihydroxy-7,4'-dimethoxyflavone and 3,5-dihydroxy-7,4'-dimethoxyflavanone: spectral and fluorescence decay results, 370
- Fluorescence up-conversion
Subpicosecond time-resolved photoluminescence of thioglycerol-capped CdS nanoparticles in water, 86
- Fluorescent polarization
New fluorescent polarization method to evaluate the orientation of adsorbed molecules in uniaxial 2D layered materials, 44
- Fluorinated phthalocyanines
Study of resonance effects in copper phthalocyanines, 180
- Free radical mechanism
Kinetics studies of methyl methacrylate photopolymerization initiated by titanium dioxide semiconductor nanoparticles, 19
- FT-EPR
An FT-EPR investigation of the anomalous CIDEP in photoreactions of chromone and chromone-2-carboxylic acid with alcohol induced by hydrochloric acid, 325
- Functional groups
Vinylxyethyl-substituted carbazole-based hydrazone and its adducts with diol and dithiol as glass-forming hole transport materials, 257
- Gel
Reordering of polystyrene gel due to multiple swelling in organic vapor. Fast transient fluorescence technique study, 394
- Gel polymer electrolytes
Quasi-solid state dye-sensitized solar cells-based gel polymer electrolytes with poly(acrylamide)-poly(ethylene glycol) composite, 333
- Generation of singlet oxygen
Fluorescence and ¹O₂ generation properties of porphyrin molecules immobilized in oxidized nano-porous silicon matrix, 106
- Glasses
Time-resolved fluorescence spectroscopy of cationic dyes incorporated in silica matrix by high pressure compaction, 147
- Glass-forming
Hole transporting 3,4-ethylenedioxythiophene-based hydrazones, 67
Vinylxyethyl-substituted carbazole-based hydrazone and its adducts with diol and dithiol as glass-forming hole transport materials, 257
- H₂ production
The long-term photocatalytic stability of Co²⁺-modified P25-TiO₂ powders for the H₂ production from aqueous ethanol solution, 263
- Heavy atom effect
Triplet photosensitization of myrcene and some dienes within zeolite Y through heavy atom effect, 56
- HgCr₂S₄
p-Type crystalline HgCr₂S₄ semiconductor electrode synthesis and its photoelectrochemical studies, 33
- High pressure
Time-resolved fluorescence spectroscopy of cationic dyes incorporated in silica matrix by high pressure compaction, 147
- Hole mobility
Vinylxyethyl-substituted carbazole-based hydrazone and its adducts with diol and dithiol as glass-forming hole transport materials, 257
- Hole transport
Hole transporting 3,4-ethylenedioxythiophene-based hydrazones, 67
- Hydrated electron
Photolysis of sulfosalicylic acid in aqueous solutions over a wide pH range, 37
- Hydrazone
Hole transporting 3,4-ethylenedioxythiophene-based hydrazones, 67
Vinylxyethyl-substituted carbazole-based hydrazone and its adducts with diol and dithiol as glass-forming hole transport materials, 257
- Hydrochloric acid
An FT-EPR investigation of the anomalous CIDEP in photoreactions of chromone and chromone-2-carboxylic acid with alcohol induced by hydrochloric acid, 325
- Hydroxyanthraquinones
Photophysical properties of hydroxyanthraquinone derivatives (HQAs)-doped SiO₂, SiO₂-Al₂O₃ and Al₂O₃ matrices, 414
- Impurity energy level
Efficient degradation of organic pollutant with WO_x modified nano TiO₂ under visible irradiation, 421
- Interface
Laser kinetic spectroscopy of the interfacial charge transfer between membrane cell walls of *E. coli* and TiO₂, 401
- Intramolecular charge transfer
Solvent polarity and intramolecular hydrogen bonding effects on the photophysical properties of 1-amino-9,10-anthraquinone dye, 338
- Intramolecular hydrogen bonding
Solvent polarity and intramolecular hydrogen bonding effects on the photophysical properties of 1-amino-9,10-anthraquinone dye, 338
- Intramolecular photoinduced electron transfer
Photophysical properties of the photosensitizer [Ru(bpy)₂(5-CNphen)]²⁺ and intramolecular quenching by complexation of Cu(II), 28
- Iodine
Theoretical studies of 1:1 charge-transfer complexes between nitrogen-containing heterocycles and I₂ molecules, and implications on the performance of dye-sensitized solar cell, 268
- Ionic conductivity
Solid-state dye-sensitized solar cell: Improved performance and stability using a plasticized polymer electrolyte, 226
Quasi-solid state dye-sensitized solar cells-based gel polymer electrolytes with poly(acrylamide)-poly(ethylene glycol) composite, 333
- Ionisation potential
Hole transporting 3,4-ethylenedioxythiophene-based hydrazones, 67
Vinylxyethyl-substituted carbazole-based hydrazone and its adducts with diol and dithiol as glass-forming hole transport materials, 257
- IR
Performance and characterization of Ag-cotton and Ag/TiO₂ loaded textiles during the abatement of *E. coli*, 363
- Iron doped TiO₂
An acrylate polymerisation initiated by iron doped titanium dioxide, 297
- Ketyl-radicals
Using silica films and powders modified with benzophenone to photoreduce silver nanoparticles, 385
- Kinetic analysis
Photochromism of 8-thienyl-naphthopyrans investigated by NMR spectroscopy, 174
- Kinetics
Kinetics studies of methyl methacrylate photopolymerization initiated by titanium dioxide semiconductor nanoparticles, 19
- Laser dyes
Triplet-state spectroscopy of dipyrromethene-BF₂ laser dyes, 142
- Laser flash photolysis
Photolysis of sulfosalicylic acid in aqueous solutions over a wide pH range, 37
Different mechanisms both lead to the production of the naphthalene-OH adduct in the 355 nm and 266 nm laser flash photolysis of the mixed aqueous solution of naphthalene and nitrous acid, 348
- Light-harvesting
Photophysical and photochemical studies on bis(Dendron) poly(aryl ether) dendrimers: Intramolecular triplet energy transfer in poly(aryl ether) dendrimers via a folded conformation, 429
- Lignin
A photochemical cell with nano-porous TiO₂ electrode sensitized by lignophenol under visible light irradiation, 114

- Lignophenol
A photochemical cell with nano-porous TiO₂ electrode sensitized by lignophenol under visible light irradiation, 114
- Lipid vesicles
Synthesis of the first thieno- δ -carboline. Fluorescence studies in solution and in lipid vesicles, 290
- Luminescence
Photoinduced luminescence of *fac*-[Re(CO)₃(phen)(stpy)]⁺ in CH₃CN and PMMA, 73
- Mesoporous silica films
Photovoltaic properties of ordered mesoporous silica thin film electrodes encapsulating titanium dioxide particles, 166
Using silica films and powders modified with benzophenone to photoreduce silver nanoparticles, 385
- Mesostructured material
Preparation and photocatalytic activity of titania particulate film with mesostructured silica as binder, 357
- Metal ion specificity
Fluorescence signaling systems with a cryptand receptor incorporating electron-withdrawing groups: Metal ion specificity and solvent dependence, 215
- Methylene blue
Efficient degradation of organic pollutant with WO_x modified nano TiO₂ under visible irradiation, 421
- Molecular orbital calculations
Excited state acidity of bifunctional compounds. 9. Excited state intramolecular proton transfer in 3,5-dihydroxy-7,4'-dimethoxyflavone and 3,5-dihydroxy-7,4'-dimethoxyflavanone: spectral and fluorescence decay results, 370
- Nanoparticle
Size-tunable exciton chirality and fluorescence emission in (*R*)-(-)-2,2'-bis-(*p*-toluenesulfonyloxy)-1,1'-binaphthalene nanoparticles, 94
- Nanoporous solar cell
Chemical bath deposited CdS/CdSe-sensitized porous TiO₂ solar cells, 306
- Nano-porous titanium dioxide
A photochemical cell with nano-porous TiO₂ electrode sensitized by lignophenol under visible light irradiation, 114
- Nano-structured porous silicon
Fluorescence and ¹O₂ generation properties of porphyrin molecules immobilized in oxidized nano-porous silicon matrix, 106
- Naphthalene
Different mechanisms both lead to the production of the naphthalene-OH adduct in the 355 nm and 266 nm laser flash photolysis of the mixed aqueous solution of naphthalene and nitrous acid, 348
- Naphthalene-OH adduct
Different mechanisms both lead to the production of the naphthalene-OH adduct in the 355 nm and 266 nm laser flash photolysis of the mixed aqueous solution of naphthalene and nitrous acid, 348
- Naphthopyrans
Photochromism of 8-thienyl-naphthopyrans investigated by NMR spectroscopy, 174
- Near band edge emission
Subpicosecond time-resolved photoluminescence of thioglycerol-capped CdS nanoparticles in water, 86
- Near-infrared cyanine dye
Photostabilities of novel heptamethine 3*H*-indolenine cyanine dyes with different *N*-substituents, 79
- Nile Red
Interaction of DODAB with neutral phospholipids and cholesterol studied using fluorescence anisotropy, 99
- Nitrogen-containing heterocycles
Theoretical studies of 1:1 charge-transfer complexes between nitrogen-containing heterocycles and I₂ molecules, and implications on the performance of dye-sensitized solar cell, 268
- Nitrous acid
Different mechanisms both lead to the production of the naphthalene-OH adduct in the 355 nm and 266 nm laser flash photolysis of the mixed aqueous solution of naphthalene and nitrous acid, 348
- NMR spectroscopy
Photochromism of 8-thienyl-naphthopyrans investigated by NMR spectroscopy, 174
- Nonplanar structure
Solvent polarity and intramolecular hydrogen bonding effects on the photophysical properties of 1-amino-9,10-anthraquinone dye, 338
- N*-(Trifluoromethanesulfonyloxy)-1,8-naphthalimide
Interaction mechanism in pyromethene dye/photoacid generator photosensitive system for high-speed photopolymer, 60
- Organic dyes
Time-resolved fluorescence spectroscopy of cationic dyes incorporated in silica matrix by high pressure compaction, 147
- Organic-inorganic hybrid matrix
Photophysical properties of hydroxyanthraquinone derivatives (HQAs)-doped SiO₂, SiO₂-Al₂O₃ and Al₂O₃ matrices, 414
- Oxalic acid
Improving ultraviolet light transmission in a packed-bed photoelectrocatalytic reactor for removal of oxalic acid from wastewater, 158
- Palladium-assisted reactions
Synthesis of the first thieno- δ -carboline. Fluorescence studies in solution and in lipid vesicles, 290
- Particulate film
Preparation and photocatalytic activity of titania particulate film with mesostructured silica as binder, 357
- PC
Interaction of DODAB with neutral phospholipids and cholesterol studied using fluorescence anisotropy, 99
- Phenolic compound
Chemiluminescence of cerium(IV)-rhodamine 6G-phenolic compound system, 238
- Photoacid generator
Interaction mechanism in pyromethene dye/photoacid generator photosensitive system for high-speed photopolymer, 60
- Photobleaching
Photostabilities of novel heptamethine 3*H*-indolenine cyanine dyes with different *N*-substituents, 79
- Photocatalysis
Electronic characterization and photocatalytic properties of CdS/TiO₂ semiconductor composite, 152
Photocatalytic EDTA degradation on suspended and immobilized TiO₂, 188
Photocatalytic activity and photo-induced superhydrophilicity of sol-gel derived TiO₂ films, 203
Photocatalytic and photochemical degradation of mono-, di- and tri-azo dyes in aqueous solution under UV irradiation, 314
Laser kinetic spectroscopy of the interfacial charge transfer between membrane cell walls of *E. coli* and TiO₂, 401
- Photocatalytic
Photocatalytic degradation of ethyl violet in aqueous solution mediated by TiO₂ suspensions, 120
- Photocatalytic activity
Preparation and photocatalytic activity of titania particulate film with mesostructured silica as binder, 357
- Photocatalytic enhancement
Improving ultraviolet light transmission in a packed-bed photoelectrocatalytic reactor for removal of oxalic acid from wastewater, 158
- Photocatalytic reactivity stability
The long-term photocatalytic stability of Co²⁺-modified P25-TiO₂ powders for the H₂ production from aqueous ethanol solution, 263
- Photochemical cell
A photochemical cell with nano-porous TiO₂ electrode sensitized by lignophenol under visible light irradiation, 114
- Photochemistry
Photocatalytic and photochemical degradation of mono-, di- and tri-azo dyes in aqueous solution under UV irradiation, 314

- Photochromism
 Photochromism of 8-thienyl-naphthopyrans investigated by NMR spectroscopy, 174
- Photodegradation
 Photocatalytic degradation of ethyl violet in aqueous solution mediated by TiO₂ suspensions, 120
- Photodynamic therapy
 Effects of interaction with CTAB micelles on photophysical characteristics of *meso*-tetrakis(sulfonatophenyl) porphyrin, 378
- Photoelectric examination
 Study of resonance effects in copper phthalocyanines, 180
- Photoelectrocatalytic reactor
 Improving ultraviolet light transmission in a packed-bed photoelectrocatalytic reactor for removal of oxalic acid from wastewater, 158
- Photoelectrochemical cell
 Photovoltaic properties of ordered mesoporous silica thin film electrodes encapsulating titanium dioxide particles, 166
- Photoelectrochemical properties
 p-Type crystalline HgCr₂S₄ semiconductor electrode synthesis and its photoelectrochemical studies, 33
- Photoelectrochemistry
 The long-term photocatalytic stability of Co²⁺-modified P25-TiO₂ powders for the H₂ production from aqueous ethanol solution, 263
- Photo-EMF
 An acrylate polymerisation initiated by iron doped titanium dioxide, 297
- Photo-induced superhydrophilicity
 Photocatalytic activity and photo-induced superhydrophilicity of sol-gel derived TiO₂ films, 203
- Photoionization
 Photolysis of sulfosalicylic acid in aqueous solutions over a wide pH range, 37
- Photoisomerization
 Triplet photosensitization of myrcene and some dienes within zeolite Y through heavy atom effect, 56
 Photoinduced luminescence of *fac*-[Re(CO)₃(phen)(stpy)]⁺ in CH₃CN and PMMA, 73
 An approach to the novel stereoselectivity in photorearrangement of 4,4-dialkyl-2,6-diphenyl-4*H*-thiopyran-1,1-dioxides, 408
- Photoluminescence
 Fluorescence and ¹O₂ generation properties of porphyrin molecules immobilized in oxidized nano-porous silicon matrix, 106
- Photoluminescence decay dynamics
 Subpicosecond time-resolved photoluminescence of thioglycerol-capped CdS nanoparticles in water, 86
- Photolysis
 An FT-EPR investigation of the anomalous CIDEP in photoreactions of chromone and chromone-2-carboxylic acid with alcohol induced by hydrochloric acid, 325
- Photophysical characteristics
 Effects of interaction with CTAB micelles on photophysical characteristics of *meso*-tetrakis(sulfonatophenyl) porphyrin, 378
- Photophysical properties
 Solvent polarity and intramolecular hydrogen bonding effects on the photophysical properties of 1-amino-9,10-anthraquinone dye, 338
- Photophysics
 Time-resolved fluorescence spectroscopy of cationic dyes incorporated in silica matrix by high pressure compaction, 147
- Photopolymerization
 Kinetics studies of methyl methacrylate photopolymerization initiated by titanium dioxide semiconductor nanoparticles, 19
 An acrylate polymerisation initiated by iron doped titanium dioxide, 297
- Photoreduction
 Using silica films and powders modified with benzophenone to photo-reduce silver nanoparticles, 385
- Photosensitive resin
 Two-photon polymerisation for three-dimensional micro-fabrication, 1
- Photosensitization
 Light-induced aggregation of cationic porphyrins, 283
- Photosensitized isomerization
 Photophysical and photochemical studies on bis(Dendron) poly(aryl ether) dendrimers: Intramolecular triplet energy transfer in poly(aryl ether) dendrimers via a folded conformation, 429
- Photostability
 Photostabilities of novel heptamethine 3*H*-indolenine cyanine dyes with different *N*-substituents, 79
- Phototautomerization
 Putative phototautomerization of 4-thiouridine in the S₂ excited state revealed by fluorescence study using picosecond laser spectroscopy, 12
- Photovoltaic efficiency
 Photovoltaic properties of ordered mesoporous silica thin film electrodes encapsulating titanium dioxide particles, 166
- Photovoltaics
 Photovoltaic properties of ordered mesoporous silica thin film electrodes encapsulating titanium dioxide particles, 166
- Plasticizer
 Solid-state dye-sensitized solar cell: Improved performance and stability using a plasticized polymer electrolyte, 226
- PMMA
 Photoinduced luminescence of *fac*-[Re(CO)₃(phen)(stpy)]⁺ in CH₃CN and PMMA, 73
- Poly(acrylamide)-poly(ethylene glycol) composite
 Quasi-solid state dye-sensitized solar cells-based gel polymer electrolytes with poly(acrylamide)-poly(ethylene glycol) composite, 333
- Polymer electrolyte
 Solid-state dye-sensitized solar cell: Improved performance and stability using a plasticized polymer electrolyte, 226
- Poly(methyl methacrylate)
 Photoinduced luminescence of *fac*-[Re(CO)₃(phen)(stpy)]⁺ in CH₃CN and PMMA, 73
- Porphyrins
 Fluorescence and ¹O₂ generation properties of porphyrin molecules immobilized in oxidized nano-porous silicon matrix, 106
 Light-induced aggregation of cationic porphyrins, 283
- Protein
 Determination of proteins using fluorescence enhancement of Tb³⁺-benzoyl-acetone-sodium dodecyl benzene sulfonate-protein system, 50
- Protonation
 Gradual change of one- and two-photon absorption properties in solution—Protonation of 4-*N,N*-dimethylamino-4'-aminoazobenzene, 274
- Pyromethene dye
 Interaction mechanism in pyromethene dye/photoacid generator photosensitive system for high-speed photopolymer, 60
- Quasi-solid state dye-sensitized solar cells
 Quasi-solid state dye-sensitized solar cells-based gel polymer electrolytes with poly(acrylamide)-poly(ethylene glycol) composite, 333
- Quinone dyes
 Solvent polarity and intramolecular hydrogen bonding effects on the photophysical properties of 1-amino-9,10-anthraquinone dye, 338
- Reordering
 Reordering of polystyrene gel due to multiple swelling in organic vapor. Fast transient fluorescence technique study, 394
- Resonance effects
 Study of resonance effects in copper phthalocyanines, 180
- Resonance Raman
 Electronic characterization and photocatalytic properties of CdS/TiO₂ semiconductor composite, 152
- Response surface methodology
 Photocatalytic EDTA degradation on suspended and immobilized TiO₂, 188
- Rhenium carbonyl complex
 Photoinduced luminescence of *fac*-[Re(CO)₃(phen)(stpy)]⁺ in CH₃CN and PMMA, 73
- Rhodamine 6G
 Chemiluminescence of cerium(IV)-rhodamine 6G-phenolic compound system, 238

- Rigid media
 Photoinduced luminescence of *fac*-[Re(CO)₃(phen)(stpy)]⁺ in CH₃CN and PMMA, 73
- Ruthenium complex photophysics
 Photophysical properties of the photosensitizer [Ru(bpy)₂(5-CNphen)]²⁺ and intramolecular quenching by complexation of Cu(II), 28
- SDBS
 Determination of proteins using fluorescence enhancement of Tb³⁺-benzoyl-acetone-sodium dodecyl benzene sulfonate-protein system, 50
- SEM
 p-Type crystalline HgCr₂S₄ semiconductor electrode synthesis and its photoelectrochemical studies, 33
- Semiconductor nanoparticles
 Kinetics studies of methyl methacrylate photopolymerization initiated by titanium dioxide semiconductor nanoparticles, 19
- Sensitization mechanism
 Interaction mechanism in pyromethene dye/photoacid generator photosensitive system for high-speed photopolymer, 60
- Silica
 Photophysical properties of hydroxyanthraquinone derivatives (HQAs)-doped SiO₂, SiO₂-Al₂O₃ and Al₂O₃ matrices, 414
- Silver nanoparticles (Ag NP)
 Using silica films and powders modified with benzophenone to photo-reduce silver nanoparticles, 385
- Singlet oxygen
 Light-induced aggregation of cationic porphyrins, 283
- Sol-gel thin films
 Photocatalytic activity and photo-induced superhydrophilicity of sol-gel derived TiO₂ films, 203
- Solid state
 Time-resolved fluorescence spectroscopy of cationic dyes incorporated in silica matrix by high pressure compaction, 147
- Solid-state dye-sensitized TiO₂ solar cell
 Solid-state dye-sensitized solar cell: Improved performance and stability using a plasticized polymer electrolyte, 226
- Solvatochromic probes
 Synthesis of the first thieno- δ -carboline. Fluorescence studies in solution and in lipid vesicles, 290
- Solvent polarity
 Solvent polarity and intramolecular hydrogen bonding effects on the photophysical properties of 1-amino-9,10-anthraquinone dye, 338
- Spectral methods
 Study of resonance effects in copper phthalocyanines, 180
- Stability
 Solid-state dye-sensitized solar cell: Improved performance and stability using a plasticized polymer electrolyte, 226
- Stereoselectivity
 An approach to the novel stereoselectivity in photorearrangement of 4,4-dialkyl-2,6-diphenyl-4*H*-thiopyran-1,1-dioxides, 408
- Streptavidin
 10-(2-Biotinyloxyethyl)-9-acridone. A novel fluorescent label for (strept)avidin-biotin based assays, 126
- Subpicosecond spectroscopy
 Subpicosecond time-resolved photoluminescence of thioglycerol-capped CdS nanoparticles in water, 86
- Sulfosalicylic acid
 Photolysis of sulfosalicylic acid in aqueous solutions over a wide pH range, 37
- Supported TiO₂
 Photocatalytic EDTA degradation on suspended and immobilized TiO₂, 188
- Surface plasmon resonance (SPR)
 Using silica films and powders modified with benzophenone to photo-reduce silver nanoparticles, 385
- Swelling
 Reordering of polystyrene gel due to multiple swelling in organic vapor. Fast transient fluorescence technique study, 394
- Synergetic effect
 Improving ultraviolet light transmission in a packed-bed photoelectrocatalytic reactor for removal of oxalic acid from wastewater, 158
- Tb³⁺
 Determination of proteins using fluorescence enhancement of Tb³⁺-benzoyl-acetone-sodium dodecyl benzene sulfonate-protein system, 50
- TCSPC
 Excited state acidity of bifunctional compounds. 9. Excited state intramolecular proton transfer in 3,5-dihydroxy-7,4'-dimethoxyflavone and 3,5-dihydroxy-7,4'-dimethoxyflavanone: spectral and fluorescence decay results, 370
- TDDFT
 Secondary amino group as charge donor for the excited state intramolecular charge transfer reaction in *trans*-3-(4-monomethylamino-phenyl)-acrylic acid: Spectroscopic measurement and theoretical calculations, 246
- Thieno- δ -carboline
 Synthesis of the first thieno- δ -carboline. Fluorescence studies in solution and in lipid vesicles, 290
- Thioglycerol-capped CdS
 Subpicosecond time-resolved photoluminescence of thioglycerol-capped CdS nanoparticles in water, 86
- 4*H*-thiopyran-1,1-dioxides
 An approach to the novel stereoselectivity in photorearrangement of 4,4-dialkyl-2,6-diphenyl-4*H*-thiopyran-1,1-dioxides, 408
- 4-Thiouridine
 Putative phototautomerization of 4-thiouridine in the S₂ excited state revealed by fluorescence study using picosecond laser spectroscopy, 12
- Thioxanthone
 Water-compatible dendritic macrophotoinitiator containing thioxanthone, 233
- Three-dimensional electrode
 Improving ultraviolet light transmission in a packed-bed photoelectrocatalytic reactor for removal of oxalic acid from wastewater, 158
- Three-dimensional micro-fabrication
 Two-photon polymerisation for three-dimensional micro-fabrication, 1
- TICT
 Secondary amino group as charge donor for the excited state intramolecular charge transfer reaction in *trans*-3-(4-monomethylamino-phenyl)-acrylic acid: Spectroscopic measurement and theoretical calculations, 246
- Time-resolved photoluminescence
 Subpicosecond time-resolved photoluminescence of thioglycerol-capped CdS nanoparticles in water, 86
- Tin oxide gel
 Photodegradation enhancement of Congo red aqueous solution using a mixture of SnO₂:xH₂O gel/ZnO powder, 137
- TiO₂
 Photocatalytic degradation of ethyl violet in aqueous solution mediated by TiO₂ suspensions, 120
 Chemical bath deposited CdS/CdSe-sensitized porous TiO₂ solar cells, 306
 Laser kinetic spectroscopy of the interfacial charge transfer between membrane cell walls of *E. coli* and TiO₂, 401
- Titanium
 Photocatalytic degradation of ethyl violet in aqueous solution mediated by TiO₂ suspensions, 120
- Titanium dioxide
 Kinetics studies of methyl methacrylate photopolymerization initiated by titanium dioxide semiconductor nanoparticles, 19
 Electronic characterization and photocatalytic properties of CdS/TiO₂ semiconductor composite, 152
 Photovoltaic properties of ordered mesoporous silica thin film electrodes encapsulating titanium dioxide particles, 166
 Photocatalytic and photochemical degradation of mono-, di- and tri-azo dyes in aqueous solution under UV irradiation, 314
 Efficient degradation of organic pollutant with WO_x modified nano TiO₂ under visible irradiation, 421

- Titanium oxide
Photocatalytic activity and photo-induced superhydrophilicity of sol-gel derived TiO₂ films, 203
- TPPS₄ porphyrin
Effects of interaction with CTAB micelles on photophysical characteristics of *meso*-tetrakis(sulfonatophenyl) porphyrin, 378
- trans*-3-(4-Monomethylamino-phenyl)-acrylic acid
Secondary amino group as charge donor for the excited state intramolecular charge transfer reaction in *trans*-3-(4-monomethylamino-phenyl)-acrylic acid: Spectroscopic measurement and theoretical calculations, 246
- Triiodide
Light-induced aggregation of cationic porphyrins, 283
- Triplet-state properties
Triplet-state spectroscopy of dipyrromethene-BF₂ laser dyes, 142
- Triplet-triplet absorption
Photolysis of sulfosalicylic acid in aqueous solutions over a wide pH range, 37
- Triplet-triplet energy transfer
Photophysical and photochemical studies on bis(Dendron) poly(aryl ether) dendrimers: Intramolecular triplet energy transfer in poly(aryl ether) dendrimers via a folded conformation, 429
- Tungsten oxide
Efficient degradation of organic pollutant with WO_x modified nano TiO₂ under visible irradiation, 421
- Two-photon absorption
Gradual change of one- and two-photon absorption properties in solution—Protonation of 4-*N,N*-dimethylamino-4'-aminoazobenzene, 274
- Two-photon polymerization
Two-photon polymerisation for three-dimensional micro-fabrication, 1
Two-photon polymerization of an Eosin Y-sensitized acrylate composite, 132
- UV irradiation
Azo dye degradation using Fenton type processes assisted by UV irradiation: A kinetic study, 195
- Visible light
Efficient degradation of organic pollutant with WO_x modified nano TiO₂ under visible irradiation, 421
- Water-compatible
Water-compatible dendritic macrophotoinitiator containing thioxanthone, 233
- XPS
Performance and characterization of Ag-cotton and Ag/TiO₂ loaded textiles during the abatement of *E. coli*, 363
- XRD
p-Type crystalline HgCr₂S₄ semiconductor electrode synthesis and its photoelectrochemical studies, 33
- Zeolite Y
Triplet photosensitization of myrcene and some dienes within zeolite Y through heavy atom effect, 56
- Zinc oxide
Photodegradation enhancement of Congo red aqueous solution using a mixture of SnO₂·xH₂O gel/ZnO powder, 137