

Subject Index of Volume 182

- Ab initio
The photo-Fries rearrangement of 9-trimethylsilyl substituted xanthenes, 17
- Absorption
Examining [2,2'-bipyridyl]-3,3'-diol as a possible DNA model base pair, 192
- Acid Red 14
Bulk phase degradation of Acid Red 14 by nanophotocatalysis using immobilized titanium(IV) oxide nanoparticles, 60
- Alkoxy radical
Involvement of alkoxy radical intermediates in the photolysis of 1-alkylcycloalkanols in the presence of bis(pyridine)iodonium tetrafluoroborate. Comparison with the (diacetoxyiodo)benzene/ I_2 system, 33
- 2-Aminobenzoic acid
Intramolecular charge transfer associated with hydrogen bonding effects on 2-aminobenzoic acid, 137
- Amino compounds
Controlling electronic states and photochemical reactivities of C_{60} by chemical functionalization: *Ortho*-substituent effect of 1,6-*N*-(phenyl)aza-[60]fulleroids and 1,2-(*N*-phenyl)aziridino-[60]fullerenes, 238
- Anatase nanofibers
Preparation and photocatalytic activity of mesoporous anatase TiO_2 nanofibers by a hydrothermal method, 121
- Apparent inversion
Effect of temperature on the dynamics of electron transfer in heterogeneous medium: Evidence for apparent Marcus inversion, 7
- Aqueous biocompatible solutions
Laser ablation-based synthesis of functionalized colloidal nanomaterials in biocompatible solutions, 330
- Aqueous reaction
Highly efficient conversion of carbon dioxide catalyzed by half-sandwich complexes with pyridinol ligand: The electronic effect of oxyanion, 306
- Aromatic amines
Effect of temperature on the dynamics of electron transfer in heterogeneous medium: Evidence for apparent Marcus inversion, 7
Indolyl-substituted carbazole derivatives as amorphous electro-active materials for optoelectronics, 38
- 3-Arylcoumarins
Photogeneration of reactive oxygen species by 3-arylcoumarin and flavanocoumarin derivatives, 67
- Atrazine
The photocatalytic degradation of atrazine on nanoparticulate TiO_2 films, 43
- Attosecond pulses
Dependence of tunneling ionization and harmonic generation on the structure of molecules by short intense laser pulses, 213
- Auger ionization
Stochasticity of photophysical processes in nanosystems, 231
- Auger recombination
Stochasticity of photophysical processes in nanosystems, 231
- Azo containing copolymer
Molecular design and synthesis of copolymers with large photoinduced birefringence, 262
- Azobenzene
Novel photo-switching using azobenzene functional materials, 250
- BaF_2
Synthesis and characterization of TiO_2/BaF_2 /ceramic radio-sensitive photocatalyst, 93
- Binary mixtures
Examining [2,2'-bipyridyl]-3,3'-diol as a possible DNA model base pair, 192
[2,2'-Bipyridyl]-3,3'-diol
Examining [2,2'-bipyridyl]-3,3'-diol as a possible DNA model base pair, 192
- Bis(pyridine)iodonium tetrafluoroborate
Involvement of alkoxy radical intermediates in the photolysis of 1-alkylcycloalkanols in the presence of bis(pyridine)iodonium tetrafluoroborate. Comparison with the (diacetoxyiodo)benzene/ I_2 system, 33
- Bulk heterojunction
Investigation of optimum conditions for high-efficiency organic thin-film solar cells based on polymer blends, 269
- Bulk phase
Bulk phase degradation of Acid Red 14 by nanophotocatalysis using immobilized titanium(IV) oxide nanoparticles, 60
- Calendar
Dynamic preparation of TiO_2 films for fabrication of dye-sensitized solar cells, 187
- Carbon dioxide
Simultaneous monitoring of the destruction of stearic acid and generation of carbon dioxide by self-cleaning semiconductor photocatalytic films, 181
- Carrier-envelope phase
Generation of optical-field controlled high-intensity laser pulses, 220
- Chemiluminescence
Quantification of Cu^{2+} using 1,1'-oxalyldiimidazole chemiluminescence, 28
- Chemosensor
Investigation on photophysical properties of a substituted 3H-indole-modified β -cyclodextrin. I. Conformation in water and recognition mechanism as a chemosensor, 174
- Chitosan
Preparation of photoactive chitosan–niobium (V) oxide composites for dye degradation, 202
- Chromium(III)-arylamine photoreactions
Photoreactivity differences of $[Cr^{III}(N-N)_3]^{3+}$ and $[Cr^{III}(N-N)_2RCI]^{2+}$ complex ions in aquo-methanol/1,4-dioxane binary mixtures, 128
- Circular dichroism (CD)
Molecular modeling and spectroscopic studies on the binding of guaiacol to human serum albumin, 158
- CO_2 conversion
Highly efficient conversion of carbon dioxide catalyzed by half-sandwich complexes with pyridinol ligand: The electronic effect of oxyanion, 306
- Cobalt platinum
Synthesis of magnetic $CoPt/SiO_2$ nano-composite by pulsed laser ablation, 342
- Coherent control
Observation of the phase lags among the molecules in the coherent phase control of multiphoton ionization, 209
- Colloidal nanoparticles
Laser ablation-based synthesis of functionalized colloidal nanomaterials in biocompatible solutions, 330

- Conjugated polymers
Stochasticity of photophysical processes in nanosystems, 231
- Copper
Quantification of Cu^{2+} using 1,1'-oxalyldiimidazole chemiluminescence, 28
- Core-shell nanoparticle
Synthesis of magnetic CoPt/SiO₂ nano-composite by pulsed laser ablation, 342
- Correlation analysis
Photoreactivity differences of $[\text{Cr}^{\text{III}}(\text{N}-\text{N})_3]^{3+}$ and $[\text{Cr}^{\text{III}}(\text{N}-\text{N})_2\text{RCI}]^{2+}$ complex ions in aquo-methanol/1,4-dioxane binary mixtures, 128
- Coumarins
Effect of temperature on the dynamics of electron transfer in heterogeneous medium: Evidence for apparent Marcus inversion, 7
- β -Cyclodextrin
Intramolecular charge transfer associated with hydrogen bonding effects on 2-aminobenzoic acid, 137
- Cycloalkanol
Involvement of alkoxy radical intermediates in the photolysis of 1-alkyl-cycloalkanol in the presence of bis(pyridine)iodonium tetrafluoroborate. Comparison with the (diacetoxyiodo)benzene/I₂ system, 33
- Decolorization
Bulk phase degradation of Acid Red 14 by nanophotocatalysis using immobilized titanium(IV) oxide nanoparticles, 60
- (Diacetoxyiodo)benzene
Involvement of alkoxy radical intermediates in the photolysis of 1-alkyl-cycloalkanol in the presence of bis(pyridine)iodonium tetrafluoroborate. Comparison with the (diacetoxyiodo)benzene/I₂ system, 33
- Dimethylsulfide
Observation of the phase lags among the molecules in the coherent phase control of multiphoton ionization, 209
- Direct laser writing
Self-alignment of Ge nano-particles in laser induced Bragg grating in Ge-B-SiO₂ film, 325
- Durability
Molecular design and synthesis of copolymers with large photoinduced birefringence, 262
- Dye-sensitized semiconductor film
Near-IR transient absorption study on ultrafast electron-injection dynamics from a Ru-complex dye into nanocrystalline In₂O₃ thin films: Comparison with SnO₂, ZnO, and TiO₂ films, 273
- Dye-sensitized solar cell
Dynamic preparation of TiO₂ films for fabrication of dye-sensitized solar cells, 187
Reverse electron transfer at the interface of semiconductor film in dye-sensitized solar cells, 288
Improvement of efficiency of dye-sensitized solar cells based on analysis of equivalent circuit, 296
- Dynamic press
Dynamic preparation of TiO₂ films for fabrication of dye-sensitized solar cells, 187
- Electron injection
Near-IR transient absorption study on ultrafast electron-injection dynamics from a Ru-complex dye into nanocrystalline In₂O₃ thin films: Comparison with SnO₂, ZnO, and TiO₂ films, 273
- Electron transport
Reverse electron transfer at the interface of semiconductor film in dye-sensitized solar cells, 288
- Electronic effect
Highly efficient conversion of carbon dioxide catalyzed by half-sandwich complexes with pyridinol ligand: The electronic effect of oxyanion, 306
- Ellipticine
Fluorescent properties of hydrogen-bonded ellipticine: A special effect of fluoride anion, 82
- Equivalent circuit
Improvement of efficiency of dye-sensitized solar cells based on analysis of equivalent circuit, 296
- Ethanedithiol
Observation of the phase lags among the molecules in the coherent phase control of multiphoton ionization, 209
- Excitation wavelength dependent fluorescence
Excitation wavelength dependent fluorescence behavior of the room temperature ionic liquids and dissolved dipolar solutes, 113
- Excited state
Photophysical properties of novel cationic naphthalimides, 99
- Excitons
Stochasticity of photophysical processes in nanosystems, 231
- Femtosecond laser ablation
Laser ablation-based synthesis of functionalized colloidal nanomaterials in biocompatible solutions, 330
- Femtosecond lasers
Generation of optical-field controlled high-intensity laser pulses, 220
- Field-effect electron mobility
Correlation of molecular structure, packing motif and thin-film transistor characteristics of solution-processed n-type organic semiconductors based on dodecyl-substituted C₆₀ derivatives, 245
- Flavanocoumarins
Photogeneration of reactive oxygen species by 3-arylcoumarin and flavanocoumarin derivatives, 67
- Fluorene polymers
Monomolecular triplet decay dynamics in fluorene-based conjugated polymer films studied by transient absorption spectroscopy, 225
- Fluorescence
The photo-Fries rearrangement of 9-trimethylsilyl substituted xanthenes, 17
Fluorescent properties of hydrogen-bonded ellipticine: A special effect of fluoride anion, 82
Photophysical properties of novel cationic naphthalimides, 99
Examining [2,2'-bipyridyl]-3,3'-diol as a possible DNA model base pair, 192
- Fluorescence anisotropy
Molecular modeling and spectroscopic studies on the binding of guaiacol to human serum albumin, 158
- Fluorescent probes
 β - and γ -relaxations of low density polyethylene: Study by fluorescent probes, 52
- Fourier transform infrared (FT-IR) spectroscopy
Molecular modeling and spectroscopic studies on the binding of guaiacol to human serum albumin, 158
- FT-IR
Simultaneous monitoring of the destruction of stearic acid and generation of carbon dioxide by self-cleaning semiconductor photocatalytic films, 181
- Fullerenes
Controlling electronic states and photochemical reactivities of C₆₀ by chemical functionalization: *Ortho*-substituent effect of 1,6-*N*-(phenyl)aza-[60]fulleroids and 1,2-(*N*-phenyl)aziridino-[60]fullerenes, 238
Correlation of molecular structure, packing motif and thin-film transistor characteristics of solution-processed n-type organic semiconductors based on dodecyl-substituted C₆₀ derivatives, 245
Investigation of optimum conditions for high-efficiency organic thin-film solar cells based on polymer blends, 269
- Ge nanoparticles
Self-alignment of Ge nano-particles in laser induced Bragg grating in Ge-B-SiO₂ film, 325
- Ge-B-SiO₂ thin glass films
Self-alignment of Ge nano-particles in laser induced Bragg grating in Ge-B-SiO₂ film, 325
- Germanium sulfides
UV laser co-photolytic gas-phase formation and deposition of nano-sized germanium sulfides, 107

- Gratings
Self-alignment of Ge nano-particles in laser induced Bragg grating in Ge-B-SiO₂ film, 325
- Gravure
Dynamic preparation of TiO₂ films for fabrication of dye-sensitized solar cells, 187
- Guaiaicol
Molecular modeling and spectroscopic studies on the binding of guaiaicol to human serum albumin, 158
- Hammett substituent constant
Highly efficient conversion of carbon dioxide catalyzed by half-sandwich complexes with pyridinol ligand: The electronic effect of oxyanion, 306
- Harmonic generation
Dependence of tunneling ionization and harmonic generation on the structure of molecules by short intense laser pulses, 213
- Haze factor
Improvement of efficiency of dye-sensitized solar cells based on analysis of equivalent circuit, 296
- High-intensity lasers
Generation of optical-field controlled high-intensity laser pulses, 220
- Hole drift mobility
Indolyl-substituted carbazole derivatives as amorphous electro-active materials for optoelectronics, 38
- Holographic data storage
Molecular design and synthesis of copolymers with large photoinduced birefringence, 262
- Human serum albumin
Molecular modeling and spectroscopic studies on the binding of guaiaicol to human serum albumin, 158
- Hydrazone
Indolyl-substituted carbazole derivatives as amorphous electro-active materials for optoelectronics, 38
- Hydrogen bonding
Fluorescent properties of hydrogen-bonded ellipticine: A special effect of fluoride anion, 82
- Hydrothermal post-treatment
Preparation and photocatalytic activity of mesoporous anatase TiO₂ nanofibers by a hydrothermal method, 121
- 8-Hydroxyquinoline
Fabrication and photoluminescence of molecular hybrid films based on the complexes of 8-hydroxyquinoline with different metal ions via sol-gel process, 1
- Hydroxide
Preparation of metal oxide-based nanomaterials using nanosecond pulsed laser ablation in liquids, 335
- 1-Hydroxypyrene
Laser-induced formation of pyrenyloxy radical from 1-hydroxypyrene and further oxidation: Micellar effects, 168
- ICT
Intramolecular charge transfer associated with hydrogen bonding effects on 2-aminobenzoic acid, 137
- Imidazolium salts
Excitation wavelength dependent fluorescence behavior of the room temperature ionic liquids and dissolved dipolar solutes, 113
- In₂O₃
Near-IR transient absorption study on ultrafast electron-injection dynamics from a Ru-complex dye into nanocrystalline In₂O₃ thin films: Comparison with SnO₂, ZnO, and TiO₂ films, 273
- Inclusion complex
Intramolecular charge transfer associated with hydrogen bonding effects on 2-aminobenzoic acid, 137
- Internal conversion
Photophysical properties of novel cationic naphthalimides, 99
- Internal resistance
Improvement of efficiency of dye-sensitized solar cells based on analysis of equivalent circuit, 296
- Intersystem crossing
Photophysical properties of novel cationic naphthalimides, 99
Monomolecular triplet decay dynamics in fluorene-based conjugated polymer films studied by transient absorption spectroscopy, 225
- Ionisation potential
Indolyl-substituted carbazole derivatives as amorphous electro-active materials for optoelectronics, 38
- Iron complexes
Photochemistry of Fe(III) and sulfosalicylic acid aqueous solutions, 75
isomerization
Novel photo-switching using azobenzene functional materials, 250
- Laser ablation
Synthesis of magnetic CoPt/SiO₂ nano-composite by pulsed laser ablation, 342
- Laser co-photolysis
UV laser co-photolytic gas-phase formation and deposition of nano-sized germanium sulfides, 107
- Laser flash photolysis
The photo-Fries rearrangement of 9-trimethylsilyl substituted xanthenes, 17
Photochemistry of Fe(III) and sulfosalicylic acid aqueous solutions, 75
- Laser photolysis
Laser-induced formation of pyrenyloxy radical from 1-hydroxypyrene and further oxidation: Micellar effects, 168
- Marcus inversion
Effect of temperature on the dynamics of electron transfer in heterogeneous medium: Evidence for apparent Marcus inversion, 7
- Mesoporous
Preparation and photocatalytic activity of mesoporous anatase TiO₂ nanofibers by a hydrothermal method, 121
- Methoxyphenyl radical
Photolysis of 4-chloroanisole in the presence of oxygen. Formation of the 4-methoxyphenylperoxy radical, 88
- Methoxyphenylperoxy radical
Photolysis of 4-chloroanisole in the presence of oxygen. Formation of the 4-methoxyphenylperoxy radical, 88
- Methyliodide
Observation of the phase lags among the molecules in the coherent phase control of multiphoton ionization, 209
- Micelle
Laser-induced formation of pyrenyloxy radical from 1-hydroxypyrene and further oxidation: Micellar effects, 168
- 3D microfabrication
Selective activation of material property changes in photostructurable glass ceramic materials by laser photophysical excitation, 310
- Microtrench
Rapid prototyping of silica glass microstructures by the LIBWE method: Fabrication of deep microtrenches, 319
- Mineralization
Bulk phase degradation of Acid Red 14 by nanophotocatalysis using immobilized titanium(IV) oxide nanoparticles, 60
- Mixed solvent effect
Photoreactivity differences of [Cr^{III}(N-N)₃]³⁺ and [Cr^{III}(N-N)₂RCI]²⁺ complex ions in aquo-methanol/1,4-dioxane binary mixtures, 128
- Molecular alignment
Dependence of tunneling ionization and harmonic generation on the structure of molecules by short intense laser pulses, 213
- Molecular dynamics
Investigation on photophysical properties of a substituted 3H-indole-modified β-cyclodextrin. I. Conformation in water and recognition mechanism as a chemosensor, 174
- Molecular dynamics simulations
Examining [2,2'-bipyridyl]-3,3'-diol as a possible DNA model base pair, 192
- Molecular glass
Indolyl-substituted carbazole derivatives as amorphous electro-active materials for optoelectronics, 38

- Molecular hybrid films
Fabrication and photoluminescence of molecular hybrid films based on the complexes of 8-hydroxyquinoline with different metal ions via sol-gel process, 1
- Molecular recognition
Investigation on photophysical properties of a substituted 3H-indole-modified β -cyclodextrin. I. Conformation in water and recognition mechanism as a chemosensor, 174
- Molecular reorientation
Molecular design and synthesis of copolymers with large photoinduced birefringence, 262
- Molecule modeling
Molecular modeling and spectroscopic studies on the binding of guaiacol to human serum albumin, 158
- Multiphoton ionization
Observation of the phase lags among the molecules in the coherent phase control of multiphoton ionization, 209
- Nanocomposite
Synthesis and characterization of $\text{TiO}_2/\text{BaF}_2$ /ceramic radio-sensitive photocatalyst, 93
Preparation of metal oxide-based nanomaterials using nanosecond pulsed laser ablation in liquids, 335
- Nanocrystalline TiO_2
Reverse electron transfer at the interface of semiconductor film in dye-sensitized solar cells, 288
- Nanoparticles
UV laser co-photolytic gas-phase formation and deposition of nano-sized germanium sulfides, 107
Preparation of metal oxide-based nanomaterials using nanosecond pulsed laser ablation in liquids, 335
- Nanophotocatalysis
Bulk phase degradation of Acid Red 14 by nanophotocatalysis using immobilized titanium(IV) oxide nanoparticles, 60
- Nanosecond-pulsed UV laser
Rapid prototyping of silica glass microstructures by the LIBWE method: Fabrication of deep microtrenches, 319
- Naphthalimide derivative
Photophysical properties of novel cationic naphthalimides, 99
- Niobium
Preparation of photoactive chitosan-niobium (V) oxide composites for dye degradation, 202
- Nonionic surfactant (C_{14}E_7 , C_{16}E_7 , C_{16}E_6) micelles
Temperature dependence of pyrene fluorescence spectra in aqueous solutions of C_nE_m (C_{14}E_7 , C_{16}E_7 , and C_{16}E_6) nonionic surfactant micelles, 151
- Organic thin-film solar cells
Investigation of optimum conditions for high-efficiency organic thin-film solar cells based on polymer blends, 269
- Organic thin-film transistor
Correlation of molecular structure, packing motif and thin-film transistor characteristics of solution-processed n-type organic semiconductors based on dodecyl-substituted C_{60} derivatives, 245
- 1,1'-Oxalyldiimidazole (ODI)
Quantification of Cu^{2+} using 1,1'-oxalyldiimidazole chemiluminescence, 28
- Oxide
Preparation of metal oxide-based nanomaterials using nanosecond pulsed laser ablation in liquids, 335
- Oxyanion
Highly efficient conversion of carbon dioxide catalyzed by half-sandwich complexes with pyridinol ligand: The electronic effect of oxyanion, 306
- Peroxyoxalate
Quantification of Cu^{2+} using 1,1'-oxalyldiimidazole chemiluminescence, 28
- Phase lag
Observation of the phase lags among the molecules in the coherent phase control of multiphoton ionization, 209
- Photocatalysis
The photocatalytic degradation of atrazine on nanoparticulate TiO_2 films, 43
- Photocatalyst
Synthesis and characterization of $\text{TiO}_2/\text{BaF}_2$ /ceramic radio-sensitive photocatalyst, 93
- Photocatalytic activity
Preparation and photocatalytic activity of mesoporous anatase TiO_2 nanofibers by a hydrothermal method, 121
- Photochemical reactions
Controlling electronic states and photochemical reactivities of C_{60} by chemical functionalization: *Ortho*-substituent effect of 1,6-*N*-(phenyl)aza-[60]fulleroids and 1,2-(*N*-phenyl)aziridino-[60]fullerenes, 238
- Photochemistry and photophysics of laser processing
Selective activation of material property changes in photostructurable glass ceramic materials by laser photophysical excitation, 310
- Photochemistry of alkyl amine-chromium(III)
Photoreactivity differences of $[\text{Cr}^{\text{III}}(\text{N}-\text{N})_3]^{3+}$ and $[\text{Cr}^{\text{III}}(\text{N}-\text{N})_2\text{RC}]^{2+}$ complex ions in aquo-methanol/1,4-dioxane binary mixtures, 128
- Photocurrent response
Investigation of optimum conditions for high-efficiency organic thin-film solar cells based on polymer blends, 269
- Photodegradation
Preparation of photoactive chitosan-niobium (V) oxide composites for dye degradation, 202
- Photodegradation products
Photolysis of 4-chloroanisole in the presence of oxygen. Formation of the 4-methoxyphenylperoxyl radical, 88
- Photo-Fries rearrangement
The photo-Fries rearrangement of 9-trimethylsilyl substituted xanthenes, 17
- Photoinduced birefringence
Molecular design and synthesis of copolymers with large photoinduced birefringence, 262
- Photoinduced cooperative motion
Molecular design and synthesis of copolymers with large photoinduced birefringence, 262
- Photoinduced electron transfer
Effect of temperature on the dynamics of electron transfer in heterogeneous medium: Evidence for apparent Marcus inversion, 7
- Photoluminescence
Fabrication and photoluminescence of molecular hybrid films based on the complexes of 8-hydroxyquinoline with different metal ions via sol-gel process, 1
- Photolysis
Involvement of alkoxy radical intermediates in the photolysis of 1-alkyl-cycloalkanol in the presence of bis(pyridine)iodonium tetrafluoroborate. Comparison with the (diacetoxyiodo)benzene/ I_2 system, 33
- Photolytic control of material properties of photostructurable glass ceramics
Selective activation of material property changes in photostructurable glass ceramic materials by laser photophysical excitation, 310
- Photomechanical
Novel photo-switching using azobenzene functional materials, 250
- Photophysics
Excitation wavelength dependent fluorescence behavior of the room temperature ionic liquids and dissolved dipolar solutes, 113
- Photo-switching
Novel photo-switching using azobenzene functional materials, 250
- Poly(ethylene)
 β - and γ -relaxations of low density polyethylene: Study by fluorescent probes, 52
- Polythiophene
Investigation of optimum conditions for high-efficiency organic thin-film solar cells based on polymer blends, 269
- Proton transfer
Fluorescent properties of hydrogen-bonded ellipticine: A special effect of fluoride anion, 82

- Pulse shaping
 Generation of optical-field controlled high-intensity laser pulses, 220
- Pulsed laser ablation in liquid
 Preparation of metal oxide-based nanomaterials using nanosecond pulsed laser ablation in liquids, 335
- Pyrene fluorescence
 Temperature dependence of pyrene fluorescence spectra in aqueous solutions of C_nE_m ($C_{14}E_7$, $C_{16}E_7$, and $C_{16}E_6$) nonionic surfactant micelles, 151
- Pyrene solubilization
 Temperature dependence of pyrene fluorescence spectra in aqueous solutions of C_nE_m ($C_{14}E_7$, $C_{16}E_7$, and $C_{16}E_6$) nonionic surfactant micelles, 151
- Pyrenyloxy radical
 Laser-induced formation of pyrenyloxy radical from 1-hydroxypyrene and further oxidation: Micellar effects, 168
- Quenching
 Quantification of Cu^{2+} using 1,1'-oxalyldiimidazole chemiluminescence, 28
 Fluorescent properties of hydrogen-bonded ellipticine: A special effect of fluoride anion, 82
- Rapid prototyping
 Rapid prototyping of silica glass microstructures by the LIBWE method: Fabrication of deep microtrenches, 319
- Reactivity
 Controlling electronic states and photochemical reactivities of C_{60} by chemical functionalization: *Ortho*-substituent effect of 1,6-*N*-(phenyl)aza-[60]fulleroids and 1,2-(*N*-phenyl)aziridino-[60]fullerenes, 238
- Rearrangements
 Controlling electronic states and photochemical reactivities of C_{60} by chemical functionalization: *Ortho*-substituent effect of 1,6-*N*-(phenyl)aza-[60]fulleroids and 1,2-(*N*-phenyl)aziridino-[60]fullerenes, 238
- Red-edge excitation effect
 Excitation wavelength dependent fluorescence behavior of the room temperature ionic liquids and dissolved dipolar solutes, 113
- Relaxation processes
 β - and γ -relaxations of low density polyethylene: Study by fluorescent probes, 52
- Reverse electron transfer
 Reverse electron transfer at the interface of semiconductor film in dye-sensitized solar cells, 288
- Roll-to-roll
 Dynamic preparation of TiO_2 films for fabrication of dye-sensitized solar cells, 187
- Room temperature ionic liquids
 Excitation wavelength dependent fluorescence behavior of the room temperature ionic liquids and dissolved dipolar solutes, 113
- Ruthenium complex
 Reverse electron transfer at the interface of semiconductor film in dye-sensitized solar cells, 288
- β -Scission
 Involvement of alkoxy radical intermediates in the photolysis of 1-alkyl-cycloalkanols in the presence of bis(pyridine)iodonium tetrafluoroborate. Comparison with the (diacetoxyiodo)benzene/ I_2 system, 33
- Secondary structure
 Molecular modeling and spectroscopic studies on the binding of guaiacol to human serum albumin, 158
- Semiconductor photocatalysis
 Simultaneous monitoring of the destruction of stearic acid and generation of carbon dioxide by self-cleaning semiconductor photocatalytic films, 181
- Silica glass
 Rapid prototyping of silica glass microstructures by the LIBWE method: Fabrication of deep microtrenches, 319
- Singlet oxygen
 Photogeneration of reactive oxygen species by 3-arylcoumarin and flavanocoumarin derivatives, 67
- Single-walled carbon nanotubes
 Stochasticity of photophysical processes in nanosystems, 231
- Solution-process
 Correlation of molecular structure, packing motif and thin-film transistor characteristics of solution-processed n-type organic semiconductors based on dodecyl-substituted C_{60} derivatives, 245
- Solvent and pH effects
 Intramolecular charge transfer associated with hydrogen bonding effects on 2-aminobenzoic acid, 137
- Solvent effects
 Laser-induced formation of pyrenyloxy radical from 1-hydroxypyrene and further oxidation: Micellar effects, 168
- Spatial charge separation
 Continuous time random walk simulation of short-range electron transport in TiO_2 layers compared with transient surface photovoltage measurements, 280
- Steady-state fluorescence
 Investigation on photophysical properties of a substituted 3H-indole-modified β -cyclodextrin. I. Conformation in water and recognition mechanism as a chemosensor, 174
- Stearic acid
 Simultaneous monitoring of the destruction of stearic acid and generation of carbon dioxide by self-cleaning semiconductor photocatalytic films, 181
- Sulfosalicylic acid
 Photochemistry of Fe(III) and sulfosalicylic acid aqueous solutions, 75
- Superoxide anion
 Photogeneration of reactive oxygen species by 3-arylcoumarin and flavanocoumarin derivatives, 67
- Superparamagnetism
 Synthesis of magnetic CoPt/ SiO_2 nano-composite by pulsed laser ablation, 342
- Surface patterning
 Novel photo-switching using azobenzene functional materials, 250
- Surface photovoltage
 Continuous time random walk simulation of short-range electron transport in TiO_2 layers compared with transient surface photovoltage measurements, 280
- Surface-microstructuring
 Rapid prototyping of silica glass microstructures by the LIBWE method: Fabrication of deep microtrenches, 319
- n-Type organic semiconductor
 Correlation of molecular structure, packing motif and thin-film transistor characteristics of solution-processed n-type organic semiconductors based on dodecyl-substituted C_{60} derivatives, 245
- Temperature dependence
 Temperature dependence of pyrene fluorescence spectra in aqueous solutions of C_nE_m ($C_{14}E_7$, $C_{16}E_7$, and $C_{16}E_6$) nonionic surfactant micelles, 151
 Monomolecular triplet decay dynamics in fluorene-based conjugated polymer films studied by transient absorption spectroscopy, 225
- Tetramethylgermane
 UV laser co-photolytic gas-phase formation and deposition of nano-sized germanium sulfides, 107
- Thiirane
 UV laser co-photolytic gas-phase formation and deposition of nano-sized germanium sulfides, 107
- TiO_2
 Synthesis and characterization of TiO_2/BaF_2 /ceramic radio-sensitive photocatalyst, 93
 Continuous time random walk simulation of short-range electron transport in TiO_2 layers compared with transient surface photovoltage measurements, 280
- Titanium dioxide
 The photocatalytic degradation of atrazine on nanoparticulate TiO_2 films, 43
- Titanium(IV) oxide nanoparticle
 Bulk phase degradation of Acid Red 14 by nanophotocatalysis using immobilized titanium(IV) oxide nanoparticles, 60
- Transient absorption
 Photolysis of 4-chloroanisole in the presence of oxygen. Formation of the 4-methoxyphenylperoxy radical, 88

- Near-IR transient absorption study on ultrafast electron-injection dynamics from a Ru-complex dye into nanocrystalline In_2O_3 thin films: Comparison with SnO_2 , ZnO , and TiO_2 films, 273
- Transient absorption spectroscopy
- Laser-induced formation of pyrenyloxy radical from 1-hydroxypyrene and further oxidation: Micellar effects, 168
- Monomolecular triplet decay dynamics in fluorene-based conjugated polymer films studied by transient absorption spectroscopy, 225
- Trimethylamine
- Observation of the phase lags among the molecules in the coherent phase control of multiphoton ionization, 209
- Trimethylsilyl xanthenes
- The photo-Fries rearrangement of 9-trimethylsilyl substituted xanthenes, 17
- Triplet state
- Monomolecular triplet decay dynamics in fluorene-based conjugated polymer films studied by transient absorption spectroscopy, 225
- Triplet state quenching
- Photochemistry of Fe(III) and sulfosalicylic acid aqueous solutions, 75
- Triplet-triplet annihilation
- Stochasticity of photophysical processes in nanosystems, 231
- Triton X-100
- Effect of temperature on the dynamics of electron transfer in heterogeneous medium: Evidence for apparent Marcus inversion, 7
- Tunneling ionization rates
- Dependence of tunneling ionization and harmonic generation on the structure of molecules by short intense laser pulses, 213
- Two dimensional electron transfer theory
- Effect of temperature on the dynamics of electron transfer in heterogeneous medium: Evidence for apparent Marcus inversion, 7
- Ultrafast processes
- Photochemistry of Fe(III) and sulfosalicylic acid aqueous solutions, 75
- Ultrafast spectroscopy
- Near-IR transient absorption study on ultrafast electron-injection dynamics from a Ru-complex dye into nanocrystalline In_2O_3 thin films: Comparison with SnO_2 , ZnO , and TiO_2 films, 273
- Variable dose direct-write patterning
- Selective activation of material property changes in photostructurable glass ceramic materials by laser photophysical excitation, 310
- Vibrational wave packet
- Dependence of tunneling ionization and harmonic generation on the structure of molecules by short intense laser pulses, 213
- Water treatment
- The photocatalytic degradation of atrazine on nanoparticulate TiO_2 films, 43
- Waveguides
- Self-alignment of Ge nano-particles in laser induced Bragg grating in Ge-B-SiO₂ film, 325