

## Subject Index of Volume 183

- Ab initio HF**  
Structural and optical properties of a thiophene-benzobisthiazole derivative, 212
- Acidity constant**  
Photophysical properties of an on/off fluorescent pH indicator excitable with visible light based on a borondipyrromethene-linked phenol, 190
- Ag nanoaggregate**  
Correlated measurements of plasmon resonance Rayleigh scattering and surface-enhanced resonance Raman scattering using a dark-field microspectroscopic system, 322
- Aggregation**  
Cationic azaphthalocyanines bearing aliphatic tertiary amino substituents—Synthesis, singlet oxygen production and spectroscopic studies, 59
- Aldehyde**  
Photocatalytic oxidation of aldehydes: Byproduct identification and reaction pathway, 35
- Anionic surfactants**  
A comparative behavior of photophysical properties of Pluronic F127 and Triton X-100 with conventional zwitterionic and anionic surfactants, 146
- Anisotropy**  
Photophysical properties of 2,6-dicyano-*N,N,N',N'*-tetramethyl-*p*-phenylenediamine, 225
- Anomalous diffusion**  
New fluorescence correlation spectroscopy (FCS) suitable for the observation of anomalous diffusion in polymer solution: Time and space dependences of diffusion coefficients, 304
- Aryl azo naphthol dyes**  
Photosensitizing properties and reactivity of aryl azo naphthol dyes towards singlet oxygen, 98
- Azobenzene copolymer**  
Photoinduced cooperative molecular reorientation on azobenzene side-chain-type copolymers, 273
- Bacteriochlorin**  
Analysis of photooxidized pigments in water-soluble chlorophyll protein complex isolated from *Chenopodium album*, 121
- Bandgap engineering**  
Influences of A- and B-site cations on the physicochemical properties of perovskite-structured  $A(\text{In}_{1/3}\text{Nb}_{1/3}\text{B}_{1/3})\text{O}_3$  (A = Sr, Ba; B = Sn, Pb) photocatalysts, 176
- Benzo[de]anthracen-7-one**  
Fluorescent benzo[de]anthracen-7-one pH-sensor in aqueous solution and immobilized on viscose fabrics, 159
- Benzophenones**  
Notable substituent and temperature effects on the regioselectivity and the efficiency in Paternò-Büchi reaction of 4,4'-disubstituted benzophenones with 1,3-dimethyluracil and 1,3-dimethylthymine, 198
- 4,8-Bis(2-thiophenyl)-2,6-dihexyl-benzo[1,2-d:4,5-d']bisthiazole**  
Structural and optical properties of a thiophene-benzobisthiazole derivative, 212
- Bodipy**  
Fluorescence of molecular micro- and nanocrystals prepared with Bodipy derivatives, 238
- Borondipyrromethene**  
Photophysical properties of an on/off fluorescent pH indicator excitable with visible light based on a borondipyrromethene-linked phenol, 190
- Byproduct identification**  
Photocatalytic oxidation of aldehydes: Byproduct identification and reaction pathway, 35
- Cadmium sulphide**  
UV-vis versus visible degradation of Acid Orange II in a coupled CdS/TiO<sub>2</sub> semiconductors suspension, 218
- Cation substitution**  
Influences of A- and B-site cations on the physicochemical properties of perovskite-structured  $A(\text{In}_{1/3}\text{Nb}_{1/3}\text{B}_{1/3})\text{O}_3$  (A = Sr, Ba; B = Sn, Pb) photocatalysts, 176
- Cationic azaphthalocyanines**  
Cationic azaphthalocyanines bearing aliphatic tertiary amino substituents—Synthesis, singlet oxygen production and spectroscopic studies, 59
- CdSe**  
Fabrication of a quantum dot-polymer matrix by layer-by-layer conjugation, 285
- CdSe–ZnS**  
Close-conjugation of quantum dots and gold nanoparticles to sidewall functionalized single-walled carbon nanotube templates, 315
- Charge redistribution**  
Modification of electronic structure in supramolecular fullerene–porphyrin systems studied by fluorescence, photoacoustic and photothermal spectroscopy, 79
- Chelation**  
Chelation of spironaphthoxazine with zinc ions during the sol–gel–xerogel transitions in silicon alkoxide systems, 53
- Chemical bonding nature**  
Influences of A- and B-site cations on the physicochemical properties of perovskite-structured  $A(\text{In}_{1/3}\text{Nb}_{1/3}\text{B}_{1/3})\text{O}_3$  (A = Sr, Ba; B = Sn, Pb) photocatalysts, 176
- Chemiluminescence**  
An investigation into the reaction of hemin-catalysed luminol oxidation by peroxy compounds, 111
- Chloride**  
Photochemical synthesis of chlorine gas from iron(III) and chloride solution, 126
- Chlorine**  
Photochemical synthesis of chlorine gas from iron(III) and chloride solution, 126
- Chlorophyll**  
Analysis of photooxidized pigments in water-soluble chlorophyll protein complex isolated from *Chenopodium album*, 121
- Chromium:forsterite laser**  
Higher-order multiphoton imaging by femtosecond near-infrared laser microscope system, 261
- CIDEP**  
Enhanced intersystem crossings of  $S_1$ – $T_1$  and  $T_1$ – $S_0$  in coronene- and pyrene–galvinoxyl systems as studied by a pulsed ESR method, 22

- Clay minerals  
Photochemical production or depletion of hydrogen peroxide controlled by different electron transfer pathways in methyl viologen intercalated clays, 31
- Coinitiator  
Synthesis and evaluation of *N,N*-dimethyl-*N',N'*-di[2-(methylacryloyl)-ethoxycarbonylethyl] propyldiamine as a coinitiator, 154
- Confocal microscope  
New fluorescence correlation spectroscopy (FCS) suitable for the observation of anomalous diffusion in polymer solution: Time and space dependences of diffusion coefficients, 304
- Conformational analysis  
Notable substituent and temperature effects on the regioselectivity and the efficiency in Paternò-Büchi reaction of 4,4'-disubstituted benzophenones with 1,3-dimethyluracil and 1,3-dimethylthymine, 198
- Coumarin 6  
Process during laser implantation and ablation of Coumarin 6 in poly (butyl methacrylate) films, 292
- Coumarin derivatives  
Experimental and theoretical study of 3-carboxy-5,6-benzocoumarin, 89
- Crosslinking  
Dye-sensitized solar cells based on crosslinked poly(ethylene glycol) electrolytes, 15
- Dark-field microspectroscopy  
Correlated measurements of plasmon resonance Rayleigh scattering and surface-enhanced resonance Raman scattering using a dark-field microspectroscopic system, 322
- DAST  
Organic nonlinear optical DAST crystals for electro-optic measurement and terahertz wave generation, 247
- Dendrimers  
Green fluorescence poly(amidoamine) dendrimer functionalized with 1,8-naphthalimide units as potential sensor for metal cations, 9
- Dental composite  
Synthesis and evaluation of *N,N*-dimethyl-*N',N'*-di[2-(methylacryloyl)-ethoxycarbonylethyl] propyldiamine as a coinitiator, 154
- 2,6-Dicyano-*N,N,N',N'*-tetramethyl-*p*-phenylenediamine  
Photophysical properties of 2,6-dicyano-*N,N,N',N'*-tetramethyl-*p*-phenylenediamine, 225
- Diffusion  
New fluorescence correlation spectroscopy (FCS) suitable for the observation of anomalous diffusion in polymer solution: Time and space dependences of diffusion coefficients, 304
- Diradicals  
Notable substituent and temperature effects on the regioselectivity and the efficiency in Paternò-Büchi reaction of 4,4'-disubstituted benzophenones with 1,3-dimethyluracil and 1,3-dimethylthymine, 198
- Distance dependence  
New fluorescence correlation spectroscopy (FCS) suitable for the observation of anomalous diffusion in polymer solution: Time and space dependences of diffusion coefficients, 304
- DNA base  
Notable substituent and temperature effects on the regioselectivity and the efficiency in Paternò-Büchi reaction of 4,4'-disubstituted benzophenones with 1,3-dimethyluracil and 1,3-dimethylthymine, 198
- DNA energy transfer  
UVB/UVC induced processes in model DNA helices studied by time-resolved spectroscopy: Pitfalls and tricks, 1
- DNA excited states  
UVB/UVC induced processes in model DNA helices studied by time-resolved spectroscopy: Pitfalls and tricks, 1
- DNA excitons  
UVB/UVC induced processes in model DNA helices studied by time-resolved spectroscopy: Pitfalls and tricks, 1
- DNA fluorescence  
UVB/UVC induced processes in model DNA helices studied by time-resolved spectroscopy: Pitfalls and tricks, 1
- DNA photodamage  
UVB/UVC induced processes in model DNA helices studied by time-resolved spectroscopy: Pitfalls and tricks, 1
- DNA transient absorption  
UVB/UVC induced processes in model DNA helices studied by time-resolved spectroscopy: Pitfalls and tricks, 1
- Dye-sensitized semiconductor solar cell (DSSC)  
Mechanism of squarylium cyanine and Ru(dcbpy)<sub>2</sub>(NCS)<sub>2</sub> co-sensitization of colloidal TiO<sub>2</sub>, 138
- Dye-sensitized solar cells  
Dye-sensitized solar cells based on crosslinked poly(ethylene glycol) electrolytes, 15
- Electro-optic  
Organic nonlinear optical DAST crystals for electro-optic measurement and terahertz wave generation, 247
- Enhanced intersystem crossing  
Enhanced intersystem crossings of S<sub>1</sub>-T<sub>1</sub> and T<sub>1</sub>-S<sub>0</sub> in coronene- and pyrene-galvinoxyl systems as studied by a pulsed ESR method, 22
- Excimer  
Modification of electronic structure in supramolecular fullerene-porphyrin systems studied by fluorescence, photoacoustic and photothermal spectroscopy, 79
- Exciton  
Transient absorption measurement of organic crystals with femtosecond-laser scanning microscopes, 253
- Experimental artifacts  
UVB/UVC induced processes in model DNA helices studied by time-resolved spectroscopy: Pitfalls and tricks, 1
- Extracellular matrix  
New fluorescence correlation spectroscopy (FCS) suitable for the observation of anomalous diffusion in polymer solution: Time and space dependences of diffusion coefficients, 304
- Fluorescence  
Green fluorescence poly(amidoamine) dendrimer functionalized with 1,8-naphthalimide units as potential sensor for metal cations, 9  
Chelation of spironaphthoxazine with zinc ions during the sol-gel-xerogel transitions in silicon alkoxide systems, 53  
Fluorescence of molecular micro- and nanocrystals prepared with Bodipy derivatives, 238
- Fluorescence correlation spectroscopy  
New fluorescence correlation spectroscopy (FCS) suitable for the observation of anomalous diffusion in polymer solution: Time and space dependences of diffusion coefficients, 304
- Fluorescence measurements  
A comparative behavior of photophysical properties of Pluronic F127 and Triton X-100 with conventional zwitterionic and anionic surfactants, 146
- Fluorescence molecule  
Process during laser implantation and ablation of Coumarin 6 in poly (butyl methacrylate) films, 292
- Fluorescence quantum yield  
Cationic azaphthalocyanines bearing aliphatic tertiary amino substituents—Synthesis, singlet oxygen production and spectroscopic studies, 59
- Fluorescent probe  
Photophysical properties of an on/off fluorescent pH indicator excitable with visible light based on a borondipyromethene-linked phenol, 190
- Fluorescent sensor  
Fluorescent benzo[de]anthracen-7-one pH-sensor in aqueous solution and immobilized on viscose fabrics, 159
- Four-photon imaging  
Higher-order multiphoton imaging by femtosecond near-infrared laser microscope system, 261
- Fullerene-porphyrin hybrids  
Modification of electronic structure in supramolecular fullerene-porphyrin systems studied by fluorescence, photoacoustic and photothermal spectroscopy, 79

- Gemini lipid  
Photo- and thermo-responsive assembly of liposomal membranes triggered by a gemini peptide lipid as a molecular switch, 309
- Gold  
Close-conjugation of quantum dots and gold nanoparticles to sidewall functionalized single-walled carbon nanotube templates, 315
- Hemin  
An investigation into the reaction of hemin-catalysed luminol oxidation by peroxy compounds, 111
- Holographic data storage  
Photoinduced cooperative molecular reorientation on azobenzene side-chain-type copolymers, 273
- Hyaluronan  
New fluorescence correlation spectroscopy (FCS) suitable for the observation of anomalous diffusion in polymer solution: Time and space dependences of diffusion coefficients, 304
- Hydrogen peroxide  
Photochemical production or depletion of hydrogen peroxide controlled by different electron transfer pathways in methyl viologen intercalated clays, 31
- Inhomogeneous system  
New fluorescence correlation spectroscopy (FCS) suitable for the observation of anomalous diffusion in polymer solution: Time and space dependences of diffusion coefficients, 304
- Interfacial contact  
Dye-sensitized solar cells based on crosslinked poly(ethylene glycol) electrolytes, 15
- Iron(III)  
Photochemical synthesis of chlorine gas from iron(III) and chloride solution, 126
- Kinetics analysis  
NMR and kinetic investigations of the multistep photochromism of 3-thienyl-naphthopyrans, 70
- Laser  
Laser-induced morphology changes of silver colloids prepared by laser ablation in water. Enhancement of anisotropic shape conversions by chloride ions, 297
- Laser ablation  
Laser-induced morphology changes of silver colloids prepared by laser ablation in water. Enhancement of anisotropic shape conversions by chloride ions, 297
- Laser irradiation  
Organic nonlinear optical DAST crystals for electro-optic measurement and terahertz wave generation, 247
- Laser molecular implantation  
Process during laser implantation and ablation of Coumarin 6 in poly (butyl methacrylate) films, 292
- Laser scanning microscope  
Transient absorption measurement of organic crystals with femtosecond-laser scanning microscopes, 253
- Laser-induced optoacoustic spectroscopy  
Modification of electronic structure in supramolecular fullerene-porphyrin systems studied by fluorescence, photoacoustic and photothermal spectroscopy, 79
- Layer-by-layer conjugation  
Fabrication of a quantum dot-polymer matrix by layer-by-layer conjugation, 285
- Liposome  
Photo- and thermo-responsive assembly of liposomal membranes triggered by a gemini peptide lipid as a molecular switch, 309
- Longitudinal-optical (LO) phonon  
Below-bandgap excited, terahertz emission of optically pumped GaAs/AlGaAs multiple quantum wells, 334
- Luminescence  
Structural and optical properties of a thiophene-benzobisthiazole derivative, 212  
Unique luminescence properties of Eu<sup>3+</sup>-doped polyimide, 280
- Luminol  
An investigation into the reaction of hemin-catalysed luminol oxidation by peroxy compounds, 111
- Mechanism  
Photocatalytic oxidation of aldehydes: Byproduct identification and reaction pathway, 35
- Metal colloids  
Laser-induced morphology changes of silver colloids prepared by laser ablation in water. Enhancement of anisotropic shape conversions by chloride ions, 297
- Methyl viologen  
Photochemical production or depletion of hydrogen peroxide controlled by different electron transfer pathways in methyl viologen intercalated clays, 31
- Michael-Addition reaction  
Synthesis and evaluation of *N,N*-dimethyl-*N',N'*-di[2-(methylacryloyl)-ethoxycarbonyl] propyldiamine as a coinitorator, 154
- Micro-patterning  
Process during laser implantation and ablation of Coumarin 6 in poly (butyl methacrylate) films, 292
- Microscope  
Transient absorption microscopic study of triplet excitons in organic crystals, 267
- Mineralisation  
Clarifying the role of silver deposits on titania for the photocatalytic mineralisation of organic compounds, 41
- Mixed micelles  
A comparative behavior of photophysical properties of Pluronic F127 and Triton X-100 with conventional zwitterionic and anionic surfactants, 146
- Molecular reorientation  
Photoinduced cooperative molecular reorientation on azobenzene side-chain-type copolymers, 273
- Molecular switch  
Photo- and thermo-responsive assembly of liposomal membranes triggered by a gemini peptide lipid as a molecular switch, 309
- Multiple quantum well  
Below-bandgap excited, terahertz emission of optically pumped GaAs/AlGaAs multiple quantum wells, 334
- N3  
Mechanism of squarylium cyanine and Ru(dcbpy)<sub>2</sub>(NCS)<sub>2</sub> co-sensitization of colloidal TiO<sub>2</sub>, 138
- Nanoparticles  
Laser-induced morphology changes of silver colloids prepared by laser ablation in water. Enhancement of anisotropic shape conversions by chloride ions, 297  
Close-conjugation of quantum dots and gold nanoparticles to sidewall functionalized single-walled carbon nanotube templates, 315
- Nanophotonics  
Nonlinear optical response of photonic bandgap structures containing PbSe quantum dots, 329
- 1,8-Naphthalimides  
Green fluorescence poly(amidoamine) dendrimer functionalized with 1,8-naphthalimide units as potential sensor for metal cations, 9
- 1-Naphthaldehyde *O*-acyloximes  
Nitrile-forming radical elimination reactions of 1-naphthaldehyde *O*-(4-substituted benzoyl)oximes activated by triplet benzophenone, 205
- Naphthalimide  
Solvent effect on the photophysical properties of 4-phenoxy-*N*-methyl-1,8-naphthalimide, 165
- Near-infrared femtosecond microscopy  
Higher-order multiphoton imaging by femtosecond near-infrared laser microscope system, 261

- NH<sub>3</sub>/Ar plasma  
Influence of NH<sub>3</sub>/Ar plasma irradiation on physical and photocatalytic properties of TiO<sub>2</sub> nanopowder, 171
- Nitrogen doping  
Influence of NH<sub>3</sub>/Ar plasma irradiation on physical and photocatalytic properties of TiO<sub>2</sub> nanopowder, 171
- NMR spectroscopy  
NMR and kinetic investigations of the multistep photochromism of 3-thienyl-naphthopyrans, 70
- Orange II  
UV-vis versus visible degradation of Acid Orange II in a coupled CdS/TiO<sub>2</sub> semiconductors suspension, 218
- Organic crystal  
Organic nonlinear optical DAST crystals for electro-optic measurement and terahertz wave generation, 247  
Transient absorption measurement of organic crystals with femtosecond-laser scanning microscopes, 253  
Transient absorption microscopic study of triplet excitons in organic crystals, 267
- Organic nanocrystals  
Fluorescence of molecular micro- and nanocrystals prepared with Bodipy derivatives, 238
- Overcoat layer  
Glass frit overcoated silver grid lines for nano-crystalline dye sensitized solar cells, 133
- Paternò-Büchi reaction  
Notable substituent and temperature effects on the regioselectivity and the efficiency in Paternò-Büchi reaction of 4,4'-disubstituted benzophenones with 1,3-dimethyluracil and 1,3-dimethylthymine, 198
- PbSe  
Nonlinear optical response of photonic bandgap structures containing PbSe quantum dots, 329
- Perovskite  
Influences of A- and B-site cations on the physicochemical properties of perovskite-structured A(In<sub>1/3</sub>Nb<sub>1/3</sub>B<sub>1/3</sub>)O<sub>3</sub> (A = Sr, Ba; B = Sn, Pb) photocatalysts, 176
- Peroxy compounds  
An investigation into the reaction of hemin-catalysed luminol oxidation by peroxy compounds, 111
- Perylene  
Transient absorption measurement of organic crystals with femtosecond-laser scanning microscopes, 253
- pH  
Fluorescent benzo[de]anthracen-7-one pH-sensor in aqueous solution and immobilized on viscose fabrics, 159
- PH sensor  
Photophysical properties of an on/off fluorescent pH indicator excitable with visible light based on a borondipyrromethene-linked phenol, 190
- Photoacoustics  
Modification of electronic structure in supramolecular fullerene-porphyrin systems studied by fluorescence, photoacoustic and photothermal spectroscopy, 79
- Photocatalysis  
Photocatalytic oxidation of aldehydes: Byproduct identification and reaction pathway, 35  
Influence of NH<sub>3</sub>/Ar plasma irradiation on physical and photocatalytic properties of TiO<sub>2</sub> nanopowder, 171
- Photocatalytic oxidation  
Clarifying the role of silver deposits on titania for the photocatalytic mineralisation of organic compounds, 41
- Photochromic molecules  
Influence of laser wavelength and pulse duration on the degradation of polymeric films embedding photochromic molecules, 182
- Photochromism  
Chelation of spironaphthoxazine with zinc ions during the sol-gel-xerogel transitions in silicon alkoxide systems, 53
- NMR and kinetic investigations of the multistep photochromism of 3-thienyl-naphthopyrans, 70
- Photodegradation  
Photosensitizing properties and reactivity of aryl azo naphthol dyes towards singlet oxygen, 98  
Influence of laser wavelength and pulse duration on the degradation of polymeric films embedding photochromic molecules, 182
- Photodynamic therapy  
Cationic azaphthalocyanines bearing aliphatic tertiary amino substituents—Synthesis, singlet oxygen production and spectroscopic studies, 59
- Photofading  
Photosensitizing properties and reactivity of aryl azo naphthol dyes towards singlet oxygen, 98
- Photoinduced birefringence  
Photoinduced cooperative molecular reorientation on azobenzene side-chain-type copolymers, 273
- Photoinduced cooperative motion  
Photoinduced cooperative molecular reorientation on azobenzene side-chain-type copolymers, 273
- Photoinduced electron transfer  
Green fluorescence poly(amidoamine) dendrimer functionalized with 1,8-naphthalimide units as potential sensor for metal cations, 9
- Photoluminescence  
Fabrication of a quantum dot-polymer matrix by layer-by-layer conjugation, 285  
Close-conjugation of quantum dots and gold nanoparticles to sidewall functionalized single-walled carbon nanotube templates, 315
- Photonic bandgap  
Nonlinear optical response of photonic bandgap structures containing PbSe quantum dots, 329
- Photooxidation  
Analysis of photooxidized pigments in water-soluble chlorophyll protein complex isolated from *Chenopodium album*, 121
- Photophysical properties  
Experimental and theoretical study of 3-carboxy-5,6-benzocoumarin, 89  
Solvent effect on the photophysical properties of 4-phenoxy-*N*-methyl-1,8-naphthalimide, 165  
Photophysical properties of 2,6-dicyano-*N,N,N',N'*-tetramethyl-*p*-phenylenediamine, 225
- Photopolymerization  
Synthesis and evaluation of *N,N*-dimethyl-*N',N'*-di[2-(methylacryloyl)-ethoxycarbonyl] propyldiamine as a coinitiator, 154
- Photoreaction  
Analysis of photooxidized pigments in water-soluble chlorophyll protein complex isolated from *Chenopodium album*, 121
- Photoresponsive  
Photo- and thermo-responsive assembly of liposomal membranes triggered by a gemini peptide lipid as a molecular switch, 309
- Photosensitization  
Analysis of photooxidized pigments in water-soluble chlorophyll protein complex isolated from *Chenopodium album*, 121  
UV-vis versus visible degradation of Acid Orange II in a coupled CdS/TiO<sub>2</sub> semiconductors suspension, 218
- Photosensitizer  
Photosensitizing properties and reactivity of aryl azo naphthol dyes towards singlet oxygen, 98
- Plasmon resonance  
Correlated measurements of plasmon resonance Rayleigh scattering and surface-enhanced resonance Raman scattering using a dark-field microspectroscopic system, 322
- Plasticizers  
Ionic reactions in pulse irradiated poly(vinyl chloride) film—the effect of plasticizers, 106
- Polyimide  
Unique luminescence properties of Eu<sup>3+</sup>-doped polyimide, 280
- Polymer electrolyte  
Dye-sensitized solar cells based on crosslinked poly(ethylene glycol) electrolytes, 15

- Polymer matrix  
Fabrication of a quantum dot-polymer matrix by layer-by-layer conjugation, 285
- Polymerizable amine  
Synthesis and evaluation of *N,N*-dimethyl-*N',N'*-di[2-(methylacryloyl)-ethoxycarbonyl] propyldiamine as a coinitiator, 154
- Polymers  
Influence of laser wavelength and pulse duration on the degradation of polymeric films embedding photochromic molecules, 182  
Process during laser implantation and ablation of Coumarin 6 in poly (butyl methacrylate) films, 292
- Poly(vinyl chloride)  
Ionic reactions in pulse irradiated poly(vinyl chloride) film—the effect of plasticizers, 106
- Pulse radiolysis  
Ionic reactions in pulse irradiated poly(vinyl chloride) film—the effect of plasticizers, 106
- Pulsed ESR  
Enhanced intersystem crossings of  $S_1-T_1$  and  $T_1-S_0$  in coronene- and pyrene-galvinoxyl systems as studied by a pulsed ESR method, 22
- Quantum dots  
Fabrication of a quantum dot-polymer matrix by layer-by-layer conjugation, 285  
Close-conjugation of quantum dots and gold nanoparticles to sidewall functionalized single-walled carbon nanotube templates, 315  
Nonlinear optical response of photonic bandgap structures containing PbSe quantum dots, 329
- Quenching  
Enhanced intersystem crossings of  $S_1-T_1$  and  $T_1-S_0$  in coronene- and pyrene-galvinoxyl systems as studied by a pulsed ESR method, 22
- Radical elimination  
Nitrile-forming radical elimination reactions of 1-naphthaldehyde *O*-(4-substituted benzoyl)oximes activated by triplet benzophenone, 205
- Radical ions  
Ionic reactions in pulse irradiated poly(vinyl chloride) film—the effect of plasticizers, 106
- Rare earth ion  
Unique luminescence properties of  $\text{Eu}^{3+}$ -doped polyimide, 280
- Rayleigh scattering  
Correlated measurements of plasmon resonance Rayleigh scattering and surface-enhanced resonance Raman scattering using a dark-field microspectroscopic system, 322
- Reaction pathway  
Photocatalytic oxidation of aldehydes: Byproduct identification and reaction pathway, 35
- Recording medium  
Unique luminescence properties of  $\text{Eu}^{3+}$ -doped polyimide, 280
- Redox electrolyte  
Glass frit overcoated silver grid lines for nano-crystalline dye sensitized solar cells, 133
- Regioselectivity  
Notable substituent and temperature effects on the regioselectivity and the efficiency in Paternò-Büchi reaction of 4,4'-disubstituted benzophenones with 1,3-dimethyluracil and 1,3-dimethylthymine, 198
- Resistive loss  
Glass frit overcoated silver grid lines for nano-crystalline dye sensitized solar cells, 133
- Semiconductor  
Below-bandgap excited, terahertz emission of optically pumped GaAs/AlGaAs multiple quantum wells, 334
- Semiempirical ZINDO  
Structural and optical properties of a thiophene-benzobisthiazole derivative, 212
- Sensors  
Green fluorescence poly(amidoamine) dendrimer functionalized with 1,8-naphthalimide units as potential sensor for metal cations, 9
- SERRS  
Correlated measurements of plasmon resonance Rayleigh scattering and surface-enhanced resonance Raman scattering using a dark-field microspectroscopic system, 322
- Shape control  
Laser-induced morphology changes of silver colloids prepared by laser ablation in water. Enhancement of anisotropic shape conversions by chloride ions, 297
- Silicon photonics  
Nonlinear optical response of photonic bandgap structures containing PbSe quantum dots, 329
- Silver  
Clarifying the role of silver deposits on titania for the photocatalytic mineralisation of organic compounds, 41
- Silver grid  
Glass frit overcoated silver grid lines for nano-crystalline dye sensitized solar cells, 133
- Single nanoparticle spectroscopy  
Correlated measurements of plasmon resonance Rayleigh scattering and surface-enhanced resonance Raman scattering using a dark-field microspectroscopic system, 322
- Singlet and triplet states  
Modification of electronic structure in supramolecular fullerene-porphyrin systems studied by fluorescence, photoacoustic and photothermal spectroscopy, 79
- Singlet oxygen  
Photosensitizing properties and reactivity of aryl azo naphthol dyes towards singlet oxygen, 98
- Singlet oxygen quantum yield  
Cationic azaphthalocyanines bearing aliphatic tertiary amino substituents—Synthesis, singlet oxygen production and spectroscopic studies, 59
- Single-walled carbon nanotube  
Close-conjugation of quantum dots and gold nanoparticles to sidewall functionalized single-walled carbon nanotube templates, 315
- Smart textile  
Fluorescent benzo[de]anthracen-7-one pH-sensor in aqueous solution and immobilized on viscose fabrics, 159
- Soft matter  
New fluorescence correlation spectroscopy (FCS) suitable for the observation of anomalous diffusion in polymer solution: Time and space dependences of diffusion coefficients, 304
- Sol-gel method  
Chelation of spironaphthoxazine with zinc ions during the sol-gel-xerogel transitions in silicon alkoxide systems, 53
- Solvatochromism  
Photophysical properties of 2,6-dicyano-*N,N,N',N'*-tetramethyl-*p*-phenylenediamine, 225
- Solvent effects  
Solvent effect on the photophysical properties of 4-phenoxy-*N*-methyl-1,8-naphthalimide, 165
- Solvent-dependent MO calculations  
Experimental and theoretical study of 3-carboxy-5,6-benzocoumarin, 89
- Spectroscopy  
Photophysical properties of an on/off fluorescent pH indicator excitable with visible light based on a borondipyromethene-linked phenol, 190
- Spironaphthoxazine  
Chelation of spironaphthoxazine with zinc ions during the sol-gel-xerogel transitions in silicon alkoxide systems, 53
- Squarylium cyanine  
Mechanism of squarylium cyanine and  $\text{Ru}(\text{dcbpy})_2(\text{NCS})_2$  co-sensitization of colloidal  $\text{TiO}_2$ , 138
- Substituent and solvent effects  
Nitrile-forming radical elimination reactions of 1-naphthaldehyde *O*-(4-substituted benzoyl)oximes activated by triplet benzophenone, 205
- Substituent effect  
Notable substituent and temperature effects on the regioselectivity and the efficiency in Paternò-Büchi reaction of 4,4'-disubstituted benzophenones with 1,3-dimethyluracil and 1,3-dimethylthymine, 198

- SWNT  
Close-conjugation of quantum dots and gold nanoparticles to sidewall functionalized single-walled carbon nanotube templates, 315
- Synthesis  
Photochemical synthesis of chlorine gas from iron(III) and chloride solution, 126
- Temperature effect  
Notable substituent and temperature effects on the regioselectivity and the efficiency in Paternò-Büchi reaction of 4,4'-disubstituted benzophenones with 1,3-dimethyluracil and 1,3-dimethylthymine, 198
- Terahertz radiation  
Below-bandgap excited, terahertz emission of optically pumped GaAs/AlGaAs multiple quantum wells, 334
- Terahertz wave generation  
Organic nonlinear optical DAST crystals for electro-optic measurement and terahertz wave generation, 247
- Tetrapyrazinoporphyrazines  
Cationic azaphthalocyanines bearing aliphatic tertiary amino substituents—Synthesis, singlet oxygen production and spectroscopic studies, 59
- Thermoresponsive  
Photo- and thermo-responsive assembly of liposomal membranes triggered by a gemini peptide lipid as a molecular switch, 309
- Three-photon imaging  
Higher-order multiphoton imaging by femtosecond near-infrared laser microscope system, 261
- Time dependence  
New fluorescence correlation spectroscopy (FCS) suitable for the observation of anomalous diffusion in polymer solution: Time and space dependences of diffusion coefficients, 304
- Time-resolved spectroscopy  
UVB/UVC induced processes in model DNA helices studied by time-resolved spectroscopy: Pitfalls and tricks, 1  
Mechanism of squarylium cyanine and Ru(dcbpy)<sub>2</sub>(NCS)<sub>2</sub> co-sensitization of colloidal TiO<sub>2</sub>, 138
- TiO<sub>2</sub>  
Mechanism of squarylium cyanine and Ru(dcbpy)<sub>2</sub>(NCS)<sub>2</sub> co-sensitization of colloidal TiO<sub>2</sub>, 138  
Influence of NH<sub>3</sub>/Ar plasma irradiation on physical and photocatalytic properties of TiO<sub>2</sub> nanopowder, 171
- Titania  
Photocatalytic oxidation of aldehydes: Byproduct identification and reaction pathway, 35
- Titanium dioxide  
Clarifying the role of silver deposits on titania for the photocatalytic mineralisation of organic compounds, 41
- UV–vis versus visible degradation of Acid Orange II in a coupled CdS/TiO<sub>2</sub> semiconductors suspension, 218
- Transient absorption  
Transient absorption measurement of organic crystals with femtosecond-laser scanning microscopes, 253  
Transient absorption microscopic study of triplet excitons in organic crystals, 267
- Transition-state structure  
Nitrile-forming radical elimination reactions of 1-naphthaldehyde *O*-(4-substituted benzoyl)oximes activated by triplet benzophenone, 205
- Triblock copolymer  
A comparative behavior of photophysical properties of Pluronic F127 and Triton X-100 with conventional zwitterionic and anionic surfactants, 146
- Triplet exciton  
Transient absorption microscopic study of triplet excitons in organic crystals, 267
- Triplet-sensitized photolysis  
Nitrile-forming radical elimination reactions of 1-naphthaldehyde *O*-(4-substituted benzoyl)oximes activated by triplet benzophenone, 205
- Ultrafast spectroscopy  
Transient absorption measurement of organic crystals with femtosecond-laser scanning microscopes, 253
- Unsymmetrical substitution  
Cationic azaphthalocyanines bearing aliphatic tertiary amino substituents—Synthesis, singlet oxygen production and spectroscopic studies, 59
- UV  
Photochemical synthesis of chlorine gas from iron(III) and chloride solution, 126
- UV-induced luminescence enhancement  
Unique luminescence properties of Eu<sup>3+</sup>-doped polyimide, 280
- Visible light active photocatalyst  
Influences of A- and B-site cations on the physicochemical properties of perovskite-structured A(In<sub>1/3</sub>Nb<sub>1/3</sub>B<sub>1/3</sub>)O<sub>3</sub> (A = Sr, Ba; B = Sn, Pb) photocatalysts, 176
- X-ray structure  
Structural and optical properties of a thiophene-benzobisthiazole derivative, 212
- Zwitterionic surfactants  
A comparative behavior of photophysical properties of Pluronic F127 and Triton X-100 with conventional zwitterionic and anionic surfactants, 146