

## Subject Index of Volume 187

- Ab initio MO calculation  
Theoretical studies of charge-transfer complexes of I<sub>2</sub> with pyrazoles, and implications on the dye-sensitized solar cell performance, 233
- Absorption  
New fluorescent probes based on 3-(2-benzoxazol-5-yl)alanine skeleton—Synthesis and photophysical properties, 87
- Absorption spectroscopy  
On the influence of conformational locking of sugar moieties on the absorption and circular dichroism of nucleosides from synchrotron radiation experiments, 293
- Acid and basic media  
Fluorescence quenching inhibition of substituted indoles by neutral and ionized cyclodextrins nanocavities, 356
- Adsorption  
Electrophoresis—A new approach for the determination of organic matters adsorption on irradiated TiO<sub>2</sub>, 127  
Investigations on the adsorption behavior of Neutral Red on mercaptoethane sulfonate protected gold nanoparticles, 152
- Advanced oxidation process  
Degradation of tetracycline by photo-Fenton process—Solar irradiation and matrix effects, 33
- Ag/PPy composite colloid  
Preparation and optical properties of Ag/PPy composite colloids, 146
- Aggregation  
Interactions of organic molecules at grain boundaries in ice: A solvatochromic analysis, 275  
About the formation of C<sub>60</sub> fine particles with reprecipitation method in ethanol/carbon disulfide mixture, 402
- Alkyl nitrites  
Investigation of the photo-dissociation reactions for alkyl nitrite by quantum chemical molecular dynamics program “Colors-Excite”, 119
- Amino–imino tautomerism  
Photochemistry of 2-(methylamino)pyridine in a low-temperature argon matrix: Amino–imino tautomerism and rotational isomerism, 113
- Amorphous film  
Photochromic properties of diarylethenes having 2,4-diphenylphenyl substituents in the amorphous and PMMA films, 202
- Anisotropy  
Chiral recognition of 1,1'-binaphthyl-2,2'-diyl hydrogenphosphate using fluorescence anisotropy, 139  
Assessment of solvent effect on the relaxation dynamics of milrinone, 339
- Antibiotic  
Degradation of tetracycline by photo-Fenton process—Solar irradiation and matrix effects, 33
- Aqueous phase photo-reactor  
Development of a new on-line mass spectrometer to study the reactivity of soluble organic compounds in the aqueous phase under tropospheric conditions: Application to OH-oxidation of *N*-methylpyrrolidone, 10
- Aromatic compounds  
Photochemically induced nitration and hydroxylation of organic aromatic compounds in the presence of nitrate or nitrite in ice, 24
- Atmospheric chemistry  
Spectroscopy and kinetics of the gas phase addition complex of atomic chlorine with dimethyl sulfoxide, 1
- Azo-dye  
Highly dispersed PTFE/Co<sub>3</sub>O<sub>4</sub> flexible films as photocatalyst showing fast kinetic performance for the discoloration of azo-dyes under solar irradiation, 332
- Barium bismuth molybdate  
A novel scheelite-like structure of BaBi<sub>2</sub>Mo<sub>4</sub>O<sub>16</sub>: Photocatalysis and investigation of the solid solution, BaBi<sub>2</sub>Mo<sub>4-x</sub>W<sub>x</sub>O<sub>16</sub> (0.25 ≤ *x* ≤ 1), 177
- Benzophenones  
Notable solvent effects on the regioselectivity in the Paternò–Büchi reaction of 1,3-dimethylthymine with 4-methoxybenzophenone, 406
- Benzoquinazolines  
Polycyclic compounds by sunlight exposure of the drug rosuvastatin in water, 263
- Benzoxazol-5-yl-alanine  
New fluorescent probes based on 3-(2-benzoxazol-5-yl)alanine skeleton—Synthesis and photophysical properties, 87
- Bichromophores  
The ultrafast energy transfer process in naphthole–nitrobenzofurazan bichromophoric molecular systems. A study by femtosecond UV–vis pump–probe spectroscopy, 209
- Binaphthyl phosphate  
Chiral recognition of 1,1'-binaphthyl-2,2'-diyl hydrogenphosphate using fluorescence anisotropy, 139
- Bioactive thin films  
Highly bioactive silver and silver/titania composite films grown by chemical vapour deposition, 53
- BNP  
Chiral recognition of 1,1'-binaphthyl-2,2'-diyl hydrogenphosphate using fluorescence anisotropy, 139
- Carbon tetra chloride  
Is spin-orbit state branching in the photodissociation of CCl<sub>4</sub> isotope specific?, 255
- Cardiotonic  
Assessment of solvent effect on the relaxation dynamics of milrinone, 339
- Cationic photopolymerization  
Several ferrocenium salts as efficient photoinitiators and thermal initiators for cationic epoxy polymerization, 389
- CdSe films  
CdSe nanofiber based photoelectrochemical cells: Influence of annealing temperatures, 133
- Charge-transfer complex  
Theoretical studies of charge-transfer complexes of I<sub>2</sub> with pyrazoles, and implications on the dye-sensitized solar cell performance, 233
- Chemical mechanisms  
Development of a new on-line mass spectrometer to study the reactivity of soluble organic compounds in the aqueous phase under tropospheric conditions: Application to OH-oxidation of *N*-methylpyrrolidone, 10

- Chemical vapour deposition  
Highly bioactive silver and silver/titania composite films grown by chemical vapour deposition, 53
- Chemosensor  
New fluorescent probes based on 3-(2-benzoxazol-5-yl)alanine skeleton—Synthesis and photophysical properties, 87
- Chiral recognition  
Chiral recognition of 1,1'-binaphthyl-2,2'-diyl hydrogenphosphate using fluorescence anisotropy, 139
- Chiral selectivity  
Chiral recognition of 1,1'-binaphthyl-2,2'-diyl hydrogenphosphate using fluorescence anisotropy, 139
- Chirality  
Chiral recognition of 1,1'-binaphthyl-2,2'-diyl hydrogenphosphate using fluorescence anisotropy, 139
- Chloride and bromide counterions  
Effect of bromide and chloride ions for the dissolution of colloidal gold, 196
- Circular dichroism  
On the influence of conformational locking of sugar moieties on the absorption and circular dichroism of nucleosides from synchrotron radiation experiments, 293
- Clusters  
About the formation of C<sub>60</sub> fine particles with reprecipitation method in ethanol/carbon disulfide mixture, 402
- Cold gas dynamic spraying (CGDS)  
Cold gas dynamic spraying (CGDS) of TiO<sub>2</sub> (anatase) powders onto poly(sulfone) substrates: Microstructural characterisation and photocatalytic efficiency, 285
- Color  
Preparation and optical properties of Ag/PPy composite colloids, 146
- Colors-Excite  
Investigation of the photo-dissociation reactions for alkyl nitrite by quantum chemical molecular dynamics program “Colors-Excite”, 119
- Colour  
An *ab initio* scheme for quantitative predictions of the visible spectra of diarylethenes, 40
- Coumarin dimer  
Photodimerized 7-hydroxycoumarin with improved solubility in PMMA: Single-photon and two-photon-induced photocleavage in solution and PMMA films, 242
- Crystal structure  
A novel scheelite-like structure of BaBi<sub>2</sub>Mo<sub>4</sub>O<sub>16</sub>: Photocatalysis and investigation of the solid solution, BaBi<sub>2</sub>Mo<sub>4-x</sub>W<sub>x</sub>O<sub>16</sub> (0.25 ≤ x ≤ 1), 177
- CT fluorescence  
Photophysical properties of some donor–acceptor 1*H*-pyrazolo [3,4-*b*]quinolines. Radiative versus non-radiative electron transfer processes, 78
- CTTS  
Synthesis and photoinduced intramolecular charge transfer of *N*-substituted 1,8-naphthalimide derivatives in homogeneous solvents and in presence of reduced glutathione, 64
- CVD  
Highly bioactive silver and silver/titania composite films grown by chemical vapour deposition, 53
- Cyclodextrin  
Chiral recognition of 1,1'-binaphthyl-2,2'-diyl hydrogenphosphate using fluorescence anisotropy, 139
- Cyclodextrins protection  
Fluorescence quenching inhibition of substituted indoles by neutral and ionized cyclodextrins nanocavities, 356
- Degradation  
Decomposition of hydrolysates of chemical warfare agents using photoactivated periodate, 311
- Delafossite  
Hydrogen photoproduction over new catalyst CuLaO<sub>2</sub>, 97
- Density functional theory  
An *ab initio* scheme for quantitative predictions of the visible spectra of diarylethenes, 40  
Investigation of the photo-dissociation reactions for alkyl nitrite by quantum chemical molecular dynamics program “Colors-Excite”, 119
- DFT  
Photochemistry of *N*-alkylsuccinimide in methanol and ethanol: An experimental and calculated investigation, 377
- DFT calculation  
Photochemistry of 2-(methylamino)pyridine in a low-temperature argon matrix: Amino–imino tautomerism and rotational isomerism, 113
- Diarylethenes  
An *ab initio* scheme for quantitative predictions of the visible spectra of diarylethenes, 40  
Photochromic properties of diarylethenes having 2,4-diphenylphenyl substituents in the amorphous and PMMA films, 202
- Di-(heteroarylethenyl)benzenes  
Heteroatom effect on the radiative and reactive photobehaviour of *E,E*-1,2-distyrylbenzene, 325
- Dihydrobenzoquinazolines  
Polycyclic compounds by sunlight exposure of the drug rosuvastatin in water, 263
- Dimer  
Photochemistry of *N*-alkylsuccinimide in methanol and ethanol: An experimental and calculated investigation, 377
- Dimerization  
Photochemically induced nitration and hydroxylation of organic aromatic compounds in the presence of nitrate or nitrite in ice, 24
- 3,3-Dithiopropanol  
Decomposition of hydrolysates of chemical warfare agents using photoactivated periodate, 311
- DMSO  
Spectroscopy and kinetics of the gas phase addition complex of atomic chlorine with dimethyl sulfoxide, 1
- Drug  
Assessment of solvent effect on the relaxation dynamics of milrinone, 339
- Dye-sensitized solar cells  
Theoretical studies of charge-transfer complexes of I<sub>2</sub> with pyrazoles, and implications on the dye-sensitized solar cell performance, 233  
An investigation of the photosubstitution reaction between N719-dyed nanocrystalline TiO<sub>2</sub> particles and 4-*tert*-butylpyridine, 348
- Dynamics  
Assessment of solvent effect on the relaxation dynamics of milrinone, 339
- 3-Electron bond  
Spectroscopy and kinetics of the gas phase addition complex of atomic chlorine with dimethyl sulfoxide, 1
- Electron mobility  
Hydrogen photoproduction over new catalyst CuLaO<sub>2</sub>, 97
- Electron transfer  
Photophysical properties of some donor–acceptor 1*H*-pyrazolo[3,4-*b*]quinolines. Radiative versus non-radiative electron transfer processes, 78  
Oxygen uptake upon photolysis of 3-benzoylpyridine and 3,3'-dipyridylketone in air-saturated aqueous solution in the presence of formate, ascorbic acid, alcohols and amines, 105
- Electronic energy transfer  
The ultrafast energy transfer process in naphthole–nitrobenzofurazan bichromophoric molecular systems. A study by femtosecond UV–vis pump-probe spectroscopy, 209
- Electronic spectra  
An *ab initio* scheme for quantitative predictions of the visible spectra of diarylethenes, 40
- Electrophoresis  
Electrophoresis—A new approach for the determination of organic matters adsorption on irradiated TiO<sub>2</sub>, 127

- Emission  
Assessment of solvent effect on the relaxation dynamics of milrinone, 339
- Excited state proton transfer  
Fluorescence quenching inhibition of substituted indoles by neutral and ionized cyclodextrins nanocavities, 356
- Excited triplet state  
Notable solvent effects on the regioselectivity in the Paternò-Büchi reaction of 1,3-dimethylthymine with 4-methoxybenzophenone, 406
- FACVD  
Highly bioactive silver and silver/titania composite films grown by chemical vapour deposition, 53
- Ferrioxalate  
Degradation of tetracycline by photo-Fenton process—Solar irradiation and matrix effects, 33
- Ferrocenium salts  
Several ferrocenium salts as efficient photoinitiators and thermal initiators for cationic epoxy polymerization, 389
- Fibrous SrTiO<sub>3</sub>  
Characterization and evaluation of fibrous SrTiO<sub>3</sub> prepared by hydrothermal process for the destruction of NO, 72
- Fine particles  
About the formation of C<sub>60</sub> fine particles with reprecipitation method in ethanol/carbon disulfide mixture, 402
- Flame assisted CVD  
Highly bioactive silver and silver/titania composite films grown by chemical vapour deposition, 53
- Fluorescence sensing  
Fluorescence solvato and vapochromism of a dimethylaminostyryl terpyridine derivative, 258
- Fluorescence  
New fluorescent probes based on 3-(2-benzoxazol-5-yl)alanine skeleton—Synthesis and photophysical properties, 87  
Chiral recognition of 1,1'-binaphthyl-2,2'-diyl hydrogenphosphate using fluorescence anisotropy, 139  
Heteroatom effect on the radiative and reactive photobehaviour of *E,E*-1,2-distyrylbenzene, 325  
Interaction of 8-hydroxypyrene-1,3,6-trisulphonate in alkyltrimethylammonium bromide (C<sub>*n*</sub>TAB) micellar medium, 384
- Fluorescence resonance energy transfer  
Fluorescence resonance energy transfer between laser dyes in saponite dispersions, 160
- Fluorophores  
Synthesis and photoinduced intramolecular charge transfer of *N*-substituted 1,8-naphthalimide derivatives in homogeneous solvents and in presence of reduced glutathione, 64
- Franck-Condon principle  
Thermodynamic analysis of some electrochemical properties of transition metal complexes in electronically excited states, 247
- Free radicals  
Effect of bromide and chloride ions for the dissolution of colloidal gold, 196
- Fullerene  
About the formation of C<sub>60</sub> fine particles with reprecipitation method in ethanol/carbon disulfide mixture, 402
- Gold nanoparticles  
Effect of bromide and chloride ions for the dissolution of colloidal gold, 196
- Grafting  
Study of secondary relaxations in poly(vinyl chloride) by phosphorescence decay. Effect of the chemical structure and the concentration of luminescent probes, 222
- Grain boundaries  
Interactions of organic molecules at grain boundaries in ice: A solvatochromic analysis, 275
- H<sub>2</sub>-photoevolution  
Hydrogen photoproduction over new catalyst CuLaO<sub>2</sub>, 97
- High molecular reaction products  
Development of a new on-line mass spectrometer to study the reactivity of soluble organic compounds in the aqueous phase under tropospheric conditions: Application to OH-oxidation of *N*-methylpyrrolidone, 10
- HPTS  
Interaction of 8-hydroxypyrene-1,3,6-trisulphonate in alkyltrimethylammonium bromide (C<sub>*n*</sub>TAB) micellar medium, 384
- Hybrid nanocomposite  
Characterization of methylene blue/TiO<sub>2</sub> hybrid thin films prepared by the liquid phase deposition (LPD) method: Application for fabrication of light-activated colorimetric oxygen indicators, 45
- Hydrogen bonding  
Interactions of organic molecules at grain boundaries in ice: A solvatochromic analysis, 275  
Assessment of solvent effect on the relaxation dynamics of milrinone, 339
- Hydrothermal treatment  
Characterization and evaluation of fibrous SrTiO<sub>3</sub> prepared by hydrothermal process for the destruction of NO, 72
- 7-Hydroxycoumarin  
Photodimerized 7-hydroxycoumarin with improved solubility in PMMA: Single-photon and two-photon-induced photocleavage in solution and PMMA films, 242
- Hydroxyl radicals  
Photolysis, oxidation and subsequent toxicity of a mixture of polycyclic aromatic hydrocarbons in natural waters, 186
- Hydroxylation  
Photochemically induced nitration and hydroxylation of organic aromatic compounds in the presence of nitrate or nitrite in ice, 24
- Ice  
Photochemically induced nitration and hydroxylation of organic aromatic compounds in the presence of nitrate or nitrite in ice, 24  
Interactions of organic molecules at grain boundaries in ice: A solvatochromic analysis, 275
- Induced quenching  
Fluorescence quenching inhibition of substituted indoles by neutral and ionized cyclodextrins nanocavities, 356
- Iodine  
Theoretical studies of charge-transfer complexes of I<sub>2</sub> with pyrazoles, and implications on the dye-sensitized solar cell performance, 233
- Ionized cyclodextrin quenching inhibition  
Fluorescence quenching inhibition of substituted indoles by neutral and ionized cyclodextrins nanocavities, 356
- Irradiation  
Electrophoresis—A new approach for the determination of organic matters adsorption on irradiated TiO<sub>2</sub>, 127
- Kinetic rate constants  
Development of a new on-line mass spectrometer to study the reactivity of soluble organic compounds in the aqueous phase under tropospheric conditions: Application to OH-oxidation of *N*-methylpyrrolidone, 10
- Lanthanide ions  
Time-resolved photoluminescence of terbium-doped microporous-mesoporous Zeotile-1 materials, 299
- Laser dyes  
Fluorescence resonance energy transfer between laser dyes in saponite dispersions, 160
- LC-ESI-MS  
An investigation of the photosubstitution reaction between N719-dyed nanocrystalline TiO<sub>2</sub> particles and 4-*tert*-butylpyridine, 348
- Lifetime  
Assessment of solvent effect on the relaxation dynamics of milrinone, 339
- Light scattering  
About the formation of C<sub>60</sub> fine particles with reprecipitation method in ethanol/carbon disulfide mixture, 402

- Light-activated oxygen indicator  
Characterization of methylene blue/TiO<sub>2</sub> hybrid thin films prepared by the liquid phase deposition (LPD) method: Application for fabrication of light-activated colorimetric oxygen indicators, 45
- Liquid phase deposition  
Characterization of methylene blue/TiO<sub>2</sub> hybrid thin films prepared by the liquid phase deposition (LPD) method: Application for fabrication of light-activated colorimetric oxygen indicators, 45
- Locked nucleosides  
On the influence of conformational locking of sugar moieties on the absorption and circular dichroism of nucleosides from synchrotron radiation experiments, 293
- Low-temperature  
Novel low-temperature photocatalytic titania films produced by plasma-assisted reactive dc magnetron sputtering, 370
- Luminescence solvatochromism  
Fluorescence solvato and vapochromism of a dimethylaminostyryl terpyridine derivative, 258
- Magnetron sputtering  
Novel low-temperature photocatalytic titania films produced by plasma-assisted reactive dc magnetron sputtering, 370
- Matrix-isolation infrared spectroscopy  
Photochemistry of 2-(methylamino)pyridine in a low-temperature argon matrix: Amino-imino tautomerism and rotational isomerism, 113
- 2-(Methylamino)pyridine  
Photochemistry of 2-(methylamino)pyridine in a low-temperature argon matrix: Amino-imino tautomerism and rotational isomerism, 113
- Methylene blue  
Characterization of methylene blue/TiO<sub>2</sub> hybrid thin films prepared by the liquid phase deposition (LPD) method: Application for fabrication of light-activated colorimetric oxygen indicators, 45
- Micelles  
Interaction of 8-hydroxypyrene-1,3,6-trisulphonate in alkyltrimethylammonium bromide (C<sub>n</sub>TAB) micellar medium, 384
- Michler's Ethyl Ketone  
Photocatalytic degradation of Michler's Ethyl Ketone in titanium dioxide dispersions under UV irradiation, 167
- Milrinone  
Assessment of solvent effect on the relaxation dynamics of milrinone, 339
- Modelling  
The kinetic model for AB(1 $\phi$ ) systems. A closed-form integration of the differential equation with a variable photokinetic factor, 319
- Molecular recognition  
Chiral recognition of 1,1'-binaphthyl-2,2'-diyl hydrogenphosphate using fluorescence anisotropy, 139
- Monolayer  
Thermodynamic analysis of some electrochemical properties of transition metal complexes in electronically excited states, 247
- Monolayer protected gold clusters  
Investigations on the adsorption behavior of Neutral Red on mercaptoethane sulfonate protected gold nanoparticles, 152
- Monomer  
Photochemistry of *N*-alkylsuccinimide in methanol and ethanol: An experimental and calculated investigation, 377
- N719  
An investigation of the photosubstitution reaction between N719-dyed nanocrystalline TiO<sub>2</sub> particles and 4-*tert*-butylpyridine, 348
- Naphthalimide  
Synthesis and photoinduced intramolecular charge transfer of *N*-substituted 1,8-naphthalimide derivatives in homogeneous solvents and in presence of reduced glutathione, 64
- Neutral Red  
Investigations on the adsorption behavior of Neutral Red on mercaptoethane sulfonate protected gold nanoparticles, 152
- Nitrate  
Photochemically induced nitration and hydroxylation of organic aromatic compounds in the presence of nitrate or nitrite in ice, 24
- Nitration  
Photochemically induced nitration and hydroxylation of organic aromatic compounds in the presence of nitrate or nitrite in ice, 24
- Nitrite  
Photochemically induced nitration and hydroxylation of organic aromatic compounds in the presence of nitrate or nitrite in ice, 24
- Nitrogen monoxide elimination  
Characterization and evaluation of fibrous SrTiO<sub>3</sub> prepared by hydrothermal process for the destruction of NO, 72
- N*-Methylpyrrolidone  
Development of a new on-line mass spectrometer to study the reactivity of soluble organic compounds in the aqueous phase under tropospheric conditions: Application to OH-oxidation of *N*-methylpyrrolidone, 10
- NMR spectroscopy  
Photoreversible cyclisation of a 3-(2-benzylbenzoyl)-quinolinone: A highly efficient photochromic compound, 269
- Non-radiative transition  
Photophysical properties of some donor-acceptor 1*H*-pyrazolo[3,4-*b*]quinolines. Radiative versus non-radiative electron transfer processes, 78
- OH-oxidation  
Development of a new on-line mass spectrometer to study the reactivity of soluble organic compounds in the aqueous phase under tropospheric conditions: Application to OH-oxidation of *N*-methylpyrrolidone, 10
- On-line mass spectrometry  
Development of a new on-line mass spectrometer to study the reactivity of soluble organic compounds in the aqueous phase under tropospheric conditions: Application to OH-oxidation of *N*-methylpyrrolidone, 10
- Onsager cavity model  
Thermodynamic analysis of some electrochemical properties of transition metal complexes in electronically excited states, 247
- Optical absorption  
CdSe nanofiber based photoelectrochemical cells: Influence of annealing temperatures, 133
- Optical properties  
Preparation and optical properties of Ag/PPy composite colloids, 146
- Paternò-Büchi reaction  
Notable solvent effects on the regioselectivity in the Paternò-Büchi reaction of 1,3-dimethylthymine with 4-methoxybenzophenone, 406
- pH Effect  
Preparation and optical properties of Ag/PPy composite colloids, 146
- Phenols  
Photochemically induced nitration and hydroxylation of organic aromatic compounds in the presence of nitrate or nitrite in ice, 24  
A novel scheelite-like structure of BaBi<sub>2</sub>Mo<sub>4</sub>O<sub>16</sub>: Photocatalysis and investigation of the solid solution, BaBi<sub>2</sub>Mo<sub>4-x</sub>W<sub>x</sub>O<sub>16</sub> (0.25 ≤ *x* ≤ 1), 177
- Phenylene vinylene  
Fluorescence solvato and vapochromism of a dimethylaminostyryl terpyridine derivative, 258
- Phosphorescence  
Study of secondary relaxations in poly(vinyl chloride) by phosphorescence decay. Effect of the chemical structure and the concentration of luminescent probes, 222
- Photoactivated periodate  
Decomposition of hydrolysates of chemical warfare agents using photoactivated periodate, 311
- Photoactivity  
Highly bioactive silver and silver/titania composite films grown by chemical vapour deposition, 53
- Photocatalysis  
A novel scheelite-like structure of BaBi<sub>2</sub>Mo<sub>4</sub>O<sub>16</sub>: Photocatalysis and investigation of the solid solution, BaBi<sub>2</sub>Mo<sub>4-x</sub>W<sub>x</sub>O<sub>16</sub> (0.25 ≤ *x* ≤ 1), 177

- Novel low-temperature photocatalytic titania films produced by plasma-assisted reactive dc magnetron sputtering, 370
- Photocatalyst
- Electrophoresis—A new approach for the determination of organic matters adsorption on irradiated TiO<sub>2</sub>, 127
  - Highly dispersed PTFE/Co<sub>3</sub>O<sub>4</sub> flexible films as photocatalyst showing fast kinetic performance for the discoloration of azo-dyes under solar irradiation, 332
- Photocatalytic
- Photocatalytic degradation of Michler's Ethyl Ketone in titanium dioxide dispersions under UV irradiation, 167
- Photocatalytic activity
- Characterization and evaluation of fibrous SrTiO<sub>3</sub> prepared by hydrothermal process for the destruction of NO, 72
  - Cold gas dynamic spraying (CGDS) of TiO<sub>2</sub> (anatase) powders onto poly(sulfone) substrates: Microstructural characterisation and photocatalytic efficiency, 285
  - Shape, size and photocatalytic activity control of TiO<sub>2</sub> nanoparticles with surfactants, 363
- Photochemistry
- Photochemically induced nitration and hydroxylation of organic aromatic compounds in the presence of nitrate or nitrite in ice, 24
- Photochromism
- An *ab initio* scheme for quantitative predictions of the visible spectra of diarylethenes, 40
  - Photochromic properties of diarylethenes having 2,4-diphenylphenyl substituents in the amorphous and PMMA films, 202
  - Photoreversible cyclisation of a 3-(2-benzylbenzoyl)-quinolinone: A highly efficient photochromic compound, 269
- Photocyclization
- Polycyclic compounds by sunlight exposure of the drug rosuvastatin in water, 263
- Photodegradation
- Photocatalytic degradation of Michler's Ethyl Ketone in titanium dioxide dispersions under UV irradiation, 167
  - Photolysis, oxidation and subsequent toxicity of a mixture of polycyclic aromatic hydrocarbons in natural waters, 186
- Photodimerization
- Photodimerized 7-hydroxycoumarin with improved solubility in PMMA: Single-photon and two-photon-induced photocleavage in solution and PMMA films, 242
- Photodissociation
- Investigation of the photo-dissociation reactions for alkyl nitrite by quantum chemical molecular dynamics program "Colors-Excite", 119
  - Is spin-orbit state branching in the photodissociation of CCl<sub>4</sub> isotope specific?, 255
- Photoelectrochemical cells
- CdSe nanofiber based photoelectrochemical cells: Influence of annealing temperatures, 133
- Photoelectrochemistry
- Thermodynamic analysis of some electrochemical properties of transition metal complexes in electronically excited states, 247
- Photoinitiators
- Several ferrocenium salts as efficient photoinitiators and thermal initiators for cationic epoxy polymerization, 389
- Photoisomerization
- Heteroatom effect on the radiative and reactive photobehaviour of *E,E*-1,2-distyrylbenzene, 325
- Photokinetics
- The kinetic model for AB(1 $\phi$ ) systems. A closed-form integration of the differential equation with a variable photokinetic factor, 319
- Photolysis
- Photochemistry of *N*-alkylsuccinimide in methanol and ethanol: An experimental and calculated investigation, 377
- Photooxidation
- Oxygen uptake upon photolysis of 3-benzoylpyridine and 3,3'-dipyridylketone in air-saturated aqueous solution in the presence of formate, ascorbic acid, alcohols and amines, 105
- Photoreduction
- Oxygen uptake upon photolysis of 3-benzoylpyridine and 3,3'-dipyridylketone in air-saturated aqueous solution in the presence of formate, ascorbic acid, alcohols and amines, 105
- Photovoltaics
- Thermodynamic analysis of some electrochemical properties of transition metal complexes in electronically excited states, 247
- Photoxidation
- Polycyclic compounds by sunlight exposure of the drug rosuvastatin in water, 263
- PICT
- Synthesis and photoinduced intramolecular charge transfer of *N*-substituted 1,8-naphthalimide derivatives in homogeneous solvents and in presence of reduced glutathione, 64
- Plasma-assisted
- Novel low-temperature photocatalytic titania films produced by plasma-assisted reactive dc magnetron sputtering, 370
- Platinization
- Hydrogen photoproduction over new catalyst CuLaO<sub>2</sub>, 97
- PMMA film
- Photochromic properties of diarylethenes having 2,4-diphenylphenyl substituents in the amorphous and PMMA films, 202
- Polarity
- Interactions of organic molecules at grain boundaries in ice: A solvatochromic analysis, 275
- Polarization
- Chiral recognition of 1,1'-binaphthyl-2,2'-diyl hydrogenphosphate using fluorescence anisotropy, 139
  - Interactions of organic molecules at grain boundaries in ice: A solvatochromic analysis, 275
- Polymer electrolytes
- Quasi-solid-state dye-sensitized solar cells: Pt and PEDOT:PSS counter electrodes applied to gel electrolyte assemblies, 395
- Polysulfide
- Hydrogen photoproduction over new catalyst CuLaO<sub>2</sub>, 97
- Poly(sulfone)s
- Cold gas dynamic spraying (CGDS) of TiO<sub>2</sub> (anatase) powders onto poly(sulfone) substrates: Microstructural characterisation and photocatalytic efficiency, 285
- Poly(vinyl chloride)
- Study of secondary relaxations in poly(vinyl chloride) by phosphorescence decay. Effect of the chemical structure and the concentration of luminescent probes, 222
- PTFE-Co-oxide
- Highly dispersed PTFE/Co<sub>3</sub>O<sub>4</sub> flexible films as photocatalyst showing fast kinetic performance for the discoloration of azo-dyes under solar irradiation, 332
- Pyrazoles
- Theoretical studies of charge-transfer complexes of I<sub>2</sub> with pyrazoles, and implications on the dye-sensitized solar cell performance, 233
- Pyridone
- Assessment of solvent effect on the relaxation dynamics of milrinone, 339
- Quantum chemical molecular dynamics
- Investigation of the photo-dissociation reactions for alkyl nitrite by quantum chemical molecular dynamics program "Colors-Excite", 119
- Quantum yield
- Photolysis, oxidation and subsequent toxicity of a mixture of polycyclic aromatic hydrocarbons in natural waters, 186
  - The kinetic model for AB(1 $\phi$ ) systems. A closed-form integration of the differential equation with a variable photokinetic factor, 319
- Quasi-solid-state solar cells
- Quasi-solid-state dye-sensitized solar cells: Pt and PEDOT:PSS counter electrodes applied to gel electrolyte assemblies, 395
- Quenching
- Interaction of 8-hydroxypyrene-1,3,6-trisulphonate in alkyltrimethylammonium bromide (C<sub>n</sub>TAB) micellar medium, 384

- Quinolinone  
Photoreversible cyclisation of a 3-(2-benzylbenzoyl)-quinolinone: A highly efficient photochromic compound, 269
- Radiative transition  
Photophysical properties of some donor–acceptor 1*H*-pyrazolo [3,4-*b*]quinolines. Radiative versus non-radiative electron transfer processes, 78
- Radical spectroscopy  
Spectroscopy and kinetics of the gas phase addition complex of atomic chlorine with dimethyl sulfoxide, 1
- Raman spectroscopy  
Cold gas dynamic spraying (CGDS) of TiO<sub>2</sub> (anatase) powders onto poly(sulfone) substrates: Microstructural characterisation and photocatalytic efficiency, 285
- Reaction enthalpy  
Thermodynamic analysis of some electrochemical properties of transition metal complexes in electronically excited states, 247
- Reaction entropy  
Thermodynamic analysis of some electrochemical properties of transition metal complexes in electronically excited states, 247
- Reaction products  
Development of a new on-line mass spectrometer to study the reactivity of soluble organic compounds in the aqueous phase under tropospheric conditions: Application to OH-oxidation of *N*-methylpyrrolidone, 10
- Reduced glutathione  
Synthesis and photoinduced intramolecular charge transfer of *N*-substituted 1,8-naphthalimide derivatives in homogeneous solvents and in presence of reduced glutathione, 64
- Regioselectivity  
Notable solvent effects on the regioselectivity in the Paternò–Büchi reaction of 1,3-dimethylthymine with 4-methoxybenzophenone, 406
- Relaxation  
Assessment of solvent effect on the relaxation dynamics of milrinone, 339
- Resazurin  
Novel low-temperature photocatalytic titania films produced by plasma-assisted reactive dc magnetron sputtering, 370
- Rosuvastatin  
Polycyclic compounds by sunlight exposure of the drug rosuvastatin in water, 263
- Rotational isomerism  
Photochemistry of 2-(methylamino)pyridine in a low-temperature argon matrix: Amino–imino tautomerism and rotational isomerism, 113
- Secondary relaxation  
Study of secondary relaxations in poly(vinyl chloride) by phosphorescence decay. Effect of the chemical structure and the concentration of luminescent probes, 222
- SEM  
CdSe nanofiber based photoelectrochemical cells: Influence of annealing temperatures, 133
- Sensitization  
Quasi-solid-state dye-sensitized solar cells: Pt and PEDOT:PSS counter electrodes applied to gel electrolyte assemblies, 395
- Sewage treatment plant  
Degradation of tetracycline by photo-Fenton process—Solar irradiation and matrix effects, 33
- Shape-controlled nanoparticle  
Shape, size and photocatalytic activity control of TiO<sub>2</sub> nanoparticles with surfactants, 363
- Single crystal X-ray diffraction  
A novel scheelite-like structure of BaBi<sub>2</sub>Mo<sub>4</sub>O<sub>16</sub>: Photocatalysis and investigation of the solid solution, BaBi<sub>2</sub>Mo<sub>4-x</sub>W<sub>x</sub>O<sub>16</sub> (0.25 ≤ *x* ≤ 1), 177
- Size-controlled nanoparticle  
Shape, size and photocatalytic activity control of TiO<sub>2</sub> nanoparticles with surfactants, 363
- Smectite  
Fluorescence resonance energy transfer between laser dyes in saponite dispersions, 160
- Snow  
Photochemically induced nitration and hydroxylation of organic aromatic compounds in the presence of nitrate or nitrite in ice, 24
- Sol–gel  
Shape, size and photocatalytic activity control of TiO<sub>2</sub> nanoparticles with surfactants, 363
- Solubility  
Photodimerized 7-hydroxycoumarin with improved solubility in PMMA: Single-photon and two-photon-induced photocleavage in solution and PMMA films, 242
- Solvatochromic shifts  
Thermodynamic analysis of some electrochemical properties of transition metal complexes in electronically excited states, 247
- Solvatochromism  
Interactions of organic molecules at grain boundaries in ice: A solvatochromic analysis, 275
- Solvent effect  
Notable solvent effects on the regioselectivity in the Paternò–Büchi reaction of 1,3-dimethylthymine with 4-methoxybenzophenone, 406
- Spectral lineshapes  
Time-resolved photoluminescence of terbium-doped microporous–mesoporous Zeotile-1 materials, 299
- Spectroscopy  
Investigations on the adsorption behavior of Neutral Red on mercaptoethane sulfonate protected gold nanoparticles, 152  
Interactions of organic molecules at grain boundaries in ice: A solvatochromic analysis, 275
- Spin-orbit state branching  
Is spin-orbit state branching in the photodissociation of CCl<sub>4</sub> isotope specific?, 255
- Stability  
An investigation of the photosubstitution reaction between N719-dyed nanocrystalline TiO<sub>2</sub> particles and 4-*tert*-butylpyridine, 348
- Standard redox potential  
Thermodynamic analysis of some electrochemical properties of transition metal complexes in electronically excited states, 247
- Stearic acid  
Novel low-temperature photocatalytic titania films produced by plasma-assisted reactive dc magnetron sputtering, 370
- Substituted indole fluorescence  
Fluorescence quenching inhibition of substituted indoles by neutral and ionized cyclodextrins nanocavities, 356
- Succinimide  
Photochemistry of *N*-alkylsuccinimide in methanol and ethanol: An experimental and calculated investigation, 377
- Sulfur chemistry  
Spectroscopy and kinetics of the gas phase addition complex of atomic chlorine with dimethyl sulfoxide, 1
- Superoxide radical  
Oxygen uptake upon photolysis of 3-benzoylpyridine and 3,3'-dipyridylketone in air-saturated aqueous solution in the presence of formate, ascorbic acid, alcohols and amines, 105
- Surfactant  
Shape, size and photocatalytic activity control of TiO<sub>2</sub> nanoparticles with surfactants, 363
- Synchrotron radiation  
On the influence of conformational locking of sugar moieties on the absorption and circular dichroism of nucleosides from synchrotron radiation experiments, 293
- tert*-Butyldimethylsilyl-ether  
Photodimerized 7-hydroxycoumarin with improved solubility in PMMA: Single-photon and two-photon-induced photocleavage in solution and PMMA films, 242

- tert*-Butylpyridine  
An investigation of the photosubstitution reaction between N719-dyed nanocrystalline TiO<sub>2</sub> particles and 4-*tert*-butylpyridine, 348
- The absorption and fluorescence spectra  
The charge transfer mechanism and spectral properties of a near-infrared heptamethine cyanine dye in alcoholic and aprotic solvents, 305
- The charge transfer mechanism  
The charge transfer mechanism and spectral properties of a near-infrared heptamethine cyanine dye in alcoholic and aprotic solvents, 305
- The heptamethine cyanine dye  
The charge transfer mechanism and spectral properties of a near-infrared heptamethine cyanine dye in alcoholic and aprotic solvents, 305
- The hydrogen bond  
The charge transfer mechanism and spectral properties of a near-infrared heptamethine cyanine dye in alcoholic and aprotic solvents, 305
- Thermal initiators  
Several ferrocenium salts as efficient photoinitiators and thermal initiators for cationic epoxy polymerization, 389
- Thermodynamic cycle  
Thermodynamic analysis of some electrochemical properties of transition metal complexes in electronically excited states, 247
- Thermodynamics  
Chiral recognition of 1,1'-binaphthyl-2,2'-diyl hydrogenphosphate using fluorescence anisotropy, 139
- Thiodiglycol  
Decomposition of hydrolysates of chemical warfare agents using photoactivated periodate, 311
- 1,4-Thioxane  
Decomposition of hydrolysates of chemical warfare agents using photoactivated periodate, 311
- Time-resolved photoluminescence  
Time-resolved photoluminescence of terbium-doped microporous-mesoporous Zeotile-1 materials, 299
- TiO<sub>2</sub>  
Photocatalytic degradation of Michler's Ethyl Ketone in titanium dioxide dispersions under UV irradiation, 167  
Quasi-solid-state dye-sensitized solar cells: Pt and PEDOT:PSS counter electrodes applied to gel electrolyte assemblies, 395
- TiO<sub>2</sub> nanoparticle  
Shape, size and photocatalytic activity control of TiO<sub>2</sub> nanoparticles with surfactants, 363
- Titania  
Novel low-temperature photocatalytic titania films produced by plasma-assisted reactive dc magnetron sputtering, 370
- Titania (anatase) coatings  
Cold gas dynamic spraying (CGDS) of TiO<sub>2</sub> (anatase) powders onto poly(sulfone) substrates: Microstructural characterisation and photocatalytic efficiency, 285
- Titanium oxide  
Characterization of methylene blue/TiO<sub>2</sub> hybrid thin films prepared by the liquid phase deposition (LPD) method: Application for fabrication of light-activated colorimetric oxygen indicators, 45
- Toxicity  
Photolysis, oxidation and subsequent toxicity of a mixture of polycyclic aromatic hydrocarbons in natural waters, 186
- Transient absorption  
The ultrafast energy transfer process in naphthole-nitrobenzofurazan bichromophoric molecular systems. A study by femtosecond UV-vis pump-probe spectroscopy, 209
- Triplet  
Oxygen uptake upon photolysis of 3-benzoylpyridine and 3,3'-dipyridylketone in air-saturated aqueous solution in the presence of formate, ascorbic acid, alcohols and amines, 105
- Twisting  
Assessment of solvent effect on the relaxation dynamics of milrinone, 339
- Two-photon absorption  
Photodimerized 7-hydroxycoumarin with improved solubility in PMMA: Single-photon and two-photon-induced photocleavage in solution and PMMA films, 242
- Ultrafast spectroscopy  
The ultrafast energy transfer process in naphthole-nitrobenzofurazan bichromophoric molecular systems. A study by femtosecond UV-vis pump-probe spectroscopy, 209
- Unimolecular photoreaction  
The kinetic model for AB(1 $\phi$ ) systems. A closed-form integration of the differential equation with a variable photokinetic factor, 319
- Unnatural amino acid  
New fluorescent probes based on 3-(2-benzoxazol-5-yl)alanine skeleton—Synthesis and photophysical properties, 87
- UV irradiation  
Photolysis, oxidation and subsequent toxicity of a mixture of polycyclic aromatic hydrocarbons in natural waters, 186  
Effect of bromide and chloride ions for the dissolution of colloidal gold, 196
- Vacuum ultraviolet  
On the influence of conformational locking of sugar moieties on the absorption and circular dichroism of nucleosides from synchrotron radiation experiments, 293
- Vapochromism  
Fluorescence solvato and vapochromism of a dimethylaminostyryl terpyridine derivative, 258
- XPS  
Highly dispersed PTFE/Co<sub>3</sub>O<sub>4</sub> flexible films as photocatalyst showing fast kinetic performance for the discoloration of azo-dyes under solar irradiation, 332
- XRD  
CdSe nanofiber based photoelectrochemical cells: Influence of annealing temperatures, 133
- Zeolites  
Time-resolved photoluminescence of terbium-doped microporous-mesoporous Zeotile-1 materials, 299