

Subject Index of Volume 189

- Absorption spectra
Theoretical investigation of the substituent effect on the electronic and optical properties of photochromic dithienylethene derivatives, 167
- Adsorption
TiO₂-catalyzed photooxygenation of cinnamic acid derivatives via their radical cations, 94
- Advanced oxidation processes
A novel environmental risk-free microwave discharge electrodeless lamp (MDEL) in advanced oxidation processes. Degradation of the 2,4-D herbicide, 355
- Ag/CdS
Optical and photophysical properties of Ag/CdS nanocomposites—An analysis of relaxation kinetics of the charge carriers, 272
- Aldehydes
Sunlight-induced functionalisation reactions of heteroaromatic bases with aldehydes in the presence of TiO₂: A hypothesis on the mechanism, 322
- Alkoxyanobiphenyls
Photophysical and photoconductive properties of a carbazolyl derivative with a mesogen group of alkoxyanobiphenyl in mesophases, 55
- Amino acids
Luminescence and Raman spectroscopic studies on the damage of tryptophan, histidine and carnosine by singlet oxygen, 39
- Ammonium carbonate
Improved performance of Black-dye-sensitized solar cells with nanocrystalline anatase TiO₂ photoelectrodes prepared from TiCl₄ and ammonium carbonate, 100
- Anthraquinone derivatives
Synthesis, optical and initiating properties of new two-photon polymerization initiators: 2,7-Bis(styryl)anthraquinone derivatives, 398
- AOX removal
Effect of chloride concentration on the oxidation of EDTA in UV-FSR oxidative system, 349
- AOX_{de novo} formation
Effect of chloride concentration on the oxidation of EDTA in UV-FSR oxidative system, 349
- Arsenic sulfide
Experimental study of the effect of light intensity on arsenic sulfide (As₄S₄) alteration, 15
- Bacterial spore detection
Poly(methacrylic acid) enhances emission of dye stain extracted from bacterial spores: Fluorimetric quantitation in aqueous samples, 147
- Benzocarbazole derivatives
Irradiation of fluvastatin in water. Structure elucidation of photoproducts, 264
- Biodegradability
Evaluation of the intermediates generated during the degradation of Diuron and Linuron herbicides by the photo-Fenton reaction, 364
- Biological treatment
Evaluation of the intermediates generated during the degradation of Diuron and Linuron herbicides by the photo-Fenton reaction, 364
- 1,4-Bis(4,5-diarylimidazol)benzenes
Synthesis and photophysical properties of 1,4-bis(4,5-diarylimidazol)benzene dyes, 253
- Bolaamphiphiles
Aggregation and photoresponsive behavior of azobenzene–oligomethylene–glucopyranoside bolaamphiphiles, 405
- By-products
Evaluation of the intermediates generated during the degradation of Diuron and Linuron herbicides by the photo-Fenton reaction, 364
- Carbazolyl compounds
Photophysical and photoconductive properties of a carbazolyl derivative with a mesogen group of alkoxyanobiphenyl in mesophases, 55
- Carbon clusters
Electronic behavior of calcined materials obtained from SnO₂ hydrosol/starch composite materials, 280
- Carnosine
Luminescence and Raman spectroscopic studies on the damage of tryptophan, histidine and carnosine by singlet oxygen, 39
- CdS/TiO₂
Photocatalytic hydrogen production from natural seawater, 141
- Character
Preparation of TiO₂ nanocrystalline with 3–5 nm and application for dye-sensitized solar cell, 314
- Charge carriers dynamics
Optical and photophysical properties of Ag/CdS nanocomposites—An analysis of relaxation kinetics of the charge carriers, 272
- Charge recombination
Role of TiO₂ nanoparticles on the photoinduced intramolecular electron-transfer reaction within a novel synthesized donor–acceptor system, 86
- Charge separation
Role of TiO₂ nanoparticles on the photoinduced intramolecular electron-transfer reaction within a novel synthesized donor–acceptor system, 86
- Chelation
Chelation of spironaphthoxazine with zinc ions and its photochromic behavior during the sol–gel–xerogel transitions of alkyl silicon alkoxide, 46
- Chemical vapour deposition
Multi-functional self-cleaning thermochromic films by atmospheric pressure chemical vapour deposition, 387
- Chromophores
Photodegrading properties of soil humic acids fractionated by SEC-PAGE set-up. Are they connected with absorbance?, 247
- Cinnamic acid derivatives
TiO₂-catalyzed photooxygenation of cinnamic acid derivatives via their radical cations, 94
- Cobalt(II)tetraphenylporphyrin
Conformation-dependent photoinduced hydrogen evolution with Co(II)tetraphenylporphyrin–poly(L-glutamate) complex, 198
- Combined quenching process
Spectrophotometric studies on the interaction between nevadensin and lysozyme, 114
- Composite materials
Electronic behavior of calcined materials obtained from SnO₂ hydrosol/starch composite materials, 280

- Conformation dependence
 Conformation-dependent photoinduced hydrogen evolution with Co(II)tetraphenylporphyrin–poly(L-glutamate) complex, 198
- Cooperative binding
 Conformation-dependent photoinduced hydrogen evolution with Co(II)tetraphenylporphyrin–poly(L-glutamate) complex, 198
- Cotton–TiO₂ composite fibres
 Photoactive TiO₂ films on cellulose fibres: synthesis and characterization, 286
- Coumarin derivatives
 Quenching of the fluorescence of 3-carboxy-5,6-benzocoumarin by aromatic amines, 73
- Counter electrode
 Dye-sensitized solar cells with Pt–NiO and Pt–TiO₂ biphasic counter electrodes, 301
- Cyclodextrins
 Fluorescence assessment of antibody binding and molecular interactions, 218
- Decolourization
 Photodecolourization of ponceau 4R by heterogeneous photocatalysis, 135
- Diarylethenes
 Theoretical investigation of the substituent effect on the electronic and optical properties of photochromic dithienylethene derivatives, 167
 Optical switching and fluorescence modulation properties of photochromic dithienylethene derivatives, 307
- 2,4-Dichlorophenoxyacetic acid
 A novel environmental risk-free microwave discharge electrodeless lamp (MDEL) in advanced oxidation processes. Degradation of the 2,4-D herbicide, 355
- Diethylaniline quencher
 Preparation and characterization of new optically active poly(*N*-acryloyl chloride) functionalized with (*S*)-phenylalanine and pendant pyrene, 65
- 1,4-Dihydropyridines
 Photophysical and photochemical behavior of nimodipine and felodipine, 23
- Dimethylamine
 UV-A induced photochemical formation of *N*-nitrosodimethylamine (NDMA) in the presence of nitrite and dimethylamine, 128
- Dye
 Photodecolourization of ponceau 4R by heterogeneous photocatalysis, 135
- Dye adsorption
 Preparation of TiO₂ nanocrystalline with 3–5 nm and application for dye-sensitized solar cell, 314
- Dye decolorization
 Study of photocatalytic oxidation of indigo carmine dye on Mn-supported TiO₂, 80
- Dye-sensitized
 Improved performance of solid-state dye-sensitized solar cells with p/p-type nanocomposite electrolyte, 329
- Dye-sensitized solar cell
 Improved performance of Black-dye-sensitized solar cells with nanocrystalline anatase TiO₂ photoelectrodes prepared from TiCl₄ and ammonium carbonate, 100
 Tetrahydroquinoline dyes with different spacers for organic dye-sensitized solar cells, 295
 Dye-sensitized solar cells with Pt–NiO and Pt–TiO₂ biphasic counter electrodes, 301
 Preparation of TiO₂ nanocrystalline with 3–5 nm and application for dye-sensitized solar cell, 314
- Dye-sensitized solar cells
 Dye-sensitized solar cells based on TiO₂ nanotubes and a solid-state electrolyte, 153
- E. coli*
 Effects of experimental conditions on *E. coli* survival during solar photocatalytic water disinfection, 239
- EDTA
 Effect of chloride concentration on the oxidation of EDTA in UV-FSR oxidative system, 349
- Electrodeless lamp
 A novel environmental risk-free microwave discharge electrodeless lamp (MDEL) in advanced oxidation processes. Degradation of the 2,4-D herbicide, 355
- Electron transfer
 Quenching of the fluorescence of 3-carboxy-5,6-benzocoumarin by aromatic amines, 73
 Electronic behavior of calcined materials obtained from SnO₂ hydrosol/starch composite materials, 280
- Enhanced microwave synthesis
 Microwave-enhanced bromination of a terminal alkyne in short time at ambient temperature: Synthesis of phenylacetylene bromide, 374
- Exciplex fluorescence
 Photophysical and photoconductive properties of a carbazolyl derivative with a mesogen group of alkoxycyanobiphenyl in mesophases, 55
- Exciplexes
 Kinetics of transient photocurrents arising from dissociation of exciplexes in solutions at times comparable to the diffusion separation time of geminate ion pairs, 177
- Excited state
 SAC-CI theoretical study on the excited states of lumiflavin: Structure, excitation spectrum, and solvation effect, 205
- Fe₂O₃
 Photocatalytic hydrogen production from natural seawater, 141
- Finite element model
 Nanophotocatalysis using nanoparticles of titania. Mineralization and finite element modelling of Solophenyl dye decolorization, 1
- Fluorescence
 Chelation of spironaphthoxazine with zinc ions and its photochromic behavior during the sol–gel–xerogel transitions of alkyl silicon alkoxide, 46
 Preparation and characterization of new optically active poly(*N*-acryloyl chloride) functionalized with (*S*)-phenylalanine and pendant pyrene, 65
 Novel photochromic spirocyclic compounds of thienopyrroline series: 1. Spiropyrans, 161
 A new fluorosensor based on bis-1,8-naphthalimide for metal cations and protons, 192
 Synthesis and photophysical properties of 1,4-bis(4,5-diarylimidazol) benzene dyes, 253
 Optical and photophysical properties of Ag/CdS nanocomposites—An analysis of relaxation kinetics of the charge carriers, 272
- Fluorescence enhancement
 Poly(methacrylic acid) enhances emission of dye stain extracted from bacterial spores: Fluorimetric quantitation in aqueous samples, 147
- Fluorescence quenching
 Spectrophotometric studies on the interaction between nevadensin and lysozyme, 114
 Spectroscopic studies on the binding of bioactive phenothiazine compounds to human serum albumin, 121
- Fluorescence resonance energy transfer
 Spectroscopic studies on the binding of bioactive phenothiazine compounds to human serum albumin, 121
- Fluorescence switching
 Optical switching and fluorescence modulation properties of photochromic dithienylethene derivatives, 307
- Fluorescent assay
 Poly(methacrylic acid) enhances emission of dye stain extracted from bacterial spores: Fluorimetric quantitation in aqueous samples, 147
- Fluorimetric studies
 Preparation, characterization and fluorimetric studies of novel photoactive poly(amide-imide) from 1-naphthaldehyde and 2,6-diaminopyridine by microwave-irradiation, 30
- Fluvastatin
 Irradiation of fluvastatin in water. Structure elucidation of photoproducts, 264

- FT-IR
Role of TiO₂ nanoparticles on the photoinduced intramolecular electron-transfer reaction within a novel synthesized donor–acceptor system, 86
- Gallium
Enhancement of optical limiting response by embedding gallium phthalocyanine into polymer host, 414
- Gaseous NH₃
Synthesis of nitrogen doped TiO₂ by grinding in gaseous NH₃, 232
- Grinding
Synthesis of nitrogen doped TiO₂ by grinding in gaseous NH₃, 232
- H-Aggregates
Aggregation and photoresponsive behavior of azobenzene–oligomethylene–glucopyranoside bolaamphiphiles, 405
- Heptane-extracted bitumen fraction (BF)
Photoactive TiO₂ films on cellulose fibres: synthesis and characterization, 286
- Herbicides
A novel environmental risk-free microwave discharge electrodeless lamp (MDEL) in advanced oxidation processes. Degradation of the 2,4-D herbicide, 355
Evaluation of the intermediates generated during the degradation of Diuron and Linuron herbicides by the photo-Fenton reaction, 364
- Heterocyclic bases
Sunlight-induced functionalisation reactions of heteroaromatic bases with aldehydes in the presence of TiO₂: A hypothesis on the mechanism, 322
- Hole-transporting materials
Improved performance of solid-state dye-sensitized solar cells with p/p-type nanocomposite electrolyte, 329
- HPLC/MS
Thioureas methyl-derivatives photo-induced transformation on titanium dioxide, 380
- Human serum albumin
Spectroscopic studies on the binding of bioactive phenothiazine compounds to human serum albumin, 121
- Humic substances
Photodegrading properties of soil humic acids fractionated by SEC-PAGE set-up. Are they connected with absorbance?, 247
- Hydrogen
Photocatalytic hydrogen production from natural seawater, 141
- Hydrogen production
Conformation-dependent photoinduced hydrogen evolution with Co(II)tetraphenylporphyrin–poly(L-glutamate) complex, 198
- Immobilized titania nanoparticle
Nanophotocatalysis using nanoparticles of titania. Mineralization and finite element modelling of Solophenyl dye decolorization, 1
- Immunoglobulin affinity
Fluorescence assessment of antibody binding and molecular interactions, 218
- Indole
Dependence of photoionization quantum yield of indole and tryptophan in water on excitation wavelength, 211
- Intermediates
Thioureas methyl-derivatives photo-induced transformation on titanium dioxide, 380
- Ion association
Preparation and optical properties of organic nanoparticles of porphyrin without self-aggregation, 7
- La₂Ti₂O₇
Photocatalytic hydrogen production from natural seawater, 141
- Lactam
Irradiation of fluvastatin in water. Structure elucidation of photoproducts, 264
- Laser ablation
Formation of 3,4,9,10-perylenetetracarboxylicdianhydride nanoparticles with perylene and polyene byproducts by 355 nm nanosecond pulsed laser ablation of microcrystal suspensions, 105
- Laser flash photolysis
Role of TiO₂ nanoparticles on the photoinduced intramolecular electron-transfer reaction within a novel synthesized donor–acceptor system, 86
- Light intensity
Experimental study of the effect of light intensity on arsenic sulfide (As₄S₄) alteration, 15
- Liposome
Photochromism of spirooxazines with elements of lipid complementarity in solution and liposomes, 224
- Lumiflavin
SAC-CI theoretical study on the excited states of lumiflavin: Structure, excitation spectrum, and solvation effect, 205
- Lysozyme
Spectrophotometric studies on the interaction between nevadensin and lysozyme, 114
- Malachite green
Poly(methacrylic acid) enhances emission of dye stain extracted from bacterial spores: Fluorimetric quantitation in aqueous samples, 147
- Manganese
Study of photocatalytic oxidation of indigo carmine dye on Mn-supported TiO₂, 80
- Mechanical stress
Effects of experimental conditions on *E. coli* survival during solar photocatalytic water disinfection, 239
- Mechanisms
Photophysical and photochemical behavior of nimodipine and felodipine, 23
- Mesophase
Photophysical and photoconductive properties of a carbazolyl derivative with a mesogen group of alkoxyphenyl in mesophases, 55
- Metal cations
A new fluorosensor based on bis-1,8-naphthalimide for metal cations and protons, 192
- Metal ions
Optical switching and fluorescence modulation properties of photochromic dithienylethene derivatives, 307
- Methylene blue (MB)
Photoactive TiO₂ films on cellulose fibres: synthesis and characterization, 286
- Methylthiourea
Thioureas methyl-derivatives photo-induced transformation on titanium dioxide, 380
- Microwave
A novel environmental risk-free microwave discharge electrodeless lamp (MDEL) in advanced oxidation processes. Degradation of the 2,4-D herbicide, 355
- Microwave irradiation
Preparation, characterization and fluorimetric studies of novel photoactive poly(amide-imide) from 1-naphthaldehyde and 2,6-diaminopyridine by microwave-irradiation, 30
- Microwave reactor
Microwave-enhanced bromination of a terminal alkyne in short time at ambient temperature: Synthesis of phenylacetylene bromide, 374
- Microwave-assisted synthesis
Microwave-enhanced bromination of a terminal alkyne in short time at ambient temperature: Synthesis of phenylacetylene bromide, 374
- Mineralization
Nanophotocatalysis using nanoparticles of titania. Mineralization and finite element modelling of Solophenyl dye decolorization, 1
- Mn/TiO₂
Study of photocatalytic oxidation of indigo carmine dye on Mn-supported TiO₂, 80
- N₂ adsorption
Study of photocatalytic oxidation of indigo carmine dye on Mn-supported TiO₂, 80

- Nanocomposites
 Optical and photophysical properties of Ag/CdS nanocomposites—An analysis of relaxation kinetics of the charge carriers, 272
 Improved performance of solid-state dye-sensitized solar cells with p/p-type nanocomposite electrolyte, 329
- Nanoparticle
 Formation of 3,4,9,10-perylenetetracarboxylicdianhydride nanoparticles with perylene and polyene byproducts by 355 nm nanosecond pulsed laser ablation of microcrystal suspensions, 105
- Nanophotocatalysis
 Nanophotocatalysis using nanoparticles of titania. Mineralization and finite element modelling of Solophenyl dye decolorization, 1
- Naphthalimides
 A new fluorosensor based on bis-1,8-naphthalimide for metal cations and protons, 192
- Naphthothiophene
 Role of TiO₂ nanoparticles on the photoinduced intramolecular electron-transfer reaction within a novel synthesized donor–acceptor system, 86
- Nevadensin
 Spectrophotometric studies on the interaction between nevadensin and lysozyme, 114
- Nitrite
 UV-A induced photochemical formation of *N*-nitrosodimethylamine (NDMA) in the presence of nitrite and dimethylamine, 128
- Nitrogen doping
 Synthesis of nitrogen doped TiO₂ by grinding in gaseous NH₃, 232
- Nitrogen heterocycles
 Enhancement of optical limiting response by embedding gallium phthalocyanine into polymer host, 414
- N*-Nitrosodimethylamine (NDMA)
 UV-A induced photochemical formation of *N*-nitrosodimethylamine (NDMA) in the presence of nitrite and dimethylamine, 128
- Non-linear optics
 Enhancement of optical limiting response by embedding gallium phthalocyanine into polymer host, 414
- Optical
 Optical and photophysical properties of Ag/CdS nanocomposites—An analysis of relaxation kinetics of the charge carriers, 272
- Optical properties
 Preparation and optical properties of organic nanoparticles of porphyrin without self-aggregation, 7
- Osmotic stress
 Effects of experimental conditions on *E. coli* survival during solar photocatalytic water disinfection, 239
- oxidation processes
 Effect of chloride concentration on the oxidation of EDTA in UV-FSR oxidative system, 349
- Periodate
 Photodecolourization of ponceau 4R by heterogeneous photocatalysis, 135
- Persulfate
 Photodecolourization of ponceau 4R by heterogeneous photocatalysis, 135
- 3,4,9,10-perylenetetracarboxylicdianhydride
 Formation of 3,4,9,10-perylenetetracarboxylicdianhydride nanoparticles with perylene and polyene byproducts by 355 nm nanosecond pulsed laser ablation of microcrystal suspensions, 105
- PET
 A new fluorosensor based on bis-1,8-naphthalimide for metal cations and protons, 192
- Phase transformation
 Experimental study of the effect of light intensity on arsenic sulfide (As₄S₄) alteration, 15
- Phenylacetylene bromide
 Microwave-enhanced bromination of a terminal alkyne in short time at ambient temperature: Synthesis of phenylacetylene bromide, 374
- Photoactive polymer
 Preparation, characterization and fluorimetric studies of novel photoactive poly(amide-imide) from 1-naphthaldehyde and 2,6-diaminopyridine by microwave-irradiation, 30
- Photoactivity
 Multi-functional self-cleaning thermochromic films by atmospheric pressure chemical vapour deposition, 387
- Photocatalysis
 Silver doped titanium dioxide nanomaterials for enhanced visible light photocatalysis, 258
- Photocatalysis
 Photocatalytic hydrogen production from natural seawater, 141
 Photoactive TiO₂ films on cellulose fibres: synthesis and characterization, 286
 Thioureas methyl-derivatives photo-induced transformation on titanium dioxide, 380
- Photocatalytic activity
 The photocatalytic activity of sol–gel derived photo-platinized TiO₂ films, 334
- Photocatalytic disinfection
 Effects of experimental conditions on *E. coli* survival during solar photocatalytic water disinfection, 239
- Photochemistry
 Photophysical and photochemical behavior of nimodipine and felodipine, 23
- Photochromism
 Chelation of spironaphthoxazine with zinc ions and its photochromic behavior during the sol–gel–xerogel transitions of alkyl silicon alkoxide, 46
 Novel photochromic spirocyclic compounds of thienopyrroline series: 1. Spiropyrans, 161
 Theoretical investigation of the substituent effect on the electronic and optical properties of photochromic dithienylethene derivatives, 167
 Photochromism of spirooxazines with elements of lipid complementarity in solution and liposomes, 224
 Optical switching and fluorescence modulation properties of photochromic dithienylethene derivatives, 307
- Photoconduction
 Kinetics of transient photocurrents arising from dissociation of exciplexes in solutions at times comparable to the diffusion separation time of geminate ion pairs, 177
- Photocyclization
 Irradiation of fluvastatin in water. Structure elucidation of photoproducts, 264
- Photodegradation
 A novel environmental risk-free microwave discharge electrodeless lamp (MDEL) in advanced oxidation processes. Degradation of the 2,4-D herbicide, 355
- photo-Fenton
 Evaluation of the intermediates generated during the degradation of Diuron and Linuron herbicides by the photo-Fenton reaction, 364
- Photoinduced charge separation
 Kinetics of transient photocurrents arising from dissociation of exciplexes in solutions at times comparable to the diffusion separation time of geminate ion pairs, 177
- Photoinduced electron transfer
 TiO₂-catalyzed photooxygenation of cinnamic acid derivatives via their radical cations, 94
- Photoionization
 Kinetics of transient photocurrents arising from dissociation of exciplexes in solutions at times comparable to the diffusion separation time of geminate ion pairs, 177
 Dependence of photoionization quantum yield of indole and tryptophan in water on excitation wavelength, 211
- Photoisomerization
 Aggregation and photoresponsive behavior of azobenzene–oligomethylene–glucopyranoside bolaamphiphiles, 405
- Photolysis
 UV-A induced photochemical formation of *N*-nitrosodimethylamine (NDMA) in the presence of nitrite and dimethylamine, 128

- Photooxygenation
Irradiation of fluvastatin in water. Structure elucidation of photoproducts, 264
- Photophysical behavior
Photophysical and photochemical behavior of nimodipine and felodipine, 23
- Photophysics
A new fluorosensor based on bis-1,8-naphthalimide for metal cations and protons, 192
- Phthalocyanines composites
Enhancement of optical limiting response by embedding gallium phthalocyanine into polymer host, 414
- Plasticized polymer electrolyte
Dye-sensitized solar cells based on TiO₂ nanotubes and a solid-state electrolyte, 153
- Platinum clusters
The photocatalytic activity of sol-gel derived photo-platinized TiO₂ films, 334
- Platinum colloid
Conformation-dependent photoinduced hydrogen evolution with Co(II)tetrphenylporphyrin-poly(L-glutamate) complex, 198
- PMAA
Poly(methacrylic acid) enhances emission of dye stain extracted from bacterial spores: Fluorimetric quantitation in aqueous samples, 147
- Pollutants degradation
Photodegrading properties of soil humic acids fractionated by SEC-PAGE set-up. Are they connected with absorbance?, 247
- Poly(amide-imide)
Preparation, characterization and fluorimetric studies of novel photoactive poly(amide-imide) from 1-naphthaldehyde and 2,6-diaminopyridine by microwave-irradiation, 30
- Polycondensation
Preparation, characterization and fluorimetric studies of novel photoactive poly(amide-imide) from 1-naphthaldehyde and 2,6-diaminopyridine by microwave-irradiation, 30
- Poly(L-glutamate)
Conformation-dependent photoinduced hydrogen evolution with Co(II)tetrphenylporphyrin-poly(L-glutamate) complex, 198
- Poly(*N*-acryloyl (*S*)-phenylalanine-acrylic acid-acryloyloxymethyl-pyrene)
Preparation and characterization of new optically active poly(*N*-acryloyl chloride) functionalized with (*S*)-phenylalanine and pendant pyrene, 65
- Pore structure
Preparation of TiO₂ nanocrystalline with 3–5 nm and application for dye-sensitized solar cell, 314
- Porphyrin flattening
Preparation and optical properties of organic nanoparticles of porphyrin without self-aggregation, 7
- Porphyrin nanoparticles
Preparation and optical properties of organic nanoparticles of porphyrin without self-aggregation, 7
- Preparation
Preparation of TiO₂ nanocrystalline with 3–5 nm and application for dye-sensitized solar cell, 314
- PTCDA
Formation of 3,4,9,10-perylenetetracarboxylicdianhydride nanoparticles with perylene and polyene byproducts by 355 nm nanosecond pulsed laser ablation of microcrystal suspensions, 105
- Pt–NiO
Dye-sensitized solar cells with Pt–NiO and Pt–TiO₂ biphasic counter electrodes, 301
- Pt–TiO₂
Dye-sensitized solar cells with Pt–NiO and Pt–TiO₂ biphasic counter electrodes, 301
- Quenching
Quenching of the fluorescence of 3-carboxy-5,6-benzocoumarin by aromatic amines, 73
- Quenching kinetic
Preparation and characterization of new optically active poly(*N*-acryloyl chloride) functionalized with (*S*)-phenylalanine and pendant pyrene, 65
- Radical cation
TiO₂-catalyzed photooxygenation of cinnamic acid derivatives via their radical cations, 94
- Realgar
Experimental study of the effect of light intensity on arsenic sulfide (As₄S₄) alteration, 15
- SAC-CI method
SAC-CI theoretical study on the excited states of lumiflavin: Structure, excitation spectrum, and solvation effect, 205
- Seawater
Photocatalytic hydrogen production from natural seawater, 141
- SEEP/W and CTRN/W models
Nanophotocatalysis using nanoparticles of titania. Mineralization and finite element modelling of Solophenyl dye decolorization, 1
- Self-assembly
Aggregation and photoresponsive behavior of azobenzene-oligomethylene-glucopyranoside bolaamphiphiles, 405
- Sensitization
Photodegrading properties of soil humic acids fractionated by SEC-PAGE set-up. Are they connected with absorbance?, 247
- Sensitizer
Tetrahydroquinoline dyes with different spacers for organic dye-sensitized solar cells, 295
- Sensors
A new fluorosensor based on bis-1,8-naphthalimide for metal cations and protons, 192
- Silver
Silver doped titanium dioxide nanomaterials for enhanced visible light photocatalysis, 258
- Single-crystal X-ray diffraction
Experimental study of the effect of light intensity on arsenic sulfide (As₄S₄) alteration, 15
- Singlet oxygen
Photophysical and photochemical behavior of nimodipine and felodipine, 23
Luminescence and Raman spectroscopic studies on the damage of tryptophan, histidine and carnosine by singlet oxygen, 39
- Sintering temperature
Preparation of TiO₂ nanocrystalline with 3–5 nm and application for dye-sensitized solar cell, 314
- SnO₂
Electronic behavior of calcined materials obtained from SnO₂ hydrosol/starch composite materials, 280
- Solar cell
Improved performance of solid-state dye-sensitized solar cells with p/p-type nanocomposite electrolyte, 329
- Solar reactor
Effects of experimental conditions on *E. coli* survival during solar photocatalytic water disinfection, 239
- Sol-gel method
Chelation of spironaphthoxazine with zinc ions and its photochromic behavior during the sol-gel-xerogel transitions of alkyl silicon alkoxide, 46
- Sol-gel texturing
Study of photocatalytic oxidation of indigo carmine dye on Mn-supported TiO₂, 80
- Sol-gel thin films
The photocatalytic activity of sol-gel derived photo-platinized TiO₂ films, 334
- Solid-state optical limiters
Enhancement of optical limiting response by embedding gallium phthalocyanine into polymer host, 414
- Solvatochromism
SAC-CI theoretical study on the excited states of lumiflavin: Structure, excitation spectrum, and solvation effect, 205
- Spectroscopic and microscopic techniques
Photoactive TiO₂ films on cellulose fibres: synthesis and characterization, 286

- Spectroscopy
Luminescence and Raman spectroscopic studies on the damage of tryptophan, histidine and carnosine by singlet oxygen, 39
- Spiroanthoxazine
Chelation of spiroanthoxazine with zinc ions and its photochromic behavior during the sol-gel-xerogel transitions of alkyl silicon alkoxide, 46
- Spirooxazine
Photochromism of spirooxazines with elements of lipid complementarity in solution and liposomes, 224
- Spiropyrans
Novel photochromic spirocyclic compounds of thienopyrroline series: 1. Spiropyrans, 161
- Sputtering system
Dye-sensitized solar cells with Pt-NiO and Pt-TiO₂ biphasic counter electrodes, 301
- Structure
SAC-CI theoretical study on the excited states of lumiflavin: Structure, excitation spectrum, and solvation effect, 205
- Sunlight-induced reactions
Sunlight-induced functionalisation reactions of heteroaromatic bases with aldehydes in the presence of TiO₂: A hypothesis on the mechanism, 322
- Terminal alkyne
Microwave-enhanced bromination of a terminal alkyne in short time at ambient temperature: Synthesis of phenylacetylene bromide, 374
- Tetrahydroquinoline
Tetrahydroquinoline dyes with different spacers for organic dye-sensitized solar cells, 295
- Thermochromic
Multi-functional self-cleaning thermochromic films by atmospheric pressure chemical vapour deposition, 387
- Thermodynamic parameters
Spectroscopic studies on the binding of bioactive phenothiazine compounds to human serum albumin, 121
- Thienopyrrolenines
Novel photochromic spirocyclic compounds of thienopyrroline series: 1. Spiropyrans, 161
- Thiophene
Tetrahydroquinoline dyes with different spacers for organic dye-sensitized solar cells, 295
- Thioridazine hydrochloride (TDH)
Spectroscopic studies on the binding of bioactive phenothiazine compounds to human serum albumin, 121
- Thiourea
Thioureas methyl-derivatives photo-induced transformation on titanium dioxide, 380
- TiCl₄
Improved performance of Black-dye-sensitized solar cells with nanocrystalline anatase TiO₂ photoelectrodes prepared from TiCl₄ and ammonium carbonate, 100
- Time-dependent density-functional theory
Theoretical investigation of the substituent effect on the electronic and optical properties of photochromic dithienylethene derivatives, 167
- TiO₂
Improved performance of Black-dye-sensitized solar cells with nanocrystalline anatase TiO₂ photoelectrodes prepared from TiCl₄ and ammonium carbonate, 100
Photodecolorization of ponceau 4R by heterogeneous photocatalysis, 135
Sunlight-induced functionalisation reactions of heteroaromatic bases with aldehydes in the presence of TiO₂: A hypothesis on the mechanism, 322
- TiO₂ nanocrystal
Preparation of TiO₂ nanocrystalline with 3–5 nm and application for dye-sensitized solar cell, 314
- TiO₂ nanoparticles
Role of TiO₂ nanoparticles on the photoinduced intramolecular electron-transfer reaction within a novel synthesized donor-acceptor system, 86
- TiO₂ photocatalyst
Synthesis of nitrogen doped TiO₂ by grinding in gaseous NH₃, 232
- Titania
Study of photocatalytic oxidation of indigo carmine dye on Mn-supported TiO₂, 80
Multi-functional self-cleaning thermochromic films by atmospheric pressure chemical vapour deposition, 387
- Titania nanotubes
Dye-sensitized solar cells based on TiO₂ nanotubes and a solid-state electrolyte, 153
- Titanium dioxide
TiO₂-catalyzed photooxygenation of cinnamic acid derivatives via their radical cations, 94
Silver doped titanium dioxide nanomaterials for enhanced visible light photocatalysis, 258
- Titanium oxide
The photocatalytic activity of sol-gel derived photo-platinized TiO₂ films, 334
- Transient absorption
Dependence of photoionization quantum yield of indole and tryptophan in water on excitation wavelength, 211
- Transient photocurrent
Photophysical and photoconductive properties of a carbazolyl derivative with a mesogen group of alkoxyxycyanobiphenyl in mesophases, 55
- Triflupromazine hydrochloride (TFP)
Spectroscopic studies on the binding of bioactive phenothiazine compounds to human serum albumin, 121
- Tryptophan
Dependence of photoionization quantum yield of indole and tryptophan in water on excitation wavelength, 211
- Two-photon absorption
Synthesis and photophysical properties of 1,4-bis(4,5-diarylimidazol)benzene dyes, 253
Synthesis, optical and initiating properties of new two-photon polymerization initiators: 2,7-Bis(styryl)anthraquinone derivatives, 398
- Two-photon fluorescence
Synthesis and photophysical properties of 1,4-bis(4,5-diarylimidazol)benzene dyes, 253
- Two-photon polymerization
Synthesis, optical and initiating properties of new two-photon polymerization initiators: 2,7-Bis(styryl)anthraquinone derivatives, 398
- Ultraviolet (UV) irradiation
UV-A induced photochemical formation of *N*-nitrosodimethylamine (NDMA) in the presence of nitrite and dimethylamine, 128
- UV-free surface reactor
Effect of chloride concentration on the oxidation of EDTA in UV-FSR oxidative system, 349
- Vanadium dioxide
Multi-functional self-cleaning thermochromic films by atmospheric pressure chemical vapour deposition, 387
- Visible light
Silver doped titanium dioxide nanomaterials for enhanced visible light photocatalysis, 258
- XRD
Study of photocatalytic oxidation of indigo carmine dye on Mn-supported TiO₂, 80