

Subject Index of Volume 190

Ab initio

Transition state spectroscopy of open shell systems: Angle-resolved photodetachment spectra for the adiabatic singlet states of OHF, 145

Ab initio dynamics

The on-the-fly surface-hopping program system NEWTON-X: Application to ab initio simulation of the nonadiabatic photodynamics of benchmark systems, 228

Active oxygen

An approach to estimating photocatalytic activity of TiO₂ suspension by monitoring dissolved oxygen and superoxide ion on decomposing organic compounds, 58

Activity

An approach to estimating photocatalytic activity of TiO₂ suspension by monitoring dissolved oxygen and superoxide ion on decomposing organic compounds, 58

Adenine

The role of Ag(I) ions in the electronic spectroscopy of adenine–cytosine mispairs. A MS-CASPT2 theoretical study, 301

Antioxidant

Photophysics and photochemistry of tetrahydrocurcuminoids, 110

Atomic force microscopy

Photoinduced surface roughness variation in polycrystalline TiO₂ thin films under different atmospheres, 53

Back electron transfer

Linking of N3 dye with C₆₀ through diaminohydrocarbons for enhanced performance of dye-sensitized TiO₂ solar cells, 128

Bacteria inactivation

Bactericidal activity of nitrogen-doped metal oxide nanocatalysts and the influence of bacterial extracellular polymeric substances (EPS), 94

Benzene photochemistry

A model Hamiltonian to simulate the complex photochemistry of benzene, 190

Benzothieno[2,3-*c*]quinolones

Synthesis of fluorescent tetracyclic lactams by a “one pot” three steps palladium-catalyzed borylation, Suzuki coupling (BSC) and lactamization. DNA and polynucleotides binding studies, 45

Binding

Spectroscopic studies on the binding of methylene blue with DNA by means of cyclodextrin supramolecular systems, 121

Cancer therapy

Ab initio study of exciton transfer dynamics from a core–shell semiconductor quantum dot to a porphyrin-sensitizer, 342

CASPT2

The role of Ag(I) ions in the electronic spectroscopy of adenine–cytosine mispairs. A MS-CASPT2 theoretical study, 301

CASPT2/CASSCF

Substituent-controlled photoisomerization in retinal chromophore models: Fluorinated and methoxy-substituted protonated Schiff bases, 258

CASSCF

CASSCF calculations for photoinduced processes in large molecules: Choosing when to use the RASSCF, ONIOM and MMVB approximations, 207

CC2 method

Electronic structure of the photoactive yellow protein chromophore: *Ab initio* study of the low-lying excited singlet states, 241

cis–*trans* isomerisation

Electronic structure of the photoactive yellow protein chromophore: *Ab initio* study of the low-lying excited singlet states, 241

Cl^{••}–HD

Nonadiabatic dissociation dynamics of Cl^{••}–HD van der Waals complex initiated by electron detachment of Cl[–]–HD, 161

Cl[–]–HD

Nonadiabatic dissociation dynamics of Cl^{••}–HD van der Waals complex initiated by electron detachment of Cl[–]–HD, 161

Computations

Water effect on the excited-state decay paths of singlet excited cytosine, 283

Conical intersections

Transition state spectroscopy of open shell systems: Angle-resolved photodetachment spectra for the adiabatic singlet states of OHF, 145

Photoinduced multi-mode quantum dynamics of pyrrole at the ¹πσ*–S₀ conical intersections, 177

A model Hamiltonian to simulate the complex photochemistry of benzene, 190

Intersystem crossing at singlet conical intersections, 200

Electronic structure of the photoactive yellow protein chromophore: *Ab initio* study of the low-lying excited singlet states, 241

Substituent-controlled photoisomerization in retinal chromophore models: Fluorinated and methoxy-substituted protonated Schiff bases, 258

Water effect on the excited-state decay paths of singlet excited cytosine, 283

Conjugated polymers

Rate of excitation energy transfer between fluorescent dyes and nanoparticles, 335

Control concepts

Influence of static and dynamical structural changes on ultrafast processes mediated by conical intersections, 352

Co-photolysis

Laser co-photolytic approach to copper(I) bromide/polymer nanosol and nanocomposite, 29

Core–shell semiconductor quantum dot

Ab initio study of exciton transfer dynamics from a core–shell semiconductor quantum dot to a porphyrin-sensitizer, 342

Coupled adiabatic channels

Laser control in open molecular systems: STIRAP and Optimal Control, 359

Cu/Br/polymer nanocomposite

Laser co-photolytic approach to copper(I) bromide/polymer nanosol and nanocomposite, 29

CuBr/polymer nanosol

Laser co-photolytic approach to copper(I) bromide/polymer nanosol and nanocomposite, 29

Cyanine dyes

Novel cyanine dyes as fluorescent pH sensors: PET, ICT mechanism or resonance effect?, 1

- Cyclodextrin
Spectroscopic studies on the binding of methylene blue with DNA by means of cyclodextrin supramolecular systems, 121
- Cytosine
Water effect on the excited-state decay paths of singlet excited cytosine, 283
The role of Ag(I) ions in the electronic spectroscopy of adenine–cytosine mispairs. A MS-CASPT2 theoretical study, 301
- Diaminohydrocarbon
Linking of N3 dye with C₆₀ through diaminohydrocarbons for enhanced performance of dye-sensitized TiO₂ solar cells, 128
- Diamond defect
CASSCF calculations for photoinduced processes in large molecules: Choosing when to use the RASSCF, ONIOM and MMVB approximations, 207
- Diatomics in molecules
Towards a quantum mechanical description of the photochemistry of dihalogens in rare gas matrices, 169
- Dihalogens
Towards a quantum mechanical description of the photochemistry of dihalogens in rare gas matrices, 169
- 1,2-Diols
Titanium dioxide photosensitized oxidation of α,β -dihydroxybenzyl derivatives in CH₃CN, 34
- Dissipative dynamics
Laser control in open molecular systems: STIRAP and Optimal Control, 359
- Dissolved oxygen
An approach to estimating photocatalytic activity of TiO₂ suspension by monitoring dissolved oxygen and superoxide ion on decomposing organic compounds, 58
- DNA
The role of Ag(I) ions in the electronic spectroscopy of adenine–cytosine mispairs. A MS-CASPT2 theoretical study, 301
Fluorescence resonance energy transfer in dye-labeled DNA, 321
Frenkel exciton model of ultrafast excited state dynamics in AT DNA double helices, 328
- DNA and polynucleotides binding
Synthesis of fluorescent tetracyclic lactams by a “one pot” three steps palladium-catalyzed borylation, Suzuki coupling (BSC) and lactamization. DNA and polynucleotides binding studies, 45
- DNA intercalators
Spectroscopy of Ru(II) polypyridyl complexes used as intercalators in DNA: Towards a theoretical study of the light switch effect, 310
- Dye precursor
Formation of oxazine dye by photochemical reaction of *N*-acyl oxazine derivatives, 69
- Dye-sensitized solar cell
Linking of N3 dye with C₆₀ through diaminohydrocarbons for enhanced performance of dye-sensitized TiO₂ solar cells, 128
- Effects of the protein environment
Electronic structure of the photoactive yellow protein chromophore: *Ab initio* study of the low-lying excited singlet states, 241
- EOM-CCSD method
Electronic structure of the photoactive yellow protein chromophore: *Ab initio* study of the low-lying excited singlet states, 241
- Ethylene
Intersystem crossing at singlet conical intersections, 200
- Exciplex
Intermolecular exciplex formation and photoinduced electron transfer of 1,8-naphthalimide dyads in methylated benzenes, 101
- Excited state dynamics
The on-the-fly surface-hopping program system NEWTON-X: Application to *ab initio* simulation of the nonadiabatic photodynamics of benchmark systems, 228
- Excited states
CASSCF calculations for photoinduced processes in large molecules: Choosing when to use the RASSCF, ONIOM and MMVB approximations, 207
- Electronic structure of the photoactive yellow protein chromophore: *Ab initio* study of the low-lying excited singlet states, 241
The role of Ag(I) ions in the electronic spectroscopy of adenine–cytosine mispairs. A MS-CASPT2 theoretical study, 301
Frenkel exciton model of ultrafast excited state dynamics in AT DNA double helices, 328
- Exciton transfer
Ab initio study of exciton transfer dynamics from a core–shell semiconductor quantum dot to a porphyrin-sensitizer, 342
- Extended conical intersections
Influence of static and dynamical structural changes on ultrafast processes mediated by conical intersections, 352
- Extracellular polymeric substances (EPS)
Bactericidal activity of nitrogen-doped metal oxide nanocatalysts and the influence of bacterial extracellular polymeric substances (EPS), 94
- Fluorescence
Synthesis of fluorescent tetracyclic lactams by a “one pot” three steps palladium-catalyzed borylation, Suzuki coupling (BSC) and lactamization. DNA and polynucleotides binding studies, 45
Photophysics and photochemistry of tetrahydrocurcuminoids, 110
- Fluorescence polarization
Spectroscopic studies on the binding of methylene blue with DNA by means of cyclodextrin supramolecular systems, 121
- Fluorescent pH sensors
Novel cyanine dyes as fluorescent pH sensors: PET, ICT mechanism or resonance effect?, 1
- Fluorescing dyes
Formation of oxazine dye by photochemical reaction of *N*-acyl oxazine derivatives, 69
- Frenkel excitons
Laser pulse control of exciton dynamics in a biological chromophore complex, 372
- FRET
Fluorescence resonance energy transfer in dye-labeled DNA, 321
- Förster theory
Rate of excitation energy transfer between fluorescent dyes and nanoparticles, 335
- Fullerene (C₆₀)
Linking of N3 dye with C₆₀ through diaminohydrocarbons for enhanced performance of dye-sensitized TiO₂ solar cells, 128
- Hadamard gate
Laser control in open molecular systems: STIRAP and Optimal Control, 359
- Hybrid method
CASSCF calculations for photoinduced processes in large molecules: Choosing when to use the RASSCF, ONIOM and MMVB approximations, 207
- Hydroxyethyl cellulose
Photoinduced graft copolymerization of polymer surfactants based on hydroxyethyl cellulose, 9
- ICT mechanism
Novel cyanine dyes as fluorescent pH sensors: PET, ICT mechanism or resonance effect?, 1
- Intersystem crossing
Intersystem crossing at singlet conical intersections, 200
- Isoalloxazin
Exciting flavins: Absorption spectra and spin–orbit coupling in light–oxygen–voltage (LOV) domains, 290
- Ketocoumarin
Two-photon photopolymerization using novel asymmetric ketocoumarin derivatives, 22
- Lactamization
Synthesis of fluorescent tetracyclic lactams by a “one pot” three steps palladium-catalyzed borylation, Suzuki coupling (BSC) and lactamization. DNA and polynucleotides binding studies, 45

- Lattice theory
Frenkel exciton model of ultrafast excited state dynamics in AT DNA double helices, 328
- Light harvesting systems
Laser pulse control of exciton dynamics in a biological chromophore complex, 372
- Limonol chemiluminescence
An approach to estimating photocatalytic activity of TiO₂ suspension by monitoring dissolved oxygen and superoxide ion on decomposing organic compounds, 58
- LOV domains
Exciting flavins: Absorption spectra and spin-orbit coupling in light-oxygen-voltage (LOV) domains, 290
- Malic acid
Malic acid photocatalytic degradation using a TiO₂-coated optical fiber reactor, 135
- Markovian and non-Markovian dynamics
Laser control in open molecular systems: STIRAP and Optimal Control, 359
- Methylated benzene
Intermolecular exciplex formation and photoinduced electron transfer of 1,8-naphthalimide dyads in methylated benzenes, 101
- Methylene blue
Spectroscopic studies on the binding of methylene blue with DNA by means of cyclodextrin supramolecular systems, 121
- MMVB
CASSCF calculations for photoinduced processes in large molecules: Choosing when to use the RASSCF, ONIOM and MMVB approximations, 207
- Molecular biophysics
Frenkel exciton model of ultrafast excited state dynamics in AT DNA double helices, 328
- Molecular photo switches
Influence of static and dynamical structural changes on ultrafast processes mediated by conical intersections, 352
- Nanoparticle
Rate of excitation energy transfer between fluorescent dyes and nanoparticles, 335
- 1,8-Naphthalimide
Intermolecular exciplex formation and photoinduced electron transfer of 1,8-naphthalimide dyads in methylated benzenes, 101
- Nitrogen-doped nanoparticles
Bactericidal activity of nitrogen-doped metal oxide nanocatalysts and the influence of bacterial extracellular polymeric substances (EPS), 94
- Nonadiabatic
The MP/SOFT methodology for simulations of quantum dynamics: Model study of the photoisomerization of the retinyl chromophore in visual rhodopsin, 274
- Nonadiabatic couplings
Towards a quantum mechanical description of the photochemistry of dihalogens in rare gas matrices, 169
- Nonadiabatic phenomena
The on-the-fly surface-hopping program system NEWTON-X: Application to ab initio simulation of the nonadiabatic photodynamics of benchmark systems, 228
- Nonadiabatic photodissociation dynamics
Nonadiabatic dissociation dynamics of Cl[•]·HD van der Waals complex initiated by electron detachment of Cl⁻-HD, 161
- Nonlinear optics
Reverse saturable absorption dynamics in indocyanine green, 41
- Nucleation
Photochemically induced nucleation in supersaturated and undersaturated thaumatin solutions, 88
- ONIOM
CASSCF calculations for photoinduced processes in large molecules: Choosing when to use the RASSCF, ONIOM and MMVB approximations, 207
- On-the-fly surface-hopping dynamics
The on-the-fly surface-hopping program system NEWTON-X: Application to ab initio simulation of the nonadiabatic photodynamics of benchmark systems, 228
- Open system dynamics
Laser pulse control of exciton dynamics in a biological chromophore complex, 372
- Open-circuit voltage
Linking of N3 dye with C₆₀ through diaminohydrocarbons for enhanced performance of dye-sensitized TiO₂ solar cells, 128
- Optical fiber reactor
Malic acid photocatalytic degradation using a TiO₂-coated optical fiber reactor, 135
- Optical limiting
Reverse saturable absorption dynamics in indocyanine green, 41
- Optical properties
The physical properties and photoresponse of AgIn₅S₈ polycrystalline film electrodes fabricated by chemical bath deposition, 77
- Optimal control
Laser control in open molecular systems: STIRAP and Optimal Control, 359
- Optimal control theory
Laser pulse control of exciton dynamics in a biological chromophore complex, 372
- Palladium-catalyzed BSC reaction
Synthesis of fluorescent tetracyclic lactams by a “one pot” three steps palladium-catalyzed borylation, Suzuki coupling (BSC) and lactamization. DNA and polynucleotides binding studies, 45
- PET mechanism
Novel cyanine dyes as fluorescent pH sensors: PET, ICT mechanism or resonance effect?, 1
- pH effect
The pH influence of the yield and properties of photochemically synthesized poly(*N*-isopropylacrylamide) nanoparticles, 15
- Phenol
Photophysics and photochemistry of tetrahydrocurcuminoids, 110
- Phenothiazine
Intermolecular exciplex formation and photoinduced electron transfer of 1,8-naphthalimide dyads in methylated benzenes, 101
- Phosphorescence
Photophysics and photochemistry of tetrahydrocurcuminoids, 110
- Photocatalysis
An approach to estimating photocatalytic activity of TiO₂ suspension by monitoring dissolved oxygen and superoxide ion on decomposing organic compounds, 58
- Photocatalytic
Malic acid photocatalytic degradation using a TiO₂-coated optical fiber reactor, 135
- Photochemical cycloaddition
CASSCF calculations for photoinduced processes in large molecules: Choosing when to use the RASSCF, ONIOM and MMVB approximations, 207
- Photochemically induced nucleation
Photochemically induced nucleation in supersaturated and undersaturated thaumatin solutions, 88
- Photochemistry
Photophysics and photochemistry of tetrahydrocurcuminoids, 110
- Photochemistry of pyrrole
Photoinduced multi-mode quantum dynamics of pyrrole at the ¹πσ*–S₀ conical intersections, 177
- Photochromism
Formation of oxazine dye by photochemical reaction of *N*-acyl oxazine derivatives, 69
- Photocurrent density
The physical properties and photoresponse of AgIn₅S₈ polycrystalline film electrodes fabricated by chemical bath deposition, 77
- Photo-cycle
Exciting flavins: Absorption spectra and spin-orbit coupling in light-oxygen-voltage (LOV) domains, 290

- Photocytotoxicity
Ab initio study of exciton transfer dynamics from a core-shell semiconductor quantum dot to a porphyrin-sensitizer, 342
- Photo-dissociation
 Intersystem crossing at singlet conical intersections, 200
- Photodissociation of pyrrole
 Photoinduced multi-mode quantum dynamics of pyrrole at the $^1\pi\sigma^*-S_0$ conical intersections, 177
- Photoelectrodes
 The physical properties and photoresponse of AgIn_5S_8 polycrystalline film electrodes fabricated by chemical bath deposition, 77
- Photogromic fulgides
 Influence of static and dynamical structural changes on ultrafast processes mediated by conical intersections, 352
- Photoinduced electron transfer
 Intermolecular exciplex formation and photoinduced electron transfer of 1,8-naphthalimide dyads in methylated benzenes, 101
- Photoisomerization
 Substituent-controlled photoisomerization in retinal chromophore models: Fluorinated and methoxy-substituted protonated Schiff bases, 258
 The MP/SOFT methodology for simulations of quantum dynamics: Model study of the photoisomerization of the retinyl chromophore in visual rhodopsin, 274
- Photonic efficiency
 Malic acid photocatalytic degradation using a TiO_2 -coated optical fiber reactor, 135
- Photo-oxidation
 Titanium dioxide photosensitized oxidation of α,β -dihydroxybenzyl derivatives in CH_3CN , 34
- Photophysics
 Water effect on the excited-state decay paths of singlet excited cytosine, 283
 Spectroscopy of Ru(II) polypyridyl complexes used as intercalators in DNA: Towards a theoretical study of the light switch effect, 310
- Photo-sensitizer
 Reverse saturable absorption dynamics in indocyanine green, 41
- Polarization
 Electronic structure of the photoactive yellow protein chromophore: *Ab initio* study of the low-lying excited singlet states, 241
- Polymer surfactant
 Photoinduced graft copolymerization of polymer surfactants based on hydroxyethyl cellulose, 9
- Poly(*N*-isopropylacrylamide) nanoparticles
 The pH influence of the yield and properties of photochemically synthesized poly(*N*-isopropylacrylamide) nanoparticles, 15
- Porphyrin photosensitizer
Ab initio study of exciton transfer dynamics from a core-shell semiconductor quantum dot to a porphyrin-sensitizer, 342
- Potential energy surface
 Transition state spectroscopy of open shell systems: Angle-resolved photodetachment spectra for the adiabatic singlet states of OHF, 145
- Protein
 Photochemically induced nucleation in supersaturated and undersaturated thaumatin solutions, 88
- Pulse train Z-scan technique
 Reverse saturable absorption dynamics in indocyanine green, 41
- PYP
 Electronic structure of the photoactive yellow protein chromophore: *Ab initio* study of the low-lying excited singlet states, 241
- PYP chromophore
 Electronic structure of the photoactive yellow protein chromophore: *Ab initio* study of the low-lying excited singlet states, 241
- Pyrycene
 CASSCF calculations for photoinduced processes in large molecules: Choosing when to use the RASSCF, ONIOM and MMVB approximations, 207
- Pyrrole
 Intersystem crossing at singlet conical intersections, 200
- QM/MM
 CASSCF calculations for photoinduced processes in large molecules: Choosing when to use the RASSCF, ONIOM and MMVB approximations, 207
- Quantum chromodynamics
 Frenkel exciton model of ultrafast excited state dynamics in AT DNA double helices, 328
- Quantum dynamics
 The MP/SOFT methodology for simulations of quantum dynamics: Model study of the photoisomerization of the retinyl chromophore in visual rhodopsin, 274
- Qubit
 Laser control in open molecular systems: STIRAP and Optimal Control, 359
- Rare gas matrix
 Towards a quantum mechanical description of the photochemistry of dihalogens in rare gas matrices, 169
- RASSCF
 CASSCF calculations for photoinduced processes in large molecules: Choosing when to use the RASSCF, ONIOM and MMVB approximations, 207
- Reaction dynamics
 Transition state spectroscopy of open shell systems: Angle-resolved photodetachment spectra for the adiabatic singlet states of OHF, 145
- Resonance effect
 Novel cyanine dyes as fluorescent pH sensors: PET, ICT mechanism or resonance effect?, 1
- Resonance energy transfer
 Rate of excitation energy transfer between fluorescent dyes and nanoparticles, 335
- Retinal
 Substituent-controlled photoisomerization in retinal chromophore models: Fluorinated and methoxy-substituted protonated Schiff bases, 258
 The MP/SOFT methodology for simulations of quantum dynamics: Model study of the photoisomerization of the retinyl chromophore in visual rhodopsin, 274
- Rhodopsin
 The MP/SOFT methodology for simulations of quantum dynamics: Model study of the photoisomerization of the retinyl chromophore in visual rhodopsin, 274
- Ruthenium polypyridyl
 Spectroscopy of Ru(II) polypyridyl complexes used as intercalators in DNA: Towards a theoretical study of the light switch effect, 310
- Short-circuit photocurrent
 Linking of N3 dye with C_{60} through diaminohydrocarbons for enhanced performance of dye-sensitized TiO_2 solar cells, 128
- Silver
 The role of Ag(I) ions in the electronic spectroscopy of adenine-cytosine mispairs. A MS-CASPT2 theoretical study, 301
- Singlet oxygen
Ab initio study of exciton transfer dynamics from a core-shell semiconductor quantum dot to a porphyrin-sensitizer, 342
- Size controlling
 The pH influence of the yield and properties of photochemically synthesized poly(*N*-isopropylacrylamide) nanoparticles, 15
- $\Pi\sigma^*$ state
 Photoinduced multi-mode quantum dynamics of pyrrole at the $^1\pi\sigma^*-S_0$ conical intersections, 177
- Solar light
 Bactericidal activity of nitrogen-doped metal oxide nanocatalysts and the influence of bacterial extracellular polymeric substances (EPS), 94
- Solvation
 Water effect on the excited-state decay paths of singlet excited cytosine, 283
- Spectroscopic
 Spectroscopic studies on the binding of methylene blue with DNA by means of cyclodextrin supramolecular systems, 121

- Spectroscopy
Spectroscopy of Ru(II) polypyridyl complexes used as intercalators in DNA: Towards a theoretical study of the light switch effect, 310
- Spin-orbit coupling
Exciting flavins: Absorption spectra and spin-orbit coupling in light-oxygen-voltage (LOV) domains, 290
- Spinorbit coupling
Intersystem crossing at singlet conical intersections, 200
- STIRAP
Laser control in open molecular systems: STIRAP and Optimal Control, 359
- Substitution
Substituent-controlled photoisomerization in retinal chromophore models: Fluorinated and methoxy-substituted protonated Schiff bases, 258
- Surface plasmons
Rate of excitation energy transfer between fluorescent dyes and nanoparticles, 335
- Surface roughness
Photoinduced surface roughness variation in polycrystalline TiO₂ thin films under different atmospheres, 53
- TD-DFT
The role of Ag(I) ions in the electronic spectroscopy of adenine-cytosine mispairs. A MS-CASPT2 theoretical study, 301
- Tetrahydrocurcuminoids
Photophysics and photochemistry of tetrahydrocurcuminoids, 110
- Thaumatococcus
Photochemically induced nucleation in supersaturated and undersaturated thaumatococcus solutions, 88
- Theoretical chemistry
Spectroscopy of Ru(II) polypyridyl complexes used as intercalators in DNA: Towards a theoretical study of the light switch effect, 310
- Time-dependent DFT
Exciting flavins: Absorption spectra and spin-orbit coupling in light-oxygen-voltage (LOV) domains, 290
- Time-varying potentials
Influence of static and dynamical structural changes on ultrafast processes mediated by conical intersections, 352
- TiO₂
Titanium dioxide photosensitized oxidation of α,β -dihydroxybenzyl derivatives in CH₃CN, 34
Malic acid photocatalytic degradation using a TiO₂-coated optical fiber reactor, 135
- Titanium dioxide
Photoinduced surface roughness variation in polycrystalline TiO₂ thin films under different atmospheres, 53
Bactericidal activity of nitrogen-doped metal oxide nanocatalysts and the influence of bacterial extracellular polymeric substances (EPS), 94
- Toluene
Intersystem crossing at singlet conical intersections, 200
- Transition state spectroscopy
Transition state spectroscopy of open shell systems: Angle-resolved photodetachment spectra for the adiabatic singlet states of OHF, 145
- Triangulene
CASSCF calculations for photoinduced processes in large molecules: Choosing when to use the RASSCF, ONIOM and MMVB approximations, 207
- Two-photon absorption
Two-photon photopolymerization using novel asymmetric ketocoumarin derivatives, 22
- Two-photon photopolymerization
Two-photon photopolymerization using novel asymmetric ketocoumarin derivatives, 22
- Ultrafast phenomena
The MP/SOFT methodology for simulations of quantum dynamics: Model study of the photoisomerization of the retinyl chromophore in visual rhodopsin, 274
- Ultrafast photochemistry
The on-the-fly surface-hopping program system NEWTON-X: Application to ab initio simulation of the nonadiabatic photodynamics of benchmark systems, 228
- Ultrafast quantum dynamics
Influence of static and dynamical structural changes on ultrafast processes mediated by conical intersections, 352
- Ultraviolet copolymerization
Photoinduced graft copolymerization of polymer surfactants based on hydroxyethyl cellulose, 9
- UV rays
The pH influence of the yield and properties of photochemically synthesized poly(*N*-isopropylacrylamide) nanoparticles, 15
- Van der Waals complex
Nonadiabatic dissociation dynamics of Cl[•]·HD van der Waals complex initiated by electron detachment of Cl⁻-HD, 161
- Vibronic coupling
A model Hamiltonian to simulate the complex photochemistry of benzene, 190
- Wavepacket
Photoinduced multi-mode quantum dynamics of pyrrole at the ¹ $\pi\sigma^*$ -S₀ conical intersections, 177
- Wavepacket dynamics
A model Hamiltonian to simulate the complex photochemistry of benzene, 190
- X-ray diffraction
The physical properties and photoresponse of AgIn₅S₈ polycrystalline film electrodes fabricated by chemical bath deposition, 77