

Subject Index of Volume 191

- Acetaldehyde
Remediation of olfactory pollution by photocatalytic degradation process:
Study of methyl ethyl ketone (MEK), 42
- Acidochromism
Spectral and kinetic properties of a red–blue pH-sensitive photochromic
spirooxazine, 114
- Activated carbon
Influence of L-type activated carbons on photocatalytic activity of TiO₂ in
4-chlorophenol photodegradation, 122
- Advanced oxidation processes
Degradation of the herbicide tebuthiuron using solar photo-Fenton process
and ferric citrate complex at circumneutral pH, 187
- Aggregation number
Photophysical study on aggregation of carboxylic perfluoropolyether
derivatives in water: Time resolved fluorescence quenching measure-
ments in the temperature range 297–333 K, 1
- Annular photocatalytic reactor modelling
Remediation of olfactory pollution by photocatalytic degradation process:
Study of methyl ethyl ketone (MEK), 42
- Apigenin
Study on interaction between apigenin and human serum albumin by spec-
troscopy and molecular modeling, 104
- Apoptosis
Damaging and protective properties of inorganic components of sunscreens
applied to cultured human skin cells, 138
- Apparent quantum yield
Effect of inorganic oxidants in photodecolourization of an azo dye, 132
- Aqueous media
Fabrication of ZnO nanoparticles by pulsed laser ablation in aqueous media
and pH-dependent particle size: An approach to study the mechanism
of enhanced green photoluminescence, 66
- Azulene
Intramolecular electronic energy transfer in rhodamine–azulene bichro-
mophoric molecule, 176
- Baicalin
Study of the interaction between baicalin and bovine serum albumin by
multi-spectroscopic method, 222
- Binding constant
Colorimetric and highly selective “turn-on” fluorescent anion chemosen-
sors with excited state proton transfer, 228
- Biradicals
Magnetic field and methylene chain length effects on photochemistry of
bichromophoric chain species containing 7-nitro-2-fluorenyloxy and
anilino chromophores, 81
- Bovine serum albumin
Study of the interaction between baicalin and bovine serum albumin by
multi-spectroscopic method, 222
- 4-Chlorophenol
Influence of L-type activated carbons on photocatalytic activity of TiO₂ in
4-chlorophenol photodegradation, 122
- Colorimetric anionsensor
Colorimetric and highly selective “turn-on” fluorescent anion chemosen-
sors with excited state proton transfer, 228
- Complexes
Degradation of the herbicide tebuthiuron using solar photo-Fenton process
and ferric citrate complex at circumneutral pH, 187
- CT fluorescence
Charge transfer fluorescence of benzoxazol derivatives. Investigation of
solvent effect on fluorescence of these dyes, 32
- Cupric ion
Synergistic effects of cupric and fluoride ions on photocatalytic degradation
of phenol, 193
- Decolourization
Effect of inorganic oxidants in photodecolourization of an azo dye, 132
- Dioxin
Photochemical behaviour of triclosan in aqueous solutions: Kinetic and
analytical studies, 201
- dppz
Synthesis, characterization and sensitization properties of two novel mono
and bis carboxyl-dipyrido-phenazine ruthenium(II) charge transfer
complexes, 6
- Dye aggregation
Effect of aggregation of dyes adsorbed on nanocrystalline titania films on
the efficiency of photodegradation, 13
- Dye mineralization
Synthesis and characterization of MnO_x/TiO₂ nanoparticles for photocat-
alytic oxidation of indigo carmine dye, 153
- Dyes
Effect of inorganic oxidants in photodecolourization of an azo dye, 132
- Dye-sensitized solar cell
Synthesis, characterization and sensitization properties of two novel mono
and bis carboxyl-dipyrido-phenazine ruthenium(II) charge transfer
complexes, 6
- Electrical energy per order
Effect of inorganic oxidants in photodecolourization of an azo dye, 132
- Electron transfer
Charge transfer fluorescence of benzoxazol derivatives. Investigation of
solvent effect on fluorescence of these dyes, 32
Modification of photochemical pathways of sensitized oxidation of
phenylthioacetic acid. Effects of solvent and tetrabutylammonium salt, 167
- Electronic energy transfer
Intramolecular electronic energy transfer in rhodamine–azulene bichro-
mophoric molecule, 176
- Emission spectra
Synthesis, characterization and sensitization properties of two novel mono
and bis carboxyl-dipyrido-phenazine ruthenium(II) charge transfer
complexes, 6
- Energy transfer
Inter- and intra-molecular energy transfer during sensitization of
Eu(DBM)₃Phen luminescence by Tb(DBM)₃Phen in PMMA, 91

- Enhanced solid-state fluorescence
Enhanced solid-state fluorescence in the oxadiazole-based excited-state intramolecular proton-transfer (ESIPT) material: Synthesis, optical property, and crystal structure, 51
- Excited state proton transfer
Colorimetric and highly selective “turn-on” fluorescent anion chemosensors with excited state proton transfer, 228
- Excited-state intramolecular proton transfer (ESIPT)
Torsion-induced fluorescence quenching in excited-state intramolecular proton transfer (ESIPT) dyes, 19
Enhanced solid-state fluorescence in the oxadiazole-based excited-state intramolecular proton-transfer (ESIPT) material: Synthesis, optical property, and crystal structure, 51
- Farrerol
Study on the binding of farrerol to human serum albumin, 59
- Fluorescence
Radiative properties of rare earth complexes/silver nanoparticles nanocomposite, 97
- Fluorescence quenching
Photophysical study on aggregation of carboxylic perfluoropolyether derivatives in water: Time resolved fluorescence quenching measurements in the temperature range 297–333 K, 1
Torsion-induced fluorescence quenching in excited-state intramolecular proton transfer (ESIPT) dyes, 19
- Fluorescence spectroscopy
Study of the interaction between baicalin and bovine serum albumin by multi-spectroscopic method, 222
- Fluoride
Synergistic effects of cupric and fluoride ions on photocatalytic degradation of phenol, 193
- Free radical polymerization
2-Methylol-thioxanthone as a free radical polymerization initiator, 149
- Fulgides
Photocoloration and photobleaching of 3-(2-adamantylidene)-2-[5-(*p*-diethylamino)phenyl-2-methyl-3-furylethylidene]-succinic anhydride doped in PMMA polymer film, 182
- Green photoluminescence
Fabrication of ZnO nanoparticles by pulsed laser ablation in aqueous media and pH-dependent particle size: An approach to study the mechanism of enhanced green photoluminescence, 66
- Herbicides
Degradation of the herbicide tebuthiuron using solar photo-Fenton process and ferric citrate complex at circumneutral pH, 187
- Human serum albumin
Study on the binding of farrerol to human serum albumin, 59
Study on interaction between apigenin and human serum albumin by spectroscopy and molecular modeling, 104
- Hybrid materials
A novel way to prepare luminescent hybrid materials derived from 5-chloromethyl-8-hydroxyquinoline and silylated monomer with coordination to aluminum ion, 216
- Hybrid monomer
Photopolymerization of hybrid monomer 3-(1-propenyl)oxypropyl acrylate, 25
- Hydrogen peroxide
Effect of inorganic oxidants in photodecolourization of an azo dye, 132
- Impregnation
Synthesis and characterization of $\text{MnO}_x/\text{TiO}_2$ nanoparticles for photocatalytic oxidation of indigo carmine dye, 153
- Interaction
Study on interaction between apigenin and human serum albumin by spectroscopy and molecular modeling, 104
Study of the interaction between baicalin and bovine serum albumin by multi-spectroscopic method, 222
- Intramolecular hydrogen bond
Torsion-induced fluorescence quenching in excited-state intramolecular proton transfer (ESIPT) dyes, 19
- Irgasan DP300
Photochemical behaviour of triclosan in aqueous solutions: Kinetic and analytical studies, 201
- Kinetic modelling
Spectral and kinetic properties of a red–blue pH-sensitive photochromic spirooxazine, 114
- Kinetic parameters
Remediation of olfactory pollution by photocatalytic degradation process: Study of methyl ethyl ketone (MEK), 42
- Kinetics
Photophysical study on aggregation of carboxylic perfluoropolyether derivatives in water: Time resolved fluorescence quenching measurements in the temperature range 297–333 K, 1
- Lanthanide complexes
Inter- and intra-molecular energy transfer during sensitization of $\text{Eu}(\text{DBM})_3\text{Phen}$ luminescence by $\text{Tb}(\text{DBM})_3\text{Phen}$ in PMMA, 91
- Lanthanides
Novel luminescent lanthanide complexes covalently linked to a terpyridine-functionalized silica network, 74
- Laser flash photolysis
Modification of photochemical pathways of sensitized oxidation of phenylthioacetic acid. Effects of solvent and tetrabutylammonium salt, 167
- Light intensity
Reactors for simultaneous application of UV light and ultrasound on the reaction mixture and their modifications for kinetic studies, 162
- Luminescence
Inter- and intra-molecular energy transfer during sensitization of $\text{Eu}(\text{DBM})_3\text{Phen}$ luminescence by $\text{Tb}(\text{DBM})_3\text{Phen}$ in PMMA, 91
Novel luminescent lanthanide complexes covalently linked to a terpyridine-functionalized silica network, 74
- Magnetic fields
Magnetic field and methylene chain length effects on photochemistry of bichromophoric chain species containing 7-nitro-2-fluorenyloxy and anilino chromophores, 81
- Mechanism of photocatalytic degradation
Remediation of olfactory pollution by photocatalytic degradation process: Study of methyl ethyl ketone (MEK), 42
- Methyl ethyl ketone
Remediation of olfactory pollution by photocatalytic degradation process: Study of methyl ethyl ketone (MEK), 42
- Methylene chain length
Magnetic field and methylene chain length effects on photochemistry of bichromophoric chain species containing 7-nitro-2-fluorenyloxy and anilino chromophores, 81
- Micelles
Photophysical study on aggregation of carboxylic perfluoropolyether derivatives in water: Time resolved fluorescence quenching measurements in the temperature range 297–333 K, 1
- Mn/TiO_2
Synthesis and characterization of $\text{MnO}_x/\text{TiO}_2$ nanoparticles for photocatalytic oxidation of indigo carmine dye, 153
- Modeling
Study on interaction between apigenin and human serum albumin by spectroscopy and molecular modeling, 104
- Molecular modeling
Study on the binding of farrerol to human serum albumin, 59
- Molecular switch
Spectral and kinetic properties of a red–blue pH-sensitive photochromic spirooxazine, 114
- Montmorillonite
The effect of UV-irradiation on poly(vinyl alcohol) composites with montmorillonite, 209

- N_2 adsorption
 Synthesis and characterization of MnO_x/TiO_2 nanoparticles for photocatalytic oxidation of indigo carmine dye, 153
- Nanocrystalline TiO_2
 Synthesis, characterization and sensitization properties of two novel mono and bis carboxyl-dipyrido-phenazine ruthenium(II) charge transfer complexes, 6
- Nanocrystalline titania films
 Effect of aggregation of dyes adsorbed on nanocrystalline titania films on the efficiency of photodegradation, 13
- Nonradiative transitions
 Charge transfer fluorescence of benzoxazol derivatives. Investigation of solvent effect on fluorescence of these dyes, 32
- Organic light-emitting diodes (OLED)
 A novel way to prepare luminescent hybrid materials derived from 5-chloromethyl-8-hydroxyquinoline and silylated monomer with coordination to aluminum ion, 216
- Organic-inorganic hybrid materials
 Novel luminescent lanthanide complexes covalently linked to a terpyridine-functionalized silica network, 74
- Oxadiazole
 Enhanced solid-state fluorescence in the oxadiazole-based excited-state intramolecular proton-transfer (ESIPT) material: Synthesis, optical property, and crystal structure, 51
- Perfluoropolyether surfactants
 Photophysical study on aggregation of carboxylic perfluoropolyether derivatives in water: Time resolved fluorescence quenching measurements in the temperature range 297–333 K, 1
- Phenol
 Synergistic effects of cupric and fluoride ions on photocatalytic degradation of phenol, 193
- Phenylthioacetic acid
 Modification of photochemical pathways of sensitized oxidation of phenylthioacetic acid. Effects of solvent and tetrabutylammonium salt, 167
- Photobleaching, photocoloration, kinetics
 Photocoloration and photobleaching of 3-(2-adamantylidene)-2-[5-(*p*-diethylamino)phenyl-2-methyl-3-furylethylidene]-succinic anhydride doped in PMMA polymer film, 182
- Photocatalysis
 Influence of L-type activated carbons on photocatalytic activity of TiO_2 in 4-chlorophenol photodegradation, 122
 Damaging and protective properties of inorganic components of sunscreens applied to cultured human skin cells, 138
- Photochemical kinetic
 Reactors for simultaneous application of UV light and ultrasound on the reaction mixture and their modifications for kinetic studies, 162
- Photochromism
 Spectral and kinetic properties of a red–blue pH-sensitive photochromic spirooxazine, 114
 Photocoloration and photobleaching of 3-(2-adamantylidene)-2-[5-(*p*-diethylamino)phenyl-2-methyl-3-furylethylidene]-succinic anhydride doped in PMMA polymer film, 182
- Photocyclization
 Photochemical behaviour of triclosan in aqueous solutions: Kinetic and analytical studies, 201
- Photodegradation
 Effect of aggregation of dyes adsorbed on nanocrystalline titania films on the efficiency of photodegradation, 13
- Photoinitiator
 2-Methylol-thioxanthone as a free radical polymerization initiator, 149
- Photolysis
 Degradation of the herbicide tebuthiuron using solar photo-Fenton process and ferric citrate complex at circumneutral pH, 187
 Photochemical behaviour of triclosan in aqueous solutions: Kinetic and analytical studies, 201
- Photopolymerization kinetics
 Photopolymerization of hybrid monomer 3-(1-propenyl)oxypropyl acrylate, 25
- Photoredox reaction
 Magnetic field and methylene chain length effects on photochemistry of bichromophoric chain species containing 7-nitro-2-fluorenyloxy and anilino chromophores, 81
- Photo-sonochemical reactor
 Reactors for simultaneous application of UV light and ultrasound on the reaction mixture and their modifications for kinetic studies, 162
- Polymer composites
 The effect of UV-irradiation on poly(vinyl alcohol) composites with montmorillonite, 209
- Polymer film
 Photocoloration and photobleaching of 3-(2-adamantylidene)-2-[5-(*p*-diethylamino)phenyl-2-methyl-3-furylethylidene]-succinic anhydride doped in PMMA polymer film, 182
- Poly(vinyl alcohol)
 The effect of UV-irradiation on poly(vinyl alcohol) composites with montmorillonite, 209
- Product yields
 Magnetic field and methylene chain length effects on photochemistry of bichromophoric chain species containing 7-nitro-2-fluorenyloxy and anilino chromophores, 81
- 3-(1-Propenyl)oxypropyl acrylate
 Photopolymerization of hybrid monomer 3-(1-propenyl)oxypropyl acrylate, 25
- Pulsed laser ablation (PLA)
 Fabrication of ZnO nanoparticles by pulsed laser ablation in aqueous media and pH-dependent particle size: An approach to study the mechanism of enhanced green photoluminescence, 66
- Quantum yields
 Reactors for simultaneous application of UV light and ultrasound on the reaction mixture and their modifications for kinetic studies, 162
 Modification of photochemical pathways of sensitized oxidation of phenylthioacetic acid. Effects of solvent and tetrabutylammonium salt, 167
- Quenching
 Modification of photochemical pathways of sensitized oxidation of phenylthioacetic acid. Effects of solvent and tetrabutylammonium salt, 167
- Quenching sphere
 Inter- and intra-molecular energy transfer during sensitization of $Eu(DBM)_3Phen$ luminescence by $Tb(DBM)_3Phen$ in PMMA, 91
- Rare earth complex
 Radiative properties of rare earth complexes/silver nanoparticles nanocomposite, 97
- Rhodamine
 Intramolecular electronic energy transfer in rhodamine–azulene bichromophoric molecule, 176
- Room-temperature phosphorescence
 Enhanced solid-state fluorescence in the oxadiazole-based excited-state intramolecular proton-transfer (ESIPT) material: Synthesis, optical property, and crystal structure, 51
- Ruthenium complex
 Synthesis, characterization and sensitization properties of two novel mono and bis carboxyl-dipyrido-phenazine ruthenium(II) charge transfer complexes, 6
- Secondary structure
 Study on the binding of farrerol to human serum albumin, 59
- Semiempirical and ab initio calculations
 Torsion-induced fluorescence quenching in excited-state intramolecular proton transfer (ESIPT) dyes, 19
- Sensitization
 Inter- and intra-molecular energy transfer during sensitization of $Eu(DBM)_3Phen$ luminescence by $Tb(DBM)_3Phen$ in PMMA, 91

- Sensitized photooxidation
Modification of photochemical pathways of sensitized oxidation of phenylthioacetic acid. Effects of solvent and tetrabutylammonium salt, 167
- Siloxane
A novel way to prepare luminescent hybrid materials derived from 5-chloromehtyl-8-hydroxyquinoline and silylated monomer with coordination to aluminum ion, 216
- Silver nanoparticles
Radiative properties of rare earth complexes/silver nanoparticles nanocomposite, 97
- Sodium periodate
Effect of inorganic oxidants in photodecolourization of an azo dye, 132
- Sol-gel
Synthesis and characterization of $\text{MnO}_x/\text{TiO}_2$ nanoparticles for photocatalytic oxidation of indigo carmine dye, 153
- Solid state electrolyte
Synthesis, characterization and sensitization properties of two novel mono and bis carboxyl-dipyrido-phenazine ruthenium(II) charge transfer complexes, 6
- Solvent effect
Modification of photochemical pathways of sensitized oxidation of phenylthioacetic acid. Effects of solvent and tetrabutylammonium salt, 167
- Spectrophotometric
Study on the binding of farrerol to human serum albumin, 59
- Spectroscopy
Study on interaction between apigenin and human serum albumin by spectroscopy and molecular modeling, 104
- Spironaphthoxazine
Spectral and kinetic properties of a red-blue pH-sensitive photochromic spirooxazine, 114
- Synergistic effect
Synergistic effects of cupric and fluoride ions on photocatalytic degradation of phenol, 193
- Synergy
Influence of L-type activated carbons on photocatalytic activity of TiO_2 in 4-chlorophenol photodegradation, 122
- Terpyridine
Novel luminescent lanthanide complexes covalently linked to a terpyridine-functionalized silica network, 74
- Texturing
Synthesis and characterization of $\text{MnO}_x/\text{TiO}_2$ nanoparticles for photocatalytic oxidation of indigo carmine dye, 153
- Thioether group
Modification of photochemical pathways of sensitized oxidation of phenylthioacetic acid. Effects of solvent and tetrabutylammonium salt, 167
- Thiol-ene photopolymerization
Novel luminescent lanthanide complexes covalently linked to a terpyridine-functionalized silica network, 74
- Thioxanthone
2-Methylol-thioxanthone as a free radical polymerization initiator, 149
- Titania
Influence of L-type activated carbons on photocatalytic activity of TiO_2 in 4-chlorophenol photodegradation, 122
- Titanium dioxide
Effect of inorganic oxidants in photodecolourization of an azo dye, 132
Damaging and protective properties of inorganic components of sunscreens applied to cultured human skin cells, 138
Synergistic effects of cupric and fluoride ions on photocatalytic degradation of phenol, 193
- trans-cis* isomerisation
Charge transfer fluorescence of benzoxazol derivatives. Investigation of solvent effect on fluorescence of these dyes, 32
- Triclosan
Photochemical behaviour of triclosan in aqueous solutions: Kinetic and analytical studies, 201
- Tri(8-hydroxyquinolino)aluminum (AlQ_3)
A novel way to prepare luminescent hybrid materials derived from 5-chloromehtyl-8-hydroxyquinoline and silylated monomer with coordination to aluminum ion, 216
- Twisted intramolecular charge transfer (TICT)
Torsion-induced fluorescence quenching in excited-state intramolecular proton transfer (ESIPT) dyes, 19
- Type II system
2-Methylol-thioxanthone as a free radical polymerization initiator, 149
- Ultraviolet-irradiation
The effect of UV-irradiation on poly(vinyl alcohol) composites with montmorillonite, 209
- XRD
Synthesis and characterization of $\text{MnO}_x/\text{TiO}_2$ nanoparticles for photocatalytic oxidation of indigo carmine dye, 153
- Zeta potential
Synthesis and characterization of $\text{MnO}_x/\text{TiO}_2$ nanoparticles for photocatalytic oxidation of indigo carmine dye, 153
- ZnO nanoparticles
Fabrication of ZnO nanoparticles by pulsed laser ablation in aqueous media and pH-dependent particle size: An approach to study the mechanism of enhanced green photoluminescence, 66