

Subject Index of Volume 193

- Acetaldehyde
Use of microwave discharge electrodeless lamps (MDEL).
II. Photodegradation of acetaldehyde over TiO₂ pellets, 284
- Acidic functional groups
In situ probing of acidic groups on acid-treated carbon nanofibers using 1-aminopyrene, 161
- Actinometer
The ferrioxalate and iodide–iodate actinometers in the UV region, 50
- Adsorption
In situ probing of acidic groups on acid-treated carbon nanofibers using 1-aminopyrene, 161
- Ag colloid
Ag nanoparticle-catalyzed chemiluminescent reaction between luminol and hydrogen peroxide, 89
- Aggregation
Synthesis, aggregation and photoinduced electron transfer processes of cationic water-soluble 21-thia and 21-oxaporphyrins, 166
- Alachlor
Near-UV molar absorptivities of alachlor, mecroprop-p, pendimethalin, propanil and trifluralin in methanol, 237
- Amide bond cleavage
Photochemical decomposition of amidobiphenyls in highly excited triplet states studied by stepwise two-color laser photolysis, 288
- Amine
Synthesis and photopolymerization characteristics of amine coinitiator, 254
- 1-Aminopyrene
In situ probing of acidic groups on acid-treated carbon nanofibers using 1-aminopyrene, 161
- Amorphous films
Deposition of amorphous silicon dioxide from molecular complexes by a photoresist free process, 18
- Amorphous titanium oxide
Photochemical selective deposition of nickel using a TiO₂–Pd²⁺ layer, 56
- Antibiotics
Evidence for hole participation during the photocatalytic oxidation of the antibiotic flumequine, 139
- Band origin
Vibrational spectra and theoretical calculations of *p*-chlorophenol in the electronically excited S₁ and ionic ground D₀ states, 245
- Benzofuran
Photochromic properties of 1,2-bis(6-substitute-2-methyl-1-benzofuran-3-yl)ethene derivatives, 146
- Biopolymers
Laser induced foaming and chemical modifications of gelatine films, 187
- Carbon nanofibers
In situ probing of acidic groups on acid-treated carbon nanofibers using 1-aminopyrene, 161
- Catalyst
Ag nanoparticle-catalyzed chemiluminescent reaction between luminol and hydrogen peroxide, 89
- Catechols
Investigation on the fluorescence quenching of 2,3-diazabicyclo[2.2.2]oct-2-ene (DBO) by certain estrogens and catechols, 204
- Chemiluminescence
Ag nanoparticle-catalyzed chemiluminescent reaction between luminol and hydrogen peroxide, 89
- Coinitiator
Synthesis and photopolymerization characteristics of amine coinitiator, 254
- Core-modified water-soluble porphyrins
Synthesis, aggregation and photoinduced electron transfer processes of cationic water-soluble 21-thia and 21-oxaporphyrins, 166
- Coumarin 6
Molecular implantation using a laser-induced molecular micro-jet, 42
- Covalently bonded
Performance of near-IR luminescent xerogel materials covalently bonded with ternary lanthanide (Er^{III}, Nd^{III}, Yb^{III}) complexes, 153
- 2C-R2PI
Vibrational spectra and theoretical calculations of *p*-chlorophenol in the electronically excited S₁ and ionic ground D₀ states, 245
- β-Cyclodextrin
Spectral and photophysical studies on the inclusion complexation between Triton X-100 and β-cyclodextrin: A competitive method using a substituted 3*H*-indole probe, 178
- 2D NOESY NMR
Spectral and photophysical studies on the inclusion complexation between Triton X-100 and β-cyclodextrin: A competitive method using a substituted 3*H*-indole probe, 178
- Decolorization
An efficient photochemical bleaching of kraft pulps using total halogen-free reducing reagents, 122
- Diarylethene
Photochromic properties of 1,2-bis(6-substitute-2-methyl-1-benzofuran-3-yl)ethene derivatives, 146
- 2,3-Diazabicyclo[2.2.2]oct-2-ene
Investigation on the fluorescence quenching of 2,3-diazabicyclo[2.2.2]oct-2-ene (DBO) by certain estrogens and catechols, 204
- 2,6-dichloroindophenol
A study of new photocatalyst indicator inks, 228
- 2,4-Dichlorophenoxyacetic acid degradation
Slurry photodegradation of 2,4-dichlorophenoxyacetic acid: A comparative study of impregnated and sol–gel In₂O₃–TiO₂ mixed oxide catalysts, 266
- Domoic acid
Photocatalytic degradation of domoic acid using nanocrystalline TiO₂ thin films, 271
- Environmental purification
InVO₄-sensitized TiO₂ photocatalysts for efficient air purification with visible light, 213
- Estrogens
Investigation on the fluorescence quenching of 2,3-diazabicyclo[2.2.2]oct-2-ene (DBO) by certain estrogens and catechols, 204

- Ferrioxalate
The ferrioxalate and iodide–iodate actinometers in the UV region, 50
- Films
A study of new photocatalyst indicator inks, 228
- Flash photolysis
Thermodynamic energies of donor and acceptor triplet states, 110
- Flumequine
Evidence for hole participation during the photocatalytic oxidation of the antibiotic flumequine, 139
- Fluorescence
Synthesis and photophysical properties of fluorescence sensing ester- and amidoamine-functionalized 1,8-naphthalimides, 129
In situ probing of acidic groups on acid-treated carbon nanofibers using 1-aminopyrene, 161
- Fluorescence lifetime
Spectral and photophysical studies on the inclusion complexation between Triton X-100 and β -cyclodextrin: A competitive method using a substituted 3*H*-indole probe, 178
- Fluorescence quenching
Interaction of rofecoxib with human serum albumin: Determination of binding constants and the binding site by spectroscopic methods, 81
Synthesis, aggregation and photoinduced electron transfer processes of cationic water-soluble 21-thia and 21-oxaporphyrins, 166
Investigation on the fluorescence quenching of 2,3-diazabicyclo[2.2.2]oct-2-ene (DBO) by certain estrogens and catechols, 204
- Fluorescence spectra
Medium effects on the fluorescence spectra of tertiary aliphatic amines in mixed solvents and supercritical fluids, 260
- Formaldehyde
Two-step synthesis of a novel visible-light-driven $K_2Ta_2O_{6-x}N_x$ catalyst for the pollutant decomposition, 33
- FTIR
Synthesis and photopolymerization characteristics of amine coinitiator, 254
- Gelatine
Laser induced foaming and chemical modifications of gelatine films, 187
- Herbicide
Near-UV molar absorptivities of alachlor, mecroprop-p, pendimethalin, propanil and trifluralin in methanol, 237
- Higher triplet state
Photochemical decomposition of amidobiphenyls in highly excited triplet states studied by stepwise two-color laser photolysis, 288
- Human serum albumin
Interaction of rofecoxib with human serum albumin: Determination of binding constants and the binding site by spectroscopic methods, 81
- Hydrogen peroxide
Ag nanoparticle-catalyzed chemiluminescent reaction between luminol and hydrogen peroxide, 89
- Hydrophilicity
Photocatalytic activity of $TiO_2:In_2O_3$ nanocomposite films towards the degradation of arylmethane and azo dyes, 97
- Hydrothermal process
Two-step synthesis of a novel visible-light-driven $K_2Ta_2O_{6-x}N_x$ catalyst for the pollutant decomposition, 33
- IE
Vibrational spectra and theoretical calculations of *p*-chlorophenol in the electronically excited S_1 and ionic ground D_0 states, 245
- Implantation
Molecular implantation using a laser-induced molecular micro-jet, 42
- Inclusion complex
Spectral and photophysical studies on the inclusion complexation between Triton X-100 and β -cyclodextrin: A competitive method using a substituted 3*H*-indole probe, 178
- Indicators
A study of new photocatalyst indicator inks, 228
- Indium oxide
Photocatalytic activity of $TiO_2:In_2O_3$ nanocomposite films towards the degradation of arylmethane and azo dyes, 97
- Indium oxide photocatalysts
Slurry photodegradation of 2,4-dichlorophenoxyacetic acid: A comparative study of impregnated and sol–gel $In_2O_3-TiO_2$ mixed oxide catalysts, 266
- Indium–titania mixed oxide
Slurry photodegradation of 2,4-dichlorophenoxyacetic acid: A comparative study of impregnated and sol–gel $In_2O_3-TiO_2$ mixed oxide catalysts, 266
- Indium–titania mixed oxide Raman
Slurry photodegradation of 2,4-dichlorophenoxyacetic acid: A comparative study of impregnated and sol–gel $In_2O_3-TiO_2$ mixed oxide catalysts, 266
- Indium–titania mixed oxide UV–vis
Slurry photodegradation of 2,4-dichlorophenoxyacetic acid: A comparative study of impregnated and sol–gel $In_2O_3-TiO_2$ mixed oxide catalysts, 266
- Indium–titania mixed oxide XRD
Slurry photodegradation of 2,4-dichlorophenoxyacetic acid: A comparative study of impregnated and sol–gel $In_2O_3-TiO_2$ mixed oxide catalysts, 266
- Induced phototransformation
Phototransformation of monuron induced by nitrate and nitrite ions in water: Contribution of photonitration, 1
- Inks
A study of new photocatalyst indicator inks, 228
- Internal conversion
Self-sensitized photo-oxidation of *para*-indenylidene–dihydropyridine derivatives, 25
- Intersystem crossing
Self-sensitized photo-oxidation of *para*-indenylidene–dihydropyridine derivatives, 25
- $InVO_4/TiO_2$
 $InVO_4$ -sensitized TiO_2 photocatalysts for efficient air purification with visible light, 213
- Iodide–iodate
The ferrioxalate and iodide–iodate actinometers in the UV region, 50
- Isotope effect
Vibrational spectra and theoretical calculations of *p*-chlorophenol in the electronically excited S_1 and ionic ground D_0 states, 245
- Judd–Ofelt theory
Performance of near-IR luminescent xerogel materials covalently bonded with ternary lanthanide (Er^{III} , Nd^{III} , Yb^{III}) complexes, 153
- Kinetics
Synthesis and photopolymerization characteristics of amine coinitiator, 254
- Kraft pulp
An efficient photochemical bleaching of kraft pulps using total halogen-free reducing reagents, 122
- $K_2Ta_2O_6$
Two-step synthesis of a novel visible-light-driven $K_2Ta_2O_{6-x}N_x$ catalyst for the pollutant decomposition, 33
- Laser flash photolysis
Photochemical decomposition of amidobiphenyls in highly excited triplet states studied by stepwise two-color laser photolysis, 288
- Laser processing
Laser induced foaming and chemical modifications of gelatine films, 187
- Lignin
An efficient photochemical bleaching of kraft pulps using total halogen-free reducing reagents, 122
- Lithography
Deposition of amorphous silicon dioxide from molecular complexes by a photoresist free process, 18

- Low temperature crystallization
Photocatalytic degradation of domoic acid using nanocrystalline TiO₂ thin films, 271
- Luminol
Ag nanoparticle-catalyzed chemiluminescent reaction between luminol and hydrogen peroxide, 89
- MATI
Vibrational spectra and theoretical calculations of *p*-chlorophenol in the electronically excited S₁ and ionic ground D₀ states, 245
- Mecroprop-p
Near-UV molar absorptivities ofalachlor, mecroprop-p, pendimethalin, propanil and trifluralin in methanol, 237
- Medium effect
Medium effects on the fluorescence spectra of tertiary aliphatic amines in mixed solvents and supercritical fluids, 260
- Methylene blue
A study of new photocatalyst indicator inks, 228
- Micelle
Synthesis, aggregation and photoinduced electron transfer processes of cationic water-soluble 21-thia and 21-oxaporphyrins, 166
- Microwave
Use of microwave discharge electrodeless lamps (MDEL).
II. Photodegradation of acetaldehyde over TiO₂ pellets, 284
- Microwave discharge electrodeless lamp
Use of microwave discharge electrodeless lamps (MDEL).
II. Photodegradation of acetaldehyde over TiO₂ pellets, 284
- Mild heat
Recovery of visible-light photocatalytic efficiency of N-doped TiO₂ nanoparticulate films, 222
- Mixed solvent
Medium effects on the fluorescence spectra of tertiary aliphatic amines in mixed solvents and supercritical fluids, 260
- Molar absorptivity
Near-UV molar absorptivities ofalachlor, mecroprop-p, pendimethalin, propanil and trifluralin in methanol, 237
- Molecular jet
Molecular implantation using a laser-induced molecular micro-jet, 42
- Monuron
Phototransformation of monuron induced by nitrate and nitrite ions in water: Contribution of photonitration, 1
- Nanocomposite
Photocatalytic activity of TiO₂:In₂O₃ nanocomposite films towards the degradation of arylmethane and azo dyes, 97
- Nanocrystalline TiO₂ thin film
Photocatalytic degradation of domoic acid using nanocrystalline TiO₂ thin films, 271
- Nanostructuring
Laser induced foaming and chemical modifications of gelatine films, 187
- Naphthalene degradation
Naphthalene degradation in water by heterogeneous photocatalysis: An investigation of the influence of inorganic anions, 193
- 1,8-Naphthalimide
Synthesis and photophysical properties of fluorescence sensing ester- and amidoamine-functionalized 1,8-naphthalimides, 129
- N-doping
Two-step synthesis of a novel visible-light-driven K₂Ta₂O_{6-x}N_x catalyst for the pollutant decomposition, 33
- NIR luminescence
Performance of near-IR luminescent xerogel materials covalently bonded with ternary lanthanide (Er^{III}, Nd^{III}, Yb^{III}) complexes, 153
- Nitrate
Phototransformation of monuron induced by nitrate and nitrite ions in water: Contribution of photonitration, 1
- Nitrite
Phototransformation of monuron induced by nitrate and nitrite ions in water: Contribution of photonitration, 1
- Organic dot
Molecular implantation using a laser-induced molecular micro-jet, 42
- Organic UV absorbers
Interaction of TiO₂ nano-particles with organic UV absorbers, 10
- Oxalic acid
Photochemical selective deposition of nickel using a TiO₂-Pd²⁺ layer, 56
- Palladium
Photochemical selective deposition of nickel using a TiO₂-Pd²⁺ layer, 56
- PEDOT
Solid-state dye-sensitized TiO₂ solar cells using poly(3,4-ethylenedioxythiophene) as substitutes of iodine/iodide electrolytes and noble metal catalysts on FTO counter electrodes, 77
- Pendimethalin
Near-UV molar absorptivities ofalachlor, mecroprop-p, pendimethalin, propanil and trifluralin in methanol, 237
- Pesticide
Near-UV molar absorptivities ofalachlor, mecroprop-p, pendimethalin, propanil and trifluralin in methanol, 237
- pH sensing
Synthesis and photophysical properties of fluorescence sensing ester- and amidoamine-functionalized 1,8-naphthalimides, 129
- Photocatalysis
Evidence for hole participation during the photocatalytic oxidation of the antibiotic flumequine, 139
Naphthalene degradation in water by heterogeneous photocatalysis: An investigation of the influence of inorganic anions, 193
InVO₄-sensitized TiO₂ photocatalysts for efficient air purification with visible light, 213
- Photocatalyst
Photocatalytic activity of TiO₂:In₂O₃ nanocomposite films towards the degradation of arylmethane and azo dyes, 97
A study of new photocatalyst indicator inks, 228
- Photocatalytic
Two-step synthesis of a novel visible-light-driven K₂Ta₂O_{6-x}N_x catalyst for the pollutant decomposition, 33
- Photocatalytic activity
Photocatalytic degradation of domoic acid using nanocrystalline TiO₂ thin films, 271
- Photocatalytic degradation
Naphthalene degradation in water by heterogeneous photocatalysis: An investigation of the influence of inorganic anions, 193
- Photocatalytic reusability
Recovery of visible-light photocatalytic efficiency of N-doped TiO₂ nanoparticulate films, 222
- Photochemical decomposition
An efficient photochemical bleaching of kraft pulps using total halogen-free reducing reagents, 122
- Photochemical selective nickel deposition
Photochemical selective deposition of nickel using a TiO₂-Pd²⁺ layer, 56
- Photochemistry
Deposition of amorphous silicon dioxide from molecular complexes by a photoresist free process, 18
- Photochromism
Photochromic properties of 1,2-bis(6-substitute-2-methyl-1-benzofuran-3-yl)ethene derivatives, 146
- Photodecomposition
Photochemical decomposition of amidobiphenyls in highly excited triplet states studied by stepwise two-color laser photolysis, 288
- Photodegradation
Use of microwave discharge electrodeless lamps (MDEL).
II. Photodegradation of acetaldehyde over TiO₂ pellets, 284
- Photodegradation mechanism
Photocatalytic degradation of domoic acid using nanocrystalline TiO₂ thin films, 271

- Photoelectrochemical polymerization
 Solid-state dye-sensitized TiO₂ solar cells using poly(3,4-ethylenedioxythiophene) as substitutes of iodine/iodide electrolytes and noble metal catalysts on FTO counter electrodes, 77
- Photoinduced electron transfer (PET)
 Synthesis and photophysical properties of fluorescence sensing ester- and amidoamine-functionalized 1,8-naphthalimides, 129
 Synthesis, aggregation and photoinduced electron transfer processes of cationic water-soluble 21-thia and 21-oxaporphyrins, 166
- Photonitration
 Phototransformation of monuron induced by nitrate and nitrite ions in water: Contribution of photonitration, 1
- Photooxidation
 Scavenging of riboflavin-photogenerated oxidative species by uric acid, xanthine or hypoxanthine: A kinetic study, 103
- Photo-oxidation
 Self-sensitized photo-oxidation of *para*-indenylidene-dihydropyridine derivatives, 25
- Photopolymerization
 Synthesis and photopolymerization characteristics of amine coinitiator, 254
- Propanil
 Near-UV molar absorptivities of alachlor, mecroprop-p, pendimethalin, propanil and trifluralin in methanol, 237
- Purine bases
 Scavenging of riboflavin-photogenerated oxidative species by uric acid, xanthine or hypoxanthine: A kinetic study, 103
- Quantum yield
 Self-sensitized photo-oxidation of *para*-indenylidene-dihydropyridine derivatives, 25
 The ferrioxalate and iodide-iodate actinometers in the UV region, 50
 Thermodynamic energies of donor and acceptor triplet states, 110
- Re-entrant micro-jet
 Molecular implantation using a laser-induced molecular micro-jet, 42
- Resazurin
 A study of new photocatalyst indicator inks, 228
- Resonance light scattering (RLS)
 Synthesis, aggregation and photoinduced electron transfer processes of cationic water-soluble 21-thia and 21-oxaporphyrins, 166
- Resorufin
 A study of new photocatalyst indicator inks, 228
- Riboflavin
 Scavenging of riboflavin-photogenerated oxidative species by uric acid, xanthine or hypoxanthine: A kinetic study, 103
- Rofecoxib
 Interaction of rofecoxib with human serum albumin: Determination of binding constants and the binding site by spectroscopic methods, 81
- Sensitization
 Self-sensitized photo-oxidation of *para*-indenylidene-dihydropyridine derivatives, 25
 InVO₄-sensitized TiO₂ photocatalysts for efficient air purification with visible light, 213
- Silicon dioxide
 Deposition of amorphous silicon dioxide from molecular complexes by a photoresist free process, 18
- Singlet molecular oxygen
 Scavenging of riboflavin-photogenerated oxidative species by uric acid, xanthine or hypoxanthine: A kinetic study, 103
- Singlet oxygen
 Self-sensitized photo-oxidation of *para*-indenylidene-dihydropyridine derivatives, 25
- Site competitive binding
 Interaction of rofecoxib with human serum albumin: Determination of binding constants and the binding site by spectroscopic methods, 81
- Sol-gel photocatalysts
 Slurry photodegradation of 2,4-dichlorophenoxyacetic acid: A comparative study of impregnated and sol-gel In₂O₃-TiO₂ mixed oxide catalysts, 266
- Solid-state dye-sensitized solar cells
 Solid-state dye-sensitized TiO₂ solar cells using poly(3,4-ethylenedioxythiophene) as substitutes of iodine/iodide electrolytes and noble metal catalysts on FTO counter electrodes, 77
- Solvent polarity effect
 Self-sensitized photo-oxidation of *para*-indenylidene-dihydropyridine derivatives, 25
- Steady-state fluorescence
 Spectral and photophysical studies on the inclusion complexation between Triton X-100 and β-cyclodextrin: A competitive method using a substituted 3*H*-indole probe, 178
- Stepwise solvation model
 Medium effects on the fluorescence spectra of tertiary aliphatic amines in mixed solvents and supercritical fluids, 260
- Substitute effect
 Photochromic properties of 1,2-bis(6-substitute-2-methyl-1-benzofuran-3-yl)ethene derivatives, 146
- Supercritical fluid
 Medium effects on the fluorescence spectra of tertiary aliphatic amines in mixed solvents and supercritical fluids, 260
- Superoxide radical anion
 Scavenging of riboflavin-photogenerated oxidative species by uric acid, xanthine or hypoxanthine: A kinetic study, 103
- Ternary lanthanide complex
 Performance of near-IR luminescent xerogel materials covalently bonded with ternary lanthanide (Er^{III}, Nd^{III}, Yb^{III}) complexes, 153
- Tertiary amines
 Medium effects on the fluorescence spectra of tertiary aliphatic amines in mixed solvents and supercritical fluids, 260
- TiO₂
 Evidence for hole participation during the photocatalytic oxidation of the antibiotic flumequine, 139
 Naphthalene degradation in water by heterogeneous photocatalysis: An investigation of the influence of inorganic anions, 193
- TiO₂ pellet
 Use of microwave discharge electrodeless lamps (MDEL). II. Photodegradation of acetaldehyde over TiO₂ pellets, 284
- Titania
 Photocatalytic reactivity of transparent titania sols prepared by peptization of titanium tetraisopropoxide, 65
 Naphthalene degradation in water by heterogeneous photocatalysis: An investigation of the influence of inorganic anions, 193
- Titanium dioxide
 Interaction of TiO₂ nano-particles with organic UV absorbers, 10
 Photocatalytic activity of TiO₂:In₂O₃ nanocomposite films towards the degradation of arylmethane and azo dyes, 97
 Recovery of visible-light photocatalytic efficiency of N-doped TiO₂ nanoparticulate films, 222
- Total halogen-free reductive bleaching
 An efficient photochemical bleaching of kraft pulps using total halogen-free reducing reagents, 122
- Transparent sol
 Photocatalytic reactivity of transparent titania sols prepared by peptization of titanium tetraisopropoxide, 65
- Trifluralin
 Near-UV molar absorptivities of alachlor, mecroprop-p, pendimethalin, propanil and trifluralin in methanol, 237
- Triplet energy
 Thermodynamic energies of donor and acceptor triplet states, 110
- Triplet equilibria
 Thermodynamic energies of donor and acceptor triplet states, 110
- Triplet-triplet absorption
 Thermodynamic energies of donor and acceptor triplet states, 110

Triton X-100

Spectral and photophysical studies on the inclusion complexation between Triton X-100 and β -cyclodextrin: A competitive method using a substituted 3*H*-indole probe, 178

Two-step synthesis

Two-step synthesis of a novel visible-light-driven $K_2Ta_2O_{6-x}N_x$ catalyst for the pollutant decomposition, 33

UV spectrum

Near-UV molar absorptivities ofalachlor, mecroprop-p, pendimethalin, propanil and trifluralin in methanol, 237

Visible light

InVO₄-sensitized TiO₂ photocatalysts for efficient air purification with visible light, 213

Visible-light photocatalyst

Recovery of visible-light photocatalytic efficiency of N-doped TiO₂ nanoparticulate films, 222

Xerogel material

Performance of near-IR luminescent xerogel materials covalently bonded with ternary lanthanide (Er^{III}, Nd^{III}, Yb^{III}) complexes, 153