

## Subject Index of Volume 197

- Absorption spectra  
Light-induced effects in sulfonated aluminum phthalocyanines — potential photosensitizers in the photodynamic therapy. Spectroscopic and kinetic study, 1
- Absorption spectrophotometry  
Preparation and characterization of porphyrin chromophores immobilized on micro-silica gel beads, 101
- Absorption spectroscopy  
Effect of the electronic coupling in dinucleotides and oligonucleotides of adenine and thymine from synchrotron radiation absorption and circular dichroism, 110
- ABTS  
UV direct photolysis of 2,2'-azino-bis(3-ethylbenzothiazoline-6-sulfonate) (ABTS) in aqueous solution: Kinetics and mechanism, 232
- Advanced oxidation processes (AOP)  
Vacuum-UV-photolysis of aqueous solutions of citric and gallic acids, 306
- $\alpha$ -Furoic acid  
Study of the effect of ligands on the fluorescence properties of terbium ternary complexes, 329
- Aggregation  
Photophysical and photochemical properties of tetrasulfonated silicon and germanium phthalocyanine in aqueous and non-aqueous media, 273  
Controlling J aggregation in fluorescein by bile salt hydrogels, 402
- Alternative energy  
Ultraviolet stimulation of hydrogen peroxide production using aminindazole, diaminopyridine, and phenylenediamine solid polymer complexes of Zn(II), 245
- Aluminum phthalocyanine  
Light-induced effects in sulfonated aluminum phthalocyanines — potential photosensitizers in the photodynamic therapy. Spectroscopic and kinetic study, 1
- Annular reactor  
Abatement of volatile organic compounds using an annular photocatalytic reactor: Study of gaseous acetone, 177
- Antimony  
Unexpected photo-initiated oxidation of antimony in (tetra-*tert*-butyl)phthalocyaninatoantimony(III) complex in the presence of singlet oxygen acceptors, 313
- Aromatic carboxylates  
Peculiarities of the excitation energy transfer in europium and terbium aromatic carboxylates and nitrate complexes with sulfoxides: Blocking effect, 190
- Aromatic guest  
Aromatic guest inclusion by a tripodal ligand: Fluorescence and structural studies, 149
- Aromatic L-amino acid  
Interaction of water-soluble calix[4]arene with L-tryptophan studied by fluorescence spectroscopy, 389
- Atrazine  
Photocatalytic reaction by Fe(III)-citrate complex and its effect on the photodegradation of atrazine in aqueous solution, 382
- Barium titanate  
Dye-sensitized solar cells made from BaTiO<sub>3</sub>-coated TiO<sub>2</sub> nanoporous electrodes, 260
- $\beta$ -Cyclodextrin  
Interaction between  $\beta$ -cyclodextrin and ionic liquids in aqueous solutions investigated by a competitive method using a substituted 3H-indole probe, 253
- Benzophenone derivatives  
Transient products in the photoreduction of benzophenone derivatives in poly(ethylene-vinyl alcohol) film, 132
- Benzoquinone  
Photoinduced electron transfer dynamics in porphyrin donor dyads, 220
- Biocidal  
Photo-induced self-cleaning and biocidal behaviour of titania and copper oxide multilayers, 197
- Bond enthalpy  
A photoacoustic calorimetric characterization of the reaction enthalpy and volume for the preparation of a reactive intermediate from CpMn(CO)<sub>3</sub>, 335
- Born equation  
Solvent dependence of the charge-transfer properties of a quaterthiophene-anthraquinone dyad, 364
- Bridging ligand  
Photochemical hydrogen production from water using the new photocatalyst [{(bpy)<sub>2</sub>Ru(dpp)}<sub>2</sub>RhBr<sub>2</sub>](PF<sub>6</sub>)<sub>5</sub>, 13
- By-products  
Abatement of volatile organic compounds using an annular photocatalytic reactor: Study of gaseous acetone, 177
- Carbon disulfide  
Particle size dependence of chemical compositions of metal-containing ultrafine particles synthesized from a gaseous mixture of iron pentacarbonyl and carbon disulfide, 88
- Catechin  
Antioxidant and photo-antioxidant abilities of catechins, 141
- Charge recombination  
Solvent dependence of the charge-transfer properties of a quaterthiophene-anthraquinone dyad, 364
- Charge separation  
Solvent dependence of the charge-transfer properties of a quaterthiophene-anthraquinone dyad, 364
- Charge transfer  
A combined experimental and theoretical study on photoinduced intramolecular charge transfer in *trans*-ethyl *p* (dimethylamino) cinamate, 295
- Charge-separated state lifetime  
Photoinduced electron transfer dynamics in porphyrin donor dyads, 220
- Charge-transfer rate  
Solvent dependence of the charge-transfer properties of a quaterthiophene-anthraquinone dyad, 364
- Chemical vapour deposition  
Photo-induced self-cleaning and biocidal behaviour of titania and copper oxide multilayers, 197

- Chlorinated aromatics  
 Photoassisted dehalogenation and mineralization of chloro/fluoro-benzoic acid derivatives in aqueous media, 115
- Chloro/fluoro-benzoic acids  
 Photoassisted dehalogenation and mineralization of chloro/fluoro-benzoic acid derivatives in aqueous media, 115
- 4-Chloro-1,2-phenylenediamine  
 Photochemical reaction of a dye precursor 4-chloro-1,2-phenylenediamine and its associated mutagenic effects, 34
- Circular dichroism  
 Effect of the electronic coupling in dinucleotides and oligonucleotides of adenine and thymine from synchrotron radiation absorption and circular dichroism, 110
- Citric acid  
 Vacuum-UV-photolysis of aqueous solutions of citric and gallic acids, 306
- Cleavage process  
 Photochemistry and photophysics of a morpholino methylthio phenyl ketone: A steady-state, picosecond pump-probe laser spectroscopy and molecular modeling investigation, 342
- Co-crystal  
 Aromatic guest inclusion by a tripodal ligand: Fluorescence and structural studies, 149
- Coenzyme B<sub>12</sub>  
 DNA cleavage induced by photoirradiation of coenzyme B<sub>12</sub> and organocobaloximes without dioxygen, 94
- Complex  
 Photoreactive inclusion complex of arylidonium salt encapsulated by methylated- $\beta$ -cyclodextrin, 74
- Composites  
 The photocatalytic activity of TiO<sub>2</sub> foam and surface modified binary oxide titania nanoparticles, 321
- Conductivity  
 Interaction between  $\beta$ -cyclodextrin and ionic liquids in aqueous solutions investigated by a competitive method using a substituted 3H-indole probe, 253
- Confocal laser scanning microscope  
 Preparation and characterization of porphyrin chromophores immobilized on micro-silica gel beads, 101
- Controlled drug delivery  
 Single- and two-photon absorption induced photocleavage of dimeric coumarin linkers: Therapeutic versus passive photocleavage in ophthalmologic applications, 239
- Coordination energy  
 Multiphoton ionization of metal cluster complexes Os<sub>3</sub>(CO)<sub>12</sub> and Ir<sub>4</sub>(CO)<sub>12</sub>: Determination of the ionization energy and coordination energy of the complex ions, 266
- Copper oxide  
 Photo-induced self-cleaning and biocidal behaviour of titania and copper oxide multilayers, 197
- Coumarin dimer  
 Single- and two-photon absorption induced photocleavage of dimeric coumarin linkers: Therapeutic versus passive photocleavage in ophthalmologic applications, 239
- Covalently bonded  
 Covalently bonded assembly and photoluminescent properties of rare earth/silica/poly(methyl methacrylate-co-maleic anhydride) hybrid materials, 213
- Cremophore  
 Photochemical and photochemical properties of tetrasulfonated silicon and germanium phthalocyanine in aqueous and non-aqueous media, 273
- Cyclodextrin  
 Photoreactive inclusion complex of arylidonium salt encapsulated by methylated- $\beta$ -cyclodextrin, 74
- Dansyl  
 A dansyl-based fluorescent film: Preparation and sensitive detection of nitroaromatics in aqueous phase, 226
- Density functional theory  
 Photophysical properties of 2,3,6,7-tetrahydro-8-hydroxy-1H, 5H-benz[*i, j*]quinolizine-9-carboxaldehyde: Evidence of excited state intramolecular proton transfer but not of intramolecular charge transfer process, 62
- 2,3-Diamino-7-chlorophenazine  
 Photochemical reaction of a dye precursor 4-chloro-1,2-phenylenediamine and its associated mutagenic effects, 34
- Diffusion coefficients  
 Characterisation of DSSC-electrolytes based on 1-ethyl-3-methylimidazolium dicyanamide: Measurement of triiodide diffusion coefficient, viscosity, and photovoltaic performance, 25
- Dimerization  
 Light-induced effects in sulfonated aluminum phthalocyanines — potential photosensitizers in the photodynamic therapy. Spectroscopic and kinetic study, 1
- Diphenyliodonium  
 Excited states interaction of polycyclic aromatic hydrocarbons with diphenyliodonium chloride. The effective one electron reduction potential of diphenyliodonium cation, 18
- Diphenyliodonium salt  
 Photoreactive inclusion complex of arylidonium salt encapsulated by methylated- $\beta$ -cyclodextrin, 74
- Direct photolysis  
 Photodegradation of tetracycline and formation of reactive oxygen species in aqueous tetracycline solution under simulated sunlight irradiation, 81
- DNA  
 DNA cleavage induced by photoirradiation of coenzyme B<sub>12</sub> and organocobaloximes without dioxygen, 94  
 Intermolecular vs. intramolecular photoinduced electron transfer from nucleotides in DNA to acridinium ion derivatives in relation with DNA cleavage, 206
- DNA strand break  
 Photodynamic action of bis(tertiary arsine (diars)) metal(III) complexes *trans*-[M(diars)<sub>2</sub>X<sub>2</sub>]<sup>+</sup> (X = Cl, Br, I; M = Co<sup>3+</sup>, Cr<sup>3+</sup>, Rh<sup>3+</sup>): Optical and EPR spin-trapping studies, 394
- Donor-acceptor systems  
 Structure and fluorescent properties of merocyanines based on *N,N*-diethylthiobarbituric acid, 40
- Dye intermediate  
 Photochemical reaction of a dye precursor 4-chloro-1,2-phenylenediamine and its associated mutagenic effects, 34
- Dye-sensitized solar cell  
 Characterisation of DSSC-electrolytes based on 1-ethyl-3-methylimidazolium dicyanamide: Measurement of triiodide diffusion coefficient, viscosity, and photovoltaic performance, 25
- Dye-sensitized solar cell  
 Synthesis of new perylene imide dyes and their photovoltaic performances in nanocrystalline TiO<sub>2</sub> dye-sensitized solar cells, 156  
 Post-modification using aluminum isopropoxide after dye-sensitization for improved performance and stability of quasi-solid-state solar cells, 375
- Dye-sensitized solar cells  
 Dye-sensitized solar cells made from BaTiO<sub>3</sub>-coated TiO<sub>2</sub> nanoporous electrodes, 260
- Electrochemiluminescence  
 Electrochemiluminescence of lucigenin/tributylamine system in ethanol solution, 55
- Electron transfer  
 Excited states interaction of polycyclic aromatic hydrocarbons with diphenyliodonium chloride. The effective one electron reduction potential of diphenyliodonium cation, 18  
 Intermolecular vs. intramolecular photoinduced electron transfer from nucleotides in DNA to acridinium ion derivatives in relation with DNA cleavage, 206  
 Solvent dependence of the charge-transfer properties of a quaterthiophene-anthraquinone dyad, 364

- Electronic structure  
Structure and fluorescent properties of merocyanines based on *N,N*-diethylthiobarbituric acid, 40
- Emission spectra  
Light-induced effects in sulfonated aluminum phthalocyanines — potential photosensitizers in the photodynamic therapy. Spectroscopic and kinetic study, 1
- Energy transfer  
Design and synthesis of core and peripherally functionalized with 1,8-naphthalimide units fluorescent PAMAM dendron as light harvesting antenna, 281
- EPR  
Photodynamic action of bis(tertiary arsine (diars)) metal(III) complexes *trans*-[M(diars)<sub>2</sub>X<sub>2</sub>]<sup>+</sup> (X = Cl, Br, I; M = Co<sup>3+</sup>, Cr<sup>3+</sup>, Rh<sup>3+</sup>): Optical and EPR spin-trapping studies, 394
- Eu<sup>3+</sup>  
Peculiarities of the excitation energy transfer in europium and terbium aromatic carboxylates and nitrate complexes with sulfoxides: Blocking effect, 190
- Excited state proton transfer (ESIPT)  
Photophysical properties of 2,3,6,7-tetrahydro-8-hydroxy-1H, 5H-benz[*i,j*]quinolizine-9-carboxaldehyde: Evidence of excited state intramolecular proton transfer but not of intramolecular charge transfer process, 62
- Excited states  
Excited states interaction of polycyclic aromatic hydrocarbons with diphenyliodonium chloride. The effective one electron reduction potential of diphenyliodonium cation, 18
- Exciton coupling  
Effect of the electronic coupling in dinucleotides and oligonucleotides of adenine and thymine from synchrotron radiation absorption and circular dichroism, 110
- <sup>19</sup>F NMR  
Interaction between β-cyclodextrin and ionic liquids in aqueous solutions investigated by a competitive method using a substituted 3H-indole probe, 253
- Fatty acid  
Characterization of self-cleaning glasses using Langmuir–Blodgett technique to control thickness of stearic acid multilayers. Importance of spectral emission to define standard test, 170
- Fe(III)–citrate complex  
Photocatalytic reaction by Fe(III)–citrate complex and its effect on the photodegradation of atrazine in aqueous solution, 382
- Femtosecond transient absorption  
A combined experimental and theoretical study on photoinduced intramolecular charge transfer in *trans*-ethyl *p*-(dimethylamino)cinamate, 295
- Film sensor  
A dansyl-based fluorescent film: Preparation and sensitive detection of nitroaromatics in aqueous phase, 226
- Flavonoid  
Antioxidant and photo-antioxidant abilities of catechins, 141
- Fluorescein  
Controlling J aggregation in fluorescein by bile salt hydrogels, 402
- Fluorescence  
Structure and fluorescent properties of merocyanines based on *N,N*-diethylthiobarbituric acid, 40  
Photophysical properties of 2,3,6,7-tetrahydro-8-hydroxy-1H, 5H-benz[*i,j*]quinolizine-9-carboxaldehyde: Evidence of excited state intramolecular proton transfer but not of intramolecular charge transfer process, 62  
Aromatic guest inclusion by a tripodal ligand: Fluorescence and structural studies, 149  
Design and synthesis of core and peripherally functionalized with 1,8-naphthalimide units fluorescent PAMAM dendron as light harvesting antenna, 281  
Study of the effect of ligands on the fluorescence properties of terbium ternary complexes, 329
- Fluorescence quenching  
A dansyl-based fluorescent film: Preparation and sensitive detection of nitroaromatics in aqueous phase, 226  
Solvent dependence of the charge-transfer properties of a quaterthiophene–anthraquinone dyad, 364
- Fluorinated aromatics  
Photoassisted dehalogenation and mineralization of chloro/fluoro-benzoic acid derivatives in aqueous media, 115
- Fluorinated polyimide  
Sul-containing fluorinated polyimides for optical waveguide device, 426
- Foam  
The photocatalytic activity of TiO<sub>2</sub> foam and surface modified binary oxide titania nanoparticles, 321
- Fuel  
Ultraviolet stimulation of hydrogen peroxide production using aminoindazole, diaminopyridine, and phenylenediamine solid polymer complexes of Zn(II), 245
- Gallic acid  
Vacuum-UV-photolysis of aqueous solutions of citric and gallic acids, 306
- Gas phase photochemical reaction  
Particle size dependence of chemical compositions of metal-containing ultrafine particles synthesized from a gaseous mixture of iron pentacarbonyl and carbon disulfide, 88
- Germanium phthalocyanine  
Photophysical and photochemical properties of tetrasulfonated silicon and germanium phthalocyanine in aqueous and non-aqueous media, 273
- Glazed ceramic substrates  
Screen-printing of TiO<sub>2</sub> photocatalytic layers on glazed ceramic tiles, 125
- H-aggregates  
Controlling J aggregation in fluorescein by bile salt hydrogels, 402
- Hydrogel  
Controlling J aggregation in fluorescein by bile salt hydrogels, 402
- Hydrogen peroxide  
Ultraviolet stimulation of hydrogen peroxide production using aminoindazole, diaminopyridine, and phenylenediamine solid polymer complexes of Zn(II), 245
- Hydrogen photocatalysis  
Photochemical hydrogen production from water using the new photocatalyst [(bpy)<sub>2</sub>Ru(dpp)]<sub>2</sub>RhBr<sub>2</sub>(PF<sub>6</sub>)<sub>5</sub>, 13
- Hydroxyl radical  
Optimization of the removal efficiency of nitrogen oxides in the air using a low-pressure Hg lamp, 50  
Photocatalytic reaction by Fe(III)–citrate complex and its effect on the photodegradation of atrazine in aqueous solution, 382
- Inclusion complex  
Interaction between β-cyclodextrin and ionic liquids in aqueous solutions investigated by a competitive method using a substituted 3H-indole probe, 253
- Inclusion complexes  
Aromatic guest inclusion by a tripodal ligand: Fluorescence and structural studies, 149
- Intraocular lenses  
Single- and two-photon absorption induced photocleavage of dimeric coumarin linkers: Therapeutic versus passive photocleavage in ophthalmologic applications, 239
- Ionic liquid  
Interaction between β-cyclodextrin and ionic liquids in aqueous solutions investigated by a competitive method using a substituted 3H-indole probe, 253
- Ionic liquid electrolyte  
Characterisation of DSSC-electrolytes based on 1-ethyl-3-methylimidazolium dicyanamide: Measurement of triiodide diffusion coefficient, viscosity, and photovoltaic performance, 25

- Ionization energy  
 Multiphoton ionization of metal cluster complexes  $\text{Os}_3(\text{CO})_{12}$  and  $\text{Ir}_4(\text{CO})_{12}$ : Determination of the ionization energy and coordination energy of the complex ions, 266
- Iron pentacarbonyl  
 Particle size dependence of chemical compositions of metal-containing ultrafine particles synthesized from a gaseous mixture of iron pentacarbonyl and carbon disulfide, 88
- Irradiation wavelength  
 Characterization of self-cleaning glasses using Langmuir–Blodgett technique to control thickness of stearic acid multilayers. Importance of spectral emission to define standard test, 170
- J-aggregates  
 Controlling J aggregation in fluorescein by bile salt hydrogels, 402
- Keto-enol tautomerism  
 Photophysical properties of 2,3,6,7-tetrahydro-8-hydroxy-1H, 5H-benz[*i,j*]quinolizine-9-carboxaldehyde: Evidence of excited state intramolecular proton transfer but not of intramolecular charge transfer process, 62
- Kinetic modelling  
 Abatement of volatile organic compounds using an annular photocatalytic reactor: Study of gaseous acetone, 177
- Kinetics of photochemical reaction  
 Photochemical reaction kinetics in optically dense media: The influence of thermal reactions, 359
- Langmuir–Blodgett  
 Characterization of self-cleaning glasses using Langmuir–Blodgett technique to control thickness of stearic acid multilayers. Importance of spectral emission to define standard test, 170
- Lanthanide  
 Covalently assembly and photophysical properties of novel lanthanide centered hybrid materials by functionalized thioacylureas bridge, 351
- Lappaconitine  
 Phototransformation products of the alkaloid lappaconitine: Multinuclear NMR study, 290
- Laser flash photolysis  
 Intermolecular vs. intramolecular photoinduced electron transfer from nucleotides in DNA to acridinium ion derivatives in relation with DNA cleavage, 206  
 Solvent dependence of the charge-transfer properties of a quaterthiophene–anthraquinone dyad, 364
- Ligand  
 Study of the effect of ligands on the fluorescence properties of terbium ternary complexes, 329
- Light harvesting antenna  
 Design and synthesis of core and peripherally functionalized with 1,8-naphthalimide units fluorescent PAMAM dendron as light harvesting antenna, 281
- Light-absorbing transient  
 Transient products in the photoreduction of benzophenone derivatives in poly(ethylene-vinyl alcohol) film, 132
- LM CTS  
 Peculiarities of the excitation energy transfer in europium and terbium aromatic carboxylates and nitrate complexes with sulfoxides: Blocking effect, 190
- Low-pressure Hg lamp  
 Optimization of the removal efficiency of nitrogen oxides in the air using a low-pressure Hg lamp, 50
- Lucigenin  
 Electrochemiluminescence of lucigenin/tributylamine system in ethanol solution, 55
- Luminescence  
 Peculiarities of the excitation energy transfer in europium and terbium aromatic carboxylates and nitrate complexes with sulfoxides: Blocking effect, 190
- Merocyanines  
 Structure and fluorescent properties of merocyanines based on *N,N*-diethylthiobarbituric acid, 40
- Metal carbonyl  
 A photoacoustic calorimetric characterization of the reaction enthalpy and volume for the preparation of a reactive intermediate from  $\text{CpMn}(\text{CO})_3$ , 335
- Metal cluster complex  
 Multiphoton ionization of metal cluster complexes  $\text{Os}_3(\text{CO})_{12}$  and  $\text{Ir}_4(\text{CO})_{12}$ : Determination of the ionization energy and coordination energy of the complex ions, 266
- Metal diars complexes  
 Photodynamic action of bis(tertiary arsine (diars)) metal(III) complexes *trans*-[M(diars)<sub>2</sub>X<sub>2</sub>]<sup>+</sup> (X = Cl, Br, I; M = Co<sup>3+</sup>, Cr<sup>3+</sup>, Rh<sup>3+</sup>): Optical and EPR spin-trapping studies, 394
- Metal-to-ligand charge-transfer  
 Photochemical hydrogen production from water using the new photocatalyst [((bpy)<sub>2</sub>Ru(dpp))<sub>2</sub>RhBr<sub>2</sub>](PF<sub>6</sub>)<sub>5</sub>, 13
- Metal-to-metal charge-transfer  
 Photochemical hydrogen production from water using the new photocatalyst [((bpy)<sub>2</sub>Ru(dpp))<sub>2</sub>RhBr<sub>2</sub>](PF<sub>6</sub>)<sub>5</sub>, 13
- Micro-channel reactor  
 Preparation and characterization of porphyrin chromophores immobilized on micro-silica gel beads, 101
- Microsphere  
 Covalently assembly and photophysical properties of novel lanthanide centered hybrid materials by functionalized thioacylureas bridge, 351
- Molecular hybrid system  
 Covalently assembly and photophysical properties of novel lanthanide centered hybrid materials by functionalized thioacylureas bridge, 351
- Multi-electron photochemistry  
 Photochemical hydrogen production from water using the new photocatalyst [((bpy)<sub>2</sub>Ru(dpp))<sub>2</sub>RhBr<sub>2</sub>](PF<sub>6</sub>)<sub>5</sub>, 13
- Multiphoton ionization  
 Multiphoton ionization of metal cluster complexes  $\text{Os}_3(\text{CO})_{12}$  and  $\text{Ir}_4(\text{CO})_{12}$ : Determination of the ionization energy and coordination energy of the complex ions, 266
- N*-acetylanthranilic acid  
 Phototransformation products of the alkaloid lappaconitine: Multinuclear NMR study, 290
- Nanoparticle  
 Covalently assembly and photophysical properties of novel lanthanide centered hybrid materials by functionalized thioacylureas bridge, 351
- Nanoparticles  
 The photocatalytic activity of TiO<sub>2</sub> foam and surface modified binary oxide titania nanoparticles, 321
- Nanoporous films  
 Dye-sensitized solar cells made from BaTiO<sub>3</sub>-coated TiO<sub>2</sub> nanoporous electrodes, 260
- 1,8-Naphthalimide  
 Design and synthesis of core and peripherally functionalized with 1,8-naphthalimide units fluorescent PAMAM dendron as light harvesting antenna, 281
- Nitrates  
 Peculiarities of the excitation energy transfer in europium and terbium aromatic carboxylates and nitrate complexes with sulfoxides: Blocking effect, 190
- Nitroaromatics  
 A dansyl-based fluorescent film: Preparation and sensitive detection of nitroaromatics in aqueous phase, 226
- NMR  
 Phototransformation products of the alkaloid lappaconitine: Multinuclear NMR study, 290
- NO<sub>x</sub>  
 Optimization of the removal efficiency of nitrogen oxides in the air using a low-pressure Hg lamp, 50
- N*-Phenylanthranilic acid  
 Study of the effect of ligands on the fluorescence properties of terbium ternary complexes, 329

- Nucleotide  
Intermolecular vs. intramolecular photoinduced electron transfer from nucleotides in DNA to acridinium ion derivatives in relation with DNA cleavage, 206
- Oligothiophene  
Solvent dependence of the charge-transfer properties of a quaterthiophene–anthraquinone dyad, 364
- Optical and electrochemical properties  
Substituent position effect on the properties of new unsymmetrical isomeric diarylethenes having a chlorine atom, 415
- Optical waveguide  
Sul-containing fluorinated polyimides for optical waveguide device, 426
- Optically dense media  
Photochemical reaction kinetics in optically dense media: The influence of thermal reactions, 359
- Organic sensitizer  
Synthesis of new perylene imide dyes and their photovoltaic performances in nanocrystalline TiO<sub>2</sub> dye-sensitized solar cells, 156
- Oxidation reaction  
Photodegradation of tetracycline and formation of reactive oxygen species in aqueous tetracycline solution under simulated sunlight irradiation, 81
- Oxidative addition  
Unexpected photo-initiated oxidation of antimony in (tetra-*tert*-butyl)phthalocyaninatoantimony(III) complex in the presence of singlet oxygen acceptors, 313
- Oxygen  
DNA cleavage induced by photoirradiation of coenzyme B<sub>12</sub> and organocobaloximes without dioxygen, 94
- Ozone  
Optimization of the removal efficiency of nitrogen oxides in the air using a low-pressure Hg lamp, 50
- PAMAM  
Design and synthesis of core and peripherally functionalized with 1,8-naphthalimide units fluorescent PAMAM dendron as light harvesting antenna, 281
- Particle size  
Particle size dependence of chemical compositions of metal-containing ultrafine particles synthesized from a gaseous mixture of iron pentacarbonyl and carbon disulfide, 88
- Perylene  
Synthesis of new perylene imide dyes and their photovoltaic performances in nanocrystalline TiO<sub>2</sub> dye-sensitized solar cells, 156
- Photoacoustic calorimetry  
A photoacoustic calorimetric characterization of the reaction enthalpy and volume for the preparation of a reactive intermediate from CpMn(CO)<sub>3</sub>, 335
- Photo-activity  
Photo-induced self-cleaning and biocidal behaviour of titania and copper oxide multilayers, 197
- Photo-antioxidant  
Antioxidant and photo-antioxidant abilities of catechins, 141
- Photocatalytic  
Ultraviolet stimulation of hydrogen peroxide production using aminoindazole, diaminopyridine, and phenylenediamine solid polymer complexes of Zn(II), 245
- Photocatalytic degradation  
Characterization of self-cleaning glasses using Langmuir–Blodgett technique to control thickness of stearic acid multilayers. Importance of spectral emission to define standard test, 170
- Photocatalytic degradation mechanism  
Abatement of volatile organic compounds using an annular photocatalytic reactor: Study of gaseous acetone, 177
- Photochemical  
Ultraviolet stimulation of hydrogen peroxide production using aminoindazole, diaminopyridine, and phenylenediamine solid polymer complexes of Zn(II), 245
- Photochemical reaction  
Photochemical reaction of a dye precursor 4-chloro-1,2-phenylenediamine and its associated mutagenic effects, 34
- Photochromic isomerization  
Photochemical reaction kinetics in optically dense media: The influence of thermal reactions, 359
- Photochromism  
Substituent position effect on the properties of new unsymmetrical isomeric diarylethenes having a chlorine atom, 415
- Photodegradation  
Photocatalytic reaction by Fe(III)–citrate complex and its effect on the photodegradation of atrazine in aqueous solution, 382
- Photodissociation  
A photoacoustic calorimetric characterization of the reaction enthalpy and volume for the preparation of a reactive intermediate from CpMn(CO)<sub>3</sub>, 335
- Photodynamic therapy  
Light-induced effects in sulfonated aluminum phthalocyanines — potential photosensitizers in the photodynamic therapy. Spectroscopic and kinetic study, 1
- Photoinduced electron transfer  
Photoinduced electron transfer dynamics in porphyrin donor dyads, 220
- Photoinitiator  
Photoreactive inclusion complex of arylidonium salt encapsulated by methylated-β-cyclodextrin, 74  
Photochemistry and photophysics of a morpholino methylthio phenyl ketone: A steady-state, picosecond pump-probe laser spectroscopy and molecular modeling investigation, 342
- Photoirradiation  
DNA cleavage induced by photoirradiation of coenzyme B<sub>12</sub> and organocobaloximes without dioxygen, 94
- Photoluminescence  
Covalently bonded assembly and photoluminescent properties of rare earth/silica/poly(methyl methacrylate-co-maleic anhydride) hybrid materials, 213
- Photolysis  
Photoreactive inclusion complex of arylidonium salt encapsulated by methylated-β-cyclodextrin, 74  
UV direct photolysis of 2,2'-azino-bis(3-ethylbenzothiazoline-6-sulfonate) (ABTS) in aqueous solution: Kinetics and mechanism, 232
- Photomutagenicity  
Photochemical reaction of a dye precursor 4-chloro-1,2-phenylenediamine and its associated mutagenic effects, 34
- Photo-oxidation  
Optimization of the removal efficiency of nitrogen oxides in the air using a low-pressure Hg lamp, 50
- Photooxidation  
UV direct photolysis of 2,2'-azino-bis(3-ethylbenzothiazoline-6-sulfonate) (ABTS) in aqueous solution: Kinetics and mechanism, 232
- Photophysical property  
Covalently assembly and photophysical properties of novel lanthanide centered hybrid materials by functionalized thioacylureas bridge, 351
- Photoreduction  
Transient products in the photoreduction of benzophenone derivatives in poly(ethylene-vinyl alcohol) film, 132
- Phototransformation  
Phototransformation products of the alkaloid lappaconitine: Multinuclear NMR study, 290
- Photovoltaic  
Synthesis of new perylene imide dyes and their photovoltaic performances in nanocrystalline TiO<sub>2</sub> dye-sensitized solar cells, 156
- Photovoltaic performance  
Characterisation of DSSC-electrolytes based on 1-ethyl-3-methylimidazolium dicyanamide: Measurement of triiodide diffusion coefficient, viscosity, and photovoltaic performance, 25
- Phthalocyanine  
Unexpected photo-initiated oxidation of antimony in (tetra-*tert*-butyl)phthalocyaninatoantimony(III) complex in the presence of singlet oxygen acceptors, 313

- Polycyclic aromatic hydrocarbons  
Excited states interaction of polycyclic aromatic hydrocarbons with diphenyliodonium chloride. The effective one electron reduction potential of diphenyliodonium cation, 18
- Poly(ethylene-vinyl alcohol)  
Transient products in the photoreduction of benzophenone derivatives in poly(ethylene-vinyl alcohol) film, 132
- Polymer hybrid material  
Covalently bonded assembly and photoluminescent properties of rare earth/silica/poly(methyl methacrylate-co-maleic anhydride) hybrid materials, 213
- Porphyrin  
Photoinduced electron transfer dynamics in porphyrin donor dyads, 220
- Porphyrin chromophore  
Preparation and characterization of porphyrin chromophores immobilized on micro-silica gel beads, 101
- Post-modification  
Post-modification using aluminum isopropoxide after dye-sensitization for improved performance and stability of quasi-solid-state solar cells, 375
- Pump-probe spectroscopy  
Photochemistry and photophysics of a morpholino methylthio phenyl ketone: A steady-state, picosecond pump-probe laser spectroscopy and molecular modeling investigation, 342
- Quinone  
Solvent dependence of the charge-transfer properties of a quaterthiophene-anthraquinone dyad, 364
- Radiation field  
Abatement of volatile organic compounds using an annular photocatalytic reactor: Study of gaseous acetone, 177
- Radical  
DNA cleavage induced by photoirradiation of coenzyme B<sub>12</sub> and organocobaloximes without dioxygen, 94  
Intermolecular vs. intramolecular photoinduced electron transfer from nucleotides in DNA to acridinium ion derivatives in relation with DNA cleavage, 206
- Rare earth ion  
Covalently bonded assembly and photoluminescent properties of rare earth/silica/poly(methyl methacrylate-co-maleic anhydride) hybrid materials, 213
- Reactive oxygen species  
Photodegradation of tetracycline and formation of reactive oxygen species in aqueous tetracycline solution under simulated sunlight irradiation, 81
- Recombination  
Post-modification using aluminum isopropoxide after dye-sensitization for improved performance and stability of quasi-solid-state solar cells, 375
- Rehm weller equation  
Solvent dependence of the charge-transfer properties of a quaterthiophene-anthraquinone dyad, 364
- ROS generation  
Photodynamic action of bis(tertiary arsine (diars)) metal(III) complexes  $trans-[M(diars)_2X_2]^+$  (X = Cl, Br, I); M = Co<sup>3+</sup>, Cr<sup>3+</sup>, Rh<sup>3+</sup>: Optical and EPR spin-trapping studies, 394
- Ruthenium polyazine light absorber  
Photochemical hydrogen production from water using the new photocatalyst  $\{(bpy)_2Ru(dpp)\}_2RhBr_2(PF_6)_5$ , 13
- Screen-printed layers  
Screen-printing of TiO<sub>2</sub> photocatalytic layers on glazed ceramic tiles, 125
- Self-cleaning glass  
Characterization of self-cleaning glasses using Langmuir-Blodgett technique to control thickness of stearic acid multilayers. Importance of spectral emission to define standard test, 170
- Self-sensitization  
Photodegradation of tetracycline and formation of reactive oxygen species in aqueous tetracycline solution under simulated sunlight irradiation, 81
- SEM microscopy  
The photocatalytic activity of TiO<sub>2</sub> foam and surface modified binary oxide titania nanoparticles, 321
- Silicon phthalocyanine  
Photophysical and photochemical properties of tetrasulfonated silicon and germanium phthalocyanine in aqueous and non-aqueous media, 273
- Singlet oxygen  
Unexpected photo-initiated oxidation of antimony in (tetra-*tert*-butyl)phthalocyaninatoantimony(III) complex in the presence of singlet oxygen acceptors, 313
- Solar energy  
Ultraviolet stimulation of hydrogen peroxide production using aminoindazole, diaminopyridine, and phenylenediamine solid polymer complexes of Zn(II), 245
- Solvatochromism  
Structure and fluorescent properties of merocyanines based on *N,N*-diethylthiobarbituric acid, 40
- Solvent reorganization  
A combined experimental and theoretical study on photoinduced intramolecular charge transfer in *trans*-ethyl *p*-(dimethylamino) cinamate, 295
- Spectrofluorometry  
Interaction of water-soluble calix[4]arene with L-tryptophan studied by fluorescence spectroscopy, 389
- Spectroscopy  
The photocatalytic activity of TiO<sub>2</sub> foam and surface modified binary oxide titania nanoparticles, 321
- Spin trapping  
Photodynamic action of bis(tertiary arsine (diars)) metal(III) complexes  $trans-[M(diars)_2X_2]^+$  (X = Cl, Br, I); M = Co<sup>3+</sup>, Cr<sup>3+</sup>, Rh<sup>3+</sup>: Optical and EPR spin-trapping studies, 394
- Stability  
Post-modification using aluminum isopropoxide after dye-sensitization for improved performance and stability of quasi-solid-state solar cells, 375
- Steady-state fluorescence  
Interaction between  $\beta$ -cyclodextrin and ionic liquids in aqueous solutions investigated by a competitive method using a substituted 3H-indole probe, 253
- Stearic acid  
Characterization of self-cleaning glasses using Langmuir-Blodgett technique to control thickness of stearic acid multilayers. Importance of spectral emission to define standard test, 170
- Substituent position effect  
Substituent position effect on the properties of new unsymmetrical isomeric diarylethenes having a chlorine atom, 415
- Sulfur  
Sul-containing fluorinated polyimides for optical waveguide device, 426
- Synchrotron radiation  
Effect of the electronic coupling in dinucleotides and oligonucleotides of adenine and thymine from synchrotron radiation absorption and circular dichroism, 110
- Tb<sup>3+</sup>  
Peculiarities of the excitation energy transfer in europium and terbium aromatic carboxylates and nitrate complexes with sulfoxides: Blocking effect, 190
- Tb<sup>3+</sup> complexes  
Study of the effect of ligands on the fluorescence properties of terbium ternary complexes, 329
- TDDFT calculation  
A combined experimental and theoretical study on photoinduced intramolecular charge transfer in *trans*-ethyl *p*-(dimethylamino) cinamate, 295
- Tetracycline  
Photodegradation of tetracycline and formation of reactive oxygen species in aqueous tetracycline solution under simulated sunlight irradiation, 81

- 2,3,6,7-Tetrahydro-8-hydroxy-1H, 5H-benzo[i, j] quinolizine-9-carboxaldehyde (THBQC)  
Photophysical properties of 2,3,6,7-tetrahydro-8-hydroxy-1H, 5H-benz[i, j] quinolizine-9-carboxaldehyde: Evidence of excited state intramolecular proton transfer but not of intramolecular charge transfer process, 62
- Thermal reactions  
Photochemical reaction kinetics in optically dense media: The influence of thermal reactions, 359
- Thermodynamics  
A photoacoustic calorimetric characterization of the reaction enthalpy and volume for the preparation of a reactive intermediate from  $\text{CpMn}(\text{CO})_3$ , 335
- Thioacetamide functionalized molecular bridge  
Covalently assembly and photophysical properties of novel lanthanide centered hybrid materials by functionalized thioacylureas bridge, 351
- Time resolved fluorescence  
A combined experimental and theoretical study on photoinduced intramolecular charge transfer in *trans*-ethyl *p*-(dimethylamino) cinamate, 295
- Time-of-flight mass spectrometry  
Photoassisted dehalogenation and mineralization of chloro/fluoro-benzoic acid derivatives in aqueous media, 115
- TiO<sub>2</sub>  
Screen-printing of TiO<sub>2</sub> photocatalytic layers on glazed ceramic tiles, 125
- TiO<sub>2</sub> photoassisted degradation and mineralization  
Photoassisted dehalogenation and mineralization of chloro/fluoro-benzoic acid derivatives in aqueous media, 115
- Titania  
Photo-induced self-cleaning and biocidal behaviour of titania and copper oxide multilayers, 197
- Titanium dioxide  
Synthesis of new perylene imide dyes and their photovoltaic performances in nanocrystalline TiO<sub>2</sub> dye-sensitized solar cells, 156  
Dye-sensitized solar cells made from BaTiO<sub>3</sub>-coated TiO<sub>2</sub> nanoporous electrodes, 260
- Tributylamine  
Electrochemiluminescence of lucigenin/tributylamine system in ethanol solution, 55
- Triplet lifetime  
Photophysical and photochemical properties of tetrasulfonated silicon and germanium phthalocyanine in aqueous and non-aqueous media, 273
- Triplet yields  
Photophysical and photochemical properties of tetrasulfonated silicon and germanium phthalocyanine in aqueous and non-aqueous media, 273
- Tripodal ligand  
Aromatic guest inclusion by a tripodal ligand: Fluorescence and structural studies, 149
- Two-photon absorption  
Single- and two-photon absorption induced photocleavage of dimeric coumarin linkers: Therapeutic versus passive photocleavage in ophthalmologic applications, 239
- Ultrafine particles  
Particle size dependence of chemical compositions of metal-containing ultrafine particles synthesized from a gaseous mixture of iron pentacarbonyl and carbon disulfide, 88
- Ultraviolet irradiation  
UV direct photolysis of 2,2'-azino-bis(3-ethylbenzothiazoline-6-sulfonate) (ABTS) in aqueous solution: Kinetics and mechanism, 232
- Unsymmetrical diarylethene  
Substituent position effect on the properties of new unsymmetrical isomeric diarylethenes having a chlorine atom, 415
- UV  
Antioxidant and photo-antioxidant abilities of catechins, 141
- UVA  
Antioxidant and photo-antioxidant abilities of catechins, 141
- Vacuum ultraviolet  
Effect of the electronic coupling in dinucleotides and oligonucleotides of adenine and thymine from synchrotron radiation absorption and circular dichroism, 110
- Vibrational relaxation  
A combined experimental and theoretical study on photoinduced intramolecular charge transfer in *trans*-ethyl *p*-(dimethylamino) cinamate, 295
- Visible light photocatalysis  
Screen-printing of TiO<sub>2</sub> photocatalytic layers on glazed ceramic tiles, 125
- VUV-photolysis  
Vacuum-UV-photolysis of aqueous solutions of citric and gallic acids, 306
- Water treatment  
Vacuum-UV-photolysis of aqueous solutions of citric and gallic acids, 306
- Water-soluble calix[4]arene  
Interaction of water-soluble calix[4]arene with L-tryptophan studied by fluorescence spectroscopy, 389
- Wave propagation  
Photochemical reaction kinetics in optically dense media: The influence of thermal reactions, 359
- X-ray diffraction  
The photocatalytic activity of TiO<sub>2</sub> foam and surface modified binary oxide titania nanoparticles, 321
- X-ray structure  
Aromatic guest inclusion by a tripodal ligand: Fluorescence and structural studies, 149
- Zn-inorganic polymers  
Ultraviolet stimulation of hydrogen peroxide production using aminoindazole, diaminopyridine, and phenylenediamine solid polymer complexes of Zn(II), 245