




Contents lists available at ScienceDirect

Journal of Photochemistry and Photobiology A: Chemistry

journal homepage: www.elsevier.com/locate/jphotochem

Subject Index of Volume 199

Absorption

Excited state processes of nitrobenzaldehydes probed by ultrafast fluorescence and absorption spectroscopy, 274

Acetone

The CH₃CO quantum yield in the 248 nm photolysis of acetone, methyl ethyl ketone, and biacetyl, 336

Acetyl radical

The CH₃CO quantum yield in the 248 nm photolysis of acetone, methyl ethyl ketone, and biacetyl, 336

Acid orange 7

Characterization and photoreactivity of N-, S-, and C-doped ZnO under UV and visible light illumination, 170

Investigation of the roles of active oxygen species in photodegradation of azo dye AO7 in TiO₂ photocatalysis illuminated by microwave electrodeless lamp, 311

Acid orange 7 (AO7)

Photo-catalysis using titanium dioxide nanotube layers, 250

Active oxygen species

Investigation of the roles of active oxygen species in photodegradation of azo dye AO7 in TiO₂ photocatalysis illuminated by microwave electrodeless lamp, 311

Advanced oxidation

Sequential helio-photo-Fenton and sonication processes for the treatment of bisphenol A, 197

Ag/TiO₂ and methylene blue (MB) photodegradation

Cotton textile fibres coated by Au/TiO₂ films: Synthesis, characterization and self cleaning properties, 64

Aggregation

Singlet oxygen photogeneration efficiencies of a series of phthalocyanines in well-defined spectral regions, 267

α-Iron/polyoxocarbosilane/carbon nanocomposite

UV laser photolytic solution deposition of α-Fe/polyoxocarbosilane/carbon nanocomposite and evolution to α-Fe₂O₃/polyoxocarbosilane/carbon nanocomposite, 156

Alumina

Major products in the photochemistry of perylene adsorbed in models of atmospheric particulate matter, 14

Anatase

Visible-light driven TiO₂ photocatalysts from Ti-oxychloride precursors, 136
Photo-catalysis using titanium dioxide nanotube layers, 250

Antimicrobial

Antimicrobial activities of hydrophilic polyurethane/titanium dioxide complex film under visible light irradiation, 123

Aryloxazinones

Photosensitized generation of singlet molecular oxygen by aryloxazinones, 345

Atmospheric lifetime

Atmospheric chemistry of *trans*-CF₃CH=CHCl: Kinetics of the gas-phase reactions with Cl atoms, OH radicals, and O₃, 92

Au/TiO₂

Cotton textile fibres coated by Au/TiO₂ films: Synthesis, characterization and self cleaning properties, 64

Azo dyes

Study of the spectroscopic properties and first hyperpolarizabilities of disperse azo dyes derived from 2-amino-5-nitrothiazole, 23

Bacterial immobilization

Inactivation of *E. coli* mediated by high surface area CuO accelerated by light irradiation >360 nm, 105

Benzofuran

The effect of fluorine as leaving group in the photolysis of 2-fluoro-1,2-diphenylethanone: Preparative and mechanistic investigation, 73

Benzoin

The effect of fluorine as leaving group in the photolysis of 2-fluoro-1,2-diphenylethanone: Preparative and mechanistic investigation, 73

Bisphenol A elimination

Sequential helio-photo-Fenton and sonication processes for the treatment of bisphenol A, 197

Cage-like products

Phototransformation of the drug trazodone in aqueous solution, 353

Calcination

Visible-light driven TiO₂ photocatalysts from Ti-oxychloride precursors, 136

CFC replacement

Atmospheric chemistry of *trans*-CF₃CH=CHCl: Kinetics of the gas-phase reactions with Cl atoms, OH radicals, and O₃, 92

Charge separation

Effects of electron donors on the performance of plasmon-induced photovoltaic cell, 224

Chlorofluoroalkene

Atmospheric chemistry of *trans*-CF₃CH=CHCl: Kinetics of the gas-phase reactions with Cl atoms, OH radicals, and O₃, 92

Colloid

Modulating the photoluminescence of conducting polymer by the surface plasmon of Au colloids, 291

Colour

A theoretical study of the perfluoro-diarylethenes electronic spectra, 211

Conducting polymer

Modulating the photoluminescence of conducting polymer by the surface plasmon of Au colloids, 291

Continuous flow injection

Characterization of the hydroperoxyl/superoxide anion radical (HO₂/O₂⁻) formed from the photolysis of immobilized TiO₂ in a continuous flow, 112

Co-polymer

Syntheses of NiO nanoporous films using nonionic triblock co-polymer templates and their application to photo-cathodes of p-type dye-sensitized solar cells, 1

Covalently bonded

Molecular assembly and photophysical properties of covalently bonded rare earth polymeric hybrid materials phen-RE-MSMA (MS), 50

Covalently bonded hybrid material

Molecular construction and photophysics of luminescent covalently bonded hybrids by grafting the lanthanide ions into the silicon-oxygen networks and carbon chains, 188

- Covalently linked
Ternary lanthanide (Er³⁺, Nd³⁺, Yb³⁺, Sm³⁺, Pr³⁺) complex-functionalized mesoporous SBA-15 materials that emit in the near-infrared range, 57
- Cyanine dye
Photophysical property of the J-aggregate thin film of an oxacyanine dye prepared by the spin-coating method and enhancement of its photostability by use of polydimethylsilane, 150
- Cyclization
The effect of fluorine as leaving group in the photolysis of 2-fluoro-1, 2-diphenylethanone: Preparative and mechanistic investigation, 73
- Decatungstate
Photocatalytic degradation of metsulfuron methyl in aqueous solution by decatungstate anions, 297
- β -Diketone
Ternary lanthanide (Er³⁺, Nd³⁺, Yb³⁺, Sm³⁺, Pr³⁺) complex-functionalized mesoporous SBA-15 materials that emit in the near-infrared range, 57
- Density-functional theory
A theoretical study of the perfluoro-diarylethenes electronic spectra, 211
- Diarylethenes
A theoretical study of the perfluoro-diarylethenes electronic spectra, 211
- Dichlorvos
The photocatalytic degradation of dichlorvos under solar irradiation, 8
- Diffusion kinetics
Kinetics of photochemical reactions in optically dense media with reagent diffusion, 303
- 2,6-Diphenylpyridine-based
2,6-Diphenylpyridine-based organic emitter for electroluminescent device, 322
- Drug phototransformation
Phototransformation of the drug trazodone in aqueous solution, 353
- Dye-sensitization
Syntheses of NiO nanoporous films using nonionic triblock co-polymer templates and their application to photo-cathodes of p-type dye-sensitized solar cells, 1
- E. coli*
Inactivation of *E. coli* mediated by high surface area CuO accelerated by light irradiation >360 nm, 105
- EDA complexes
Study of the spectroscopic properties and first hyperpolarizabilities of disperse azo dyes derived from 2-amino-5-nitrothiazole, 23
- Electrodeless lamp
Investigation of the roles of active oxygen species in photodegradation of azo dye AO7 in TiO₂ photocatalysis illuminated by microwave electrodeless lamp, 311
- Electroluminescent device
2,6-Diphenylpyridine-based organic emitter for electroluminescent device, 322
- Electron donor
Effects of electron donors on the performance of plasmon-induced photovoltaic cell, 224
- Electron transfer
Photocatalytic degradation of metsulfuron methyl in aqueous solution by decatungstate anions, 297
- Electronic spectra
A theoretical study of the perfluoro-diarylethenes electronic spectra, 211
- Endocrine-disrupting chemical
Sequential helio-photo-Fenton and sonication processes for the treatment of bisphenol A, 197
- Energy transfer
Excitation wavelength dependence of energy transfer in dye mixture doped polymer optical fibre preforms, 236
- Eosin
Development of a photocurable gelatin-based gelation material for application to periodontal regeneration, 255
- Excimer laser
Photochemical reduction of flavone with NaBH₄ in batch and micro-channel reactors using excimer lasers, 261
- Excited-state intramolecular proton transfer
Novel pH tunable fluorescent sensor with dual recognition mode, 98
- Fe(II) acetylacetonate
UV laser photolytic solution deposition of α -Fe/polyoxocarbo-silane/carbon nanocomposite and evolution to α -Fe₂O₃/polyoxocarbo-silane/carbon nanocomposite, 156
- Femtosecond spectroscopy
Excited state processes of nitrobenzaldehydes probed by ultrafast fluorescence and absorption spectroscopy, 274
- First hyperpolarizability
Study of the spectroscopic properties and first hyperpolarizabilities of disperse azo dyes derived from 2-amino-5-nitrothiazole, 23
- Flavone
Photochemical reduction of flavone with NaBH₄ in batch and micro-channel reactors using excimer lasers, 261
- Fluorescence
Study of the spectroscopic properties and first hyperpolarizabilities of disperse azo dyes derived from 2-amino-5-nitrothiazole, 23
Excited state isomerization and effect of viscosity- and temperature-dependent torsional relaxation on TICT fluorescence of *trans*-2-[4-(dimethylamino)styryl]benzothiazole, 179
Excitation wavelength dependence of energy transfer in dye mixture doped polymer optical fibre preforms, 236
Excited state processes of nitrobenzaldehydes probed by ultrafast fluorescence and absorption spectroscopy, 274
Synthesis, photophysics and photochemistry of tin(IV) phthalocyanine derivatives, 282
2,6-Diphenylpyridine-based organic emitter for electroluminescent device, 322
- Fluorinated indolylfulgimide
Thermal stability and photochromic properties of a fluorinated indolylfulgimide in a protic and aprotic solvent, 85
- Fluoroethanone
The effect of fluorine as leaving group in the photolysis of 2-fluoro-1, 2-diphenylethanone: Preparative and mechanistic investigation, 73
- Fluorophore
Highly selective and sensitive twin-cyano-stilbene-based two-photon fluorescent probe for mercury (ii) in aqueous solution with large two-photon absorption cross-section, 144
- Flux synthesis
New molten-salt synthesis and photocatalytic properties of La₂Ti₂O₇ particles, 230
- Furocoumarins
The family of furocoumarins: Looking for the best photosensitizer for phototherapy, 34
- High BET CuO
Inactivation of *E. coli* mediated by high surface area CuO accelerated by light irradiation >360 nm, 105
- High quantum yield
Spectroscopic characteristics of a novel highly fluorescent *p*-phenylenediamine: Tetracyano-*p*-phenylenediamine, 204
- Host-guest chemistry
Alkali metal cation exchanged Nafion as an efficient micro-environment for oxidation of olefins by singlet oxygen, 242
- Hydrogel
Development of a photocurable gelatin-based gelation material for application to periodontal regeneration, 255
- Hydrogen transfer
Excited state processes of nitrobenzaldehydes probed by ultrafast fluorescence and absorption spectroscopy, 274
- Hydrolytic stability
Thermal stability and photochromic properties of a fluorinated indolylfulgimide in a protic and aprotic solvent, 85
- Hydroperoxyl/superoxide anion radical
Characterization of the hydroperoxyl/superoxide anion radical (HO₂/O₂⁻) formed from the photolysis of immobilized TiO₂ in a continuous flow, 112

- Hydrophilic
Antimicrobial activities of hydrophilic polyurethane/titanium dioxide complex film under visible light irradiation, 123
- Hydrothermal
Visible-light driven TiO₂ photocatalysts from Ti-oxychloride precursors, 136
- Immobilized TiO₂
Characterization of the hydroperoxyl/superoxide anion radical (HO₂/O₂⁻) formed from the photolysis of immobilized TiO₂ in a continuous flow, 112
- α-Iron oxide/polyoxocarbosilane/carbon nanocomposite
UV laser photolytic solution deposition of α-Fe/polyoxocarbosilane/carbon nanocomposite and evolution to α-Fe₂O₃/polyoxocarbosilane/carbon nanocomposite, 156
- Inorganic/polymeric hybrid material
Molecular assembly and photophysical properties of covalently bonded rare earth polymeric hybrid materials phen-RE-MSMA (MS), 50
- Intermediates
Light induced transformations of selected organophosphorus pesticides on titanium dioxide: Pathways and by-products evaluation using LC-MS technique, 42
- Intersystem crossing
The family of furocoumarins: Looking for the best photosensitizer for phototherapy, 34
Excited state processes of nitrobenzaldehydes probed by ultrafast fluorescence and absorption spectroscopy, 274
- Ionophore
Highly selective and sensitive twin-cyano-stilbene-based two-photon fluorescent probe for mercury (ii) in aqueous solution with large two-photon absorption cross-section, 144
- J-aggregate thin film
Photophysical property of the J-aggregate thin film of an oxacyanine dye prepared by the spin-coating method and enhancement of its photostability by use of polydimethylsilane, 150
- Kinetic method
Characterization of the hydroperoxyl/superoxide anion radical (HO₂/O₂⁻) formed from the photolysis of immobilized TiO₂ in a continuous flow, 112
- Kinetics of photochemical reaction
Kinetics of photochemical reactions in optically dense media with reagent diffusion, 303
- Laser backside silica etching
UV laser photolytic solution deposition of α-Fe/polyoxocarbosilane/carbon nanocomposite and evolution to α-Fe₂O₃/polyoxocarbosilane/carbon nanocomposite, 156
- Laser flash photolysis
Magnetic field effects due to the relaxation mechanism observed for the photo-induced electron transfer reaction of zinc(II) tetraphenylporphyrin and 2-methyl-1,4-naphthoquinone, 130
- Laser photolysis
UV laser photolytic solution deposition of α-Fe/polyoxocarbosilane/carbon nanocomposite and evolution to α-Fe₂O₃/polyoxocarbosilane/carbon nanocomposite, 156
- Laser solution-deposition
UV laser photolytic solution deposition of α-Fe/polyoxocarbosilane/carbon nanocomposite and evolution to α-Fe₂O₃/polyoxocarbosilane/carbon nanocomposite, 156
- La₂Ti₂O₇
New molten-salt synthesis and photocatalytic properties of La₂Ti₂O₇ particles, 230
- LC/MS
Light induced transformations of selected organophosphorus pesticides on titanium dioxide: Pathways and by-products evaluation using LC-MS technique, 42
- Long lifetime
Spectroscopic characteristics of a novel highly fluorescent *p*-phenylenediamine: Tetracyano-*p*-phenylenediamine, 204
- LSER
Spectroscopic characteristics of a novel highly fluorescent *p*-phenylenediamine: Tetracyano-*p*-phenylenediamine, 204
- Methyl methacrylate
Excitation wavelength dependence of energy transfer in dye mixture doped polymer optical fibre preforms, 236
- Metsulfuron methyl
Photocatalytic degradation of metsulfuron methyl in aqueous solution by decatungstate anions, 297
- MFES
Magnetic field effects due to the relaxation mechanism observed for the photo-induced electron transfer reaction of zinc(II) tetraphenylporphyrin and 2-methyl-1,4-naphthoquinone, 130
- Micro-channel reactor
Photochemical reduction of flavone with NaBH₄ in batch and micro-channel reactors using excimer lasers, 261
- Microwave
Investigation of the roles of active oxygen species in photodegradation of azo dye A07 in TiO₂ photocatalysis illuminated by microwave electrodeless lamp, 311
- Mineralization
Photo-catalysis using titanium dioxide nanotube layers, 250
Photocatalytic degradation of metsulfuron methyl in aqueous solution by decatungstate anions, 297
- MNQ
Magnetic field effects due to the relaxation mechanism observed for the photo-induced electron transfer reaction of zinc(II) tetraphenylporphyrin and 2-methyl-1,4-naphthoquinone, 130
- Molecular fluorescence
Spectroscopic characteristics of a novel highly fluorescent *p*-phenylenediamine: Tetracyano-*p*-phenylenediamine, 204
- Nafion
Alkali metal cation exchanged Nafion as an efficient micro-environment for oxidation of olefins by singlet oxygen, 242
- Nanoporous NiO
Syntheses of NiO nanoporous films using nonionic triblock co-polymer templates and their application to photo-cathodes of *p*-type dye-sensitized solar cells, 1
- Nano-TiO₂
Antimicrobial activities of hydrophilic polyurethane/titanium dioxide complex film under visible light irradiation, 123
- N-doping and impurity
Visible-light driven TiO₂ photocatalysts from Ti-oxychloride precursors, 136
- NIR luminescence
Ternary lanthanide (Er³⁺, Nd³⁺, Yb³⁺, Sm³⁺, Pr³⁺) complex-functionalized mesoporous SBA-15 materials that emit in the near-infrared range, 57
- Nitrobenzaldehyde
Excited state processes of nitrobenzaldehydes probed by ultrafast fluorescence and absorption spectroscopy, 274
- Nonlinear kinetics
Kinetics of photochemical reactions in optically dense media with reagent diffusion, 303
- 4-Octylphenol
Photocatalytic degradation of 4-*tert*-octylphenol in water and the effect of peroxydisulfate as additives, 330
- Optical fibre preform
Excitation wavelength dependence of energy transfer in dye mixture doped polymer optical fibre preforms, 236
- Optically dense media
Kinetics of photochemical reactions in optically dense media with reagent diffusion, 303
- Organic chain and inorganic network
Molecular construction and photophysics of luminescent covalently bonded hybrids by grafting the lanthanide ions into the silicon-oxygen networks and carbon chains, 188

- Organic emitter
2,6-Diphenylpyridine-based organic emitter for electroluminescent device, 322
- Organophosphorus pesticide
Light induced transformations of selected organophosphorus pesticides on titanium dioxide: Pathways and by-products evaluation using LC-MS technique, 42
- PAH
Major products in the photochemistry of perylene adsorbed in models of atmospheric particulate matter, 14
- Periodontal tissue regeneration
Development of a photocurable gelatin-based gelation material for application to periodontal regeneration, 255
- Peroxydisulfate
Photocatalytic degradation of 4-*tert*-octylphenol in water and the effect of peroxydisulfate as additives, 330
- Perylene
Major products in the photochemistry of perylene adsorbed in models of atmospheric particulate matter, 14
- Pesticide
Photocatalytic degradation of metsulfuron methyl in aqueous solution by decatungstate anions, 297
- PET reaction
Magnetic field effects due to the relaxation mechanism observed for the photo-induced electron transfer reaction of zinc(II) tetraphenylporphyrin and 2-methyl-1,4-naphthoquinone, 130
- pH chemosensor
Novel pH tunable fluorescent sensor with dual recognition mode, 98
- Phenol
Characterization and photoreactivity of N-, S-, and C-doped ZnO under UV and visible light illumination, 170
- Photocatalysis
Light induced transformations of selected organophosphorus pesticides on titanium dioxide: Pathways and by-products evaluation using LC-MS technique, 42
Cotton textile fibres coated by Au/TiO₂ films: Synthesis, characterization and self cleaning properties, 64
Inactivation of *E. coli* mediated by high surface area CuO accelerated by light irradiation >360 nm, 105
Visible-light driven TiO₂ photocatalysts from Ti-oxychloride precursors, 136
Photocatalytic activity on TiO₂-coated side-glowing optical fiber reactor under solar light, 165
New molten-salt synthesis and photocatalytic properties of La₂Ti₂O₇ particles, 230
Singlet oxygen photogeneration efficiencies of a series of phthalocyanines in well-defined spectral regions, 267
Photocatalytic degradation of metsulfuron methyl in aqueous solution by decatungstate anions, 297
- Photocatalyst
Characterization and photoreactivity of N-, S-, and C-doped ZnO under UV and visible light illumination, 170
Photocatalytic degradation of 4-*tert*-octylphenol in water and the effect of peroxydisulfate as additives, 330
- Photocatalytic degradation
The photocatalytic degradation of dichlorvos under solar irradiation, 8
- Photochemical reduction
Photochemical reduction of flavone with NaBH₄ in batch and micro-channel reactors using excimer lasers, 261
- Photochemical stability
Thermal stability and photochromic properties of a fluorinated indolyfulgimide in a protic and aprotic solvent, 85
- Photochemistry
Major products in the photochemistry of perylene adsorbed in models of atmospheric particulate matter, 14
Excited state processes of nitrobenzaldehydes probed by ultrafast fluorescence and absorption spectroscopy, 274
- Photochromic isomerization
Kinetics of photochemical reactions in optically dense media with reagent diffusion, 303
- Photochromism
Thermal stability and photochromic properties of a fluorinated indolyfulgimide in a protic and aprotic solvent, 85
A theoretical study of the perfluoro-diarylethenes electronic spectra, 211
- Photocurable material
Development of a photocurable gelatin-based gelation material for application to periodontal regeneration, 255
- Photodegradation
Investigation of the roles of active oxygen species in photodegradation of azo dye AO7 in TiO₂ photocatalysis illuminated by microwave electrodeless lamp, 311
- Photo-degradation
Photo-catalysis using titanium dioxide nanotube layers, 250
- Photo-dehalogenation
Phototransformation of the drug trazodone in aqueous solution, 353
- Photo-Fenton
Sequential helio-photo-Fenton and sonication processes for the treatment of bisphenol A, 197
- Photoinduced absorption spectroscopy
Nature and dynamics of photoexcited states in an electroluminescent poly(phenylene vinylene-co-fluorenylene vinylene)-based π -conjugated polymer, 358
- Photoinduced electron transfer
Novel pH tunable fluorescent sensor with dual recognition mode, 98
- Photoluminescence
Modulating the photoluminescence of conducting polymer by the surface plasmon of Au colloids, 291
- Photoluminescent
2,6-Diphenylpyridine-based organic emitter for electroluminescent device, 322
- Photolysis
The CH₃CO quantum yield in the 248 nm photolysis of acetone, methyl ethyl ketone, and biacetyl, 336
- Photooxidation
Alkali metal cation exchanged Nafion as an efficient micro-environment for oxidation of olefins by singlet oxygen, 242
- Photophysical property
Molecular assembly and photophysical properties of covalently bonded rare earth polymeric hybrid materials phen-RE-MSMA (MS), 50
Photophysical property of the J-aggregate thin film of an oxacyanine dye prepared by the spin-coating method and enhancement of its photostability by use of polydimethylsilane, 150
Molecular construction and photophysics of luminescent covalently bonded hybrids by grafting the lanthanide ions into the silicon-oxygen networks and carbon chains, 188
- Photophysics
Photosensitized generation of singlet molecular oxygen by aryloxazinones, 345
Nature and dynamics of photoexcited states in an electroluminescent poly(phenylene vinylene-co-fluorenylene vinylene)-based π -conjugated polymer, 358
- Photopolymerization
An annelated thioxanthone as a new Type II initiator, 316
- Photoreactive gelatin
Development of a photocurable gelatin-based gelation material for application to periodontal regeneration, 255
- Photosensitization
Photosensitized generation of singlet molecular oxygen by aryloxazinones, 345
- Photostability
Photophysical property of the J-aggregate thin film of an oxacyanine dye prepared by the spin-coating method and enhancement of its photostability by use of polydimethylsilane, 150
Photosensitized generation of singlet molecular oxygen by aryloxazinones, 345
- Phototherapy
The family of furocoumarins: Looking for the best photosensitizer for phototherapy, 34
- Photovoltaic cell
Effects of electron donors on the performance of plasmon-induced photovoltaic cell, 224

- Phthalocyanines
Singlet oxygen photogeneration efficiencies of a series of phthalocyanines in well-defined spectral regions, 267
- Plasmon
Effects of electron donors on the performance of plasmon-induced photovoltaic cell, 224
- Pollutant elimination and degradation
Visible-light driven TiO₂ photocatalysts from Ti-oxychloride precursors, 136
- Poly(dimethylsilane)
Photophysical property of the J-aggregate thin film of an oxacyanine dye prepared by the spin-coating method and enhancement of its photostability by use of polydimethylsilane, 150
- Poly(phenylene vinylene) derivative
Nature and dynamics of photoexcited states in an electroluminescent poly(phenylene vinylene-co-fluorenylene vinylene)-based π -conjugated polymer, 358
- Polyurethane
Antimicrobial activities of hydrophilic polyurethane/titanium dioxide complex film under visible light irradiation, 123
- Protic solvent
Thermal stability and photochromic properties of a fluorinated indolyfulgimide in a protic and aprotic solvent, 85
- p-type
Syntheses of NiO nanoporous films using nonionic triblock co-polymer templates and their application to photo-cathodes of p-type dye-sensitized solar cells, 1
- Quantum mechanical calculations
Study of the spectroscopic properties and first hyperpolarizabilities of disperse azo dyes derived from 2-amino-5-nitrothiazole, 23
- Quantum yields
Singlet oxygen photogeneration efficiencies of a series of phthalocyanines in well-defined spectral regions, 267
The CH₃CO quantum yield in the 248 nm photolysis of acetone, methyl ethyl ketone, and biacetyl, 336
- Quench
How α -tocopherol quenches triplet state riboflavin? Insights from theory, 119
- Rare earth ion
Molecular assembly and photophysical properties of covalently bonded rare earth polymeric hybrid materials phen-RE-MSMA (MS), 50
- Recombination dynamics
Nature and dynamics of photoexcited states in an electroluminescent poly(phenylene vinylene-co-fluorenylene vinylene)-based π -conjugated polymer, 358
- Relaxation mechanism
Magnetic field effects due to the relaxation mechanism observed for the photo-induced electron transfer reaction of zinc(II) tetraphenylporphyrin and 2-methyl-1,4-naphthoquinone, 130
- Resonance
Modulating the photoluminescence of conducting polymer by the surface plasmon of Au colloids, 291
- Riboflavin
How α -tocopherol quenches triplet state riboflavin? Insights from theory, 119
- Rutile
Photo-catalysis using titanium dioxide nanotube layers, 250
- SBA-15
Ternary lanthanide (Er³⁺, Nd³⁺, Yb³⁺, Sm³⁺, Pr³⁺) complex-functionalized mesoporous SBA-15 materials that emit in the near-infrared range, 57
- Self cleaning textile
Cotton textile fibres coated by Au/TiO₂ films: Synthesis, characterization and self cleaning properties, 64
- Sensor
Highly selective and sensitive twin-cyano-stilbene-based two-photon fluorescent probe for mercury (II) in aqueous solution with large two-photon absorption cross-section, 144
- Side-glowing optical fiber
Photocatalytic activity on TiO₂-coated side-glowing optical fiber reactor under solar light, 165
- Silica gel
Major products in the photochemistry of perylene adsorbed in models of atmospheric particulate matter, 14
- Singlet molecular oxygen
Photosensitized generation of singlet molecular oxygen by aryloxazinones, 345
- Singlet oxygen
Alkali metal cation exchanged Nafion as an efficient micro-environment for oxidation of olefins by singlet oxygen, 242
Singlet oxygen photogeneration efficiencies of a series of phthalocyanines in well-defined spectral regions, 267
- Singlet oxygen quantum yield
Synthesis, photophysics and photochemistry of tin(IV) phthalocyanine derivatives, 282
- Smart textile
Cotton textile fibres coated by Au/TiO₂ films: Synthesis, characterization and self cleaning properties, 64
- Sodium borohydride
Photochemical reduction of flavone with NaBH₄ in batch and micro-channel reactors using excimer lasers, 261
- Solar irradiation
The photocatalytic degradation of dichlorvos under solar irradiation, 8
- Solar light
Photocatalytic activity on TiO₂-coated side-glowing optical fiber reactor under solar light, 165
- Sol-gel
Molecular construction and photophysics of luminescent covalently bonded hybrids by grafting the lanthanide ions into the silicon-oxygen networks and carbon chains, 188
- Solvatochromism
Study of the spectroscopic properties and first hyperpolarizabilities of disperse azo dyes derived from 2-amino-5-nitrothiazole, 23
- Solvent basicity
Spectroscopic characteristics of a novel highly fluorescent *p*-phenylenediamine: Tetracyano-*p*-phenylenediamine, 204
- Sonochemical degradation
Sequential helio-photo-Fenton and sonication processes for the treatment of bisphenol A, 197
- Spin-coating
Photophysical property of the J-aggregate thin film of an oxacyanine dye prepared by the spin-coating method and enhancement of its photostability by use of polydimethylsilane, 150
- Spin-orbit coupling
The family of furocoumarins: Looking for the best photosensitizer for phototherapy, 34
- Sunlight
Visible-light driven TiO₂ photocatalysts from Ti-oxychloride precursors, 136
- Superantiferromagnetism
UV laser photolytic solution deposition of α -Fe/polyoxocarbo-silane/carbon nanocomposite and evolution to α -Fe₂O₃/polyoxocarbo-silane/carbon nanocomposite, 156
- Surface plasmon
Modulating the photoluminescence of conducting polymer by the surface plasmon of Au colloids, 291
- Temperature
Excited state isomerization and effect of viscosity- and temperature-dependent torsional relaxation on TICT fluorescence of *trans*-2-[4-(dimethylamino)styryl]benzothiazole, 179
- α -Tocopherols
How α -tocopherol quenches triplet state riboflavin? Insights from theory, 119
- Template
Syntheses of NiO nanoporous films using nonionic triblock co-polymer templates and their application to photo-cathodes of p-type dye-sensitized solar cells, 1

- Ternary lanthanide complex
Ternary lanthanide (Er³⁺, Nd³⁺, Yb³⁺, Sm³⁺, Pr³⁺) complex-functionalized mesoporous SBA-15 materials that emit in the near-infrared range, 57
- Thiourea
Characterization and photoreactivity of N-, S-, and C-doped ZnO under UV and visible light illumination, 170
- Thioxanthone
An annelated thioxanthone as a new Type II initiator, 316
- TICT
Excited state isomerization and effect of viscosity- and temperature-dependent torsional relaxation on TICT fluorescence of *trans*-2-[4-(dimethylamino)styryl]benzothiazole, 179
- Tin phthalocyanine
Synthesis, photophysics and photochemistry of tin(IV) phthalocyanine derivatives, 282
- TiO₂
Visible-light driven TiO₂ photocatalysts from Ti-oxychloride precursors, 136
Photocatalytic degradation of 4-*tert*-octylphenol in water and the effect of peroxydisulfate as additives, 330
- TiO₂ suspension
The photocatalytic degradation of dichlorvos under solar irradiation, 8
- Titania
Cotton textile fibres coated by Au/TiO₂ films: Synthesis, characterization and self cleaning properties, 64
- Titanium dioxide nanotubes
Photo-catalysis using titanium dioxide nanotube layers, 250
- Titanium oxide
Photocatalytic activity on TiO₂-coated side-glowing optical fiber reactor under solar light, 165
- Torsional relaxation
Excited state isomerization and effect of viscosity- and temperature-dependent torsional relaxation on TICT fluorescence of *trans*-2-[4-(dimethylamino)styryl]benzothiazole, 179
- Transient absorption spectroscopy
Effects of electron donors on the performance of plasmon-induced photovoltaic cell, 224
- Trazodone
Phototransformation of the drug trazodone in aqueous solution, 353
- Triplet exciton
Nature and dynamics of photoexcited states in an electroluminescent poly(phenylene vinylene-co-fluorenylene vinylene)-based π -conjugated polymer, 358
- Triplet lifetime
Synthesis, photophysics and photochemistry of tin(IV) phthalocyanine derivatives, 282
- Triplet quantum yield
Synthesis, photophysics and photochemistry of tin(IV) phthalocyanine derivatives, 282
- Triplet state
The family of furocoumarins: Looking for the best photosensitizer for phototherapy, 34
How α -tocopherol quenches triplet state riboflavin? Insights from theory, 119
- Twin-cyano stilbene
Highly selective and sensitive twin-cyano-stilbene-based two-photon fluorescent probe for mercury (ii) in aqueous solution with large two-photon absorption cross-section, 144
- Two-photon absorption cross-section
Highly selective and sensitive twin-cyano-stilbene-based two-photon fluorescent probe for mercury (ii) in aqueous solution with large two-photon absorption cross-section, 144
- Type II initiator
An annelated thioxanthone as a new Type II initiator, 316
- Viscosity
Excited state isomerization and effect of viscosity- and temperature-dependent torsional relaxation on TICT fluorescence of *trans*-2-[4-(dimethylamino)styryl]benzothiazole, 179
- Visible light
Antimicrobial activities of hydrophilic polyurethane/titanium dioxide complex film under visible light irradiation, 123
Visible-light driven TiO₂ photocatalysts from Ti-oxychloride precursors, 136
Characterization and photoreactivity of N-, S-, and C-doped ZnO under UV and visible light illumination, 170
- Water photoaddition
Phototransformation of the drug trazodone in aqueous solution, 353
- Water treatment
Sequential helio-photo-Fenton and sonication processes for the treatment of bisphenol A, 197
- XPS
Inactivation of *E. coli* mediated by high surface area CuO accelerated by light irradiation >360 nm, 105
- Zinc oxide
Characterization and photoreactivity of N-, S-, and C-doped ZnO under UV and visible light illumination, 170
- ZnTPP
Magnetic field effects due to the relaxation mechanism observed for the photo-induced electron transfer reaction of zinc(II) tetraphenylporphyrin and 2-methyl-1,4-naphthoquinone, 130