




Contents lists available at ScienceDirect

Journal of Photochemistry and Photobiology A: Chemistry

journal homepage: www.elsevier.com/locate/jphotochem

Subject Index of Volume 202

Aggregation

- Lateral distribution of N3 dye molecules on TiO₂(1 1 0) surface, 185
- Negative shift of chlorophyll *a* oxidation potential by aggregation in acetonitrile/ionic liquid mixed solvents, 191

Allyl alcohol

- Formation of cyclooctatriene and bicyclooctadiene through regioselective intermolecular (2 + 2) photocycloaddition of benzoic acids to allyl alcohol in water, 235

Alternating assembly structure

- Alternating assembly structure of the same dye and modification material in quasi-solid state dye-sensitized solar cell, 33

Anatase

- One pot direct hydrothermal growth of photoactive TiO₂ films on glass, 81

Autocorrelation analysis

- Lateral distribution of N3 dye molecules on TiO₂(1 1 0) surface, 185

Azo dye production wastewater

- Treatment of azo dye production wastewaters using Photo-Fenton-like advanced oxidation processes: Optimization by response surface methodology, 142

Benzoates

- Spectroscopic properties of lanthanoid benzene carboxylates in the solid state: Part 1, 10

Benzofuran

- Novel conjugated ω,ω'-diaryl hexatriene derivatives with the central double bond in the benzofuran ring and their photochemical and photophysical properties, 136

Benzoic acid

- Formation of cyclooctatriene and bicyclooctadiene through regioselective intermolecular (2 + 2) photocycloaddition of benzoic acids to allyl alcohol in water, 235

Benzylidene cyclopentanone

- Water-soluble benzylidene cyclopentanone dye for two-photon photopolymerization, 74

Bicyclooctadiene

- Formation of cyclooctatriene and bicyclooctadiene through regioselective intermolecular (2 + 2) photocycloaddition of benzoic acids to allyl alcohol in water, 235

Brookite

- Study of visible light photocatalytic activity achieved by NMP solvent treatment of polymorphic titania, 154

Cadmium phthalocyanine

- Spectroscopic and photophysicochemical behaviour of novel cadmium phthalocyanine derivatives tetra-substituted at the alpha and beta positions, 99

Carboxylates

- Spectroscopic properties of lanthanoid benzene carboxylates in the solid state: Part 1, 10

Cationic micelle

- Quenching efficiency of pyrene fluorescence by nucleotide monophosphates in cationic micelles, 21

Charge transfer state

- Structure and photophysical properties of new lanthanide(III) complexes [Ln(C₁₀H₈O₆)_{1.5}(H₂O)₃].H₂O, 1

Chlorophyll

- Negative shift of chlorophyll *a* oxidation potential by aggregation in acetonitrile/ionic liquid mixed solvents, 191

Counter ion

- Quenching efficiency of pyrene fluorescence by nucleotide monophosphates in cationic micelles, 21

Crystalline

- The photoelectrochemical performances of Sb-doped AgIn₅S₈ film electrodes prepared by chemical bath deposition, 107

Cu²⁺ selective recognition

- Selective recognition of Cu²⁺ by di-O-picolyl derivative of 1,1'-methylene-bis(2-naphthol), 172

Cyclooctatriene

- Formation of cyclooctatriene and bicyclooctadiene through regioselective intermolecular (2 + 2) photocycloaddition of benzoic acids to allyl alcohol in water, 235

Decarboxylation

- Photochemical and photophysical properties, and photodegradation mechanism, of the non-steroid anti-inflammatory drug Flurbiprofen, 48

DEET

- The photocatalysis of *N,N*-diethyl-*m*-toluamide (DEET) using dispersions of Degussa P-25 TiO₂ particles, 28

Degussa P25

- Evaluation of two types of TiO₂-based catalysts by photodegradation of DMSO in aqueous suspension, 164

Density functional

- First-principle studies on the exceptionally active triplet oxygen species in microporous zeolite materials: Reservation and catalysis, 122

Dental polymers

- Light absorbing products during polymerization of methacrylate monomers photoinitiated with phenyl-1,2-propanedione/amine, 228

Dimerization

- Negative shift of chlorophyll *a* oxidation potential by aggregation in acetonitrile/ionic liquid mixed solvents, 191

Dimethylsulfoxide

- Evaluation of two types of TiO₂-based catalysts by photodegradation of DMSO in aqueous suspension, 164

Dye-modification material

- Alternating assembly structure of the same dye and modification material in quasi-solid state dye-sensitized solar cell, 33

Dye-sensitized solar cells

- Alternating assembly structure of the same dye and modification material in quasi-solid state dye-sensitized solar cell, 33
- Novel ruthenium bipyridyl dyes with S-donor ligands and their application in dye-sensitized solar cells, 196

- E. coli*
Inactivation of *Escherichia coli* on immobilized TiO₂ using fluorescent light, 92
- Electrode
The photoelectrochemical performances of Sb-doped AgIn₅S₈ film electrodes prepared by chemical bath deposition, 107
- Estradiol
Visible-light-mediated photodegradation of 17β-estradiol: Kinetics, mechanism and photoproducts, 221
- Europium
Structure and photophysical properties of new lanthanide(III) complexes [Ln(C₁₀H₈O₆)_{1.5}(H₂O)₃]-H₂O, 1
- Excited state
Steady-state and transient photolysis of p-nitroaniline in acetonitrile, 67
- Film sensor
Monomolecular-layer assembly of oligothiophene on glass wafer surface and its fluorescence sensitization by formaldehyde vapor, 178
- Fluorescence
Novel conjugated ω,ω'-diaryl hexatriene derivatives with the central double bond in the benzofuran ring and their photochemical and photophysical properties, 136
- Fluorescence quantum yields
Spectroscopic and photophysicochemical behaviour of novel cadmium phthalocyanine derivatives tetra-substituted at the alpha and beta positions, 99
- Fluorescence quench
Selective recognition of Cu²⁺ by di-O-picolyl derivative of 1,1'-methylene-bis(2-naphthol), 172
- Fluorescence quenching
Quenching efficiency of pyrene fluorescence by nucleotide monophosphates in cationic micelles, 21
- Fluorescence sensitization
Monomolecular-layer assembly of oligothiophene on glass wafer surface and its fluorescence sensitization by formaldehyde vapor, 178
- Fluorescent light
Inactivation of *Escherichia coli* on immobilized TiO₂ using fluorescent light, 92
- Fluorescent pH indicator
Spectroscopic probing of acid–base properties and photocharacterization of phthalocyanines in organic solvents and polymer matrices, 205
- Flurbiprofen
Photochemical and photophysical properties, and photodegradation mechanism, of the non-steroid anti-inflammatory drug Flurbiprofen, 48
- Formaldehyde
Monomolecular-layer assembly of oligothiophene on glass wafer surface and its fluorescence sensitization by formaldehyde vapor, 178
- Free radical polymerization
One-pot synthesis of water-soluble polymeric photoinitiator via thioxanthone and sulfonation process, 63
- Gamma radiolysis
Study of Indigo carmine as radical probe in photocatalysis, 86
- Grätzel cell
Organic chromophore-sensitized ZnO solar cells: Electrolyte-dependent dye desorption and band-edge shifts, 159
- Hombikat UV100
Evaluation of two types of TiO₂-based catalysts by photodegradation of DMSO in aqueous suspension, 164
- Humic acid
The photocatalysis of *N,N*-diethyl-*m*-toluamide (DEET) using dispersions of Degussa P-25 TiO₂ particles, 28
- Hydrogen peroxide
Synthesis of highly active H₂O₂-sensitized sulfated titania nanoparticles with a response to visible light, 128
- Hydrothermal growth
One pot direct hydrothermal growth of photoactive TiO₂ films on glass, 81
- Hydroxyl radical
Study of Indigo carmine as radical probe in photocatalysis, 86
- Indigo carmine
Study of Indigo carmine as radical probe in photocatalysis, 86
- Job's plot
Selective recognition of Cu²⁺ by di-O-picolyl derivative of 1,1'-methylene-bis(2-naphthol), 172
- Lanthanoids
Spectroscopic properties of lanthanoid benzene carboxylates in the solid state: Part 1, 10
- Laser flash photolysis
Steady-state and transient photolysis of p-nitroaniline in acetonitrile, 67
- Lipid peroxidation
Photochemical and photophysical properties, and photodegradation mechanism, of the non-steroid anti-inflammatory drug Flurbiprofen, 48
- Luminescence
Structure and photophysical properties of new lanthanide(III) complexes [Ln(C₁₀H₈O₆)_{1.5}(H₂O)₃]-H₂O, 1
Spectroscopic properties of lanthanoid benzene carboxylates in the solid state: Part 1, 10
- Luminescent pH probe
Spectroscopic probing of acid–base properties and photocharacterization of phthalocyanines in organic solvents and polymer matrices, 205
- Mesoporous electrode
Organic chromophore-sensitized ZnO solar cells: Electrolyte-dependent dye desorption and band-edge shifts, 159
- Methane oxidation
First-principle studies on the exceptionally active triplet oxygen species in microporous zeolite materials: Reservation and catalysis, 122
- Methyl orange
Study of visible light photocatalytic activity achieved by NMP solvent treatment of polymorphic titania, 154
- 1,1'-Methylene-bis(2-naphthoxy-methyl-2'-pyridine)
Selective recognition of Cu²⁺ by di-O-picolyl derivative of 1,1'-methylene-bis(2-naphthol), 172
- Molecular aggregation
Alternating assembly structure of the same dye and modification material in quasi-solid state dye-sensitized solar cell, 33
- N3
Lateral distribution of N3 dye molecules on TiO₂(1 1 0) surface, 185
- N3-dye
Alternating assembly structure of the same dye and modification material in quasi-solid state dye-sensitized solar cell, 33
- NIR dye
Spectroscopic probing of acid–base properties and photocharacterization of phthalocyanines in organic solvents and polymer matrices, 205
- Nitrogen doping
Photocatalytic and photoelectrochemical studies on N-doped TiO₂ photocatalyst, 39
- NMR titration
Selective recognition of Cu²⁺ by di-O-picolyl derivative of 1,1'-methylene-bis(2-naphthol), 172
- N,N*-Diethyl-*m*-toluamide
The photocatalysis of *N,N*-diethyl-*m*-toluamide (DEET) using dispersions of Degussa P-25 TiO₂ particles, 28
- NSAID
Photochemical and photophysical properties, and photodegradation mechanism, of the non-steroid anti-inflammatory drug Flurbiprofen, 48
- Nucleotides
Quenching efficiency of pyrene fluorescence by nucleotide monophosphates in cationic micelles, 21

- OH scavenger Cl^-
Treatment of azo dye production wastewaters using Photo-Fenton-like advanced oxidation processes: Optimization by response surface methodology, 142
- Oligothiophene
Monomolecular-layer assembly of oligothiophene on glass wafer surface and its fluorescence sensitization by formaldehyde vapor, 178
- One-pot synthesis
One-pot synthesis of water-soluble polymeric photoinitiator via thioxanthone and sulfonation process, 63
- O-Phenylenedioxydicarboxylic acid
Structure and photophysical properties of new lanthanide(III) complexes $[\text{Ln}(\text{C}_{10}\text{H}_8\text{O}_6)_{1.5}(\text{H}_2\text{O})_3] \cdot \text{H}_2\text{O}$, 1
- Optical property
The photoelectrochemical performances of Sb-doped AgIn_5S_8 film electrodes prepared by chemical bath deposition, 107
- Oxygen heterocycles
Novel conjugated ω, ω' -diaryl hexatriene derivatives with the central double bond in the benzofuran ring and their photochemical and photophysical properties, 136
- Photoactivity
One pot direct hydrothermal growth of photoactive TiO_2 films on glass, 81
- Photocatalysis
The photocatalysis of *N,N*-diethyl-*m*-toluamide (DEET) using dispersions of Degussa P-25 TiO_2 particles, 28
Photocatalytic and photoelectrochemical studies on N-doped TiO_2 photocatalyst, 39
Study of Indigo carmine as radical probe in photocatalysis, 86
Inactivation of *Escherichia coli* on immobilized TiO_2 using fluorescent light, 92
Evaluation of two types of TiO_2 -based catalysts by photodegradation of DMSO in aqueous suspension, 164
Mechanisms involved in the platinization of sol-gel-derived TiO_2 thin films, 214
- Photocatalytic activity
Study of visible light photocatalytic activity achieved by NMP solvent treatment of polymorphic titania, 154
- Photochemistry
Novel conjugated ω, ω' -diaryl hexatriene derivatives with the central double bond in the benzofuran ring and their photochemical and photophysical properties, 136
- Photodegradation
Photochemical and photophysical properties, and photodegradation mechanism, of the non-steroid anti-inflammatory drug Flurbiprofen, 48
Steady-state and transient photolysis of *p*-nitroaniline in acetonitrile, 67
Spectroscopic and photophysicochemical behaviour of novel cadmium phthalocyanine derivatives tetra-substituted at the alpha and beta positions, 99
- Photoelectrochemical reaction
The photoelectrochemical performances of Sb-doped AgIn_5S_8 film electrodes prepared by chemical bath deposition, 107
- Photoelectrochemical solar cell
Organic chromophore-sensitized ZnO solar cells: Electrolyte-dependent dye desorption and band-edge shifts, 159
- Photoelectrochemistry
Photocatalytic and photoelectrochemical studies on N-doped TiO_2 photocatalyst, 39
- Photo-Fenton-like treatment
Treatment of azo dye production wastewaters using Photo-Fenton-like advanced oxidation processes: Optimization by response surface methodology, 142
- Photoinduced electron transfer
Synthesis and photochemical reaction of novel, visible-wavelength oxidizable polymerization sensitizer based on the 12H-quinoxalino[2,3-b][1,4]benzothiazine skeleton, 115
- Photoinitiator
Water-soluble benzylidene cyclopentanone dye for two-photon photopolymerization, 74
- Photolysis
Mechanisms involved in the platinization of sol-gel-derived TiO_2 thin films, 214
- Photopolymerization
Light absorbing products during polymerization of methacrylate monomers photoinitiated with phenyl-1,2-propanedione/amine, 228
- Photorefractive effect
Synthesis and characterization of a low- T_g photorefractive composite, 57
- Photosynthesis
Negative shift of chlorophyll *a* oxidation potential by aggregation in acetonitrile/ionic liquid mixed solvents, 191
- Phthalocyanine
Spectroscopic probing of acid-base properties and photocharacterization of phthalocyanines in organic solvents and polymer matrices, 205
- Platinum
Mechanisms involved in the platinization of sol-gel-derived TiO_2 thin films, 214
- p*-Nitroaniline
Steady-state and transient photolysis of *p*-nitroaniline in acetonitrile, 67
- Polymeric water-soluble photoinitiator
One-pot synthesis of water-soluble polymeric photoinitiator via thioxanthone and sulfonation process, 63
- Polymorphic titania
Study of visible light photocatalytic activity achieved by NMP solvent treatment of polymorphic titania, 154
- Polysiloxanes
Synthesis and characterization of a low- T_g photorefractive composite, 57
- Process optimization
Treatment of azo dye production wastewaters using Photo-Fenton-like advanced oxidation processes: Optimization by response surface methodology, 142
- 12H-quinoxalino[2,3-b][1,4]benzothiazine dyes
Synthesis and photochemical reaction of novel, visible-wavelength oxidizable polymerization sensitizer based on the 12H-quinoxalino[2,3-b][1,4]benzothiazine skeleton, 115
- Regioselective intermolecular (2 + 2) photocycloaddition
Formation of cyclooctatriene and bicyclooctadiene through regioselective intermolecular (2 + 2) photocycloaddition of benzoic acids to allyl alcohol in water, 235
- Reservation
First-principle studies on the exceptionally active triplet oxygen species in microporous zeolite materials: Reservation and catalysis, 122
- Response surface methodology (RSM)
Treatment of azo dye production wastewaters using Photo-Fenton-like advanced oxidation processes: Optimization by response surface methodology, 142
- Riboflavin
Visible-light-mediated photodegradation of 17 β -estradiol: Kinetics, mechanism and photoproducts, 221
- Ruthenium bipyridyl dyes
Novel ruthenium bipyridyl dyes with S-donor ligands and their application in dye-sensitized solar cells, 196
- Scanning tunneling microscopy
Lateral distribution of N3 dye molecules on $\text{TiO}_2(110)$ surface, 185
- S-donor ligands
Novel ruthenium bipyridyl dyes with S-donor ligands and their application in dye-sensitized solar cells, 196
- Sensitized free radical polymerization
Synthesis and photochemical reaction of novel, visible-wavelength oxidizable polymerization sensitizer based on the 12H-quinoxalino[2,3-b][1,4]benzothiazine skeleton, 115
- Singlet molecular oxygen
Visible-light-mediated photodegradation of 17 β -estradiol: Kinetics, mechanism and photoproducts, 221
- Singlet oxygen quantum yields
Spectroscopic and photophysicochemical behaviour of novel cadmium phthalocyanine derivatives tetra-substituted at the alpha and beta positions, 99

- Sol-gel
Mechanisms involved in the platinization of sol-gel-derived TiO₂ thin films, 214
- Solid state
Spectroscopic properties of lanthanoid benzene carboxylates in the solid state: Part 1, 10
- Spectroelectrochemistry
Novel ruthenium bipyridyl dyes with S-donor ligands and their application in dye-sensitized solar cells, 196
- Stoichiometry by ESI-MS
Selective recognition of Cu²⁺ by di-O-picolyl derivative of 1,1'-methylene-bis(2-naphthol), 172
- Sulfated TiO₂
Synthesis of highly active H₂O₂-sensitized sulfated titania nanoparticles with a response to visible light, 128
- Superoxide anion radical
Visible-light-mediated photodegradation of 17β-estradiol: Kinetics, mechanism and photoproducts, 221
- Surface acidity
Synthesis of highly active H₂O₂-sensitized sulfated titania nanoparticles with a response to visible light, 128
- Synthesis
Novel conjugated ω,ω'-diaryl hexatriene derivatives with the central double bond in the benzofuran ring and their photochemical and photophysical properties, 136
- TD-DFT
Photochemical and photophysical properties, and photodegradation mechanism, of the non-steroid anti-inflammatory drug Flurbiprofen, 48
- Terbium
Structure and photophysical properties of new lanthanide(III) complexes [Ln(C₁₀H₈O₆)_{1.5}(H₂O)₃]-H₂O, 1
- 5,6,7,8-Tetrahydro-2-naphthol
Visible-light-mediated photodegradation of 17β-estradiol: Kinetics, mechanism and photoproducts, 221
- Thin film
Mechanisms involved in the platinization of sol-gel-derived TiO₂ thin films, 214
- Thin films
One pot direct hydrothermal growth of photoactive TiO₂ films on glass, 81
- Thioxanthone
One-pot synthesis of water-soluble polymeric photoinitiator via thioxanthone and sulfonation process, 63
- TiO₂
Photocatalytic and photoelectrochemical studies on N-doped TiO₂ photocatalyst, 39
Inactivation of *Escherichia coli* on immobilized TiO₂ using fluorescent light, 92
Mechanisms involved in the platinization of sol-gel-derived TiO₂ thin films, 214
- TiO₂ catalyst
Evaluation of two types of TiO₂-based catalysts by photodegradation of DMSO in aqueous suspension, 164
- Titania
One pot direct hydrothermal growth of photoactive TiO₂ films on glass, 81
- Titanium dioxide
The photocatalysis of *N,N*-diethyl-*m*-toluamide (DEET) using dispersions of Degussa P-25 TiO₂ particles, 28
Lateral distribution of N3 dye molecules on TiO₂(1 1 0) surface, 185
- Transient absorption spectroscopy
Novel ruthenium bipyridyl dyes with S-donor ligands and their application in dye-sensitized solar cells, 196
- Triphenylamine
Synthesis and characterization of a low-*T_g* photorefractive composite, 57
- Triplet lifetimes
Spectroscopic and photophysical behaviour of novel cadmium phthalocyanine derivatives tetra-substituted at the alpha and beta positions, 99
- Triplet oxygen species
First-principle studies on the exceptionally active triplet oxygen species in microporous zeolite materials: Reservation and catalysis, 122
- Two-photon polymerization
Water-soluble benzylidene cyclopentanone dye for two-photon photopolymerization, 74
- UV inactivation
Inactivation of *Escherichia coli* on immobilized TiO₂ using fluorescent light, 92
- UV/H₂O₂
Steady-state and transient photolysis of *p*-nitroaniline in acetonitrile, 67
- UV-vis spectroscopy
Light absorbing products during polymerization of methacrylate monomers photoinitiated with phenyl-1,2-propanedione/amine, 228
- Visible light
Synthesis of highly active H₂O₂-sensitized sulfated titania nanoparticles with a response to visible light, 128
Study of visible light photocatalytic activity achieved by NMP solvent treatment of polymorphic titania, 154
- Water
Formation of cyclooctatriene and bicyclooctadiene through regioselective intermolecular (2 + 2) photocycloaddition of benzoic acids to allyl alcohol in water, 235
- Water-soluble
Water-soluble benzylidene cyclopentanone dye for two-photon photopolymerization, 74
- Zeolite catalysis
First-principle studies on the exceptionally active triplet oxygen species in microporous zeolite materials: Reservation and catalysis, 122
- Zeta potential
Quenching efficiency of pyrene fluorescence by nucleotide monophosphates in cationic micelles, 21