

Erratum

Erratum to “Visible light photoelectrochemical and water-photoelectrolysis properties of titania nanotube arrays” [J. Photochem. Photobiol. A: Chem. 178 (2006) 8–15]

Maggie Paulose, Gopal K. Mor, Oomman K. Varghese, Karthik Shankar, Craig A. Grimes\*

Department of Electrical Engineering, and The Materials Research Institute, The Pennsylvania State University, 217 MRL, University Park, PA 16802, USA

ARTICLE INFO


Article history:

Received 7 August 2010

Accepted 12 August 2010

Available online 16 September 2010

The scale bar of Fig. 3, showing an illustrative nanotube array, is incorrectly labeled as 1  $\mu\text{m}$ ; an original FESEM image, with the machine generated scale bar, of over-lapping sample area is shown below. The text regarding the synthesis chemistry in association with Fig. 3 is correct as described, and will result in 2.8  $\mu\text{m}$  long nanotubes as detailed in [1].



Reference

- [1] Q. Cai, M. Paulose, O.K. Varghese, C.A. Grimes, The effect of electrolyte composition on the fabrication of self-organized titanium oxide nanotube arrays by anodic oxidation, *Journal of Materials Research* 20 (2005) 230–236.

DOI of original article: [10.1016/j.jphotochem.2005.06.013](https://doi.org/10.1016/j.jphotochem.2005.06.013).

\* Corresponding author. Tel.: +1 8148659142; fax: +1 8148656780.

E-mail address: [cgrimes@enr.psu.edu](mailto:cgrimes@enr.psu.edu) (C.A. Grimes).