

Subject Index

- Absorption**
 and imprisonment of resonance radiation, 281
- Absorption coefficients**
 molar, of metastable states, determination of, 97
- Acetyl radicals**
 oxidation of, 341
- Aliphatic ketones**
 bearing γ hydrogens, photochemical processes involving $^1n, \pi$ excited state of, 321
- Alkyl aryl ketones**
 trapping by methyl methacrylate of biradicals derived from photolysis of some, 229
- Alkylphenones**
 substituted, photoreactivity of some, 193
- Amine oxidation**
 sensitized, kinetics and mechanism of nitroxyl radical formation during, 313
- Antimony atoms**
 $Sb(5^2D_{3/2, 5/2})$, kinetic study of electronically excited, by time resolved attenuation of atomic resonance radiation, 51
- Aqueous solutions**
 evolution of dihalide ion Br_2^- in, 241
- Argon atoms**
 $Ar(3P_1)$, quenching of: rate constants for deactivation and "escape factors" for trapped radiation, 435
- Atmospheric gases**
 deactivation of $O(^1D)$ and $O_2(^1\Sigma)$ by, 27
- Atomic resonance radiation**
 kinetic study of electronically excited antimony atoms, $Sb(5^2D_{3/2, 5/2})$, by time-resolved attenuation of, 51
- Attenuation**
 time-resolved, of atomic resonance radiation, kinetic study of electronically excited antimony atoms, $Sb(5^2D_{3/2, 5/2})$, by, 51
- Azomethane**
 photo-oxidation of $CD_3N_2CD_3$, 109
- Benzene**
 electronically excited, physical *versus* chemical quenching by Me_3SnH , 399
- Biochemical reactions**
 possibility of selective, induced by laser radiation, 185
- Bromine**
 evolution of dihalide ion Br_2^- in aqueous solutions, 241
- t-Butanol/cyclohexane**
 mixtures, U.V. photolysis ($\lambda=185$ nm) of, 63
- cis-Butene-2**
 photosensitized by sulphur dioxide, isomerization of, 91
- Butyrophenone**
 quenching of Norrish type II reaction of, by thiophenic compounds, 375
- Carbon tetrachloride**
 photolysis of, in presence of O_2 or O_3 at 213.9 nm, and reaction of $O(^1D)$ with, 203
- Chemical quenching**
versus physical quenching of electronically excited benzene by Me_3SnH , 399
- Charge transfer emission**
 from pyrene-DMA and pyrene-DEA complexes, solvent effect on, 307
- Chlorine-atom**
 initiated oxidation of CH_2CCl_2 , 17
- Chloro-compounds**
 CCl_2CH_2 , reaction of $O(^3P)$ with, C_2Cl_3H , Hg $6(^3P)$ -sensitized photo-oxidation of, 161
- $CFCl_3$ and CF_2Cl_2 , photodecomposition of, 419
- CH_2CCl_2 , chlorine-atom initiated and Hg $6(^3P_1)$ -photosensitized oxidation of, 17
- primary process in photolysis of *trans*-1,2- $C_2H_2Cl_2$, 241
- Chlorofluoromethanes**
 photolysis of, in presence of O_2 or O_3 at 213.9 nm and their reactions with $O(^1D)$, 381

- Concentration
dependence on: photochemistry of
decafluorobenzophenone, 309
- Cyclohexane/t-butanol
mixtures, U.V. photolysis ($\lambda = 185 \text{ nm}$)
of, 63
- Deactivation
of $\text{O}(^1\text{D})$ and $\text{O}_2(^1\Sigma)$ by atmospheric
gases, 27
rate constants for: quenching of
 $\text{Ar}(^3\text{P}_1)$, 435
- Decafluorobenzophenone
photochemistry of: dependence on
concentration and light intensity,
309
- Diethylaniline
pyrene-DEA and pyrene-DMA com-
plexes, solvent effect on charge
transfer emission from, 307
- Dimethylaniline
pyrene-DMA and pyrene-DEA com-
plexes, solvent effect on charge
transfer emission from, 307
- Electronic energy
transfer to vibrational energy, between
molecules, 329
- Energy
effect of reagent vibrational, on
measured reaction rate constants,
269
- Energy pooling reaction
 $2\text{O}_2(^1\Delta_g) \rightarrow \text{O}_2(^3\Sigma_g^-) + \text{O}_2(^1\Sigma_g^+)$, 215
- Energy transfer
electronic-to-vibrational, between
molecules, 329
excitation, in wool keratin, 155
- Escape factors
for trapped radiation: quenching of
 $\text{Ar}(^3\text{P}_1)$, 435
- Ethanethiol
and methanethiol at 185 nm, photo-
lysis of, 361
- Excitation
energy transfer in wool keratin, 155
- Eximer emission
from pyrene, state of polarization
of, 227
- Fluorescence
resonance, numerical studies of
growth and decay of, in presence
of quenching and radiation trap-
ping, 407
- Fluoro-compounds
 CFCl_3 and CF_2Cl_2 , photodecomposi-
tion of, 419
chlorofluoromethanes, photolysis
of, in presence of O_2 or O_3 at
213.9 nm and their reactions with
 $\text{O}(^1\text{D})$, 381
photochemistry of decafluorobenzo-
phenone: dependence on concen-
tration and light intensity, 309
- Formation relaxation
and quenching of vibrationally ex-
cited $\text{O}_2(^1\Sigma_g^+)$, 215
- HO_2
with nitric oxide and nitrogen dioxide,
kinetics of reaction of, 139
- γ Hydrogens
aliphatic ketones bearing, photo-
chemical processes involving $^1n, \pi$
excited state of, 321
- Hydroxyl radicals
reactions of $\text{O}(^1\text{D})$ and HO with
 CH_3OH , 233
- Imprisonment
and absorption of resonance radia-
tion, 281
- Isobutane
photolysis of, with 7.6, 8.4 and 10.0
eV photons, 121
- Isomerization
of *cis*-butene-2 photosensitized by
sulphur dioxide, 91
- Keratin
wool, excitation energy transfer in,
155
- β -Ketoesters
some cyclic, in solution, photoin-
duced ketonization, 179
- Ketones
aliphatic, bearing γ hydrogens, photo-
chemical processes involving $^1n, \pi$
excited state of, 321
- Ketonization
photoinduced, of some cyclic β -keto-
esters in solution, 179
- Kinetic study
of electronically excited antimony
atoms, $\text{Sb}(5^2\text{D}_{3/2, 5/2})$, by time-
resolved attenuation of atomic
resonance radiation, 51
- Kinetics
and mechanism of nitroxyl radical

- formation during sensitized amine oxidation, 313
 - of reaction of HO₂ with nitric oxide and nitrogen dioxide, 139
- Laser radiation
 - possibility of selective biochemical reactions induced by, 185
- Light intensity
 - dependence on: photochemistry of decafluorobenzophenone, 309
- Me₃SnH
 - physical *versus* chemical quenching of electronically excited benzene by, 399
- Mercury
 - Hg 6(³P₁)-photosensitized oxidation of CH₂CCl₂, 17
 - Hg 6(³P₁) photosensitized reactions of 1-methylcyclopentene, 299
 - Hg 6(³P)-sensitized photo-oxidation of C₂Cl₃H, 161
- Metastable states
 - determination of molar absorption coefficients of, 97
- Methanethiol
 - and ethanethiol at 185 nm, photolysis of, 361
- Methyl alcohol
 - reactions of O(¹D) and HO with, 233
- 1-Methylcyclopentene
 - Hg 6(³P₁) photosensitized reactions of, 299
- Methyl methacrylate
 - trapping by, of biradicals derived from photolysis of some alkyl aryl ketones: novel initiation of polymerization, 229
- 4-Methyl-2-pentanone
 - photochemistry, temperature dependence of, 75
- Molar absorption coefficients
 - of metastable states, determination of, 97
- Molecules
 - electronic-to-vibrational energy transfer between, 329
- Monomer emission
 - from pyrene, state of polarization of, 227
- Naphthoquinone
 - photoreduction, sensitization and quenching of, 171
- Neopentane
 - photolysis of, with 7.6, 8.4 and 10.0 eV photons, 121
- Nitric oxide
 - and nitrogen dioxide, kinetics of reaction of HO₂ with, 139
- Nitrogen dioxide
 - and nitric oxide, kinetics of reaction of HO₂ with, 139
- Nitroxyl radical
 - formation during sensitized amine oxidation, kinetics and mechanism of, 313
- Norrish type II reaction
 - of butyphenone, quenching of, by thiophenic compounds, 375
- Numerical studies
 - of growth and decay of resonance fluorescence in presence of quenching and radiation trapping, 407
- Oxidation
 - chlorine-atom initiated and Hg 6(³P₁)-photosensitized, of CH₂CCl₂, 17
 - of acetyl radicals, 341
 - sensitized amine, kinetics and mechanism of nitroxyl radical formation during, 313
- Oxygen
 - energy pooling reaction 2O₂(¹Δ_g) → O₂(³Σ_g⁻) + O₂(¹Σ_g⁺); formation relaxation, and quenching of vibrationally excited O₂(¹Σ_g⁺), 215
 - O(¹D) and O₂(¹Σ), deactivation of, by atmospheric gases, 27
 - photolysis of CCl₄ in presence of, at 213.9 nm, 203
 - photolysis of chlorofluoromethanes in presence of, or O₃ at 213.9 nm and their reactions with O(¹D), 381
- Oxygen atoms
 - deactivation of O(¹D) and O₂(¹Σ) by atmospheric gases, 27
 - O(¹D), photolysis of chlorofluoromethanes in presence of O₂ or O₃ at 213.9 nm and their reactions with, 381
 - reaction of O(¹D) with CCl₄, 203
 - reaction of O(³P) with CCl₂CH₂, 1
 - reactions of O(¹D) and HO with CH₃OH, 233
- Ozone
 - photolysis of, at 253.7 nm: deactivation of O(¹D) and O₂(¹Σ) by

- atmospheric gases, 27
 photolysis of CCl_4 in presence of, at 213.9 nm, 203
 photolysis of chlorofluoromethanes in presence of, or O_2 at 213.9 nm and their reactions with $\text{O}(^1\text{D})$, 381
- Photochemical processes
 involving $^1n, \pi$ excited state of aliphatic ketones bearing γ hydrogens, 321
- Photochemistry
 of decafluorobenzophenone: dependence on concentration and light intensity, 309
 temperature dependence of 4-methyl-2-pentanone, 75
- Photodecomposition
 of CFCl_3 and CF_2Cl_2 , 419
- Photoinduced ketonization
 of some cyclic β -ketoesters in solution, 179
- Photolysis
 of CCl_4 in presence of O_2 or O_3 at 213.9 nm, and reaction of $\text{O}(^1\text{D})$ with CCl_4 , 203
 of chlorofluoromethanes in presence of O_2 or O_3 at 213.9 nm and their reactions with $\text{O}(^1\text{D})$, 381
 of methanethiol and ethanethiol at 185 nm, 361
 of neopentane and isobutane with 7.6, 8.4 and 10.0 eV photons, 121
 of ozone at 253.7 nm, 27
 of some alkyl aryl ketones, trapping by methyl methacrylate of biradicals derived from, 229
 of *trans*-1,2- $\text{C}_2\text{H}_2\text{Cl}_2$, primary process in, 241
 U.V., ($\lambda = 185$ nm) of *t*-butanol/cyclohexane mixtures, 63
- Photo-oxidation
 Hg $6(^3\text{P})$ -sensitized, of $\text{C}_2\text{Cl}_3\text{H}$, 161
 of $\text{CD}_3\text{N}_2\text{CD}_3$, 109
- Photoreactivity
 of some substituted alkylphenones, 193
- Photoreduction
 naphthoquinone, sensitization and quenching of, 171
- Photosensitized reactions
 Hg $6(^3\text{P}_1)$, of 1-methylcyclopentene, 299
- Physical quenching
versus chemical quenching of electronically excited benzene by Me_3SnH , 399
- Polarization
 state of, of monomer and excimer emission from pyrene, 227
- Polymerization
 novel initiation of: trapping by methyl methacrylate of biradicals derived from photolysis of some alkyl aryl ketones, 229
- Pyrene
 pyrene-DMA and pyrene-DEA complexes, solvent effect on charge transfer emission from, 307
 state of polarization of monomer and excimer emission from, 227
- Quenching
 and radiation trapping, numerical studies of growth and decay of resonance fluorescence in presence of, 407
 and sensitization of naphthoquinone photoreduction, 171
 physical *versus* chemical, of electronically excited benzene by Me_3SnH , 399
 of $\text{Ar}(^3\text{P}_1)$: rate constants for deactivation and "escape factors" for trapped radiation, 435
 of Norrish type II reaction of butyrophenone by thiophenic compounds, 375
 of vibrationally excited $\text{O}_2(^1\Sigma_g^+)$, 215
- Radiation
 atomic resonance, kinetic study of electronically excited antimony atoms, $\text{Sb}(5^2\text{D}_{3/2, 5/2})$: by time-resolved attenuation of, 51
 laser, possibility of selective biochemical reactions induced by, 185
 resonance, imprisonment and absorption of, 281
 trapped, "escape factors" for: quenching of $\text{Ar}(^3\text{P}_1)$, 435
- Radiation trapping
 and quenching, numerical studies of growth and decay of resonance fluorescence in presence of, 407
- Rate constants
 for deactivation: quenching of $\text{Ar}(^3\text{P}_1)$, 435
 reaction, effect of reagent vibrational energy on measured, 269

Reagent vibrational energy

effect of, on measured reaction rate constants, 269

Relaxation

formation, and quenching of vibrationally excited $O_2(^1\Sigma_g^+)$, 215

Resonance fluorescence

numerical studies of growth and decay of, in presence of quenching and radiation trapping, 407

Resonance radiation

atomic, kinetic study of electronically excited antimony atoms, $Sb(5^2D_{3/2, 5/2})$ by time-resolved attenuation of, 51
imprisonment and absorption of, 281

Sensitization

and quenching of naphthoquinone photo-reduction, 171

Solvent effect

on charge transfer emission from pyrene-DMA and pyrene-DEA complexes, 307

Sulphur dioxide

isomerization of *cis*-butene-2 photosensitized by, 91

Temperature dependence

of 4-methyl-2-pentanone photochemistry, 75

Thiophenic compounds

quenching of Norrish type II reaction of butyrophenone by, 375

Time-resolved attenuation

of atomic resonance radiation, kinetic study of electronically excited antimony atoms, $Sb(5^2D_{3/2, 5/2})$, by, 51

Trapped radiation

"escape factors" for: quenching of $Ar(^3P_1)$, 435

Trapping

by methyl methacrylate of biradicals derived from photolysis of some alkyl aryl ketones: novel initiation of polymerization, 229
radiation, and quenching, numerical studies of growth and decay of resonance fluorescence in presence of, 407

Ultra-violet photolysis

($\lambda = 185$ nm) of *t*-butanol/cyclohexane mixtures, 63

Vibrational energy

effect of reagent, on measured reaction rate constants, 269
transfer from electronic energy between molecules, 329

Wool keratin

excitation energy transfer in, 155