

Subject Index

- Absorption spectra**
of aromatic compounds in boric acid glass, 149
- Acetic acid**
condensed phase photochemistry of in the vacuum UV, 251
- Acetylene**
photolysis of SO₂ at 313 nm in the presence of both acetylene and oxygen, 221
- N-Acetyl-L-tryptophanamide**
an estimate of direct N-H bond cleavage in the photolysis of, 363
- Actinometer**
convenient, for the determination of irradiation intensities at 350 - 390 nm, 355
- Allene**
excitation of SO₂ at 3600 - 4100 Å in the presence of, 123
- Aminoanthraquinones**
structural influences on the fluorescence of, 107
- 1-Anthrol**
and 2-naphthol, mechanism of deactivation of triplet states of by aromatic N-heterocycles, 177
- Antimony**
ground state Sb(5⁴S_{3/2}) atoms, kinetic study of by atomic absorption spectroscopy, 59
- Aprotic solvents**
Tl sensitized photolysis of nitrite ion in, 185
- Aromatic compounds**
in boric acid glass, photoionization of, 149
- Atomic absorption spectroscopy**
collisional behaviour of Ge(4³P_{0,1,2}) by, 41
kinetic study of ground state Sb(5⁴S_{3/2}) atoms by, 59
in a kinetic study of third order reactions of atomic lead: Pb(6³P₀) + O₂ + M and Pb + NO + M, 157
- Auger electron spectroscopy**
studies of the system CuCl(s)-H₂O(l) using, 51
- Azulene**
carbonyl compounds of in solution, electronic relaxation processes of, 91
- Benzophenones**
in solution, transient photocurrents induced by laser flash photolysis of, 287
- Biphotonic processes**
in the mercury-photosensitized decomposition of ethylene oxide in the gas phase, evidence for, 101
- Boric acid glass**
photoionization of aromatic compounds in, 149
- Charge transfer**
in the fluorescence of aminoanthraquinones, structural influences on, 107
- Charge transfer complexes**
induced by laser flash photolysis of aromatic carbonyl compounds in solution, 287
- Chemiluminescence**
from the reaction of ozone with selected organic compounds, structural effects on, 379
- Chlorofluoromethanes**
chlorine atom sensitized oxidation of, 325
reactions of CH₃ radicals with, 83
UV photolysis of in the presence of various radical scavengers, 73
- Collisional behaviour**
of Ge(4³P_{0,1,2}) by atomic absorption spectroscopy, 41
- Copper**
CuCl(s)-H₂O(l), studies of the photochromic properties of using Auger electron spectroscopy, 51
- Cyclohexanones**
photoreduction of by 2-propanol: a new kinetic model, 365
- Deactivation**
of triplet 1-anthrol and 2-naphthol by aromatic N-heterocycles, 177

- Decomposition**
 Hg 6(3P_1) photosensitized, of 1,1,2,2-tetrafluorocyclobutane, 201
- Degradation**
 and luminescence of nylon polymers:
 evidence for triplet-singlet resonance energy transfer to a commercial disperse dye, 405
 quenching of fluorescent and phosphorescent species, 319
- Dichloroethylenes**
 matrix-isolated, photochemistry of, 263
- Dimerization**
 and self-quenching of singlet *trans*-stilbene, 421
- Dimethylformamide**
 Tl sensitized photolysis of nitrite ion in, 185
- 1,4-Dioxane**
 liquid, photochemistry of at 184.9 nm and 147.0 nm, 237
- 9,10-Diphenylanthracene**
 calorimetric determination of the fluorescence quantum yield of, 277
- Dual fluorescence**
 in the electronic relaxation of carbonyl compounds of azulene, 91
- Dyes**
 structural influences on the fluorescence of aminoanthraquinones, 107
- Electronically excited states**
 of SO₂ after excitation at 3600 - 4100 Å in the presence of allene, 123
- Electrons**
 hydrated, formation of from photoexcited [Ru(CN)₆]⁴⁻ and [W(CN)₈]⁴⁻ ions, 215
- Encounter complexes**
 the role of in singlet quenching, 359
- Energy transfer**
 triplet-singlet resonance, evidence for in the luminescence and degradation of nylon polymers, 405
 triplet-triplet, for the dimers of polyacrylophenone, 411
- Ethyl α-chlorophenylacetate**
 in cyclohexane, photolysis of, 1
- Ethylene oxide**
 mercury-photosensitized decomposition of in the gas phase, evidence for a biphotonic process in, 101
- Exciplexes**
 charge transfer, of Tl⁺ and NO₂⁻, 185
 mechanism of their formation and decay in singlet quenching, 359
- Extinction coefficients**
 of cation radicals of aromatic compounds in boric acid glass, 149
- Fluorescence**
 of aminoanthraquinones, structural influences on, 107
 of 9,10-diphenylanthracene, calorimetric determination of the quantum yield of, 277
 dual, in the electronic relaxation of carbonyl compounds of azulene, 91 and phosphorescence of species in nylon-6,6 polymer, quenching of, 319
- Fluorescence excitation spectroscopy**
 of photofragments of PH₃, 335
- Fluorescence quenching**
 of NO₂^{*}, pressure dependence of, 219
 the role of encounter complexes in, 359
- Germanium**
 collisional behaviour of Ge(4³P_{0,1,2}) by atomic absorption spectroscopy, 41
- Halomethanes**
 reaction of O(2¹D₂) with, 29
- Halomethyl radicals**
 produced in the chlorine atom sensitized oxidation of chlorofluoromethanes, 325
- Heterocycles**
 aromatic nitrogen-containing, mechanism of deactivation of triplet 1-anthrol and 2-naphthol by, 177
- Indole derivatives**
 an estimate of direct N-H bond cleavage in the photolysis of, 363
- Ionization potentials**
 for the photoionization of aromatic compounds in boric acid glass, 149
- Irradiation intensities**
 at 350 - 390 nm, a convenient actinometer for the determination of, 355
- Isotope effects**
 in the photolysis of methanethiol, 171
- Kinetics**
 of ground state Sb(5⁴S_{3/2}) atoms by atomic absorption spectroscopy, 59

- of the photoreduction of cyclohexanones by 2-propanol, a new model for, 365
- of the third order reaction of atomic lead: $\text{Pb}(6^3\text{P}_0) + \text{O}_2 + \text{M}$ and $\text{Pb} + \text{NO} + \text{M}$, 157
- Lasers**
 - investigation of some oxazole and oxadiazole derivatives using, 17
 - mode-locked, use of in the time resolved emission spectroscopy of styrenes, 141
- Lead**
 - atomic, kinetic study of the third order reactions $\text{Pb}(6^3\text{P}_0) + \text{O}_2 + \text{M}$ and $\text{Pb} + \text{NO} + \text{M}$, 157
- Lifetimes**
 - of carbonyl compounds of azulene in solution, undergoing electronic relaxation, 91
- Light fastness**
 - of aminoanthraquinones, 107
- Luminescence**
 - and degradation of nylon polymers: evidence for triplet-singlet resonance energy transfer to a commercial disperse dye, 405
 - quenching of fluorescent and phosphorescent species, 319
- Matrix isolation**
 - photochemistry of the matrix-isolated dichloroethylenes, 263
- Methanethiol**
 - isotope effects in the photolysis of, 171
- Methyl glyoxal**
 - gaseous, photolysis of at 436 nm, 305
- Methyl radicals**
 - CH_3 , reactions of with CCl_4 , CFCl_3 and CF_2Cl_2 , 83
- Mercury**
 - evidence for a biphotonic process in the decomposition of ethylene oxide photosensitized by, 101
 - $\text{Hg } 6(^3\text{P}_1)$ photosensitized decomposition of 1,1,2,2-tetrafluorocyclobutane, 201
- 2-Naphthol**
 - and 1-anthrol, mechanism of deactivation of triplet states of by aromatic N-heterocycles, 177
- N-H bond cleavage**
 - direct, an estimate of in the photolysis of indole derivatives, 363
- N-Heterocycles**
 - aromatic, mechanism of deactivation of triplet 1-anthrol and 2-naphthol by, 177
- Nitrite ion**
 - Tl sensitized photolysis of in aprotic solvents, 185
- Nitrogen dioxide**
 - NO_2^* , pressure dependence of the fluorescence quenching of, 219
- Nylon-6,6**
 - luminescence and degradation of: evidence for triplet-singlet resonance energy transfer to a commercial disperse dye, 405
 - quenching of fluorescent and phosphorescent species, 319
- Oxazole**
 - and oxadiazole, laser investigation of some derivatives of, 17
- Oxidation**
 - chlorine atom sensitized, of chlorofluoromethanes, 325
- 2-Oxopropanal**
 - gaseous, photolysis of at 436 nm, 305
- Oxygen**
 - reaction of $\text{O}(2^1\text{D}_2)$ with halo-methanes, 29
- Ozone**
 - structural effects on the chemiluminescence from the reaction of with selected organic compounds, 379
- 1-Phenyl-2-butene**
 - photophysics of, 417
- Phosphine**
 - fluorescence excitation spectroscopy of photofragments of, 335
- Phosphorescence**
 - and fluorescence of species in nylon-6,6 polymer, quenching of, 319
- Photochemical decomposition**
 - of 1,1,1-trichloroethane at 147 nm, primary processes in, 345
- Photochemistry**
 - condensed phase, of acetic acid in the vacuum UV, 251
 - of dimers and trimers of polyacrylophenone; triplet-triplet energy transfer for the dimers, 411
 - of liquid 1,4-dioxane at 184.9 nm and 147.0 nm, 237
 - of the matrix-isolated dichloroethylenes, 263
 - of SO_2 excited at 3600 - 4100 Å in the presence of allene, 123

- solid state, of uranyl formate monohydrate, 113
- Photochromic properties**
of the system $\text{CuCl}(s)\text{-H}_2\text{O}(l)$, studies of using Auger electron spectroscopy, 51
- Photocurrents**
transient, induced by laser flash photolysis of aromatic carbonyl compounds in solution, 287
- Photoionization**
of aromatic compounds in boric acid glass, 149
- Photoisomerization**
direct and sensitized *cis-trans*, of 2-styrylthiophene, 297
- Photolysis**
of ethyl α -chlorophenylacetate in cyclohexane, 1
of indole derivatives, an estimate of direct N-H bond cleavage in, 363
of methanethiol, isotope effects in, 171
of methyl glyoxal vapour at 436 nm, 305
of SO_2 at 313 nm in the presence of both acetylene and oxygen, 221
Tl sensitized, of nitrite ion in aprotic solvents, 185
UV, of CFCl_3 and CF_2Cl_2 in the presence of various radical scavengers, 73
- Photoreduction**
of cyclohexanones by 2-propanol: a new kinetic model, 365
- Photosensitization**
by mercury of the decomposition of ethylene oxide in the gas phase, evidence for a biphotonic process in, 101
- Photostabilization**
of nylon-6,6 polymer, 319
- Phototendering**
of nylon fibre by a commercial disperse dye, 405
- Polyacrylophenone**
photochemistry of dimers and trimers of: triplet-triplet energy transfer for the dimers, 411
- Quantum yields**
of carbonyl compounds of azulene in solution, undergoing electronic relaxation, 91
of CO in the photolysis of SO_2 at 313 nm in the presence of both acetylene and oxygen, 221
of 9,10-diphenylanthracene fluorescence, calorimetric determination of, 277
for the fluorescence of aminoanthraquinones, 107
for the formation of H_2 and CH_4 in the photolysis of methanethiol, 171
for the photodecomposition of 1,4-dioxane at 184.9 nm and 147.0 nm, 237
for the photoreduction of cyclohexanones by 2-propanol, 365
- Quenching**
of fluorescent and phosphorescent species in nylon polymers, 319
- Radicals**
cation, of aromatic compounds in boric acid glass, absorption spectra of, 149
methyl, reactions of with CCl_4 , CFCl_3 and CF_2Cl_2 , 83
- Relaxation**
electronic of carbonyl compounds of azulene in solution, 91
- Ruthenium**
photoexcited $[\text{Ru}(\text{CN})_6]^{4-}$ and $[\text{W}(\text{CN})_8]^{4-}$ ions, hydrated electron formation from, 215
- Self-quenching**
and dimerization of singlet *trans*-stilbene, 421
- Spectroscopy**
time resolved emission, of isolated molecules of styrenes, 141
- Stilbene**
self-quenching and dimerization of the singlet *trans* isomer, 421
- Styrenes**
nanosecond time resolved spectroscopy of isolated molecules of, 141
- 2-Styrylthiophene**
direct and sensitized *cis-trans* photoisomerization, 297
- Sulphur dioxide**
excitation of at 3600 - 4100 Å in the presence of allene, 123
photolysis of at 313 nm in the presence of both acetylene and oxygen, 221
- 1,1,2,2-Tetrafluorocyclobutane**
the Hg 6($^3\text{P}_1$) photosensitized decomposition of, 201
- 2,2',4,4'-Tetraisopropylazobenzene**
use of for a convenient actinometer for the determination of irradiation intensities at 350 - 390 nm, 355

Thallium

Tl sensitized photolysis of nitrite ion in aprotic solvents, 185

1,1,1-Trichloroethane

primary processes in the photochemical decomposition of at 147 nm, 345

Triplet state

of 1-anthrol and 2-naphthol, mechanism of deactivation of by aromatic N-heterocycles, 177

Tungsten

photoexcited $[\text{W}(\text{CN})_8]^{4-}$ and $[\text{Ru}(\text{CN})_6]$ ions, hydrated electron formation from, 215

Uranium

uranyl formate monohydrate, solid state photochemistry of, 113