

## Subject Index

---

- Absorption**  
 trivial, relevance of in the triplet-triplet energy transfer from benzophenone to tris(2,2'-bipyridine)-ruthenium(II) chloride in acetic acid, 349
- Acetylene**  
 visible emission of excited fragments from in the argon flowing afterglow reaction, 401
- Airglow**  
 night, the excitation of on Earth, Venus and Mars, 199
- 1-Aminoanthraquinones**  
 N-substituted, lightfastness and spectroscopic properties of, 187
- Anthracenes**  
 fluorescence quenching of by N,N-dimethylaniline: a comparison with quenching by triphenylphosphine, 315
- Anthracenes**  
 substituted, fluorescence quenching of by tris(pentafluorophenyl)phosphine, 425
- Argon**  
 flowing afterglow reaction of, visible emission of excited fragments from acetylene in, 401
- Argon fluoride**  
 carbon and sulphur isotope separation by ArF laser irradiation of CS<sub>2</sub>, 359
- Atmosphere**  
 upper, excitation of the night airglow in on Earth, Venus and Mars, 199
- Atomic kinetics**  
 temperature-dependent studies of the collisional behaviour of Ge(4p<sup>2</sup>-<sup>3</sup>P<sub>0,1</sub>), 277  
 of the third order reaction of atomic lead, Pb(6<sup>3</sup>P<sub>0</sub>) + C<sub>2</sub>H<sub>2</sub> + M and Pb(6<sup>3</sup>P<sub>0</sub>) + C<sub>2</sub>H<sub>4</sub> + M, 337
- Atomic resonance**  
 of lead, the modified Beer-Lambert law and the curve of growth for the atomic resonance transition Pb(7s(<sup>3</sup>P<sub>1</sub><sup>o</sup>) ← 6p<sup>2</sup>(<sup>3</sup>P<sub>0</sub>)), 251  
 of tin, the modified Beer-Lambert law and the curve of growth for the atomic resonance transition Sn(6s(<sup>3</sup>P<sub>1</sub><sup>o</sup>) ← 5p<sup>2</sup>(<sup>3</sup>P<sub>0</sub>)), 297
- Azacarbazoles**  
 and carbazoles, a semi-empirical CNDO/S calculation of the S<sub>0</sub>-S<sub>1</sub> electronic spectra and the variation of the dipole moments on excitation of, 365
- Beer Lambert law**  
 modified, and the curve of growth for the atomic resonance transition Sn(6s(<sup>3</sup>P<sub>1</sub><sup>o</sup>) ← 5p<sup>2</sup>(<sup>3</sup>P<sub>0</sub>)), 297
- Benzophenone**  
 oxidation of phenothiazine sensitized by, 329  
 triplet-triplet energy transfer from to tris(2,2'-bipyridine)ruthenium(II) chloride in acetic acid: relevance of trivial absorption effects, 349
- Boron**  
 IR laser-specific reactions involving B compounds: decomposition of phosgene sensitized by BCl<sub>3</sub>, 433
- 1-Butene**  
 the gas phase photolysis of at 123.7 nm, 287
- Carbazoles**  
 and azacarbazoles, a semi-empirical CNDO/S calculation of the S<sub>0</sub>-S<sub>1</sub> electronic spectra and the variation of the dipole moments on excitation of, 365
- Carbon**  
 and sulphur, separation of isotopes of by ArF laser irradiation of CS<sub>2</sub>, 359
- CF<sub>3</sub>I**  
 effect of O<sub>2</sub> on molecular iodine following flash photodissociation of, 413
- Charge separation**  
 in monolayer assemblies used in solar energy conversion, 111
- Charge transfer complexes**  
 in the fluorescence quenching of

- substituted anthracenes by tris-(pentafluorophenyl)phosphine, 425
- Chemiluminescence
  - of luminol, concentration effects in, 159
- Chlorine
  - the Cl<sub>2</sub> photosensitized decomposition of O<sub>3</sub>: the reactions of ClO and OClO with O<sub>3</sub>, 163
- 3-Chloro-3-methyldiazirine
  - photodecomposition quantum yields of in the gas phase, 473
- Chromogen red B
  - spectroscopic and laser properties of, 467
- Cis-trans* isomerization
  - of 1,3-cycloheptadiene by matrix photolysis, 345
- CNDO/S calculation
  - semi-empirical, of the S<sub>0</sub>-S<sub>1</sub> electronic spectra and the variation of the dipole moments on excitation of some carbazoles and azacarbazoles, 365
- CN radical
  - reaction with OCS and the formation of SCN, 273
- Current-voltage characteristics
  - of frontwall solar cells, 77
- Curve of growth
  - and modified Beer-Lambert law for the atomic resonance transition Pb(7s(<sup>3</sup>P<sub>1</sub><sup>o</sup>) ← 6p<sup>2</sup>(<sup>3</sup>P<sub>0</sub>)), 251
  - for the atomic resonance transition Sn(6s(<sup>3</sup>P<sub>1</sub><sup>o</sup>) ← 5p<sup>2</sup>(<sup>3</sup>P<sub>0</sub>)), 297
- Cycloadditions
  - application of to energy storage in organic photoisomers, 1
- Cycloalkenes
  - cis-trans* isomerization of via the triplet pathway: the perpendicular triplet state observed by laser flash photolysis, 439
- 1,3-Cycloheptadiene
  - cis,cis*, matrix photolysis of: evidence for the existence of the highly strained *cis,trans* isomer, 345
- Deoxybenzoin
  - flash photolysis of in solution, 133
- N,N-Dimethylaniline
  - fluorescence quenching of anthracenes by: a comparison with quenching by triphenylphosphine, 315
- Dimethylnorbornadiene-2,3-dicarboxylate
  - application of to solar energy storage, 1
- Dipole moments
  - a semi-empirical CNDO/S calculation of the S<sub>0</sub>-S<sub>1</sub> electronic spectra and the variations of the dipole moments on excitation of carbazoles and azacarbazoles, 365
- Dyes
  - laser, spectroscopic and laser properties of chromogen red B, 467
  - lightfastness and spectroscopic properties of N-substituted 1-aminoanthraquinones, 187
- Dye sensitization
  - of photographic and photogalvanic processes, 111
- Earth
  - excitation of the night airglow on Venus, Mars and, 199
- Electron transfer
  - light-induced, 19
  - in synthetic molecular organizes, 111
- Emission
  - visible, of excited fragments from acetylene in the argon flowing afterglow reaction, 401
- Energy transfer
  - in binary solutions and its role in determining the absolute quantum yields and other rate parameters, 221
  - from I(<sup>2</sup>P<sub>1/2</sub>) to HCN, NH<sub>3</sub> and OCS, time resolved resonance fluorescence study of, 231
  - in synthetic molecular organizes, 111
  - triplet-triplet, from benzophenone to tris(2,2'-bipyridine)ruthenium(II) chloride in acetic acid: relevance of trivial absorption effects, 349
  - from two distinct excited states, kinetic analyses of photosensitized reactions involving, 387
- Energy storage
  - in organic photoisomers, 1
  - using light-induced electron transfer reactions, 19
- Ethyl chloride
  - photochemistry of, 237
- Exciplexes
  - in the fluorescence quenching of substituted anthracenes by tris-(pentafluorophenyl)phosphine, 425
- Excited radicals
  - in the gas phase photolysis of 1-butene at 123.7 nm, 287

- Ferrocene**  
and iodine, the photochemical reaction between, 267
- Flash photolysis**  
of aminocarboxyanthraquinones, 193  
of deoxybenzoin in solution, 133  
laser, in the investigation of the photoenolization mechanism of 2-methylbenzophenone, 145  
of N-substituted 1-aminoanthraquinones, 187  
of the reaction of  $\text{CN}(X^2\Sigma^+)$  with OCS, forming SCN, 273
- Fluorescence**  
of aminocarboxyanthraquinones, 193  
of anthracenes, quenching of by N,N-dimethylaniline: a comparison with quenching by triphenylphosphine, 315  
of N-substituted 1-aminoanthraquinones, 187  
of substituted anthracenes, quenching of by tris(pentafluorophenyl)phosphine, 425
- Germanium atoms**  
temperature-dependent studies of the collisional behaviour of  $\text{Ge}(4p^2-^3P_{0,1})$ , 277
- Hexamethyldewarbenzene**  
application of the sensitized isomerization of to solar energy storage, 1
- Hydrogen atoms**  
hot, in the gas phase photolysis of 1-butene at 123.7 nm, 287
- Interconversion**  
of two distinct excited states in photosensitized reactions, 387
- Interface recombination**  
in solar cells, 77
- Inverted region**  
exploitation of in light-induced electron transfer reactions, 19
- Iodine**  
and ferrocene, the photochemical reaction between, 267  
molecular, effects of  $\text{O}_2$  on the production of following flash photodissociation of  $\text{CF}_3\text{I}$ , 413
- Iodine atoms**  
electronically excited, time resolved resonance fluorescence study of:  
quenching of  $\text{I}(^2P_{1/2})$  by HCN,  $\text{NH}_3$  and OCS, 231
- Isomerization**  
*cis-trans*, of styrenes via the triplet pathway: the perpendicular triplet state observed by laser flash photolysis, 439
- Isotopic separation**  
of carbon and sulphur isotopes by ArF laser irradiation of  $\text{CS}_2$ , 359
- Ketones**  
dialkyl, evidence for the production of singlet molecular oxygen from the quenching of excited states of by molecular oxygen, 407
- Kinetics**  
of the  $\text{Cl}_2$  photosensitized decomposition of  $\text{O}_3$ : the reactions of ClO and OClO with  $\text{O}_3$ , 163  
of photosensitized reactions involving energy transfer from two distinct excited states, 387
- Laser dyes**  
spectroscopic and laser properties of chromogen red B, 467
- Lasers**  
carbon and sulphur isotope separation by ArF laser irradiation of  $\text{CS}_2$ , 359  
IR,  $\text{BCl}_3$  sensitized decomposition of phosgene by a  $\text{CO}_2$  laser, 433
- Lead atoms**  
a kinetic study of the third order reactions of atomic lead,  $\text{Pb}(6^3P_0) + \text{C}_2\text{H}_2 + \text{M}$  and  $\text{Pb}(6^3P_0) + \text{C}_2\text{H}_4 + \text{M}$ , 337  
the modified Beer-Lambert law and the curve of growth for the atomic resonance transition  $\text{Pb}(7s(^3P_1^0) \leftarrow 6p^2(^3P_0))$ , 251
- Lead(IV) chloride**  
pulse photolysis of in non-aqueous solutions, 451
- Lightfastness**  
and spectroscopic properties of aminocarboxyanthraquinones, 193  
of N-substituted 1-aminoanthraquinones, 187
- Luminescence**  
of aminocarboxyanthraquinones, 193
- Luminol**  
concentration effects in the chemiluminescence of, 159

- Mars  
excitation of the night airglow on Earth, Venus and, 199
- Matrix isolation  
application of in the photolysis of *cis,cis*-1,3-cycloheptadiene: evidence for the existence of the highly strained *cis,trans* isomer, 345
- Metastable states  
of argon, evidence for from the visible emission of excited fragments from acetylene in the argon flowing afterglow reaction, 401
- Methylamine  
wavelength and fluence dependence of the IR multiple photon dissociation of to form ground state  $\text{NH}_2$  radicals, 305
- 2-Methylbenzophenone  
the photoenolization mechanism of, 145
- Monolayer assemblies  
use of in solar energy conversion, 111
- Multiple photon dissociation  
IR, of  $\text{CH}_3\text{NH}_2$  to form ground state  $\text{NH}_2$  radicals, wavelength and fluence dependences of, 305
- $\text{NH}_2$  radicals  
ground state, wavelength and fluence of the IR multiple photon dissociation of  $\text{CH}_3\text{NH}_2$  to form, 305
- Organizates  
synthetic molecular, 111
- Oxidation  
benzophenone-sensitized, of phenothiazine, 329
- Oxygen  
excited, emission from in the night airglow on Earth, Venus and Mars, 199  
molecular, effects of on molecular iodine production following flash photodissociation of  $\text{CF}_3\text{I}$ , 413  
singlet molecular, evidence for the production of from the quenching of excited states of dialkyl ketones by molecular oxygen, 407
- Ozone  
the  $\text{Cl}_2$  photosensitized decomposition of  $\text{O}_3$ : the reactions of  $\text{ClO}$  and  $\text{OClO}$  with  $\text{O}_3$ , 163
- Phenothiazine  
benzophenone-sensitized oxidation of, 329
- Phosgene  
 $\text{BCl}_3$  sensitized decomposition of by a  $\text{CO}_2$  laser, 433
- Phosphorescence  
of aminocarboxyanthraquinones, 193
- Photocatalysis  
heterogeneous, and photoelectrochemistry at semiconductors, 59
- Photochemical reaction  
between ferrocene and iodine, 267
- Photochemistry  
of ethyl chloride, 237
- Photocyclization  
of tetraarylethylenes, substituent effects on the efficiency and regioselectivity of, 215
- Photodecomposition  
of 3-chloro-3-methyldiazirine in the gas phase, quantum yields for, 473  
IR, of phosgene sensitized by  $\text{BCl}_3$ , 433
- Photodissociation  
flash, of  $\text{CF}_3\text{I}$ , effects of  $\text{O}_2$  on molecular iodine production following, 413
- Photoelectrochemistry  
and heterogeneous photocatalysis at semiconductors, 59
- Photoenolization  
of 2-methylbenzophenone, the mechanism of, 145
- Photogalvanic cells, 41  
investigation of, 111
- Photographic process  
investigation of, 111
- Photoisomers  
organic, energy storage in, 1
- Photolysis  
gas phase, of 1-butene at 123.7 nm, 287  
matrix IR, of *cis,cis*-1,3-cycloheptadiene: evidence for the existence of the highly strained *cis,trans* isomer, 345  
pulse, of  $\text{PbCl}_4$  in non-aqueous solutions, 451
- Photosensitization  
kinetic analyses of photosensitized reactions involving energy transfer from two distinct excited states, 387
- Photovoltaic effect  
application of to solar cells, 77
- Polypyridine  
light-induced electron transfer reactions of polypyridine-Ru(II) complexes, 19

- Potential energy surfaces  
 application of to the study of light-induced electron transfer reactions, 19
- Purification  
 of  $\text{BCl}_3$  by the  $\text{BCl}_3$  sensitized decomposition of phosgene by a  $\text{CO}_2$  laser, 433
- Quantum yields  
 absolute, and other rate parameters, energy transfer in binary solutions and its role in determining, 221  
 for the photodecomposition of 3-chloro-3-methyldiazirine in the gas phase, 473
- Quenching  
 electronic, of  $\text{I}(^2\text{P}_{1/2})$  by  $\text{HCN}$ ,  $\text{NH}_3$  and  $\text{OCS}$ , time resolved resonance fluorescence study of, 231  
 of excited states of dialkyl ketones, evidence for the production of singlet molecular oxygen from, 407  
 fluorescence, of anthracenes by  $\text{N,N}$ -dimethylaniline: a comparison with quenching by triphenylphosphine, 315  
 of substituted anthracenes by tris(pentafluorophenyl)phosphine, 425  
 oxidative and reductive, in light-induced electron transfer reactions, 19
- Resonance absorption  
 of  $\text{Pb}(6^3\text{P}_0)$ , application of in the kinetic study of the third order reactions of atomic lead,  $\text{Pb}(6^3\text{P}_0) + \text{C}_2\text{H}_2 + \text{M}$  and  $\text{Pb}(6^3\text{P}_0) + \text{C}_2\text{H}_4 + \text{M}$ , 337
- Resonance fluorescence  
 time resolved, of electronically excited iodine atoms: quenching of  $\text{I}(5^2\text{P}_{1/2})$  by  $\text{HCN}$ ,  $\text{NH}_3$  and  $\text{OCS}$ , 231
- Ruthenium  
 light-induced electron transfer reactions of polypyridine-Ru(II) complexes, 19  
 triplet-triplet energy transfer from benzophenone to tris(2,2'-bipyridine)ruthenium(II) chloride in acetic acid: relevance of trivial absorption effects, 349
- Ruthenium tris(bipyridyl)  
 as a component of photogalvanic cells, 41
- SCN radicals  
 formation of from the reaction of  $\text{OCS}$  with  $\text{CN}(X^2\Sigma^+)$ , 273
- Semiconductors  
 photoelectrochemistry and heterogeneous photocatalysis at, 59
- Solar cells  
 frontwall, the physics and chemistry of, 77
- Solar energy  
 conversion of  
 in photoelectrochemical cells, 59  
 in photogalvanic cells, 41  
 using synthetic molecular organizes, 111  
 storage of in organic photoisomers, 1
- Spectra  
 electronic  $\text{S}_0\text{-S}_1$ , and variation of the dipole moments on excitation of some carbazoles and azacarbazoles, a semi-empirical CNDO/S calculation of, 365
- Spectroscopy  
 and lightfastness of aminocarboxyanthraquinones, 193  
 and lightfastness of  $\text{N}$ -substituted 1-aminoanthraquinones, 187
- Styrenes  
*cis-trans* isomerization of via the triplet pathway: the perpendicular triplet state observed by laser flash photolysis, 439
- Substituent effects  
 on the efficiency and regioselectivity of tetraarylethylene photocyclization, 215
- Sulphur  
 and carbon, separation of isotopes of by ArF laser irradiation  $\text{CS}_2$ , 359
- Tetraarylethylenes  
 substituent effects on the efficiency and regioselectivity of the photocyclization of, 215
- Thioketones  
 aromatic, triplet state deactivation and photochemistry of in solution, 205
- Thionine  
 as a component of photogalvanic cells, 41
- Tin atoms  
 the modified Beer-Lambert law and the curve of growth for the atomic resonance transition  $\text{Sn}(6s(2^1\text{P}_1) \leftarrow 5p^2(^3\text{P}_0))$ , 297
- 1,2,4-Trimethylbenzene  
 energy transfer from and its role in determining absolute quantum

- yields and other rate parameters, 221
- Triplet reactivity
  - of aromatic thioketones in solution, 205
- Triplet states
  - of deoxybenzoin in solution obtained by flash photolysis, 133
  - of styrene and phenylcycloalkenes observed by laser flash photolysis, 439
- Tris(2,2'-bipyridine)ruthenium chloride
  - triplet-triplet energy transfer from benzophenone to in acetic acid: relevance of trivial absorption effects, 349
- Tris(pentafluorophenyl)phosphine
  - fluorescence quenching of substituted anthracenes by, 425
- Tunnelling
  - in monolayer assemblies used in solar energy conversion, 111
- Unsaturated compounds
  - as triplet quenchers of deoxybenzoin in solution, 133
- Venus
  - excitation of the night airglow on Earth, Mars and, 199
- Xanthione
  - triplet state deactivation and photochemistry of in solution, 205