

## Subject Index

- Absorption**  
of photons by a solution irradiated with polychromatic light, a simple and convenient method of measuring the number of, 77
- Acetic acid**  
multiple phosphorescence emission and excited state switching of arylketones in at 77 K, 33
- Acetyl radical**  
and benzoyl radical, the rate of reaction of with O<sub>2</sub>, 1
- Actinometer**  
new heterocoerdianthrone, for the visible (400 - 580 nm) range, 335
- 9-Amino acridines**  
various, in solution, an attempt to interpret the displacements of the electronic spectra of by their interaction with aprotic solvents, 213
- Analysis**  
of the dependence of the quantum yields of photochemical coupling reactions on the light intensity, 101  
graphical matrix rank, application of to flash photolysis, 269  
simple kinetic, of photochemical H<sub>2</sub>O cleavage, 181
- Anthrone**  
laser flash studies of the photochemistry of, 327
- Aprotic solvents**  
an attempt to interpret the displacements of the electronic spectra of various 9-amino acridines in solution by their interaction with, 213
- Arylketones**  
multiple phosphorescence emission and excited state switching of in acetic acid at 77 K, 33
- Azobenzene**  
spectra of, and the kinetics of its thermal *cis-trans* isomerization from flash photolysis experiments in the vapour phase at elevated temperatures, 17
- Benzoyl radical**  
and acetyl radical, the rate of reaction of with O<sub>2</sub>, 1
- $\alpha$ -Bromonaphthalene**  
fluorescence quenching of Y-4,9-dihydro-4,6-dimethyl-9-oxo-1*H*-imidazol,2-a purine (Y<sub>t</sub> base) and the model compounds Y<sub>t</sub>-(CH<sub>2</sub>)<sub>n</sub>-adenine by, 71
- Carbon**  
UV laser photolysis of C<sub>3</sub>O<sub>2</sub> at 193 nm: emission from electronically excited C, CO and C<sub>2</sub>, 277
- Carbon monoxide**  
electronically excited C, C<sub>2</sub> and, emission from, and UV laser photolysis of C<sub>3</sub>O<sub>2</sub> at 193 nm, 277
- Carbon suboxide**  
UV laser photolysis of at 193 nm, and emission from electronically excited C, CO and C<sub>2</sub>, 277
- $\beta$ -apo-14'-Carotenal**  
(C<sub>22</sub> aldehyde), fluorescence and triplet yield quenching of by aromatic molecules, 355
- Chlorine**  
the kinetics and mechanism of the formation of ClF in the photochemical reaction between Cl<sub>2</sub> and F<sub>2</sub> at 365 nm, 287
- Chlorine monofluoride**  
the kinetics and mechanism of the formation of in the photochemical reaction between Cl<sub>2</sub> and F<sub>2</sub> at 365 nm, 287
- Chlorpromazine**  
photolysis of, and hydroxyl radical detection using 2-methyl-2-nitropropane as a spin trap, 169
- Chromium**  
solid phase photoinitiated ligand exchange reactions in Cr(III) complexes, 123
- Cleavage**  
photochemical H<sub>2</sub>O, a simple kinetic analysis of, 181
- Complexes**  
covalently linked porphyrin, photoelectric effects in bilayer lipid membranes containing, 139  
Cr(III), solid phase photoinitiated ligand exchange reactions in, 123

- manganese(III) oxalate, the photolysis mechanism of in dimethyl formamide, 299
- Pt(II), of the type {PtCl<sub>2</sub>(pyridine)(L)}, photochemistry of, and modification of the photoreactivity of ligand L by coordination, 107
- Coordination**  
modification of the photoreactivity of ligand L by, and photochemistry of Pt(II) complexes of the type {PtCl<sub>2</sub>(pyridine)(L)}, 107
- Coupling reactions**  
photochemical, an analysis of the dependence of the quantum yields of on the light intensity, 101
- Diacetyldianil**  
a 1,4-diazabutadiene derivative, photochemical *E* → *Z* isomerization of, 163
- Dimethyl formamide**  
the photolysis mechanism of some manganese(III) complexes in, 299
- Elastomer**  
quantum yields for the photo-oxidation reactions of an, 53
- Electronic spectra**  
of various 9-amino acridines in solution, an attempt to interpret the displacements of by their interaction with aprotic solvents, 213
- Emission**  
from electronically excited C, CO and C<sub>2</sub> in the UV laser photolysis of C<sub>3</sub>O<sub>2</sub> at 193 nm, 277  
multiple phosphorescence, and excited state switching of arylketones in acetic acid at 77 K, 33
- Ethers**  
di(9-(10-phenyl)-anthryl methyl), with various chain lengths, intramolecular excimer fluorescence of, 341
- Excimer**  
intramolecular, of di(9-(10-phenyl)-anthryl methyl) ethers with various chain lengths, fluorescence of, 341  
pyrene, kinetics of in micelles of non-ionic surfactants, 319
- Fluorescence**  
intramolecular excimer, of di(9-(10-phenyl)-anthryl methyl) ethers with various chain lengths, 341
- NO(A <sup>2</sup>Σ<sup>+</sup> → X <sup>2</sup>Π), production of and laser photodissociation of NO<sub>2</sub> at 248 nm, 175  
quenching of, and triplet yield quenching of β-apo-14'-carotenal (C<sub>22</sub> aldehyde) by aromatic molecules, 355  
quenching of, in Y-4,9-dihydro-4,6-dimethyl-9-oxo-1*H*-imidazol,2-*a* purine (Y<sub>t</sub> base) and the model compounds Y<sub>t</sub>-(CH<sub>2</sub>)<sub>n</sub>-adenine by α-bromonaphthalene, 71
- Fluorine**  
the kinetics and mechanism of the formation of ClF in the photochemical reaction between Cl<sub>2</sub> and F<sub>2</sub> at 365 nm, 287
- Formation**  
of ClF in the photochemical reaction between Cl<sub>2</sub> and F<sub>2</sub> at 365 nm, the kinetics and mechanism of, 287  
of monosilylphosphine by rapid silylene insertion in the IR photochemistry of SiH<sub>4</sub>-PH<sub>3</sub> mixtures, 9
- Heterocoerdianthrone**  
a new actinometer for the visible (400-580 nm) range using, 335
- Hydroperoxides**  
and peroxides, quenching of excited singlets by, 153  
the role of in photo-oxidation reactions, 197
- N<sup>4</sup>-Hydroxycytidine**  
and its methyl derivatives and N<sup>6</sup>-methoxyadenosine, photochemistry of, 229, 253
- Hydroxyl radical**  
detection of using 2-methyl-2-nitropropane as a spin trap, and the photolysis of chlorpromazine, 169
- Insertion**  
silylene, rapid, in the IR photochemistry of SiH<sub>4</sub>-PH<sub>3</sub> mixtures, monosilylphosphine formation by, 9
- Irradiation**  
with polychromatic light, a simple and convenient method of measuring the number of photons absorbed by a solution on, 77
- Isomerization**  
photochemical *E* → *Z*, of the 1,4-diazabutadiene derivative diacetyldianil, 163

*syn-anti*, and spectroscopic and quantum chemical investigations of ionic and tautomeric forms in the photochemistry of  $N^6$ -methoxyadenosine and of  $N^4$ -hydroxycytidine and its methyl derivatives, 229

thermal *cis-trans*, the kinetics of and spectra of azobenzene from flash photolysis experiments in the vapour phase at elevated temperatures, 17

#### Kinetics

and mechanism of the formation of ClF in the photochemical reaction between  $Cl_2$  and  $F_2$  at 365 nm, 287

and mechanism of the photochemical reaction between  $F_2O$  and  $SF_4$  at 365 nm, 85

pyrene excimer, in micelles of non-ionic surfactants, 319

a simple analysis of for photochemical  $H_2O$  cleavage, 181

of the thermal *cis-trans* isomerization of azobenzene and its spectra from flash photolysis experiments in the vapour phase at elevated temperatures, 17

#### Laser

flash studies of the photochemistry of anthrone using a, 327

photodissociation of  $NO_2$  at 248 nm and production of  $NO(A^2\Sigma^+ \rightarrow X^2\Pi)$  fluorescence using a, 175

UV photolysis of  $C_3O_2$  at 193 nm using a, and emission from electronically excited C, CO and  $C_2$ , 277

#### Ligand exchange

solid phase photoinitiated, reactions in Cr(III) complexes involving, 123

#### Luminescence

of tropine drugs, 367

#### Manganese

the photolysis mechanism of some manganese(III) oxalate complexes in dimethyl formamide, 299

#### Mechanism

and kinetics of the formation of ClF in the photochemical reaction between  $Cl_2$  and  $F_2$  at 365 nm, 287

and kinetics of the photochemical reaction between  $F_2O$  and  $SF_4$  at 365 nm, 85

photolysis, of some manganese(III) oxalate complexes in dimethyl formamide, 299

#### Membranes

bilayer lipid, containing covalently linked porphyrin complexes, photoelectric effects in, 139

#### $N^6$ -Methoxyadenosine

and  $N^4$ -hydroxycytidine and its methyl derivatives, photochemistry of, 229, 253

#### 2-Methyl-2-nitrosopropane

as a spin trap, hydroxyl radical detection using, and photolysis of chlorpromazine, 169

#### Micelles

compartmentalization of, and inhibition of self-quenching in thio-ketones, 47

of non-ionic surfactants, pyrene excimer kinetics in, 319

#### Monosilylphosphine

formation of by rapid silylene insertion in the IR photochemistry of  $SiH_4-PH_3$  mixtures, 9

#### Nitrogen dioxide

laser photodissociation of at 248 nm and production of  $NO(A^2\Sigma^+ \rightarrow X^2\Pi)$  fluorescence, 175

#### Oxalates

the photolysis mechanism of some manganese(III) oxalate complexes in dimethyl formamide, 299

#### Oxygen

measurements of the photoemission spectra of oxygen-free and oxygen-doped *p*-terphenyl single crystals in the vacuum UV region, 305

the rate of reaction of acetyl and benzoyl radicals with  $O_2$ , 1

#### Oxygen difluoride

the kinetics and mechanism of the photochemical reaction between  $SF_4$  and at 365 nm, 85

#### Peroxides

and hydroperoxides, quenching of excited singlets by, 153

#### Phosphine

monosilylphosphine formation by rapid silylene insertion in the IR photochemistry of mixtures of  $SiH_4$  and, 9

**Phosphorescence**

multiple, and excited state switching of arylketones in acetic acid at 77 K, 33

**Photochemistry**

anthrone, laser flash studies of, 327  
IR, of SiH<sub>4</sub>-PH<sub>3</sub> mixtures, monosilylphosphine formation by rapid silylene insertion in the, 9

of N<sup>6</sup>-methoxyadenosine and of N<sup>4</sup>-hydroxycytidine and its methyl derivatives, 229, 253

of Pt(II) complexes of the type {PtCl<sub>2</sub>(pyridine)(L)}, and modification of the photoreactivity of ligand L by coordination, 107

**Photodissociation**

laser, of NO<sub>2</sub> at 248 nm and production of NO(A <sup>2</sup>Σ<sup>+</sup> → X <sup>2</sup>Π) fluorescence, 175

**Photoelectric effects**

in bilayer lipid membranes containing covalently linked porphyrin complexes, 139

**Photoemission spectra**

of oxygen-free and oxygen-doped *p*-terphenyl single crystals in the vacuum UV region, measurements of the, 305

**Photolysis**

of chlorpromazine, and hydroxyl radical detection using 2-methyl-2-nitrosopropane as a spin trap, 169

flash, application of graphical matrix rank analysis to, 269

flash, in the vapour phase at elevated temperatures, and spectra of azobenzene and the kinetics of its thermal *cis*-*trans* isomerization, 17

mechanism of, for some manganese(III) oxalate complexes in dimethyl formamide, 299

UV laser, of C<sub>3</sub>O<sub>2</sub> at 193 nm, and emission from electronically excited C, CO and C<sub>2</sub>, 277

**Photo-oxidation**

quantum yields for reactions by in an elastomer, 53

the role of hydroperoxides in reactions involving, 197

**Photoreactivity**

of ligand L, modification of by coordination, and photochemistry of Pt(II) complexes of the type {PtCl<sub>2</sub>(pyridine)(L)}, 107

**Platinum**

photochemistry of Pt(II) complexes of the type {PtCl<sub>2</sub>(pyridine)(L)}: modification of the photoreactivity of ligand L by coordination, 107

**Porphyrins**

covalently linked, photoelectric effects in bilayer lipid membranes containing complexes of, 139

**Pyrene**

excimer, kinetics of in micelles of non-ionic surfactants, 319

**Quantum yield**

of photochemical coupling reactions, an analysis of the dependence of on the light intensity, 101

for the photo-oxidation reactions of an elastomer, 53

**Quenching**

of excited singlets by peroxides and hydroperoxides, 153

fluorescence, of Y-4,9-dihydro-4,6-dimethyl-9-oxo-1*H*-imidazol,2-*a* purine (Y<sub>t</sub> base) and the model compounds Y<sub>t</sub>-(CH<sub>2</sub>)<sub>*n*</sub>-adenine by α-bromonaphthalene, 71

triplet yield and fluorescence, of β-apo-14'-carotenal (C<sub>22</sub> aldehyde) by aromatic molecules, 355

**Self-quenching**

in thioketones by micellar compartmentalization, inhibition of, 47

**Silane**

monosilylphosphine formation by rapid silylene insertion in the IR photochemistry of mixtures of PH<sub>3</sub> and, 9

**Silylene**

monosilylphosphine formation by rapid insertion of in the IR photochemistry of SiH<sub>4</sub>-PH<sub>3</sub> mixtures, 9

**Singlet states**

quenching of excited singlets by peroxides and hydroperoxides, 153

**Spin trap**

hydroxyl radical detection using 2-methyl-2-nitrosopropane as a, and photolysis of chlorpromazine, 169

**Sulphur tetrafluoride**

the kinetics and mechanism of the photochemical reaction between F<sub>2</sub>O and at 365 nm, 85

**Surfactants**

non-ionic, pyrene excimer kinetics in micelles of, 319

**Switching**

excited state, and multiple phosphorescence emission of aryl ketones in acetic acid at 77 K, 33

**Temperature**

elevated, flash photolysis experiments in the vapour phase at, and spectra of azobenzene and the kinetics of its thermal *cis-trans* isomerization, 17

***p*-Terphenyl**

oxygen-free and oxygen-doped, single-crystal, measurements of the photoemission spectra of in the vacuum UV region, 305

**Thioketones**

inhibition of self-quenching in by micellar compartmentalization, 47

**Tropine drugs**

the luminescence spectra of, 367

**Vacuum UV region**

measurements of the photoemission spectra of oxygen-free and oxygen-doped *p*-terphenyl single crystals in the, 305

**Visible region**

(400 - 580 nm), heterocoerdianthrone, a new actinometer for the, 335

**Water**

photochemical H<sub>2</sub>O cleavage: a simple kinetic analysis, 181

**Y-4,9-dihydro-4,6-dimethyl-9-oxo-1*H*-imidazol,2-a purine**

(Y<sub>t</sub>base), and the model compounds Y<sub>t</sub>-(CH<sub>2</sub>)<sub>*n*</sub>-adenine, fluorescence quenching of by  $\alpha$ -bromonaphthalene, 71

**Y<sub>t</sub>-(CH<sub>2</sub>)<sub>*n*</sub>-adenine**

as model compounds and Y-4,9-dihydro-4,6-dimethyl-9-oxo-1*H*-imidazol,2-a purine (Y<sub>t</sub> base), fluorescence quenching of by  $\alpha$ -bromonaphthalene, 71

**Corrigendum**

J. Y. Suong and R. W. Carr, Jr., The photo-oxidation of 1,3-dichlorotetrafluoro acetone: mechanism of the reaction of CF<sub>2</sub>Cl with oxygen, *J. Photochem.*, 19 (1982) 295 - 302.

The caption to Fig. 3, p. 298, should read as follows.

Fig. 3. Quantum yields of CO<sub>2</sub> and CF<sub>2</sub>O formation and O<sub>2</sub> disappearance in the 313 nm photolysis of 20 Torr DTA in the presence of 60 Torr He as a function of O<sub>2</sub> pressure:  $\odot$ ,  $\Phi_{\text{CO}_2}$ ;  $\bullet$ ,  $\Phi_{\text{CF}_2\text{O}}$ ;  $\circ$ ,  $-\Phi_{\text{O}_2}$ .