

## Subject Index

- Acetonitrile  
 photoreduction of cerium(IV) hexachloride in, 45
- Acridine orange  
 triplet state of in poly(vinyl alcohol) films, thermal deactivation of the, 81
- Actinometer  
 potassium ferrioxalate, standardization of over the temperature range 5 - 80 °C, 189
- Alcohols  
 the solvation of twisted intramolecular charge transfer fluorescent states by, 61
- p*-Aminophenylthiyl radical  
 extinction coefficient for determined by reaction with galvinoxyl, 157
- D-"Arabino"-hexulose phenylosazone  
 photochemical and thermal isomerization of, and photochemistry and photophysics of osazones, 351
- Aromatic ketones  
 triplet, role of  $\beta$ -phenyl rings in the deactivation of, 137
- Azoxybenzene  
 energy barrier in the photorearrangement of to 2-hydroxyazobenzene, 149
- Benzene  
 and triethylamine exciplex and chlorobenzene and tryptophan, determination of subnanosecond fluorescence decays of using a nanosecond flash-lamp, 275
- Benzil  
 in solution, photophysical properties of, and triplet state deactivation pathways, 237
- Bifunctional compounds  
 quenching of 9-cyanophenanthrene fluorescence by, 87
- Bimanes  
 (*syn*- and *anti*-1,5-diazabicyclo[3.3.0]-octadienediones (9,10-dioxabimanes)), photophysical properties of, 171
- Biradicals  
 Norrish type II, scavenging of, and diazonium salts in photochemistry, 167
- Bis(perfluoroisopropyl) ketone  
 multiphoton dissociation spectrum of, 111
- Cerium  
 photoreduction of cerium(IV) hexachloride in CH<sub>3</sub>CN, 45
- Charge transfer  
 twisted intramolecular fluorescent state, solvation in by alcohols, 61
- Chlorides  
 photoreduction of cerium(IV) hexachloride in CH<sub>3</sub>CN, 45
- Chlorine  
 collisional quenching of electronically excited Cl atoms Cl((3p)<sup>5</sup> (<sup>2</sup>P<sub>1/2</sub>)) by C<sub>1</sub> chlorofluorocarbons, 93
- Chlorobenzene  
 and tryptophan and the benzene-triethylamine exciplex, determination of subnanosecond fluorescence decays of using a nanosecond flash-lamp, 275
- Chlorodifluoronitromethane  
 photochemical stability of atmospheric CFCl<sub>2</sub>NO<sub>2</sub>, CF<sub>3</sub>NO<sub>2</sub> and, 9
- Chlorofluorocarbons  
 C<sub>1</sub>, collisional quenching of electronically excited Cl atoms Cl((3p)<sup>5</sup> (<sup>2</sup>P<sub>1/2</sub>)) by, 93
- Collisional quenching  
 of electronically excited Cl atoms Cl((3p)<sup>5</sup> (<sup>2</sup>P<sub>1/2</sub>)) by C<sub>1</sub> chlorofluorocarbons, 93
- Conformation  
 nuclear, and the proton transfer reaction of 3,5-diphenylpyrazole in the excited state, a study of the, 245
- 9-Cyanophenanthrene  
 fluorescence quenching of by bifunctional compounds, 87
- Cytosine  
 and guanine, excited state interactions between, 183
- Deactivation  
 of aromatic ketone triplets, role of  $\beta$ -phenyl rings in the, 137

- triplet state pathways of, and photo-physical properties of benzil in solution, 237
- Decay  
subnanosecond fluorescence, of chlorobenzene, tryptophan and the benzene-triethylamine exciplex determined using a nanosecond flashlamp, 275
- Decomposition  
IR multiphoton, of dimethyl ether, 207
- 1,5-Diazabicyclo[3.3.0]octadienediones (*syn*- and *anti*- (9,10-dioxabimanes)), photophysical properties of, 171
- Diazonium salts  
in photochemistry, and scavenging of Norrish type II biradicals, 167
- Dichlorofluoronitromethane  
photochemical stability of atmospheric  $\text{CF}_2\text{ClNO}_2$ ,  $\text{CF}_3\text{NO}_2$  and, 9
- Dimethyl ether  
IR multiphoton decomposition of, 207
- 9,10-Dioxabimanes  
(*syn*- and *anti*-1,5-diazabicyclo[3.3.0]octadienediones), photophysical properties of, 171
- N-Dioxides  
heterocyclic, studies of the photo-reactions of, and identification of the oxaziridine intermediate of quinoxaline-1,4-dioxide, 343
- 1,3-Dioxolans  
substituted, 185 nm photolysis of in the liquid phase, and stereoselectivity along some of the reaction pathways, 213
- 3,5-Diphenylpyrazole  
excited state, a study of the nuclear conformation and the proton transfer reaction of, 245
- Dissociation  
and isomerization of excited  $\text{C}_3\text{H}_5$  radicals in the gas phase, 195  
multiphoton, spectrum from of bis-(perfluoroisopropyl) ketone, 111
- Dissociation constants  
phototautomerism, dual fluorescence and, of the first excited singlet state of flavonol, and pH-dependent fluorescence spectroscopy, 67
- Dual fluorescence  
phototautomerism, dissociation constants and, of the first excited singlet state of flavonol, and pH-dependent fluorescence spectroscopy, 67
- Electronic quenching  
of  $\text{CH}(\text{A}^2\Delta-\text{X}^2\Pi)$  and  $\text{OH}(\text{A}^2\Sigma^+-\text{X}^2\Pi)$  by  $\text{N}_2$  and  $\text{O}_2$ , 281
- Electronic spectroscopy  
of aromatic Schiff bases, and photo-physics of molecules of the *para*-substituted 3*H*-indole type, 251
- Energy barrier  
in the photorearrangement of azoxybenzene to 2-hydroxyazobenzene, 149
- Ethylene carbonate  
and vinylene carbonate in the gas phase, photolysis of, 1
- Exciplex  
benzene-triethylamine, and chlorobenzene and tryptophan, determination of subnanosecond fluorescence decays of using a nanosecond flashlamp, 275  
triplet, a study of the spectral and kinetic characteristics of, 125
- Excited states  
collisional quenching of electronically excited Cl atoms  $\text{Cl}((3p)^5 (^2P_{1/2}))$  by  $\text{C}_1$  chlorofluorocarbons, 93  
dissociation and isomerization of excited  $\text{C}_3\text{H}_5$  radicals in the gas phase, 195  
electronic quenching of  $\text{CH}(\text{A}^2\Delta-\text{X}^2\Pi)$  and  $\text{OH}(\text{A}^2\Sigma^+-\text{X}^2\Pi)$  by  $\text{N}_2$  and  $\text{O}_2$ , 281  
excited state interactions between guanine and cytosine, 183  
a study of the nuclear conformation and the proton transfer reaction of 3,5-diphenylpyrazole in the excited state, 245
- Extinction coefficient  
for the *p*-aminophenylthiyl radical as determined by reaction with galvinoxyl, 157
- Ferrioxalates  
standardization of the potassium ferrioxalate actinometer over the temperature range 5 - 80 °C, 189
- Films  
poly(vinyl alcohol), thermal deactivation of the triplet state of acridine orange in, 81
- Flashlamp  
nanosecond, determination of subnanosecond fluorescence decays of chlorobenzene, tryptophan and the

- benzene-triethylamine exciplex using a, 275
- Flavonol**  
 first excited singlet state dissociation constants, phototautomerism and dual fluorescence of, and pH-dependent fluorescence spectroscopy, 67
- Fluorescence**  
 of chlorobenzene, tryptophan and the benzene-triethylamine exciplex determined using a nanosecond flashlamp, subnanosecond decay of, 275  
 9-cyanophenanthrene, quenching of by bifunctional compounds, 87  
 pH-dependent, spectroscopy of, and first excited singlet state dissociation constants, phototautomerism and dual fluorescence of flavonol, 67  
 quantum yield of, influence of restricted intramolecular motions on of fluorophores, 53
- Fluorescent states**  
 twisted intramolecular charge transfer, solvation of by alcohols, 61
- Fluorophores**  
 influence of restricted intramolecular motions on the fluorescence quantum yield of, 53
- Galvinoxyl**  
 the extinction coefficient for the *p*-aminophenylthiyl radical as determined by reaction with, 157
- Guanine**  
 and cytosine, excited state interactions between, 183
- Heterocyclics**  
*N*-dioxide, studies of the photoreactions of, and identification of the oxaziridine intermediate of quinoxaline-1,4-dioxide, 343
- 1-Hexene**  
 and 1-hexyne, the vacuum UV photolysis of, 19
- 1-Hexyne**  
 and 1-hexyne, vacuum UV photolysis of, 19
- Hydrogen**  
 $H_2(E,F)$  photosensitized reaction of NO with H atoms, 365  
 temperature effect on the photoinduced reduction of methyl viologen with several sensitizers and the evolution of  $H_2$  from  $H_2O$ , 35
- 2-Hydroxyazobenzene**  
 energy barrier in the photorearrangement of azoxybenzene to, 149
- Identification**  
 of the oxaziridine intermediate of quinoxaline-1,4-dioxide, and studies of the photoreactions of heterocyclic *N*-dioxides, 343
- 3*H*-Indoles**  
*para*-substituted, photophysics of, and electronic spectroscopy of aromatic Schiff bases, 251
- Interactions**  
 excited state, between guanine and cytosine, 183
- Intermediate**  
 oxaziridine, of quinoxaline-1,4-dioxide, identification of, and studies of the photoreactions of heterocyclic *N*-dioxides, 343
- Intramolecular motion**  
 restricted, influence of on the fluorescence quantum yield of fluorophores, 53
- IR photons**  
 multiple, decomposition of dimethyl ether using, 207
- Isomerization**  
 and dissociation of excited  $C_3H_5$  radicals in the gas phase, 195  
 photochemical and thermal, of D-"arabino"-hexulose phenylosazone, and photochemistry and photophysics of osazones, 351
- Ketones**  
 triplet aromatic, role of  $\beta$ -phenyl rings in the deactivation of, 137
- Kinetics**  
 and mechanism of  $O_3$  photolysis at 253.7 nm, 291  
 and spectra of triplet exciplexes, a study of the, 125
- Laser**  
 KrF, photophysics of  $CF_2(\tilde{A}^1B_1(0,6,0))$  excited by at 248 nm, and quenching of  $CF_2(\tilde{A})$  by its common precursors, 105
- Mechanism**  
 and kinetics of  $O_3$  photolysis at 253.7 nm, 291

- Methyl 1,2-diphenylcyclopropene-3-carboxylate**  
triplet state of, 325
- Methyl viologen**  
photoinduced reduction of with several sensitizers and the evolution of H<sub>2</sub> from H<sub>2</sub>O, temperature effect on the, 35
- Nitrates**  
photo-oxidation of NO<sub>3</sub><sup>-</sup> by the uranyl ion, 313
- Nitric oxide**  
H<sub>2</sub>(E,F) photosensitized reaction of with H atoms, 365
- Nitrochromene**  
primary processes in the photoisomerization of studied by nanosecond laser photolysis, 223
- Nitrogen**  
electronic quenching of CH(A <sup>2</sup>Δ-X <sup>2</sup>Π) and OH(A <sup>2</sup>Σ<sup>+</sup>-X <sup>2</sup>Π) by N<sub>2</sub> and O<sub>2</sub>, 281
- Oligoisoprenes**  
photosensitized oxygenation of, 265
- Osazones**  
photochemistry and photophysics of, and photochemical and thermal isomerization of D-"arabino"-hexulose phenylosazone, 351
- Oxaziridines**  
as the intermediates of quinoxaline-1,4-dioxide, identification of, and studies of the photoreactions of heterocyclic *N*-dioxides, 343
- Oxygen**  
electronic quenching of CH(A <sup>2</sup>Δ-X <sup>2</sup>Π) and OH(A <sup>2</sup>Σ<sup>+</sup>-X <sup>2</sup>Π) by N<sub>2</sub> and O<sub>2</sub>, 281
- Oxygenation**  
photosensitized, of oligoisoprenes, 265
- Ozone**  
the kinetics and the mechanism of photolysis of at 253.7 nm, 291
- Pathways**  
reaction, stereoselectivity along, and the 185 nm photolysis of substituted 1,3-dioxolans in the liquid phase, 213  
triplet state deactivation, and photophysical properties of benzil in solution, 237
- Perchloric acid**  
concentrated solutions of, photolysis of, 31
- pH**  
fluorescence spectroscopy dependent on, and first excited singlet state dissociation constants, phototautomerism and dual fluorescence of flavonol, 67
- β-Phenyl rings**  
role of in the deactivation of aromatic ketone triplets, 137
- Photochemical isomerization**  
and thermal isomerization of D-"arabino"-hexulose phenylosazone, and photochemistry and photophysics of osazones, 351
- Photochemical stability**  
of atmospheric CFCl<sub>2</sub>NO<sub>2</sub>, CF<sub>2</sub>ClNO<sub>2</sub> and CF<sub>3</sub>NO<sub>2</sub>, 9
- Photochemistry**  
diazonium salts in, and scavenging of Norrish type II biradicals, 167  
and photophysics of osazones, and photochemical and thermal isomerization of D-"arabino"-hexulose phenylosazone, 351
- Photoinduced reduction**  
of methyl viologen with several sensitizers and the evolution of H<sub>2</sub> from H<sub>2</sub>O, temperature effect on the, 35
- Photoisomerization**  
nitrochromene, primary processes in studied by nanosecond laser photolysis, 223
- Photolysis**  
of concentrated HClO<sub>4</sub> solutions, 31  
of ethylene carbonate and vinylene carbonate in the gas phase, 1  
nanosecond laser, primary processes in the photoisomerization of a nitrochromene studied by, 223  
185 nm, of substituted 1,3-dioxolans in the liquid phase, and stereoselectivity along some of the reaction pathways, 213  
O<sub>3</sub>, at 253.7 nm, kinetics and mechanism of, 291  
vacuum UV, of 1-hexene and 1-hexyne, 19
- Photo-oxidation**  
of NO<sub>3</sub><sup>-</sup> by the uranyl ion, 313
- Photophysics**  
of benzil in solution, and triplet state deactivation pathways, 237

- of  $\text{CF}_2(\tilde{\text{A}}^1\text{B}_1(0,6,0))$  excited by a KrF laser at 248 nm, and quenching of  $\text{CF}_2(\tilde{\text{A}})$  by its common precursors, 105
- of molecules of the *para*-substituted 3*H*-indole type, and electronic spectroscopy of aromatic Schiff bases, 251
- and photochemistry of osazones, and photochemical and thermal isomerization of D-"arabino"-hexulose phenylosazone, 351
- of *syn*- and *anti*-1,5-diazabicyclo[3.3.0]-octadienediones (9,10-dioxabimanes), 171
- Photoreactions
  - of heterocyclic *N*-dioxides, studies of, and identification of the oxaziridine intermediate of quinoxaline-1,4-dioxide, 343
- Photorearrangement
  - of azoxybenzene to 2-hydroxyazobenzene, energy barrier to, 149
- Photoreduction
  - of cerium(IV) hexachloride in  $\text{CH}_3\text{CN}$ , 45
- Photosensitization
  - $\text{H}_2(\text{E},\text{F})$ , of NO with H atoms, 365
  - in oxygenation of oligoisoprenes, 265
- Phototautomerism
  - dissociation constants, dual fluorescence and, of the first excited singlet state of flavonol, and pH-dependent fluorescence spectroscopy, 67
- Poly(vinyl alcohol)
  - films of, thermal deactivation of the triplet state of acridine orange in, 81
- Potassium
  - standardization of the potassium ferrioxalate actinometer over the temperature range 5 - 80 °C, 189
- Precursors
  - common, quenching of  $\text{CF}_2(\tilde{\text{A}})$  by its, and photophysics of  $\text{CF}_2(\tilde{\text{A}}^1\text{B}_1(0,6,0))$  excited by a KrF laser at 248 nm, 105
- Primary processes
  - in the photoisomerization of a nitrochromene studied by nanosecond laser photolysis, 223
- Propenyl radicals
  - excited, dissociation and isomerization of in the gas phase, 195
- Proton transfer
  - reaction involving, and the nuclear conformation of 3,5-diphenylpyrazole in the excited state, a study of the, 245
- Quantum yield
  - fluorescence, of fluorophores, influence of restricted intramolecular motions on the, 53
- Quenching
  - of  $\text{CF}_2(\tilde{\text{A}})$  by its common precursors, and photophysics of  $\text{CF}_2(\tilde{\text{A}}^1\text{B}_1(0,6,0))$  excited by a KrF laser at 248 nm, 105
  - collisional, of electronically excited Cl atoms  $\text{Cl}((3p)^5(^2\text{P}_{1/2}))$  by  $\text{C}_1$  chlorofluorocarbons, 93
  - electronic, of  $\text{CH}(\text{A}^2\Delta-\text{X}^2\Pi)$  and  $\text{OH}(\text{A}^2\Sigma^+-\text{X}^2\Pi)$  by  $\text{N}_2$  and  $\text{O}_2$ , 281
  - of 9-cyanophenanthrene fluorescence by bifunctional compounds, 87
- Quinoxaline-1,4-dioxide
  - identification of the oxaziridine intermediate of, and studies of the photoreactions of heterocyclic *N*-dioxides, 343
- Reduction
  - photoinduced, of methyl viologen with several sensitizers and the evolution of  $\text{H}_2$  from  $\text{H}_2\text{O}$ , temperature effect on the, 35
- Scavenging
  - of Norrish type II biradicals, and diazonium salts in photochemistry, 167
- Schiff bases
  - aromatic, electronic spectroscopy of, and photophysics of molecules of the *para*-substituted 3*H*-indole type, 251
- Sensitizers
  - temperature effect on the photoinduced reduction of methyl viologen with and the evolution of  $\text{H}_2$  from  $\text{H}_2\text{O}$ , 35
- Singlet states
  - pH-dependent fluorescence spectroscopy: first excited singlet state dissociation constants, phototautomerism and dual fluorescence of flavonol, 67
- Solvation
  - of twisted intramolecular charge transfer fluorescent states by alcohols, 61

**Spectroscopy**

- electronic, of aromatic Schiff bases, and photophysics of molecules of the *para*-substituted 3*H*-indole type, 251
- pH-dependent fluorescence, and first excited singlet state dissociation constants, phototautomerism and dual fluorescence of flavonol, 67

**Spectrum**

- and kinetics of triplet exciplexes, a study of the, 125
- multiphoton dissociation, of bis(per-fluoroisopropyl) ketone, 111

**Standardization**

- of the potassium ferrioxalate actinometer over the temperature range 5 - 80 °C, 189

**Stereoselectivity**

- along some of the reaction pathways, and the 185 nm photolysis of substituted 1,3-dioxolans in the liquid phase, 213

**Temperature**

- effect of on the photoinduced reduction of methyl viologen with several sensitizers and the evolution of H<sub>2</sub> from H<sub>2</sub>O, 35
- in the range 5 - 80 °C, standardization of the potassium ferrioxalate actinometer over, 189

**Triethylamine**

- and benzene exciplex and chlorobenzene and tryptophan, determination of subnanosecond fluorescence decays of using a nanosecond flash-lamp, 275

**Trifluoronitromethane**

- photochemical stability of atmospheric CFCl<sub>2</sub>NO<sub>2</sub>, CF<sub>2</sub>ClNO<sub>2</sub> and, 9

**Triplet states**

- photophysical properties of benzil in solution: triplet state deactivation pathways, 237
- role of β-phenyl rings in the deactivation of aromatic ketone triplets, 137
- a study of the spectral and kinetic characteristics of triplet exciplexes, 125
- thermal deactivation of the triplet state of acridine orange in poly-(vinyl alcohol) films, 81
- triplet states of methyl 1,2-diphenyl-cyclopropene-3-carboxylate, 325

**Tryptophan**

- and chlorobenzene and the benzene-triethylamine exciplex, determination of subnanosecond fluorescence decays of using a nanosecond flash-lamp, 275

**Uranyl ion**

- photo-oxidation of NO<sub>3</sub><sup>-</sup> by the, 313

**Vacuum UV region**

- photolysis of 1-hexene and 1-hexyne in the, 19

**Vinylene carbonate**

- and ethylene carbonate in the gas phase, photolysis of, 1

**Water**

- temperature effect on the photoinduced reduction of methyl viologen with several sensitizers and the evolution of H<sub>2</sub> from H<sub>2</sub>O, 35