

## Subject Index

---

- Absorption spectra  
of visual pigments, gaussian expressions for, 407
- Acenaphthylenes  
photodimerization of, and reactive state selectivity in photodimerization through micellar counter-ion effects, 395
- Acetonitrile  
and Cl atoms, reaction of, 315
- Acetylene  
(+He) reactions of with  $N_2O$  and fluorescence quenching of  $Bi(7^4P_{1/2})$ , and kinetic studies of  $Bi(6^4S_{3/2})$  by time-resolved atomic resonance fluorescence, 207
- Adsorption  
of pyrenealdehyde within zeolite supercages, fluorescence studies of, 201
- Anatase  
polycrystalline, comparison of the photochemical reactivities of amorphous and colloidal forms of  $TiO_2$  and, 27
- Anthracenes  
9-substituted, solubilized in cetyltrimethylammonium micelles, light-induced viscosity changes of aqueous solutions containing, 37
- Aryl phosphines  
electronic transitions of, 249
- Aryl pinacol carbonates  
and aryl pinacol sulphites, cycloelimination reactions of via photosensitized reversible electron transfer, 265
- Aryl pinacol sulphites  
and aryl pinacol carbonates, cycloelimination reactions of via photosensitized reversible electron transfer, 265
- Atomic resonance absorption spectroscopy in the vacuum UV, quantum yield measurements of  $Cl(3^2P_{1/2})$  and  $Cl(3^2P_{3/2})$  in the photolysis of  $C_1$  chlorofluorocarbons determined by, 103
- Atomic resonance fluorescence  
time-resolved, kinetic studies of  $Bi(6^4S_{3/2})$  by, 207, 223
- Atom transfer  
H, from excited carbazole to pyridine, 271
- Azines  
aryl-substituted acyclic, thermochromism and photochromism of, and solvent effect on photochemical *E-Z* isomerization, 65
- Benzenediazonium tetrafluoroborate  
photosensitized decomposition of in solutions of cationic detergents, and diazonium salts in photochemistry, 79
- Bimolecular quenching  
of the second excited singlet state of tetramethylindanethione, 303
- 2,2'-Bipyridines  
with long-chain substituents, an easier method for the preparation of, and synthesis of 4,4'-bis(tridecyl)- and 4-methyl-4'-tridecyl-2,2'-bipyridine and a 2,2'-bipyridine-substituted polystyrene, 415
- 2,2'-Bipyridyl  
 $Cr^{3+}$ , sensitized photoproduction of  $H_2$  from  $H_2O$  using, 299
- Bismuth  
kinetic studies of  $Bi(6^4S_{3/2})$  by time-resolved atomic resonance fluorescence, 207, 223
- 4,4'-Bis(tridecyl)-2,2'-bipyridine  
and 4-methyl-4'-tridecyl-2,2'-bipyridine and a 2,2'-bipyridine-substituted polystyrene, synthesis of, and an easier method for the preparation of 2,2'-bipyridines with long-chain substituents, 415
- Carbazole  
excited, H atom transfer reaction from to pyridine, 271
- Carbon  
formation of electronically excited  $C_2O$  and  $C_2$  radicals by the laser photolysis of  $C_3O_2$  at 193 nm, 99

- Carbonates**  
 cycloelimination reactions of cyclic aryl pinacol sulphites and carbonates via photosensitized reversible electron transfer, 265
- Carbon suboxide**  
 formation of electronically excited  $C_2O$  and  $C_2$  radicals by the laser photolysis of at 193 nm, 99
- Carbon tetrafluoride**  
 $Bi + O_2 + M$  and  $Bi + NO + M$  with  $M \equiv He, N_2$  and, an investigation of the third-order reactions of, and kinetic studies of  $Bi(6^4S_{3/2})$  by time-resolved atomic resonance fluorescence, 223
- Chlorine**  
 quantum yield measurements of  $Cl(3^2P_{1/2})$  and  $Cl(3^2P_{3/2})$  in the photolysis of  $C_1$  chlorofluorocarbons determined by atomic resonance absorption spectroscopy in the vacuum UV, 103  
 reaction of  $CH_3CN$  and Cl atoms, 315
- Chlorofluorocarbons**  
 $C_1$ , quantum yield measurements of  $Cl(3^2P_{1/2})$  and  $Cl(3^2P_{3/2})$  in the photolysis of, determined by atomic resonance absorption spectroscopy in the vacuum UV, 103
- Chromium**  
 $Cr(bpy)_3^{3+}$ -sensitized ( $bpy \equiv 2,2'$ -bipyridyl) photoproduction of  $H_2$  from  $H_2O$ , 299
- Colloids**  
 $TiO_2$ , comparison of the photochemical reactivities of polycrystalline (anatase) and amorphous forms of  $TiO_2$  and, 27
- Copper**  
 formation of aquated electrons and the individual quantum yields for photoactive species in the  $Cu(I)-KCN-H_2O$  system, 331
- $C_2O$  radicals**  
 and  $C_2$  radicals, electronically excited, formation of by the laser photolysis of  $C_3O_2$  at 193 nm, 99
- Croconate dyes**  
 in homogeneous and polymer-containing solutions, triplet state properties of, 285
- Cyanides**  
 formation of aquated electrons and the individual quantum yields for photoactive species in the  $Cu(I)-KCN-H_2O$  system, 331
- Cycloelimination**  
 reactions of for cyclic aryl pinacol sulphites and carbonates via photosensitized reversible electron transfer, 265
- Cyclohexane**  
 excited, energy transfer from to aromatic solutes, 341
- Decafluorocyclohexene**  
 IR multiphoton-induced retro Diels-Alder dissociation of by a pulsed  $CO_2$  laser, 373
- Decomposition**  
 IR multiphoton, of  $PH_3-SiH_4$  mixtures sensitized by  $SiF_4$ , 235  
 photosensitized, of benzenediazonium tetrafluoroborate in solutions of cationic detergents, and diazonium salts in photochemistry, 79
- 3-Dehydroreserpines**  
 harmine, harmaline, reserpiline and, luminescence spectra of, 355
- Detergents**  
 cationic, photosensitized decomposition of benzenediazonium tetrafluoroborate in solutions of, and diazonium salts in photochemistry, 79
- Diazomethane**  
 formation of CH radicals during the photolysis of in the presence of H and O atoms, 293
- Diazonium salts**  
 in photochemistry, and photosensitized decomposition of benzenediazonium tetrafluoroborate in solutions of cationic detergents, 79
- Diels-Alder dissociation**  
 IR multiphoton-induced retro, of decafluorocyclohexene by a pulsed  $CO_2$  laser, 373
- Dimroth's  $E_T(30)$  parameters**  
 of solvent polarity, a caveat in the use of, 411
- Dimyristoylindigo**  
 photoisomerization of, and rates in various solvents, 383
- 3,5-Dinitroanisole**  
 electronically excited, picosecond and nanosecond kinetic spectroscopic investigations of the relaxation and the solute-solvent reaction of, 133

**Dissociation**

IR multiphoton-induced retro Diels-Alder, of decafluorocyclohexene by a pulsed CO<sub>2</sub> laser, 373

**Dyes**

croconate, in homogeneous and polymer-containing solutions, triplet state properties of, 285

**Electronic transitions**

of aryl phosphines, 249

**Electron pulse irradiation**

search for H<sub>3</sub>\* emission from hydrogen gas subjected to, 403

**Electron transfer**

photosensitized reversible, cycloelimination reactions of cyclic aryl pinacol sulphites and carbonates via, 265

**Emission**

H<sub>3</sub>\* , search for from electron-pulse-irradiated hydrogen gas, 403

**Energy transfer**

from excited cyclohexane to aromatic solutes, 341

**E<sub>T</sub>(30) parameters**

Dimroth's, of solvent polarity, a caveat in the use of, 411

**Excited states**

bimolecular quenching of the second excited singlet state of tetramethylindanethione, 303

energy transfer from excited cyclohexane to aromatic solutes, 341

formation of electronically excited C<sub>2</sub>O and C<sub>2</sub> radicals by the laser photolysis of C<sub>3</sub>O<sub>2</sub> at 193 nm, 99

H atom transfer reaction from excited carbazole to pyridine, 271

kinetic studies of Bi(6<sup>4</sup>S<sub>3/2</sub>) by time-resolved atomic resonance fluorescence, 207, 223

picosecond and nanosecond kinetic spectroscopic investigations of the relaxation and the solute-solvent reaction of electronically excited 3,5-dinitroanisole, 133

**Flames**

fluorine-supported, ignited by a pulsed CO<sub>2</sub> laser, 117

**Fluorescence**

of pyrenealdehyde adsorbed within zeolite supercages, studies of, 201

time-resolved atomic resonance, kinetic studies of Bi(6<sup>4</sup>S<sub>3/2</sub>) by, 207, 223

**Fluorine**

fluorine-supported flames ignited by a pulsed CO<sub>2</sub> laser, 117

**Formation**

of aquated electrons and the individual quantum yields for photoactive species in the Cu(I)-KCN-H<sub>2</sub>O system, 331

of CH radicals during the photolysis of CH<sub>2</sub>N<sub>2</sub> in the presence of H and O atoms, 293

of electronically excited C<sub>2</sub>O and C<sub>2</sub> radicals by the laser photolysis of C<sub>3</sub>O<sub>2</sub> at 193 nm, 99

**Gaussian expressions**

for the absorption spectra of visual pigments, 407

**Haloalkanes**

mechanism of the photoinduced ring opening reaction of 1-(2-naphthoyl)-aziridine in various, 87

**Harmaline**

harmine, reserpiline, 3-dehydroreserpines and, luminescence spectra of, 355

**Harmine**

harmaline, reserpiline, 3-dehydroreserpines and, luminescence spectra of, 355

**Helium**

kinetic studies of Bi(6<sup>4</sup>S<sub>3/2</sub>) by time-resolved atomic resonance fluorescence: an investigation of the third-order reactions Bi + O<sub>2</sub> + M and Bi + NO + M (M ≡ He, N<sub>2</sub> and CF<sub>4</sub>), 223

kinetic studies of Bi(6<sup>4</sup>S<sub>3/2</sub>) by time-resolved atomic resonance fluorescence: reactions with C<sub>2</sub>H<sub>2</sub> (+He), N<sub>2</sub>O and fluorescence quenching of Bi(7<sup>4</sup>P<sub>1/2</sub>), 207

**Hydrogen**

Cr(bpy)<sub>3</sub><sup>3+</sup>-sensitized (bpy ≡ 2,2'-bipyridyl) photoproduction of H<sub>2</sub> from H<sub>2</sub>O, 299

the formation of CH radicals during the photolysis of CH<sub>2</sub>N<sub>2</sub> in the presence of H and O atoms, 293

H atom transfer reaction from excited carbazole to pyridine, 271

a search for H<sub>3</sub>\* emission from electron-pulse-irradiated hydrogen gas, 403

**Interaction**

of transition metal photosensitizers with micelles, luminescence intensity as a probe of, 45

**IR decomposition**

multiphoton, of  $\text{PH}_3\text{-SiH}_4$  mixtures sensitized by  $\text{SiF}_4$ , 235

**IR laser**

photochemistry of methyl-substituted tetrahydrofurans using, 11

**IR photons**

multiple, retro Diels–Alder dissociation of decafluorocyclohexene by from a pulsed  $\text{CO}_2$  laser, 373

**Irradiation**

electron pulse, of hydrogen gas, search for  $\text{H}_3^*$  emission from, 403

**Isomerization**

photochemical *E-Z*, solvent effect on, and thermochromism and photochromism of aryl-substituted acyclic azines, 65

**Kinetics**

studies of for  $\text{Bi}(6^4\text{S}_{3/2})$  by time-resolved atomic resonance fluorescence, 207, 223

**Laser**

flash photolytic determination of triplet yields via singlet  $\text{O}_2$  generation using a, 1

formation of electronically excited  $\text{C}_2\text{O}$  and  $\text{C}_2$  radicals by photolysis of  $\text{C}_3\text{O}_2$  at 193 nm using a, 99

IR, photochemistry of methyl-substituted tetrahydrofurans using a, 11  
pulsed  $\text{CO}_2$ , fluorine-supported flames ignited by, 117

pulsed  $\text{CO}_2$ , IR multiphoton-induced retro Diels–Alder dissociation of decafluorocyclohexene by, 373

**Laser spectroscopy**

picosecond and nanosecond, photoenolization of 2-methylbenzophenone studied by, 71

**Light intensity**

product distribution of a photochemical reaction as a function of, 311

**Luminescence**

intensity of, as a probe of the interaction of transition metal photosensitizers with micelles, 45

**Luminescence spectra**

of harmine, harmaline, reserpiline and 3-dehydroreserpines, 355

**Mechanism**

of the photoinduced ring opening reaction of 1-(2-naphthoyl)aziridine in various haloalkanes, 87

**2-Methylbenzophenone**

photoenolization of, studied by picosecond and nanosecond laser spectroscopy, 71

**3-Methylthio-1,5-diphenylformazan**

photochromic properties of, 53

**4-Methyl-4'-tridecyl-2,2'-bipyridine**

and 4,4'-bis(tridecyl)-2,2'-bipyridine and a 2,2'-bipyridine-substituted polystyrene, synthesis of, and an easier method for the preparation of 2,2'-bipyridines with long-chain substituents, 415

**Methyne radicals**

formation of during the photolysis of  $\text{CH}_2\text{N}_2$  in the presence of H and O atoms, 293

**Micelles**

cetyltrimethylammonium, light-induced viscosity changes of aqueous solutions containing 9-substituted anthracenes solubilized in, 37  
luminescence intensity as a probe of the interaction of transition metal photosensitizers with, 45  
reactive state selectivity in photodimerization through counter-ions of, and photodimerization of acenaphthylenes, 395

**1-(2-Naphthoyl)aziridine**

in various haloalkanes, mechanism of the photoinduced ring opening reaction of, 87

**Nitric oxide**

with  $\text{Bi} + \text{M}$  ( $\text{M} \equiv \text{He}, \text{N}_2$  and  $\text{CF}_4$ ) and  $\text{Bi} + \text{O}_2 + \text{M}$ , an investigation of the third-order reactions of, and kinetic studies of  $\text{Bi}(6^4\text{S}_{3/2})$  by time-resolved atomic resonance fluorescence, 223

**Nitrogen**

kinetic studies of  $\text{Bi}(6^4\text{S}_{3/2})$  by time-resolved atomic resonance fluorescence: an investigation of the third-order reactions  $\text{Bi} + \text{O}_2 + \text{M}$  and  $\text{Bi} + \text{NO} + \text{M}$  ( $\text{M} \equiv \text{He}, \text{N}_2$  and  $\text{CF}_4$ ), 223

**Nitrous oxide**

reactions of with  $\text{C}_2\text{H}_2$  (+He) and fluorescence quenching of  $\text{Bi}(7^4\text{P}_{1/2})$ , and kinetic studies of  $\text{Bi}(6^4\text{S}_{3/2})$

- by time-resolved atomic resonance fluorescence, 207
- Oxides**
  - a comparison of the photochemical reactivity of polycrystalline (anatase), amorphous and colloidal forms of  $\text{TiO}_2$ , 27
- Oxygen**
  - the formation of CH radicals during the photolysis of  $\text{CH}_2\text{N}_2$  in the presence of H and O atoms, 293
  - kinetic studies of  $\text{Bi}(6^4\text{S}_{3/2})$  by time-resolved atomic resonance fluorescence: an investigation of the third-order reactions  $\text{Bi} + \text{O}_2 + \text{M}$  and  $\text{Bi} + \text{NO} + \text{M}$  ( $\text{M} \equiv \text{He}, \text{N}_2$  and  $\text{CF}_4$ ), 223
  - laser flash photolytic determination of triplet yields via singlet  $\text{O}_2$  generation, 1
- Phosphine**
  - IR multiphoton decomposition of mixtures of with  $\text{SiH}_4$  sensitized by  $\text{SiF}_4$ , 235
- Photoacoustic spectroscopy**
  - study of the platinization of semiconductors using, 323
- Photoactivity**
  - of species in the  $\text{Cu(I)-KCN-H}_2\text{O}$  system, individual quantum yields for, and formation of aquated electrons, 331
- Photochemical reaction**
  - product distribution of as a function of light intensity, 311
- Photochemistry**
  - diazonium salts in, and photosensitized decomposition of benzenediazonium tetrafluoroborate in solutions of cationic detergents, 79
  - of the  $E-Z$  isomerization, solvent effect on, and thermochromism and photochromism of aryl-substituted acyclic azines, 65
  - IR laser, of methyl-substituted tetrahydrofurans, 11
- Photochromism**
  - of 3-methylthio-1,5-diphenylformazan, 53
  - and thermochromism of aryl-substituted acyclic azines, and solvent effect on photochemical  $E-Z$  isomerization, 65
- Photodimerization**
  - reactive state selectivity in, through micellar counter-ion effects, and photodimerization of acenaphthylenes, 395
- Photoenolization**
  - of 2-methylbenzophenone studied by picosecond and nanosecond laser spectroscopy, 71
- Photoisomerization**
  - of dimyristoylindigo, and rates in various solvents, 383
- Photolysis**
  - of  $\text{C}_1$  chlorofluorocarbons, quantum yield measurements of  $\text{Cl}(3^2\text{P}_{1/2})$  and  $\text{Cl}(3^2\text{P}_{3/2})$  in, determined by atomic resonance absorption spectroscopy in the vacuum UV, 103
  - of  $\text{CH}_2\text{N}_2$  in the presence of H and O atoms, formation of CH radicals during, 293
  - laser, of  $\text{C}_3\text{O}_2$  at 193 nm, formation of electronically excited  $\text{C}_2\text{O}$  and  $\text{C}_2$  radicals by, 99
  - laser flash, determination of triplet yields via singlet  $\text{O}_2$  generation using, 1
- Photoproduction**
  - $\text{Cr}(\text{bpy})_3^{3+}$ -sensitized (bpy  $\equiv$  2,2'-bipyridyl), of  $\text{H}_2$  from  $\text{H}_2\text{O}$ , 299
- Photosensitization**
  - decomposition of benzenediazonium tetrafluoroborate in solutions of cationic detergents by, and diazonium salts in photochemistry, 79
  - of reversible electron transfer, cycloelimination reactions of cyclic aryl pinacol sulphites and carbonates via, 265
- Photosensitizer**
  - transition metal, luminescence intensity as a probe of the interaction of with micelles, 45
- Pigment**
  - visual, gaussian expressions for the absorption spectra of, 407
- Platinization**
  - of semiconductors using photoacoustic spectroscopy, study of the, 323
- Polarity**
  - solvent, Dimroth's  $E_T(30)$  as parameters of, a caveat in the use of, 411
- Polymers**
  - solutions of, triplet state properties of

- croconate dyes in homogeneous solutions and, 285
- Polystyrene**  
2,2'-bipyridine-substituted, and 4,4'-bis(tridecyl)- and 4-methyl-4'-tridecyl-2,2'-bipyridine, synthesis of, and an easier method for the preparation of 2,2'-bipyridines with long-chain substituents, 415
- Potassium**  
formation of aquated electrons and the individual quantum yields for photoactive species in the Cu(I)-KCN-H<sub>2</sub>O system, 331
- Preparation**  
of 2,2'-bipyridines with long-chain substituents, an easier method for the, and synthesis of 4,4'-bis(tridecyl)- and 4-methyl-4'-tridecyl-2,2'-bipyridine and a 2,2'-bipyridine-substituted polystyrene, 415
- Probe**  
of the interaction of transition metal photosensitizers with micelles, luminescence intensity as a, 45
- Product distribution**  
of a photochemical reaction as a function of light intensity, 311
- Pyrenealdehyde**  
adsorbed within zeolite supercages, fluorescence studies of, 201
- Pyridine**  
H atom transfer reaction from excited carbazole to, 271
- Quantum yield**  
individual, for photoactive species in the Cu(I)-KCN-H<sub>2</sub>O system and the formation of aquated electrons, 331  
measurements of for Cl(3<sup>2</sup>P<sub>1/2</sub>) and Cl(3<sup>2</sup>P<sub>3/2</sub>) in the photolysis of C<sub>1</sub> chlorofluorocarbons determined by atomic resonance absorption spectroscopy in the vacuum UV, 103
- Quenching**  
bimolecular, of the second excited singlet state of tetramethylindanthione, 303  
fluorescence, of Bi(7<sup>4</sup>P<sub>1/2</sub>) and reactions with C<sub>2</sub>H<sub>2</sub> (+He) and N<sub>2</sub>O, and kinetic studies of Bi(6<sup>4</sup>S<sub>3/2</sub>) by time-resolved atomic resonance fluorescence, 207
- Reactivity**  
photochemical, of polycrystalline (anatase), amorphous and colloidal forms of TiO<sub>2</sub>, a comparison of, 27
- Relaxation**  
and the solute-solvent reaction of electronically excited 3,5-dinitroanisole, picosecond and nanosecond kinetic spectroscopic investigations of the, 133
- Reserpiline**  
harmine, harmaline, 3-dehydroreserpines and, luminescence spectra of, 355
- Ring opening**  
photoinduced reaction by of 1-(2-naphthoyl)aziridine in various haloalkanes, mechanism of the, 87
- Selectivity**  
reactive state, in photodimerization through micellar counter-ion effects, and photodimerization of acenaphthylenes, 395
- Semiconductors**  
study of the platinization of, using photoacoustic spectroscopy, 323
- Sensitization**  
Cr(bpy)<sub>3</sub><sup>3+</sup> (bpy ≡ 2,2'-bipyridyl), photoproduction of H<sub>2</sub> from H<sub>2</sub>O using, 299
- Silane**  
IR multiphoton decomposition of mixtures of with PH<sub>3</sub> sensitized by SiF<sub>4</sub>, 235
- Silicon tetrafluoride**  
IR multiphoton decomposition of PH<sub>3</sub>-SiH<sub>4</sub> mixtures sensitized by, 235
- Singlet states**  
bimolecular quenching of the second excited singlet state of tetramethylindanthione, 303  
laser flash photolytic determination of triplet yields via singlet O<sub>2</sub> generation, 1
- Solubilization**  
and light-induced viscosity changes of aqueous solutions containing 9-substituted anthracenes in cetyltrimethylammonium micelles, 37
- Spectroscopy**  
atomic resonance absorption, quantum yield measurements of Cl(3<sup>2</sup>P<sub>1/2</sub>) and Cl(3<sup>2</sup>P<sub>3/2</sub>) in the photolysis

- of C<sub>1</sub> chlorofluorocarbons determined by, 103
- photoacoustic, study of the platinization of semiconductors using, 323
- picosecond and nanosecond kinetic, investigations of the relaxation and the solute-solvent reaction of electronically excited 3,5-dinitroanisole using, 133
- picosecond and nanosecond laser, photoenolization of 2-methylbenzophenone studied by, 71
- Spectrum**
  - absorption, of visual pigments, gaussian expressions for, 407
  - luminescence, of harmine, harmaline, reserpiline and 3-dehydroreserpines, 355
- Sulphites**
  - cycloelimination reactions of cyclic aryl pinacol sulphites and carbonates via photosensitized reversible electron transfer, 265
- Supercages**
  - zeolite, fluorescence studies of pyrenealdehyde adsorbed within, 201
- Synthesis**
  - of 4,4'-bis(tridecyl)- and 4-methyl-4'-tridecyl-2,2'-bipyridine and a 2,2'-bipyridine-substituted polystyrene, and an easier method for the preparation of 2,2'-bipyridines with long-chain substituents, 415
- Tetrahydrofurans**
  - methyl-substituted, IR laser photochemistry of, 11
- Tetramethylindanethione**
  - bimolecular quenching of the second excited singlet state of, 303
- Thermochromism**
  - and photochromism of aryl-substituted acyclic azines, and solvent effect on photochemical *E-Z* isomerization, 65
- Titanium**
  - a comparison of the photochemical reactivity of polycrystalline (anatase), amorphous and colloidal forms of TiO<sub>2</sub>, 27
- Transition metals**
  - luminescence intensity as a probe of the interaction of transition metal photosensitizers with micelles, 45
- Triplet states**
  - laser flash photolytic determination of triplet yields via singlet O<sub>2</sub> generation, 1
  - triplet state properties of croconate dyes in homogeneous and polymer-containing solutions, 285
- Vacuum UV region**
  - quantum yield measurements of Cl(3<sup>2</sup>P<sub>1/2</sub>) and Cl(3<sup>2</sup>P<sub>3/2</sub>) in the photolysis of C<sub>1</sub> chlorofluorocarbons determined by atomic resonance absorption spectroscopy in the, 103
- Viscosity**
  - light-induced changes in of aqueous solutions containing 9-substituted anthracenes solubilized in cetyltrimethylammonium micelles, 37
- Visual pigment**
  - gaussian expressions for the absorption spectra of, 407
- Water**
  - Cr(bpy)<sub>3</sub><sup>3+</sup>-sensitized (bpy ≡ 2,2'-bipyridyl) photoproduction of H<sub>2</sub> from, 299
  - formation of aquated electrons and the individual quantum yields for photoactive species in the Cu(I)-KCN system in, 331
- Zeolite**
  - supercages of, fluorescence studies of pyrenealdehyde adsorbed within, 201