

Subject Index

- Acetone**
 photolysis of at 100 - 170 K: an electron spin resonance study of radical formation and decay in the solid state, 255
- Acidity constants**
 of harmaline and harmalol in the ground and excited singlet states, 285
- Aerosols**
 produced by an O₃ and 1-butene reaction in O₂, optical characteristics and formation processes of, 95
- 7-Alkoxy coumarins**
 as fluorescence probes for microenvironments, 57
- Alkyl bromides**
 the collisional behaviour of ground state Bi atoms, Bi(6⁴S_{3/2}⁰), with, studied by time-resolved atomic resonance fluorescence at λ = 306.77 nm (Bi(7⁴P_{1/2})–Bi(6⁴S_{3/2}⁰)) following pulsed irradiation: kinetics, radiation trapping and fluorescence quenching of Bi(7⁴P_{1/2}), 229
- Allyl chloride**
 photolysis of, 85
- Amines**
 aromatic, and 4-dimethylamino-2-pyridyl 3-pyridyl ketone, exciplex formation between, 33
- Azobenzenes**
 further evidence for rotation in the π,π* and inversion in the n,π* photoisomerization of, 221
- Azulene**
 effect of on the direct and benzil-sensitized photoisomerization of 2-styrylthiophene, 79
- Benzil**
 effect of azulene on the photoisomerization of 2-styrylthiophene direct and sensitized by, 79
- Benzophenone**
 water-soluble, kinetics and spectroscopy of in reverse micelles, 119
- Biphenyls**
 methyl- and phenyl-substituted, effect of temperature on the fluorescence of, 149
- Bismuth**
 the collisional behaviour of ground state Bi atoms, Bi(6⁴S_{3/2}⁰), with alkyl bromides studied by time-resolved atomic resonance fluorescence at λ = 306.77 nm (Bi(7⁴P_{1/2})–Bi(6⁴S_{3/2}⁰)) following pulsed irradiation: kinetics, radiation trapping and fluorescence quenching of Bi(7⁴P_{1/2}), 229
- Boron**
 optically detected magnetic resonance study of the phosphorescent states of BBr₃ complexes of pyridine and isoquinoline, 141
- Bromides**
 optically detected magnetic resonance study of the phosphorescent states of BBr₃ complexes of pyridine and isoquinoline, 141
- Buffers**
 phosphate, some effects of on the excited state prototropic equilibria of indazole, 49
- 1-Butene**
 and O₃, optical characteristics and formation processes of aerosols produced by the reaction of in O₂, 95
- tert-Butyl peroxybenzoate**
 and dibenzoyl peroxide, quenching of excited singlet states by, 69
- Charge transfer complexes**
 ground state and excited state, between electron donors and pyrylium salts, 131
- Chlorotoluene**
 vapour of, photolysis of in the presence of ethane, 17
- Chromium**
 reactivity of *trans*-β-styrylnaphthalene photosensitized by tris(2,2'-bipyridine)chromium(III), 203

- Collisional behaviour**
of ground state Bi atoms, Bi($6^4S_{3/2}^0$), with alkyl bromides studied by time-resolved atomic resonance fluorescence at $\lambda = 306.77$ nm (Bi($7^4P_{1/2}$)–Bi($6^4S_{3/2}^0$)) following pulsed irradiation: kinetics, radiation trapping and fluorescence quenching of Bi($7^4P_{1/2}$), 229
- Collisional cross sections**
for quenching of OH($A^2\Sigma^+$) by HCl and DCl determined by time-resolved resonance fluorescence OH($A^2\Sigma^+ - X^2\Pi$), 1
- Complexes**
BBr₃, of pyridine and isoquinoline, optically detected magnetic resonance study of the phosphorescent states of, 141
ground state and excited state charge transfer, between electron donors and pyrylium salts, 131
- Computer**
self-sensitization of photo-oxygen evolution in Ag⁺ zeolites: experiments controlled by a, 109
- Coumarin dyes**
photodegradation of, an unexpected singlet self-quenching mechanism for under lasing conditions, 179
- Deuterium chloride**
the collisional cross sections for quenching of OH($A^2\Sigma^+$) by HCl and, determined by time-resolved resonance fluorescence OH($A^2\Sigma^+ - X^2\Pi$), 1
- Dibenzoyl peroxide**
and *tert*-butyl peroxybenzoate, quenching of excited singlet states by, 69
- 1,1-Dichloro-2,2-difluoroethylene**
kinetics of the photochlorination of under intermittent light, 9
- Diels–Alder dimerization**
photochemical, of 9-phenylethynylanthracene, 75
- 4-*N,N*-Diethylaminoazobenzene**
in solution, a laser flash photolysis study of the influence of epoxy resin components on, 213
- α -Diketones**
cyclic unsaturated, photophysics and photochemistry of, 295
- Dimerization**
photochemical Diels–Alder, of 9-phenylethynylanthracene, 75
- 4-Dimethylamino-2-pyridyl 3-pyridyl ketone**
and aromatic amines, exciplex formation between, 33
- 9,10-Dimethylantracene**
and 9,10-diphenylantracene, the effect of dissolved O₂ on the fluorescence of, 25
- 9,10-Diphenylantracene**
and 9,10-dimethylantracene, the effect of dissolved O₂ on the fluorescence of, 25
- all-*trans* 1,4-Diphenyl-1,3-butadiene**
triplet of, role of geometric distortion in the quenching behaviours of, 39
- Dissociation**
two-photon, of SO₂ in the region 285 - 311 nm, 65
- Distortion**
geometric, role of in the quenching behaviours of all-*trans* 1,4-diphenyl-1,3-butadiene triplet, 39
- Dyes**
coumarin laser, an unexpected singlet self-quenching mechanism for the photodegradation of, 179
- Electron donors**
and pyrylium salts, ground state and excited state charge transfer complexes between, 131
- Electron spin resonance**
study of radical formation and decay in the solid state for the photolysis of acetone at 100 - 170 K using, 255
- Emission spectra**
of photochromic spiro[1,8-*a*]dihydroindolizines and mechanism of the electrocyclic ring opening reaction, 165
- Epoxy resin**
influence of components of on 4-*N,N*-diethylaminoazobenzene in solution, a laser flash photolysis study of, 213
- Equilibria**
excited state prototropic, of indazole, some effects of phosphate buffers on the, 49
- Ethane**
photolysis of chlorotoluene vapour in the presence of, 17
- Ethyl cinnamate**
photoisomerization of in dilute solutions, 185

Exciplexes

formation of between aromatic amines and 4-dimethylamino-2-pyridyl 3-pyridyl ketone, 33

Excited states

acidity constants of harmaline and harmalol in the ground and excited singlet states, 285

the collisional behaviour of ground state Bi atoms, $\text{Bi}(6^4\text{S}_{3/2}^0)$, with alkyl bromides studied at $\lambda = 306.77$ nm ($\text{Bi}(7^4\text{P}_{1/2}) - \text{Bi}(6^4\text{S}_{3/2}^0)$) following pulsed irradiation: kinetics, radiation trapping and fluorescence quenching of $\text{Bi}(7^4\text{P}_{1/2})$, 229

the collisional cross sections for quenching of $\text{OH}(\text{A}^2\Sigma^+)$ by HCl and DCl determined by time-resolved resonance fluorescence $\text{OH}(\text{A}^2\Sigma^+ - \text{X}^2\Pi)$, 1

some effects of phosphate buffers on the excited state prototropic equilibria of indazole, 49

further evidence for rotation in the π, π^* and inversion in the n, π^* photoisomerization of azobenzenes, 221

ground state and excited state charge transfer complexes between electron donors and pyrylium salts, 131

optically detected magnetic resonance study of the phosphorescent states of BBr_3 complexes of pyridine and isoquinoline, 141

quenching of excited singlet states by dibenzoyl peroxide and *tert*-butyl peroxybenzoate, 69

Fluorescence

of methyl- and phenyl-substituted biphenyl molecules, effect of temperature on the, 149

of 9,10-dimethylanthracene and 9,10-diphenylanthracene, the effect of dissolved O_2 on the, 25

of 7-alkoxy coumarins as a probe for microenvironments, 57

time-resolved atomic resonance, at $\lambda = 306.77$ nm ($\text{Bi}(7^4\text{P}_{1/2}) - \text{Bi}(6^4\text{S}_{3/2}^0)$) following pulsed irradiation, the collisional behaviour of ground state Bi atoms, $\text{Bi}(6^4\text{S}_{3/2}^0)$, with alkyl bromides studied by, and kinetics, radiation trapping and fluorescence quenching of $\text{Bi}(7^4\text{P}_{1/2})$, 229

time-resolved resonance, $\text{OH}(\text{A}^2\Sigma^+ - \text{X}^2\Pi)$, the collisional cross sections

for quenching of $\text{OH}(\text{A}^2\Sigma^+)$ by HCl and DCl determined by, 1

Formation

exciplex, between aromatic amines and 4-dimethylamino-2-pyridyl 3-pyridyl ketone, 33

and optical characteristics of aerosols produced by an O_3 and 1-butene reaction in O_2 , 95

Harmaline

and harmalol, acidity constants of in the ground and excited singlet states, 285

Harmalol

and harmaline, acidity constants of in the ground and excited singlet states, 285

Hydrogen chloride

the collisional cross sections for quenching of $\text{OH}(\text{A}^2\Sigma^+)$ by DCl and, determined by time-resolved resonance fluorescence $\text{OH}(\text{A}^2\Sigma^+ - \text{X}^2\Pi)$, 1

Hydroxyl radical

the collisional cross sections for quenching of in the $\text{A}^2\Sigma^+$ state by HCl and DCl determined by time-resolved resonance fluorescence $\text{OH}(\text{A}^2\Sigma^+ - \text{X}^2\Pi)$, 1

Indazole

some effects of phosphate buffers on the excited state prototropic equilibria of, 49

Interaction

singlet O_2 , with spin trap α -phenyl-*N*-*tert*-butylnitron, mechanism of, 269

Inversion

in the n, π^* and rotation in the π, π^* photoisomerization of azobenzenes, further evidence for, 221

Irradiation

pulsed, the collisional behaviour of ground state Bi atoms, $\text{Bi}(6^4\text{S}_{3/2}^0)$, with alkyl bromides studied by time-resolved atomic resonance fluorescence at $\lambda = 306.77$ nm ($\text{Bi}(7^4\text{P}_{1/2}) - \text{Bi}(6^4\text{S}_{3/2}^0)$) following, and kinetics, radiation trapping and fluorescence quenching of $\text{Bi}(7^4\text{P}_{1/2})$, 229

Isoquinoline

and pyridine, optically detected magnetic resonance study of the phosphorescent states of BBr_3 complexes of, 141

Kinetics

of the photochlorination of 1,1-dichloro-2,2-difluoroethylene under intermittent light, 9

and radiation trapping and fluorescence quenching of Bi($7^4P_{1/2}$): the collisional behaviour of ground state Bi atoms, Bi($6^4S_{3/2}^0$), with alkyl bromides studied by time-resolved atomic resonance fluorescence at $\lambda = 306.77$ nm (Bi($7^4P_{1/2}$)-Bi($6^4S_{3/2}^0$)) following pulsed irradiation, 229

and spectroscopy of a water-soluble benzophenone in reverse micelles, 119

Laser

flash photolysis study of the influence of epoxy resin components on 4-*N,N*-diethylaminoazobenzene in solution using a, 213

Light

intermittent, kinetics of the photochlorination of 1,1-dichloro-2,2-difluoroethylene under, 9

Mechanism

emission spectra of photochromic spiro[1,8- α]dihydroindolizines and, of the electrocyclic ring opening reaction, 165

of singlet O₂ interaction with spin trap α -phenyl-*N-tert*-butylnitron, 269

an unexpected singlet self-quenching, in the photodegradation of coumarin laser dyes, 179

Micelles

reverse, kinetics and spectroscopy of a water-soluble benzophenone in, 119

Microenvironments

7-alkoxy coumarins as fluorescence probes for, 57

Optical characteristics

formation processes and of aerosols produced by an O₃ and 1-butene reaction in O₂, 95

Optically detected magnetic resonance study of the phosphorescent states of BBr₃ complexes of pyridine and isoquinoline using, 141

Oxygen

the effect of dissolved O₂ on the fluorescence of 9,10-dimethylanthracene and 9,10-diphenylanthracene, 25

mechanism of singlet O₂ interaction with spin trap α -phenyl-*N-tert*-butylnitron, 269

optical characteristics and formation processes of aerosols produced by an O₃ and 1-butene reaction in O₂, 95

self-sensitization of photo-oxygen evolution in Ag⁺ zeolites: computer-controlled experiments, 109

Ozone

and 1-butene, optical characteristics and formation processes of aerosols produced by the reaction of in O₂, 95

Phenylazopyrazolone

derivatives of in solution, flash photolysis of, 275

9-Phenylethynylanthracene

photochemical Diels-Alder dimerization of, 75

 α -Phenyl-*N-tert*-butylnitron

as a spin trap, mechanism of singlet O₂ interaction with, 269

Phosphates

buffers of, some effects of on the excited state prototropic equilibria of indazole, 49

Photochemical processes

and photophysical processes, primary, in 2,2,4-trimethyl-1,2-dihydroquinolines, 193

Photochemistry

and photophysics of cyclic unsaturated α -diketones, 295

Photochlorination

of 1,1-dichloro-2,2-difluoroethylene under intermittent light, the kinetics of, 9

Photodegradation

of coumarin laser dyes: an unexpected singlet self-quenching mechanism, 179

Photoisomerization

of azobenzenes, further evidence for rotation in the π, π^* states and inversion in the n, π^* states in the, 221

direct and benzil-sensitized, of 2-styrylthiophene, effect of azulene on the, 79

of ethyl cinnamate in dilute solutions, 185

Photolysis

of acetone at 100 - 170 K: an electron spin resonance study of radical formation and decay in the solid state, 255

- of allyl chloride, 85
- of chlorotoluene vapour in the presence of ethane, 17
- flash, of phenylazopyrazolone derivatives in solution, 275
- laser flash, study of the influence of epoxy resin components on 4-*N,N*-diethylaminoazobenzene in solution, 213
- Photophysical processes
 - and photochemical processes, primary, in 2,2,4-trimethyl-1,2-dihydroquinolines, 193
- Photophysics
 - and photochemistry of cyclic unsaturated α -diketones, 295
- Photosensitization
 - reactivity of *trans*- β -styrylnaphthalene photosensitized by tris(2,2'-bipyridine)chromium(III), 203
- Probes
 - fluorescence, for microenvironments, 7-alkoxy coumarins as, 57
- Pyridine
 - and isoquinoline, optically detected magnetic resonance study of the phosphorescent states of BBr_3 complexes of, 141
- Pyrylium salts
 - and electron donors, ground state and excited state charge transfer complexes between, 131
- Quenching
 - of all-*trans* 1,4-diphenyl-1,3-butadiene triplet, role of geometric distortion in, 39
 - of excited singlet states by dibenzoyl peroxide and *tert*-butyl peroxybenzoate, 69
 - fluorescence, kinetics and radiation trapping of $\text{Bi}(7^4\text{P}_{1/2})$: the collisional behaviour of ground state Bi atoms, $\text{Bi}(6^4\text{S}_{3/2}^0)$, with alkyl bromides studied by time-resolved atomic resonance fluorescence at $\lambda = 306.77$ nm ($\text{Bi}(7^4\text{P}_{1/2})$ - $\text{Bi}(6^4\text{S}_{3/2}^0)$) following pulsed irradiation, 229
 - of $\text{OH}(\text{A}^2\Sigma^+)$ by HCl and DCl, the collisional cross sections for determined by time-resolved resonance fluorescence $\text{OH}(\text{A}^2\Sigma^+ - \text{X}^2\Pi)$, 1
- Radiation trapping
 - and kinetics and fluorescence quenching of $\text{Bi}(7^4\text{P}_{1/2})$: the collisional behaviour of ground state Bi atoms, $\text{Bi}(6^4\text{S}_{3/2}^0)$, with alkyl bromides studied by time-resolved atomic resonance fluorescence at $\lambda = 306.77$ nm ($\text{Bi}(7^4\text{P}_{1/2})$ - $\text{Bi}(6^4\text{S}_{3/2}^0)$) following pulsed irradiation, 229
- Radical formation
 - and decay in the solid state, an electron spin resonance study of in the photolysis of acetone at 100 - 170 K, 255
- Reactivity
 - of *trans*- β -styrylnaphthalene photosensitized by tris(2,2'-bipyridine)chromium(III), 203
- Ring opening
 - electrocyclic, emission spectra of photochromic spiro[1,8-*a*]dihydroindolizines and mechanism of the, 165
- Rotation
 - in the π, π^* and inversion in the n, π^* photoisomerization of azobenzenes, further evidence for, 221
- Self-quenching
 - unexpected mechanism of singlet, in the photodegradation of coumarin laser dyes, 179
- Self-sensitization
 - of photo-oxygen evolution in Ag^+ zeolites: computer-controlled experiments, 109
- Silver
 - self-sensitization of photo-oxygen evolution in Ag^+ zeolites: computer-controlled experiments, 109
- Singlet states
 - acidity constants of harmaline and harmalol in the ground and excited singlet states, 285
 - mechanism of singlet O_2 interaction with spin trap α -phenyl-*N-tert*-butylnitron, 269
 - photodegradation of coumarin laser dyes: an unexpected singlet self-quenching mechanism, 179
 - quenching of excited singlet states by dibenzoyl peroxide and *tert*-butyl peroxybenzoate, 69
- Spectroscopy
 - and kinetics of a water-soluble benzophenone in reverse micelles, 119

Spin trap

α -phenyl-*N-tert*-butylnitron as a,
mechanism of singlet O₂ interaction
with, 269

Spiro[1,8-*a*]dihydroindolizines

photochromic, emission spectra of, and
mechanism of the electrocyclic ring
opening reaction, 165

***trans*- β -Styrylnaphthalene**

photosensitized by tris(2,2'-bipyridine)-
chromium(III), reactivity of, 203

2-Styrylthiophene

effect of azulene on the direct and
benzil-sensitized photoisomeriza-
tion of, 79

Sulphur dioxide

two-photon dissociation of in the region
285 - 311 nm, 65

Temperature

effect of on the fluorescence of methyl-

and phenyl-substituted biphenyl
molecules, 149

2,2,4-Trimethyl-1,2-dihydroquinolines

primary photochemical and photo-
physical processes in, 193

Triplet states

role of geometric distortion in the
quenching behaviours of all-*trans*
1,4-diphenyl-1,3-butadiene triplet,
39

Tris(2,2'-bipyridine)chromium(III)

reactivity of *trans*- β -styrylnaphthalene
photosensitized by, 203

Zeolites

Ag⁺, computer-controlled experiments
on the self-sensitization of photo-
oxygen evolution in, 109