

## Subject Index

---

- Acrylamide**  
 photoinitiation mechanism of acrylamide polymerization in the presence of water-soluble benzophenones, 347
- Acylation**  
 influence of the solvent and excited state prototropic equilibria on photochemical intramolecular acylation of *trans*-3-(2-hydroxybenzylidene)-4,5-dihydrofuran-2(3*H*)-one, 297
- Alkaloids**  
 fluorescence characteristics of  $\beta$ -carboline alkaloids in highly concentrated hydroxide solutions, 193
- Amines**  
 photocatalytic production of amines from alcohols and aqueous ammonia, 121  
 structure-reactivity relationship for fluorescence quenching of *trans*-stilbene by tertiary amines, 185
- Ammonia**  
 $\text{NH}_2(\tilde{\text{A}}^2\text{A}_1)$  and  $\text{NH}(\text{A}^3\Pi)$  formation from continuous wave IR laser irradiation of  $\text{NH}_3$ , 1  
 photocatalytic production of amines from alcohols and aqueous ammonia, 121
- Benzaldehyde**  
 photolysis study of the suspension benzaldehyde solution-silica gel, 211
- Benzoinhydrazone**  
 photochemistry of benzoinhydrazone derivatives, 331
- Benzophenones**  
 photoinitiation mechanism of acrylamide polymerization in the presence of water-soluble benzophenones, 347
- $\beta$ -Carboline**  
 fluorescence characteristics of  $\beta$ -carboline alkaloids in highly concentrated hydroxide solutions, 193
- Carbonyl compounds**  
 dicarbonyl and related compounds as sensitizers for photo-oxidative desulphurization at pentavalent phosphorus, 39
- Complexes**  
 individual quantum yields of  $\text{Fe}^{3+}(\text{HCO}_2^-)_n$  complexes ( $n = 1 - 4$ ) in aqueous acidic solutions, 279  
 individual quantum yields of  $\text{Fe}^{3+}\text{OX}_n^{2-}\text{H}_m^+$  complexes in aqueous acidic solutions ( $\text{OX}^{2-} \equiv \text{C}_2\text{O}_4^{2-}$ ,  $n = 1 - 3$ ,  $m = 0, 1$ ), 289
- Continuous wave IR lasers**  
 $\text{NH}_2(\tilde{\text{A}}^2\text{A}_1)$  and  $\text{NH}(\text{A}^3\Pi)$  formation from continuous wave IR laser irradiation of  $\text{NH}_3$ , 1
- o*-Coumaric acid**  
 competition between fluorescence and photoisomerization for *o*-coumaric acid and *o*-methoxycinnamic acid in aqueous solution, 11
- Cyanide**  
 photochemical reduction of gold(III) on semiconductor of  $\text{TiO}_2$  in the presence of  $\text{CN}^-$  ions: disposal of  $\text{CN}^-$  by treatment with hydrogen peroxide, 373
- Cycloalkanones**  
 external spin-orbit coupling on the  $^3n, \pi^*$  state of several cycloalkanones, 141
- Cyclohexenes**  
 some new examples of "trans" cyclohexenes: properties characteristic of these species, 311
- Deactivation**  
 deactivation of excited singlet aromatic hydrocarbons by metallic ions in ethanol-water solution, 177
- Desulphurization**  
 dicarbonyl and related compounds as sensitizers for photo-oxidative desulphurization at pentavalent phosphorus, 39
- Diketoboronates**  
 spectroscopy, photophysics and photochemistry of 1,3-diketoboronates

VOL. 36 NO. 3 MARCH 1987

JOURNAL OF PHOTOCHEMISTRY

## CONTENTS

Metastable intermediate in the formation of ozone by recombination . . . . .	235
J. R. Locker, J. A. Joens and E. J. Bair (Bloomington, IN, U.S.A.)	
Evidence for physical quenching of singlet oxygen ( $O_2(^1\Delta_g)$ ) by dinitrophenols . . .	247
H. E. Gsponer, C. M. Previtali and N. A. García (Rio Cuarto, Argentina)	
Redox chemistry of water-soluble vanadyl porphyrins . . . . .	255
P. Hambright (Washington, DC, U.S.A.), P. Neta, M.-C. Richoux (Gaithersburg, MD, U.S.A.), Z. Abou-Gamra and A. Harriman (London, U.K.)	
Formation of semiquinone radicals by electron transfer from or to photoexcited $Ru(bpy)_3^{2+}$ : an electron spin resonance study . . . . .	267
D. Plancherel, J. G. Vos and A. von Zelewsky (Fribourg, Switzerland)	
Individual quantum yields of $Fe^{3+}(HCO_2^-)_n$ complexes ( $n = 1 - 4$ ) in aqueous acidic solutions . . . . .	279
L. Vincze and S. Papp (Veszprem, Hungary)	
Individual quantum yields of $Fe^{3+}OX_n^{2-}H_m^+$ complexes in aqueous acidic solutions ( $OX^{2-} \equiv C_2O_4^{2-}$ , $n = 1 - 3$ , $m = 0, 1$ ) . . . . .	289
L. Vincze and S. Papp (Veszprem, Hungary)	
Influence of the solvent and excited state prototropic equilibria on photochemical intramolecular acylation of <i>trans</i> -3-(2-hydroxybenzylidene)-4,5-dihydrofuran-2-(3 <i>H</i> )-one . . . . .	297
B. Marcandalli, E. Selli, I. R. Bellobono and L. Basini (Milan, Italy)	
Some new examples of "trans" cyclohexenes: properties characteristic of these species . . . . .	311
R. Bonneau (Talence, France)	
Photophysical properties of 1,8-naphthalimide derivatives . . . . .	323
A. Pardo, J. M. L. Poyato and E. Martin (Madrid, Spain)	
Zur photochemie von benzoinhyrazon-derivaten . . . . .	331
H.-J. Timpe and U. Müller (Merseburg, D.D.R.)	

(continued on inside back cover)

© ELSEVIER SEQUOIA S.A. (1987)

0047-2670/87/\$3.50

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher, Elsevier Sequoia S.A., P.O. Box 851, 1001 Lausanne 1, Switzerland.

Submission of an article for publication implies the transfer of the copyright from the author(s) to the publisher and entails the author(s) irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties.

Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

## For Material Subject to U.S. Copyright Law

Special regulations for readers in the U.S.A.

This journal has been registered with the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, U.S.A. Consent is given for copying of articles for personal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1982 may be copied for a per-copy fee of U.S. \$2.50, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

**Metal ions**

deactivation of excited singlet aromatic hydrocarbons by metallic ions in ethanol-water solution, 177

**Methoxy compounds**

competition between fluorescence and photoisomerization for *o*-coumaric acid and *o*-methoxycinnamic acid in aqueous solution, 11

effect of solvents and pH on the spectral characteristics of 2-(3'-hydroxyphenyl)benzimidazole and 2-(4'-hydroxyphenyl)benzimidazole and their methoxy derivatives, 149

**Methyl methacrylate**

studies in photopolymerization

IV: photopolymerization of methyl methacrylate using peroxydiphosphate as a photoinitiator, 365

**Naphthyl compounds**

photophysical properties of 1,8-naphthalimide derivatives, 323

prompt and delayed excimer fluorescence of naphthalene in poly-(methyl methacrylate) matrix, 205

spectroscopy, photophysics and photochemistry of 1,3-diketoboronates VI: the exciplexes of 2-naphthyl-substituted 1,3-diketoboronates, 27

**Nitrophenols**

evidence for physical quenching of singlet oxygen ( $O_2(^1\Delta_g)$ ) by dinitrophenols, 247

**Nitrosyl chloride**

the absorption spectrum of ClNO between 190 and 350 nm, 133

**Olefins**

a new "one-way"-photoisomerizing aromatic olefin: the effect of a fluoranthenyl group on the triplet energy surface, 125

**Oxalates**

individual quantum yields of  $Fe^{3+}(HCO_2^-)_n$  complexes ( $n = 1 - 4$ ) in aqueous acidic solutions, 279

**Oxygen**

evidence for physical quenching of singlet oxygen ( $O_2(^1\Delta_g)$ ) by dinitrophenols, 247

**Ozone**

metastable intermediate in the formation of ozone by recombination, 235

**Peroxydiphosphate**

studies in photopolymerization

IV: photopolymerization of methyl methacrylate using peroxydiphosphate as a photoinitiator, 365

**pH effects**

effect of solvents and pH on the spectral characteristics of 2-(3'-hydroxyphenyl)benzimidazole and 2-(4'-hydroxyphenyl)benzimidazole and their methoxy derivatives, 149

**Phosphorus**

dicarbonyl and related compounds as sensitizers for photo-oxidative desulphurization at pentavalent phosphorus, 39

**Photocatalysis**

photocatalytic production of amines from alcohols and aqueous ammonia, 121

**Photoinitiation**

photoinitiation mechanism of acrylamide polymerization in the presence of water-soluble benzophenones, 347

studies in photopolymerization

IV: photopolymerization of methyl methacrylate using peroxydiphosphate as a photoinitiator, 365

**Photoisomerization**

a new "one-way"-photoisomerizing aromatic olefin: the effect of a fluoranthenyl group on the triplet energy surface, 125

competition between fluorescence and photoisomerization for *o*-coumaric acid and *o*-methoxycinnamic acid in aqueous solution, 11

photoisomerization of 1,2-diarylethyl-enes: photophysical properties of 5(*E*)-styryl-1,3-dimethyluracil, 163

**Photolysis**

photolysis study of the suspension benzaldehyde solution-silica gel, 211

**Photo-oxidation**

dicarbonyl and related compounds as sensitizers for photo-oxidative desulphurization at pentavalent phosphorus, 39

**Photoreactors**

industrial photochemistry VIII: light repartition in heterogeneous cylindrical photoreactors, 221

**Photorearrangement**

mechanistic studies of the photorearrangement of *o*-nitrobenzyl esters 85

**Polyamides**

photochemical regeneration of acid dye receptor sites: a new method for differential dyeing of polyamides, 113

**Poly(ethylene oxide)**

photobehavior of pyrene end-labelled poly(ethylene oxide) in methanol-water mixtures, 389

**Polymerization**

photochemistry of thioxanthenes

VI: a polymerization, spectroscopic and flash photolysis study on novel water-soluble substituted 3-(9-oxo-9*H*-thioxanthene-2,3- $\gamma$ -4-yloxy)-*N,N,N*-trimethyl-1-propanaminium salts, 99

photoinitiation mechanism of acrylamide polymerization in the presence of water-soluble benzophenones, 347

studies in photopolymerization

IV: photopolymerization of methyl methacrylate using peroxydiphosphate as a photoinitiator, 365

**Poly(methyl methacrylate)**

prompt and delayed excimer fluorescence of naphthalene in poly(methyl methacrylate) matrix, 205

**Prototropic equilibria**

influence of the solvent and excited state prototropic equilibria on photochemical intramolecular acylation of *trans*-3-(2-hydroxybenzylidene)-4,5-dihydrofuran-2(3*H*)-one, 297

**Pyrene**

photobehavior of pyrene end-labelled poly(ethylene oxide) in methanol-water mixtures, 389

**Quenching**

evidence for physical quenching of singlet oxygen ( $O_2(^1\Delta_g)$ ) by dinitrophenols, 247

structure-reactivity relationship for fluorescence quenching of *trans*-stilbene by tertiary amines, 185

**Reactivity**

structure-reactivity relationship for fluorescence quenching of *trans*-stilbene by tertiary amines, 185

**Redox chemistry**

redox chemistry of water-soluble vanadyl porphyrins, 255

**Ruthenium**

formation of semiquinone radicals by electron transfer from or to photoexcited  $Ru(bpy)_3^{2+}$ : an electron spin resonance study, 267

**Semiconductor dispersions**

photochemical reduction of gold(III) on semiconductor of  $TiO_2$  in the presence of  $CN^-$  ions: disposal of  $CN^-$  by treatment with hydrogen peroxide, 373

**Semiquinone radicals**

formation of semiquinone radicals by electron transfer from or to photoexcited  $Ru(bpy)_3^{2+}$ : an electron spin resonance study, 267

photochemical production of semiquinone radicals of *o*-methylfluorescein methyl ester in ethanol, 51

**Sensitizers**

dicarbonyl and related compounds as sensitizers for photo-oxidative desulphurization at pentavalent phosphorus, 39

**Silica gel**

photolysis study of the suspension benzaldehyde solution-silica gel, 211

**Solvent effects**

effect of solvents and pH on the spectral characteristics of 2-(3'-hydroxyphenyl)benzimidazole and 2-(4'-hydroxyphenyl)benzimidazole and their methoxy derivatives, 149

influence of the solvent and excited state prototropic equilibria on photochemical intramolecular acylation of *trans*-3-(2-hydroxybenzylidene)-4,5-dihydrofuran-2(3*H*)-one, 297

**Spin-orbit coupling**

external spin-orbit coupling on the  $^3n, \pi^*$  state of several cycloalkanes, 141

**Stilbene**

structure-reactivity relationship for fluorescence quenching of *trans*-stilbene by tertiary amines, 185

**Structure**

structure-reactivity relationship for fluorescence quenching of *trans*-stilbene by tertiary amines, 185

**Styryl compounds**

photoisomerization of 1,2-diarylethyl-  
enes: photophysical properties of  
5(*E*)-styryl-1,3-dimethyluracil, 163

**Sydnones**

flash photolysis studies of nitrile imines  
and related intermediates photo-  
generated from sydnones and tetra-  
zoles in fluid solutions, 63

**Tetrazoles**

flash photolysis studies of nitrile imines  
and related intermediates photo-  
generated from sydnones and tetra-  
zoles in fluid solutions, 63

**Thioxanones**

photochemistry of thioxanones  
VI: a polymerization, spectroscopic  
and flash photolysis study on novel

water-soluble substituted 3-(9-oxo-  
9*H*-thioxanthene-2,3- $\gamma$ -4-yloxy)-  
*N,N,N*-trimethyl-1-propanaminium  
salts, 99

**Triplets**

a new "one-way"-photoisomerizing  
aromatic olefin: the effect of a  
fluoranthenyl group on the triplet  
energy surface, 125

**Uracil**

photoisomerization of 1,2-diarylethyl-  
enes: photophysical properties of  
5(*E*)-styryl-1,3-dimethyluracil, 163

**Vanadyl porphyrins**

redox chemistry of water-soluble  
vanadyl porphyrins, 255