

## Author index

This article has been downloaded from IOPscience. Please scroll down to see the full text article.

2002 J. Phys. A: Math. Gen. 35

(<http://iopscience.iop.org/0305-4470/35/50/601>)

View [the table of contents for this issue](#), or go to the [journal homepage](#) for more

### Download details:

IP Address: 171.66.16.109

The article was downloaded on 02/06/2010 at 10:40

Please note that [terms and conditions apply](#).

## Author index with titles

- Abad E, Masser T and ben-Avraham D: Lattice kinetics of diffusion-limited coalescence and annihilation with sources [1483](#)
- Abdesselam B, Chakrabarti A and Chakrabarti R: Jordanian quantum algebra  $\mathcal{U}_\hbar(sl(N))$  via contraction method and mapping [3231](#)
- Abdullaev S S: The Hamilton–Jacobi method and Hamiltonian maps [2811](#)
- Abe S and Zak J: Entropy on the von Neumann lattice and its evaluation [2395](#)
- Åberg J: *see* Mauritz Andersson L [7787](#)
- Aboanber A E and Nahla A A: Solution of the point kinetics equations in the presence of Newtonian temperature feedback by Padé approximations via the analytical inversion method [9609](#)
- Abul-Magd A Y: *see* El-Hady A A [2361](#)
- Accardi L, Pechen A N and Volovich I V: Quantum stochastic equation for the low density limit [4889](#)
- Adler S L: Environmental influence on the measurement process in stochastic reduction models [841](#)
- Afshar D: *see* Jafarpour M [87](#)
- Agarwalla S K: *see* Sahu B [4349](#)
- Ahmad W: *see* Khan K M [2713](#)
- Ahmadi N: *see* Alimohammadi M [1325](#)
- Aizawa N, Herranz F J, Negro J and del Olmo M A: Twisted conformal algebra  $so(4, 2)$  [8179](#)
- Albano E V: *see* Khan K M [1167](#)
- Albano E V: *see* Khan K M [3855](#)
- Alcaraz F C and Stroganov Yu G: The finite-size  $SU(3)$  Perk–Schultz model with deformation parameter  $q = \exp(2i\pi/3)$  [3805](#)
- Alcaraz F C and Stroganov Yu G: Free-fermion branches in some quantum spin models [6767](#)
- Aldaya V, Jaramillo J L and Guerrero J: New insights in particle dynamics from group cohomology [L627](#)
- Aleixo A N F, Balantekin A B and Cândido Ribeiro M A: Completeness of coherent states associated with self-similar potentials and Ramanujan’s integral extension of the beta function [9063](#)
- Alguacil F J: *see* Alonso M [6271](#)
- Alhaidari A D: Relativistic extension of shape-invariant potentials [3143](#)
- Alhaidari A D: Relativistic extension of shape-invariant potentials [6207](#)
- Alhaidari A D: Deformation of the three-term recursion relation and generation of new orthogonal polynomials [9071](#)
- Alieva T, Calvo M L and Bastiaans M J: Power filtering of  $n$ th order in the fractional Fourier domain [7779](#)
- Alimohammadi M and Ahmadi N:  $p$ -species integrable reaction–diffusion processes [1325](#)
- Ališauskas S: Coupling coefficients of  $SO(n)$  and integrals involving Jacobi and Gegenbauer polynomials [7323](#)
- Ališauskas S:  $6j$ -symbols for symmetric representations of  $SO(n)$  as the double series [10229](#)
- Allahverdyan A E and Gurzadyan V G: Arrows of time and chaotic properties of the cosmic background radiation [7243](#)
- Alon A and Bergmann S: Generic smooth connection functions: a new analytic approach to Hermite interpolation [3877](#)
- Alon O E and Cederbaum L S: Scattering from open-shell many-body targets [L303](#)
- Alonso M, Hernandez-Sierra A and Alguacil F J: Diffusion charging of aerosol nanoparticles with an excess of bipolar ions [6271](#)
- Altshuler B L: *see* Yuzbashyan E A [7525](#)
- Álvarez G, Finkel F, González-López A and Rodríguez M A: Quasi-exactly solvable models in nonlinear optics [8705](#)
- Álvarez G, Howls C J and Silverstone H J: Anharmonic oscillator discontinuity formulae up to second-exponentially-small order [4003](#)
- Álvarez G, Howls C J and Silverstone H J: Dispersive hyperasymptotics and the anharmonic oscillator [4017](#)
- Amann Ch and Brack M: Semiclassical trace formulae for systems with spin–orbit interactions: successes and limitations of present approaches [6009](#)
- Amaral R L P G: *see* Coelho J L A [5255](#)
- Amri A: *see* Maaoui A [7125](#)
- An N B and Duc T M: Excited K-quantum nonlinear coherent states [4749](#)
- Andreatta M A and Dodonov V V: The reflection of narrow slow quantum packets from mirrors [8373](#)
- Andreev V A and Ivanova O A: Symmetries and reduced systems of equations for three-boson and four-boson interactions [8587](#)
- Andreozzi F, Porrino A and Lo Iudice N: A simple iterative algorithm for generating selected eigenspaces of large matrices [L61](#)

- Aneva B: The noncommutative space of stochastic diffusion systems [859](#)
- Anghel D-V: Gases in two dimensions: universal thermodynamics and its consequences [7255](#)
- Anglès d'Auriac J-Ch, Iglói F, Preissmann M and Sebő A: Optimal cooperation and submodularity for computing Potts' partition functions with a large number of states [6973](#)
- Anglès d'Auriac J-Ch, Maillard J-M and Viallet C M: Random matrix theory and higher genus integrability: the quantum chiral Potts model [4801](#)
- Anglès d'Auriac J-Ch, Maillard J-M and Viallet C M: A classification of four-state spin edge Potts models [9251](#)
- Annibaldi S V and Hopcraft K I: Random walks with power-law fluctuations in the number of steps [8635](#)
- Antal T, Hilhorst H J and Zia R K P: Repeated bond traversal probabilities for the simple random walk [8145](#)
- Antoniou I, Shkarin S A and Yarevsky E: Resonances of the cusp family [2833](#)
- Antonyuk V B: *see* Larsson M [L531](#)
- Antunes A C B: *see* Carvalho W S [7585](#)
- Aoki T, Kawai T and Takei Y: Exact WKB analysis of non-adiabatic transition probabilities for three levels [2401](#)
- Apolloni B and de Falco D: The clock of a quantum computer [10033](#)
- Aquino N: *see* Campoy G [4903](#)
- Archilla J F R, Gaididei Yu B, Christiansen P L and Cuevas J: Stationary and moving breathers in a simplified model of curved alpha-helix proteins [8885](#)
- Archilla J F R: *see* Cuevas J [10519](#)
- Arbonne E: Parafermion statistics and application to non-Abelian quantum Hall states [447](#)
- Arik M and Tekin Ş C: Quantization of set theory and generalization of the fermion algebra [4591](#)
- Arima A: *see* Yoshinaga N [8575](#)
- Arnaudon D, Karakhanyan D, Mirumyan M, Sedrakyan A and Sorba P: Integrable XYZ model with staggered anisotropy parameter [2353](#)
- Arratia O and del Olmo M A: Dynamical systems and quantum bicrossproduct algebras [5347](#)
- Arratia O and del Olmo M A: Induced representations of quantum kinematical algebras and quantum mechanics [8449](#)
- Arratia O and del Olmo M A: Representations of quantum bicrossproduct algebras [10247](#)
- Arrigler V: *see* Kralj-Iglič V [1533](#)
- Arrigo D J and Hickling F: Darboux transformations and linear parabolic partial differential equations [L389](#)
- Arroyo J, Barros M and Garay O J: Relativistic particles with rigidity generating non-standard examples of Willmore–Chen hypersurfaces [6815](#)
- Arvieu R: *see* Rozmej P [7803](#)
- Arzner K: A percolation model of collisionless runaway in two-dimensional magnetic turbulence [3145](#)
- Atakishiyev N M and Klimyk A U: Diagonalization of operators and one-parameter families of nonstandard bases for representations of  $su_q(2)$  [5267](#)
- Athorne C: *see* Yilmaz H [2619](#)
- Attard P: *see* Miklavcic S J [4335](#)
- Aubry S: *see* Morgante A M [4999](#)
- Averbukh I S: *see* Rozmej P [7803](#)
- Avetisov V A, Bikulov A H, Kozyrev S V and Osipov V A:  $p$ -adic models of ultrametric diffusion constrained by hierarchical energy landscapes [177](#)
- Azakov S: The general correlation function in the Schwinger model on a torus [10277](#)
- Babujian H and Karowski M: Sine-Gordon breather form factors and quantum field equations [9081](#)
- Bäcker A, Fürstberger S, Schubert R and Steiner F: Behaviour of boundary functions for quantum billiards [10293](#)
- Bäcker A and Schubert R: Autocorrelation function of eigenstates in chaotic and mixed systems [539](#)
- Bagrov V G, Barata J C A, Gitman D M and Wreszinski W F: Aspects of two-level systems under external time-dependent fields [175](#)
- Bai C, Meng D and He L: On fermionic Novikov algebras [10053](#)
- Bai Zai-Qiao: Power-law energy splitting generated by tunnelling between non-smooth tori [1895](#)
- Bajnok Z, Böhm G and Takács G: Boundary reduction formula [9333](#)
- Bak J: *see* Lu W-F [21](#)
- Balantekin A B: *see* Aleixo A N F [9063](#)
- Ballesteros Á, Musso F and Ragnisco O: Comodule algebras and integrable systems [8197](#)
- Ban M: The phase operator in quantum information processing [L193](#)
- Ban M, Sasaki M and Takeoka M: Continuous variable teleportation as a generalized thermalizing quantum channel [L401](#)
- Bandyopadhyay S K and Bhattacharyya K: Improved methods of estimating critical indices via fractional calculus [4429](#)
- Banerjee R and Chakraborty B: Wigner's little group, gauge transformations and dimensional descent [2183](#)

- Banerjee R and Mukherjee P: A canonical approach to the quantization of the damped harmonic oscillator [5591](#)
- Bangert P D, Berger M A and Prandi R: In search of minimal random braid configurations [43](#)
- Bao J-D and Wang H-Y: Improving the variational path integral approach to the quantum double-well potential [7009](#)
- Baranger M, de Aguiar M A M, Keck F, Korsch H J and Schellhaaß B: Reply to ‘Comment on “Semiclassical approximations in phase space with coherent states”’ [9493](#)
- Barata J C A: *see* Bagrov V G [175](#)
- Barenghi C F: *see* Henderson K L [9645](#)
- Barndorff-Nielsen O E and Loubenets E R: General framework for the behaviour of continuously observed open quantum systems [565](#)
- Barnes K J: CPN models in general coordinates [2191](#)
- Barrat A, Biben T, Rácz Z, Trizac E and van Wijland F: On the velocity distributions of the one-dimensional inelastic gas [463](#)
- Barros M: *see* Arroyo J [6815](#)
- Barth M: *see* Vraničar M [4929](#)
- Bartlett S D, Rowe D J and Repka J: Vector coherent state representations, induced representations and geometric quantization: I. Scalar coherent state representations [5599](#)
- Bartlett S D, Rowe D J and Repka J: Vector coherent state representations, induced representations and geometric quantization: II. Vector coherent state representations [5625](#)
- Bartlett S D: *see* Mackay T D [2745](#)
- Basit A: *see* Khan K M [3855](#)
- Bastiaans M J: *see* Alieva T [7779](#)
- Batchelor M T and Henry B I: Exact solution for random walks on the triangular lattice with absorbing boundaries [5951](#)
- Batle J, Plastino A R, Casas M and Plastino A: Conditional  $q$ -entropies and quantum separability: a numerical exploration [10311](#)
- Battezzati M and Magnasco V: Exchange energy splitting for ground state  $H_2^+$  from fluctuation theory [5653](#)
- Baumgartner B: A partial ordering of sets, making mean entropy monotone [3163](#)
- Bausch R: *see* Korzhenevskii A L [4565](#)
- Baylis W E: Comment on ‘Dirac theory in spacetime algebra’ [4791](#)
- Behiry S H: A wavelet-Galerkin method for inhomogeneous diffusion equations subject to mass specification [9745](#)
- Beige A, Englert B-G, Kurtsiefer C and Weinfurter H: Secure communication with single-photon two-qubit states [L407](#)
- Belhaj A: Mirror symmetry and Landau–Ginzburg Calabi–Yau superpotentials in F-theory compactifications [965](#)
- Belhaj A: Manifolds of  $G_2$  holonomy from the  $N = 4$  sigma model [8903](#)
- Belvedere L V and do Amaral R L P G: Field algebra, Hilbert space and observables in two-dimensional higher-derivative field theories [6033](#)
- ben-Avraham D: *see* Abad E [1483](#)
- ben-Avraham D: *see* Dickman R [7983](#)
- Ben-Naim E and Krapivsky P L: Growth and structure of stochastic sequences [L557](#)
- Ben-Naim E: *see* Krapivsky P L [L147](#)
- Benatti F, Floreanini R and Romano R: Complete positivity and dissipative factorized dynamics [L551](#)
- Benatti F, Floreanini R and Romano R: Complete positivity and entangled degrees of freedom [4955](#)
- Bender C M, Berry M V and Mandilara A: Generalized PT symmetry and real spectra [L467](#)
- Beneventano C G, Santangelo E M and Wipf A: Spectral asymmetry for bag boundary conditions [9343](#)
- Benguria R D and Pérez-Oyarzún S: The ultrarelativistic Thomas–Fermi–von Weizsäcker model [3409](#)
- Benioff P: Use of mathematical logical concepts in quantum mechanics: an example [5843](#)
- Berakdar J: *see* Kidun O [9413](#)
- Berger M A: *see* Bangert P D [43](#)
- Berggren K-F: *see* Saichev A I [L87](#)
- Berglund N and Gentz B: Beyond the Fokker–Planck equation: pathwise control of noisy bistable systems [2057](#)
- Bergmann S: *see* Alon A [3877](#)
- Bernard D and LeClair A: A classification of 2D random Dirac fermions [2555](#)
- Berry M V and Ishio H: Nodal densities of Gaussian random waves satisfying mixed boundary conditions [5961](#)
- Berry M V and Keating J P: Clusters of near-degenerate levels dominate negative moments of spectral determinants [L1](#)
- Berry M V: Statistics of nodal lines and points in chaotic quantum billiards: perimeter corrections, fluctuations, curvature [3025](#)
- Berry M V: *see* Bender C M [L467](#)
- Bertin E and Bouchaud J-P: Dynamical ultrametricity in the critical trap model [3039](#)
- Bertrand J and Irac-Astaud M: Characterization of  $SU(1, 1)$  coherent states in terms of affine group wavelets [7347](#)
- Bhattacharjee S M and Marenduzzo D: DNA sequence from the unzipping force? One mutation problem [L349](#)
- Bhattacharjee S M: *see* Sen P [L141](#)
- Bhattacharyya K: *see* Bandyopadhyay S K [4429](#)

- Biben T: *see* Barrat A 463
- Bieling S: Interaction of noncommutative plane waves in  $(2 + 1)$  dimensions 6281
- Bies W E and Heller E J: Nodal structure of chaotic eigenfunctions 5673
- Bikulov A H: *see* Avetisov V A 177
- Billionnet C: Particle–field resonances as multivalued functions of coupling strength and continuum width 2649
- Binder K: *see* Brangian C 191
- Bishop A R: *see* Kevrekidis P G L641
- Bishop R F: *see* Emary C 8231
- Björk G: *see* Bourennane M 10065
- Błaszak M and Szablikowski B M: Classical  $R$ -matrix theory of dispersionless systems: I.  $(1 + 1)$ -dimension theory 10325
- Błaszak M and Szablikowski B M: Classical  $R$ -matrix theory of dispersionless systems: II.  $(2 + 1)$  dimension theory 10345
- Błaszak M: *see* Marciniak K 2947
- Bodea D: *see* Crisan M 239
- Boettcher S and Grigni M: Jamming model for the extremal optimization heuristic 1109
- Bogoliubov N M, Pronko A G and Zvonarev M B: Boundary correlation functions of the six-vertex model 5525
- Bogoyavlenskiy V A: How to grow isotropic on-lattice diffusion-limited aggregates 2533
- Bohm A R and Mithaiwala M J: Relativistic resonances, semigroup representation of Poincaré transformations, the exponential decay law and deviations thereof 8479
- Bohm A: *see* Wickramasekara S L715
- Bohm A: *see* Wickramasekara S 807
- Böhm G: *see* Bajnok Z 9333
- Bolton C D and Wattis J A D: General Becker–Döring equations: effect of dimer interactions 3183
- Boos H E, Korepin V E, Nishiyama Y and Shiroishi M: Quantum correlations and number theory 4443
- Borisov V V: On transient waves in dispersive media produced by moving point sources 5403
- Borsos I: *see* Szabó G L189
- Bouchaud J-P: *see* Bertin E 3039
- Boudjedaa T and Chetouani L: Exact spin factor for a Dirac particle in a plane wave field: coordinate gauge 1651
- Bourennane M, Karlsson A, Björk G, Gisin N and Cerf N J: Quantum key distribution using multilevel encoding: security analysis 10065
- Boutillier C, François P, Mallick K and Mallick S: A matrix ansatz for the diffusion of an impurity in the asymmetric exclusion process 9703
- Bouttier J, Di Francesco P and Guitter E: Critical and tricritical hard objects on bicolourable random lattices: exact solutions 3821
- Bowman J C: *see* Kotovych O 7849
- Braak D: *see* Kalisch F 9957
- Bracher C: *see* Kramer T 8361
- Brack M: *see* Amann Ch 6009
- Brak R: *see* Oppenheim A C 3213
- Brangian C, Kob W and Binder K: Statics and dynamics of the ten-state mean-field Potts glass model: a Monte Carlo study 191
- Braun P A, Haake F and Heusler S: Action correlation of orbits through non-conventional time reversal 1381
- Braunstein A, Leone M, Ricci-Tersenghi F and Zecchina R: Complexity transitions in global algorithms for sparse linear systems over finite fields 7559
- Bray A J: *see* Blythe R A 10503
- Brenig L: *see* Hernández-Bermejo B 5453
- Bru J-B: Superstabilization of Bose systems: I. Thermodynamic study 8969
- Bru J-B: Superstabilization of Bose systems: II. Bose condensations and equivalence of ensembles 8995
- Bruno D: *see* Massa E 6713
- Brüning J, Geyler V A, Margulis V A and Pyataev M A: Ballistic conductance of a quantum sphere 4239
- Buccella F: Quantum statistical parton distributions 8513
- Bunakov V E and Ivanov I B: The measure of chaoticity in stationary quantum systems 1907
- Burdík Č and Navrátil O: Nonlinear superposition formulae based on the Lie group  $SO(n + 1, n)$  2431
- Burić N: Transformation properties of perturbation expansions around elliptic fixed points 5859
- Burioni R, Cassi D, Giusiano G and Regina S: Two interacting diffusing particles on low-dimensional discrete structures 217
- Burioni R, Cassi D and Vezzani A: Topology, hidden spectra and Bose–Einstein condensation on low-dimensional complex networks 1245
- Burlatsky S F: *see* Oshanin G L695
- Butikov E I: Subharmonic resonances of the parametrically driven pendulum 6209
- Buxton H: *see* Feng Jianfeng 2379
- Byrd M: *see* Tilma T 10445
- Caban P, Rembieliński J, Smoliński K A and Walczak Z: Destruction of states in quantum mechanics 3265
- Caillol J-M: The density functional theory of classical fluids revisited 4189
- Cairó L and Llibre J: Darbouxian first integrals and invariants for real quadratic systems

- having an invariant conic [589](#)
- Calogeracos A: Radiation from accelerated mirrors following prescribed relativistic asymptotically inertial trajectories [3415](#)
- Calogeracos A: Radiation from perfect mirrors starting from rest and accelerating forever and the black body spectrum [3435](#)
- Calogero F and Inozemtsev V I: Nonlinear harmonic oscillators [10365](#)
- Calogero F: On modified versions of some solvable ordinary differential equations due to Chazy [4249](#)
- Calogero F: A complex deformation of the classical gravitational many-body problem that features many completely periodic motions [3619](#)
- Calogero F: On a modified version of a solvable ODE due to Painlevé [985](#)
- Calogero F: *see* Iona S [3091](#)
- Calvo M L: *see* Alieva T [7779](#)
- Campagna S: *see* Santoro R [1871](#)
- Campoamor-Stursberg R: Invariants of solvable rigid Lie algebras up to dimension 8 [6293](#)
- Campoy G, Aquino N and Granados V D: Energy eigenvalues and Einstein coefficients for the one-dimensional confined harmonic oscillators [4903](#)
- Cândido Ribeiro M A: *see* Aleixo A N F [9063](#)
- Cannata F: *see* Lévai G [5041](#)
- Cao X-F: The construction of space-like surfaces with  $k_1 k_2 - m(k_1 + k_2) = 1$  in Minkowski three-space [6049](#)
- Čápek V and Kleinekathöfer U: On homogeneous generalized master equations [5521](#)
- Čápek V and Mančal T: Phonon mode cooperating with a particle serving as a Maxwell gate and rectifier [2111](#)
- Capovilla R, Chryssomalakos C and Guven J: Hamiltonians for curves [6571](#)
- Capovilla R and Guven J: Stresses in lipid membranes [6233](#)
- Caracciolo S and Sportiello A: An exactly solvable random satisfiability problem [7661](#)
- Cardy J: Crossing formulae for critical percolation in an annulus [L565](#)
- Care C M: *see* Halliday I [L157](#)
- Care C M: *see* Hammond L A [9945](#)
- Cariñena J F, Marmo G and Rañada M F: Non-symplectic symmetries and bi-Hamiltonian structures of the rational harmonic oscillator [L679](#)
- Carlo G G, Vergini E G and Lustemberg P: Scar functions in the Bunimovich stadium billiard [7965](#)
- Carvalho W S, de Castro A S and Antunes A C B:  $SU(3)$  mixing for excited mesons [7585](#)
- Casartelli M: Intermittency from Collatz's itineraries and complexity indicators [4501](#)
- Casas M: *see* Batle J [10311](#)
- Case M J and Herbut I F: Reply to 'Comment on "Large- $N$  theory of strongly commensurate dirty-bosons: absence of a transition in two dimensions"' [2523](#)
- Caselle M, Hasenbusch M, Pelissetto A and Vicari E: Irrelevant operators in the two-dimensional Ising model [4861](#)
- Cassi D: *see* Burioni R [217](#)
- Cassi D: *see* Burioni R [1245](#)
- Castagnino M, Id Betan R, Laura R and Liotta R J: Quantum decay processes and Gamov states [6055](#)
- Castro-Alvaredo O A and Fring A: Scaling functions from  $q$ -deformed Virasoro characters [609](#)
- Cattaneo G, Leporati A and Leporini R: Fredkin gates for finite-valued reversible and conservative logics [9755](#)
- Cederbaum L S: *see* Alon O E [L303](#)
- Çelik S: Differential geometry of the  $Z_3$ -graded quantum superplane [4257](#)
- Celik S:  $Z_3$ -graded differential geometry of the quantum plane [6307](#)
- Cereceda J L: Ladder proof of nonlocality for two spin-half particles revisited [9105](#)
- Cerf N J: *see* Bourennane M [10065](#)
- Chakrabarti A: *see* Abdesselam B [3231](#)
- Chakrabarti B and Das T K: The connection between classical and supersymmetric turning points for multifold quasi-degenerate problems in one dimension [2441](#)
- Chakrabarti B and Das T K: Existence of conditional shape invariance symmetry for singular power potential  $V(r) = ar^2 + br^{-4} + cr^{-6}$  [4701](#)
- Chakrabarti R: *see* Abdesselam B [3231](#)
- Chakraborty B: *see* Banerjee R [2183](#)
- Chakravorty H, Coolen A C C and Sherrington D: Coupled dynamics of sequence selection and compactification in mean-field hetero-polymers [8647](#)
- Chang Z and Chen S-X: Thermodynamics of a deformed Bose gas [9731](#)
- Chao K A: *see* Larsson M [L531](#)
- Chau Huu-Tai P, Smirnova N A and Van Isacker P: Generalized Wigner surmise for  $(2 \times 2)$  random matrices [L199](#)
- Chen C Y: A general procedure for solving the time-dependent Schrödinger equation [6589](#)
- Chen C-I: *see* Tang X-y [L293](#)
- Chen D: *see* Zhang D [7225](#)
- Chen J, He J and Hua B: The influence of regenerative losses on the performance of a Fermi Ericsson refrigeration cycle [7995](#)
- Chen Jinwen: Extremality of invariant measures and ergodicity of stochastic systems [229](#)
- Chen M and Lin K Y: Universal amplitude ratios

- for three-dimensional self-avoiding walks 1501
- Chen Q: *see* Zuo D 10197
- Chen S-X: *see* Chang Z 9731
- Chen Shi-Gang: *see* Fu Li-Bin L181
- Chen Y and Lawrence N: A generalization of the Chebyshev polynomials 4651
- Chen Yang and Grava T: Eigenvalue correlations on hyperelliptic Riemann surfaces L45
- Chen Yang and Griffin J: Krall-type polynomials via the Heine formula 637
- Chen Yu-Tung: *see* Tu Ming-Hsien 4375
- Chen Y: *see* Li B 8253
- Cheng H: The Casimir energy for a rectangular cavity at finite temperature 2205
- Cheng Y: *see* Zuo D 10197
- Chernov V E: *see* Dana I 10101
- Chetouani L: *see* Boudjedaa T 1651
- Chi D P: *see* Kim J 6911
- Chisholm J S R: Algebraic spinors on Clifford manifolds 7359
- Chmela F G and Obermair G M: On the Green function of the almost-Mathieu operator 2449
- Choi Jeong-Ryeol and Zhang Shou: Thermodynamics of the standard quantum harmonic oscillator of time-dependent frequency with and without inverse quadratic potential 2845
- Chou T: An interacting spin-flip model for one-dimensional proton conduction 4515
- Chowdhury D, Guttal V, Nishinari K and Schadschneider A: A cellular-automata model of flow in ant trails: non-monotonic variation of speed with density L573
- Christiansen P L: *see* Archilla J F R 8885
- Christopher C, Llibre J, Pantazi C and Zhang Xiang: Darboux integrability and invariant algebraic curves for planar polynomial systems 2457
- Chryssomalakos C: *see* Capovilla R 6571
- Chu Kwang-Hua W: Multiple scattering and possible localization of sound propagation in hard-sphere gases 1919
- Chu M-C: *see* Colanero K 993
- Chubykalo A E and Espinoza A: Unusual formations of the free electromagnetic field in vacuum 8043
- Chudnovskiy A L: *see* Stepanow S 4229
- Chuluunbaatar O, Gusev A A, Larsen S Y and Vinitsky S I: Three identical particles on a line: comparison of some exact and approximate calculations L513
- Chvosta P and Slanina F: Langevin equation with back-reaction L277
- Ciccolini M L, Fosco C D and López A: Induced commutative Chern–Simons term from noncommutativity in planar systems 10077
- Cicuta G M, Contedini M and Molinari L: Enumeration of simple random walks and tridiagonal matrices 1125
- Cicuta G M, Molinari L and Vernizzi G: Yang–Mills integrals L51
- Čížek J: *see* Skála L L167
- Clifford P, Green N J B, Feng J F and Wei G: Probability representations of a class of two-way diffusions 5795
- Clifford P: *see* Wei G 9309
- Codriansky S and Salamó S: Satellite potentials for hypergeometric Natanzon potentials 4269
- Coelho J L A and Amaral R L P G: Coulomb and quantum oscillator problems in conical spaces with arbitrary dimensions 5255
- Coffey W T, Kalmykov Yu P and Titov S V: Langevin equation method for the rotational Brownian motion and orientational relaxation in liquids 6789
- Colanero K and Chu M-C: Analytical solution of the dynamical spherical MIT bag 993
- Compagno G and Persico F: Reply to ‘Comment on “Self-dressing and radiation reaction in classical electrodynamics”’ 8965
- Compagno G and Persico F: Self-dressing and radiation reaction in classical electrodynamics 3629
- Comtet A, Desbois J and Majumdar S N: The local time distribution of a particle diffusing on a graph L687
- Coniglio A: *see* Díaz-Sánchez A 3359
- Constantin A and Kolev B: On the geometric approach to the motion of inertial mechanical systems R51
- Contedini M: *see* Cicuta G M 1125
- Coolen A C C: *see* Chakravorty H 8647
- Coolen A C C: *see* Uezu T 2761
- Cooper F, Khare A and Sukhatme U: Periodic solutions of nonlinear equations obtained by linear superposition 10085
- Corrigan E and Sasaki R: Quantum versus classical integrability in Calogero–Moser systems 7017
- Costin O: *see* Rokhlenko A 8943
- Cotfas N: Shape invariance, raising and lowering operators in hypergeometric type equations 9355
- Coutinho-Filho M D: *see* Vitoriano C 9049
- Coveney P V: *see* Serrano M 1605
- Crisan M, Bodea D, Grosu I and Tifrea I: Renormalization-group analysis of the dilute Bose system in  $d$  dimensions at finite temperature 239
- Crisanti A, Leuzzi L and Parisi G: The 3-SAT problem with large number of clauses in the  $\infty$ -replica symmetry breaking scheme 481
- Cruz H: *see* Delgado F 10377
- Cucchieri A, Engels J, Holtmann S, Mendes T and Schulze T: Universal amplitude ratios

- from numerical studies of the three-dimensional  $O(2)$  model [6517](#)
- Cuesta J A and Sánchez A: A theorem on the absence of phase transitions in one-dimensional growth models with on-site periodic potentials [2373](#)
- Cuevas J, Palmero F, Archilla J F R and Romero F R: Moving discrete breathers in a Klein–Gordon chain with an impurity [10519](#)
- Cuevas J: *see* Archilla J F R [8885](#)
- Cugliandolo L F: *see* Semerjian G [4837](#)
- Cushman R and Zhilinskii B: Monodromy of a two degrees of freedom Liouville integrable system with many focus–focus singular points [L415](#)
- Czerwonko J: *see* Matveenko A V [8267](#)
- D’Helon C and Protopopescu V: New summing algorithm using ensemble computing [L597](#)
- da Mota L A C P: *see* Duarte L G S [1001](#)
- da Mota L A C P: *see* Duarte L G S [3899](#)
- Dahmen S R: *see* Dammer S M [4527](#)
- Dai Huihui: *see* Zeng Yunbo [1095](#)
- Dammer S M, Dahmen S R and Hinrichsen H: Yang–Lee zeros for a nonequilibrium phase transition [4527](#)
- Dana I and Chernov V E: Vortex structure and characterization of quasiperiodic functions [10101](#)
- Dana I: General quantization of canonical maps on a two-torus [3447](#)
- Dankova Ts: *see* Rosensteel G [1055](#)
- Daoud M and El Kinani E H: The Moyal bracket in the coherent states framework [2639](#)
- Daoud M and Hussin V: General sets of coherent states and the Jaynes–Cummings model [7381](#)
- Das T K: *see* Chakrabarti B [2441](#)
- Das T K: *see* Chakrabarti B [4701](#)
- Dasgupta S: *see* Sen P [2755](#)
- Dassios G and Lindell I V: Uniqueness and reconstruction for the anisotropic Helmholtz decomposition [5139](#)
- Davis E D and Ghandour G I: Canonical transformations and non-unitary evolution [5875](#)
- de Aguiar M A M: *see* Baranger M [9493](#)
- de Albuquerque L C and Leite M M: Reply to ‘Lifshitz-point critical behaviour to  $O(\epsilon_L^2)$ ’ [1807](#)
- de Candia A: *see* Díaz-Sánchez A [3359](#)
- de Castro A S: Comment on ‘Relativistic extension of shape-invariant potentials’ [6203](#)
- de Castro A S: *see* Carvalho W S [7585](#)
- De Fabritiis G: *see* Serrano M [1605](#)
- de Falco D: *see* Apolloni B [10033](#)
- de Gier J: *see* Pearce P A [L661](#)
- de Gosson M A: The ‘symplectic camel principle’ and semiclassical mechanics [6825](#)
- de la Madrid R: Rigged Hilbert space approach to the Schrödinger equation [319](#)
- De Leo S, Ducati G C and Nishi C C: Quaternionic potentials in non-relativistic quantum mechanics [5411](#)
- de Lima Rodrigues R: *see* Vaidya A N [6205](#)
- de M Rios P P and Ozorio de Almeida A M: On the propagation of semiclassical Wigner functions [2609](#)
- De Vos A, Raa B and Storme L: Generating the group of reversible logic gates [7063](#)
- Dean D S and Majumdar S N: Phase transition in a random fragmentation problem with applications to computer science [L501](#)
- Dean D S: An approximation scheme for the density of states of the Laplacian on random graphs [L153](#)
- Debergh N, Pecheritsin A A, Samsonov B F and Van den Bossche B: Darboux transformations of the one-dimensional stationary Dirac equation [3279](#)
- Deguchi T: Construction of some missing eigenvectors of the XYZ spin chain at the discrete coupling constants and the exponentially large spectral degeneracy of the transfer matrix [879](#)
- Deguchi T: *see* Shimamura M K [L241](#)
- del Olmo M A: *see* Aizawa N [8179](#)
- del Olmo M A: *see* Arratia O [5347](#)
- del Olmo M A: *see* Arratia O [8449](#)
- del Olmo M A: *see* Arratia O [10247](#)
- del Olmo M A: *see* Lyakhovskiy V D [5731](#)
- del Olmo M A: *see* Negro J [2283](#)
- Del Sol Mesa A and Quesne C: Connection between type B (or C) and F factorizations and construction of algebras [2857](#)
- Delgado F, Cruz H and Muga J G: The transient response of a quantum wave to an instantaneous potential step switching [10377](#)
- Delius G W and Nepomechie R I: Solutions of the boundary Yang–Baxter equation for arbitrary spin [L341](#)
- Deng Yingchun: *see* Feng Jianfeng [2379](#)
- Depasse F: *see* Grosse Ph [9787](#)
- Derzhko O, Krokhmal’skii T and Stolze J: Dynamic properties of the dimerized spin- $\frac{1}{2}$  isotropic XY chain in a transverse field [3573](#)
- Desbois J: Occupation times distribution for Brownian motion on graphs [L673](#)
- Desbois J: *see* Comtet A [L687](#)
- Destri C and Donetti L: On the growth of bounded trees [5147](#)
- Destri C and Donetti L: The spectral dimension of random trees [9499](#)
- Dewdney C and Horton G: Relativistically invariant extension of the de Broglie–Bohm theory of quantum mechanics [10117](#)
- Dewdney C: *see* Horton G [7963](#)



- Di Francesco P and Guitter E: Critical and multicritical semi-random  $(1 + d)$ -dimensional lattices and hard objects in  $d$  dimensions 897
- Di Francesco P: *see* Bouttier J 3821
- Díaz-Sánchez A, de Candia A and Coniglio A: Relaxation properties in a lattice gas model with asymmetrical particles 3359
- Dickman R and Vidigal R: Quasi-stationary distributions for stochastic processes with an absorbing state 1147
- Dickman R and Vidigal R: Path-integral representation for a stochastic sandpile 7269
- Diehl H W and Shpot M: Critical, crossover and correction-to-scaling exponents for isotropic Lifshitz points to order  $(8 - d)^2$  6249
- Dietz K: Asymptotic solutions of Lindblad equations 10573
- Dimassi M, Guillot J C and Ralston J: Semiclassical asymptotics in magnetic Bloch bands 7597
- Diósi L and Kiefer C: Exact positivity of the Wigner and  $P$ -functions of a Markovian open system 2675
- Diósi L: Advancement of estimation fidelity in continuous quantum measurement 2867
- Dittrich J and Duclos P: Massive scalar field in a one-dimensional oscillating region 8213
- Dittrich J and Kříž J: Curved planar quantum wires with Dirichlet and Neumann boundary conditions L269
- do Amaral R L P G: *see* Belvedere L V 6033
- Dobrev V K: Positive energy unitary irreducible representations of  $D = 6$  conformal supersymmetry 7079
- Dobrin R, Meinke J H and Duxbury P M: Random-field Ising model on complete graphs and trees L247
- Dobrowolski T: Production of vortices in the dual Ginzburg–Landau theory 10739
- Dodonov V V: *see* Andreato M A 8373
- Dodonov V V: *see* Mizrahi S S 8847
- Doebner H-D, Palev T D and Stoilova N I: Deformed Clifford  $Cl_q(n|m)$  and orthosymplectic  $U_q[osp(2n + 1|2m)]$  superalgebras and their root of unity representations 9367
- Doha E H: On the coefficients of differentiated expansions and derivatives of Jacobi polynomials 3467
- Dolan B P, Johnston D A and Kenna R: The information geometry of the one-dimensional Potts model 9025
- Dombey N: *see* Kennedy P 6645
- Donetti L: *see* Destri C 5147
- Donetti L: *see* Destri C 9499
- Donev A, Musolf C E and Duxbury P M: Random manifolds in non-linear resistor networks: applications to varistors and superconductors L327
- Dong Shi-Hai and Verbaarschot J J M: Comment on ‘A single-sum expression for the overlap integral of two associated Legendre polynomials’ 4187
- Dorlas T C and Dukes W M B: Large deviation approach to the generalized random energy model 4385
- Dotsenko V: *see* Tarjus G 1627
- Draayer J P: *see* Eichmann U A 6075
- Draayer J P: *see* Pan F 7173
- Dragović V: The Appell hypergeometric functions and classical separable mechanical systems 2213
- Dreizler R M: *see* Klein A 2685
- Du Dianlou: *see* Wu Yong-Tang 3971
- Duan Yi-Shi: *see* Fu Li-Bin L181
- Duarte L G S, Duarte S E S and da Mota L A C P: Analysing the structure of the integrating factors for first-order ordinary differential equations with Liouvillian functions in the solution 1001
- Duarte L G S, Duarte S E S and da Mota L A C P: A method to tackle first-order ordinary differential equations with Liouvillian functions in the solution 3899
- Duarte S E S: *see* Duarte L G S 1001
- Duarte S E S: *see* Duarte L G S 3899
- Dubin D A, Hennings M A, Lahti P and Pellonpää J P: On representing observables in quantum mechanics 9113
- Duc T M: *see* An N B 4749
- Ducati G C: *see* De Leo S 5411
- Duclos P: *see* Dittrich J 8213
- Dukes W M B: *see* Dorlas T C 4385
- Dunkl C F: Symmetric functions and  $B_N$ -invariant spherical harmonics 10391
- Duxbury P M: *see* Dobrin R L247
- Duxbury P M: *see* Donev A L327
- Ebrahimi-Fard K: On the relation between modular theory and geometry 6319
- Eichmann U A, Ludu A and Draayer J P: Analysis and classification of nonlinear dispersive evolution equations in the potential representation 6075
- Eisert J, Simon C and Plenio M B: On the quantification of entanglement in infinite-dimensional quantum systems 3911
- El Kinani E H: *see* Daoud M 2639
- El Kinani E H: *see* Jellal A 3697
- El-Hady A A, Abul-Magd A Y and Simbel M H: Influence of symmetry breaking on the fluctuation properties of spectra 2361
- El-labany S K, Elhanbaly A M and Sabry R: Group classification and symmetry reduction of variable coefficient nonlinear diffusion–convection equation 8055

- El-Shehawey M A: A semi-infinite random walk associated with the game of roulette 1813
- Elhanbaly A M: *see* El-labany S K 8055
- Elizalde E, Santos F C and Tort A C: Confined quantum fields under the influence of a uniform magnetic field 7403
- ElSheikh M G: The justification of approximate bounded solutions of mixed Sturm–Liouville problems 1253
- Emary C and Bishop R F: Exact isolated solutions for the two-photon Rabi Hamiltonian 8231
- Engels J: *see* Cucchieri A 6517
- Englert B-G: *see* Beige A L407
- Ertler C, Schürer F and Koller W: A multigroup spline approximation in extended kinetic theory 8673
- Español P: *see* Serrano M 1605
- Espinoza A: *see* Chubykalo A E 8043
- Espinoza P: *see* Klimov A B 8435
- Estrada R and Fulling S A: How singular functions define distributions 3079
- Evans M R, Kafri Y, Levine E and Mukamel D: Phase transition in a non-conserving driven diffusive system L433
- Exner P and Yoshitomi K: Persistent currents for the 2D Schrödinger operator with a strong  $\delta$ -interaction on a loop 3479
- Faddeev L, Freyhult L, Niemi A J and Rajan P: Shafranov's virial theorem and magnetic plasma confinement L133
- Faddeev L D and Kashaev R M: Strongly coupled quantum discrete Liouville theory: II. Geometric interpretation of the evolution operator 4043
- Fakhri H: Dirac equation for a spin- $\frac{1}{2}$  charged particle on the 2D sphere  $S^2$  and the hyperbolic plane  $H^2$  6329
- Falomir H, Pisani P A G and Wipf A: Pole structure of the Hamiltonian  $\zeta$ -function for a singular potential 5427
- Falvo C: *see* Nishimori H 8171
- Fan E: Multiple travelling wave solutions of nonlinear evolution equations using a unified algebraic method 6853
- Fan H and Fan Y: New approach for solving master equations of density operators by virtue of the thermal entangled states 6873
- Fan H, Matsumoto K, Wang X-B and Imai H: Phase-covariant quantum cloning 7415
- Fan Hongyi: Correlative amplitude–operational phase entanglement embodied by the EPR-pair eigenstate  $|\eta\rangle$  1007
- Fan Hongyi: *see* Song Tong-qiang 1071
- Fan Y: *see* Fan H 6873
- Faria da Veiga P A and O'Carroll M: Nonlocal interactions and the excitation spectrum in lattice quantum scalar field models 4541
- Farina C, Santos F C and Tort A C: On the force between an electrically polarizable atom and a magnetically polarizable one 2477
- Fassarella L and Schroer B: Wigner particle theory and local quantum physics 9123
- Faulon J-L, Rintoul M D and Young M M: Constrained walks and self-avoiding walks: implications for protein structure determination 1
- Faure F: Propagating modes in a periodic wave guide in the semi-classical limit 1339
- Fellouris A G and Matiadou L K: On the minimum polynomial of supermatrices 9183
- Fendley P and Read N: Exact  $S$ -matrices for supersymmetric sigma models and the Potts model 10675
- Feng J F: *see* Clifford P 5795
- Feng J, Zhang K and Wei G: Towards a mathematical foundation of minimum-variance theory 7287
- Feng Jianfeng, Buxton H and Deng Yingchun: Training the integrate-and-fire model with the informax principle: I 2379
- Feng J: *see* Wei G 9309
- Feng Zhaosheng: The first-integral method to study the Burgers–Korteweg–de Vries equation 343
- Ferapontov E V: Invariant description of solutions of hydrodynamic-type systems in hodograph space: hydrodynamic surfaces 6883
- Fernández C D J, Mielnik B, Rosas-Ortiz O and Samsonov B F: Nonlocal supersymmetric deformations of periodic potentials 4279
- Fernández F M: On large- $N$  expansions 10663
- Ferrández A, Giménez A and Lucas P: Null generalized helices in Lorentz–Minkowski spaces 8243
- Ferrari C and Macris N: Intermixture of extended edge and localized bulk energy levels in macroscopic Hall systems 6339
- Ferrari F: On a bosonization approach to disordered systems L473
- Ferreira A L: *see* Queirós S M D 5807
- Figueiredo B D B: On some solutions to generalized spheroidal wave equations and applications 2877
- Figueiredo B D B: On some solutions to generalized spheroidal wave equations and applications 4799
- Finkel F: *see* Álvarez G 8705
- Fioravanti D and Rossi M: A braided Yang–Baxter algebra in a theory of two coupled lattice quantum KdV: algebraic properties and ABA representations 3647
- Fiore G: On the decoupling of the homogeneous and inhomogeneous parts in inhomogeneous quantum groups 657
- Fioresi R and Lledó M A: A comparison between

- star products on regular orbits of compact Lie groups 5687
- Firpo M-C: *see* Leyvraz F 4413
- Fischbach E: *see* Tu S-J 6557
- Fityo T V: A new class of non-Hermitian Hamiltonians with real spectra 5893
- Flekkøy E G: *see* Serrano M 1605
- Floreanini R: *see* Benatti F L551
- Floreanini R: *see* Benatti F 4955
- Flynn G, Rasmussen J, Tahić M and Walton M A: Higher-genus  $su(N)$  fusion multiplicities as polytope volumes 10129
- Flytzanis N: *see* Gaididei Y 10409
- Fominykh N: *see* Kidun O 9413
- Fontanari J F and Stadler P F: Fractal geometry of spin-glass models 1509
- Ford G W and O'Connell R F: Note on the derivative of the hyperbolic cotangent 4183
- Fosco C D, Oxman L E and Sorella S P: On the induced transverse gauge invariant mass term 8715
- Fosco C D: *see* Ciccolini M L 10077
- Foster D P and Gérard C: The ferro/antiferromagnetic  $q$ -state Potts model L75
- Fouladvand M E: *see* Popkov V 7187
- François P: *see* Boutillier C 9703
- Freyhult L: *see* Faddeev L L133
- Fring A: *see* Castro-Alvaredo O A 609
- Fu Hongchen, Solomon A I and Wang Xiaoguang: Pairwise entanglement in the XX model with a magnetic impurity 4293
- Fu Li-Bin, Liu Jie, Chen Shi-Gang and Duan Yi-Shi: The configuration of a topological current and its physical structure: an application and paradigmatic evidence L181
- Fuchs J, Runkel I and Schweigert C: A reason for fusion rules to be even L255
- Fujimoto M: Anisotropic interfacial tension and the equilibrium crystal shape of Kagomé-lattice eight-vertex model 1517
- Fujimoto M: Reply to 'Comment on "Equilibrium crystal shape of the Potts model at the first-order transition point"' 7553
- Fulling S A: Spectral oscillations, periodic orbits, and scaling 4049
- Fulling S A: *see* Estrada R 3079
- Furlan P and Petkova V B: Characters of  $\widehat{sl}(4)_k$  fusion algebra at the non-rational level L319
- Fürstberger S: *see* Bäcker A 10293
- Furuichi S and Nakamura S: Rigorous derivation of quasi-mutual entropy in Jaynes–Cummings model 5445
- Füzfa A: *see* Kanfon A D 7629
- Gadella M and Gómez F: The Lippmann–Schwinger equations in the rigged Hilbert space 8505
- Gaeta G and Morando P: Hyper-Hamiltonian dynamics 3925
- Gaididei Y, Lazarides N and Flytzanis N: Static fluxons in a superlattice of Josephson junctions 10409
- Gaididei Yu B: *see* Archilla J F R 8885
- Gál T: Functional differentiation under conservation constraints 5899
- Galetti D: *see* Mizrahi S S 3535
- Galetti D: *see* Ruzzi M 4633
- Gamboa Saraví R E: The electromagnetic energy–momentum tensor 9199
- Garay O J: *see* Arroyo J 6815
- García J: *see* Mota R D 2979
- García-Compeán H, Plebański J F, Przanowski M and Turrubiates F J: Deformation quantization of geometric quantum mechanics 4301
- García Fuertes W and Perelomov A M: The generating function for a particular class of characters of  $SU(n)$  L335
- Ge Mo-Lin: *see* Zhang Hong-Biao L7
- Ge X-Y, Gould M D, Links J and Zhou H-Q: Reply to comment on 'Integrable Kondo impurity in one-dimensional  $q$ -deformed  $t$ - $J$  models' 6197
- Gemperle F: *see* Znojil M 5781
- Gentz B: *see* Berglund N 2057
- Gérard C: *see* Foster D P L75
- Geyler V A: *see* Brüning J 4239
- Ghanam R: Einstein metrics with  $A_{16}$ -type holonomy 61
- Ghandour G I: *see* Davis E D 5875
- Ghosh S: 'Gauging' the fluid 10747
- Giachetta G, Mangiarotti L and Sardanashvily G: Action–angle coordinates for time-dependent completely integrable Hamiltonian systems L439
- Giacobbe A: Some remarks on the Gelfand–Cetlin system 10591
- Giménez A: *see* Ferrández A 8243
- Ginelli F, Livi R and Politi A: Emergence of chaotic behaviour in linearly stable systems 499
- Gisin N: *see* Bourennane M 10065
- Gitman D M: *see* Bagrov V G 175
- Giusiano G: *see* Burioni R 217
- Goedert J: *see* Haas F 9943
- Golshani M: *see* Shafiee A 8627
- Gómez F: *see* Gadella M 8505
- Gomišček G: *see* Kralj-Iglič V 1533
- González-López A: *see* Álvarez G 8705
- Goscinski O: *see* Mauritz Andersson L 7787
- Gould M D, Zhang Y-Z and Zhao S-Y: Supersymmetric  $t$ - $J$  Gaudin models and KZ equations 9381
- Gould M D: *see* Ge X-Y 6197
- Gould M D: *see* Links J 6459

- Graber J L: *see* Rosensteel G [L535](#)
- Gracey J A: Critical exponents from the large  $N$  expansion for the three-dimensional  $O(3)$   $\sigma$  model [9701](#)
- Gràcia X and Pons J M: Symmetries and infinitesimal symmetries of singular differential equations [5059](#)
- Grammaticos B: *see* Kimura K [9205](#)
- Grammaticos B: *see* Ohta Y [L653](#)
- Grammaticos B: *see* Ramani A [7943](#)
- Grammaticos B: *see* Tokihiro T [5943](#)
- Granados V D: *see* Campoy G [4903](#)
- Granados V D: *see* Mota R D [2979](#)
- Grassberger P: *see* Hsu H-P [L759](#)
- Grava T: *see* Chen Yang [L45](#)
- Green N J B: *see* Clifford P [5795](#)
- Greentree A D: *see* Schirmer S G [8315](#)
- Griffin J: *see* Chen Yang [637](#)
- Grigni M: *see* Boettcher S [1109](#)
- Grigore D R and Verbaarschot J J M: The structure of the anomalies of gauge theories in the causal approach [3803](#)
- Grigore D R: The structure of the anomalies of gauge theories in the causal approach [1665](#)
- Grimm U: Spectrum of a duality-twisted Ising quantum chain [L25](#)
- Groenevelt W and Koelink E: Meixner functions and polynomials related to Lie algebra representations [65](#)
- Grossel Ph, Depasse F and Vigoureux J-M: Reflection and transmission behaviour of a particle in a resonant tunnelling barrier [9787](#)
- Grossmann F and Herman M F: Comment on ‘Semiclassical approximations in phase space with coherent states’ [9489](#)
- Grosu I: *see* Crisan M [239](#)
- Grundland A M: *see* Levi D [L67](#)
- Grübl G and Rheinberger K: Time of arrival from Bohmian flow [2907](#)
- Grypeos M E, Koutroulos C G and Petridou Th A: The HVT technique and the treatment of two basic inequalities [2223](#)
- Gu Zhi-Yu: *see* Qian Shang-Wu [3733](#)
- Guerrero J: *see* Aldaya V [L627](#)
- Guillot J C: *see* Dimassi M [7597](#)
- Guillot J-C and Robert J: The multipolar Hamiltonian in QED for moving atoms and ions [5023](#)
- Gutter E: *see* Bouttier J [3821](#)
- Gutter E: *see* Di Francesco P [897](#)
- Güngör F: Symmetries and invariant solutions of the two-dimensional variable coefficient Burgers equation [1805](#)
- Gurarie V and Ludwig A W W: Conformal algebras of two-dimensional disordered systems [L377](#)
- Gurevich D and Saponov P: Quantum line bundles on a noncommutative sphere [9629](#)
- Gurzadyan V G: *see* Allahverdyan A E [7243](#)
- Gusev A A: *see* Chuluunbaatar O [L513](#)
- Gutman S and Ramm A G: Numerical implementation of the MRC method for obstacle scattering problems [8065](#)
- Guttal V: *see* Chowdhury D [L573](#)
- Guyen J: *see* Capovilla R [6233](#)
- Guyen J: *see* Capovilla R [6571](#)
- Haake F: *see* Braun P A [1381](#)
- Haas F and Goedert J: Comment on ‘A note on the construction of the Ermakov–Lewis invariant’ [9943](#)
- Haas F: Generalized Hamiltonian structures for Ermakov systems [2925](#)
- Haba Z: The  $\Phi^4$  quantum field in a scale invariant random metric [7425](#)
- Hager J S: Six-loop renormalization group functions of  $O(n)$ -symmetric  $\phi^6$ -theory and  $\epsilon$ -expansions of tricritical exponents up to  $\epsilon^3$  [2703](#)
- Hägerstrand H: *see* Kralj-Iglič V [1533](#)
- Hagiwara Y: Nambu–Dirac manifolds [1263](#)
- Hahne G E: Schrödinger equation for joint bidirectional motion in time [7101](#)
- Hall M J W and Reginatto M: Schrödinger equation from an exact uncertainty principle [3289](#)
- Hall R L and Katatbeh Q D: Generalized comparison theorems in quantum mechanics [8727](#)
- Hall R L: *see* Saad N [4105](#)
- Halliday I, Hammond L A and Care C M: Enhanced closure scheme for lattice Boltzmann equation hydrodynamics [L157](#)
- Halliday I: *see* Hammond L A [9945](#)
- Hamel A M: *see* McAven L F [1719](#)
- Hammond L A, Halliday I, Care C M and Stevens A: Lattice Boltzmann equation calculation of internal, pressure-driven turbulent flow [9945](#)
- Hammond L A: *see* Halliday I [L157](#)
- Handy C R, Msezane A Z and Yan Z: Generation of converging Regge-pole bounds for arbitrary rational fraction scattering potentials [6359](#)
- Hannay J H: Comment on ‘Hannay angle in an LCR circuit with time-dependent inductance, capacity and resistance’ [9699](#)
- Haselwandter C and Vvedensky D D: Fluctuations in the lattice gas for Burgers’ equation [L579](#)
- Hasenbusch M: *see* Caselle M [4861](#)
- Hastings M B: Comment on ‘Large- $N$  theory of strongly commensurate dirty bosons: absence of a transition in two dimensions’ [2519](#)
- Hayashi M: Optimal sequence of quantum measurements in the sense of Stein’s lemma in quantum hypothesis testing [10759](#)

- Hayashi M: Two quantum analogues of Fisher information from a large deviation viewpoint of quantum estimation 7689
- He J: *see* Chen J 7995
- He L: *see* Bai C 10053
- Healy W P: Comment on ‘The effect of radial acceleration on the electric and magnetic fields of circular currents and rotating charges’ 2527
- Hellberg M A: *see* Verheest F 795
- Heller E J: *see* Bies W E 5673
- Helminck A G: *see* Helminck G F 8531
- Helminck G F and Helminck A G: Hilbert flag varieties and their Kähler structure 8531
- Henderson K L and Barenghi C F: The stability of a superfluid rotating jet 9645
- Henkel M: *see* Picone A 5575
- Hennings M A: *see* Dubin D A 9113
- Henry B I: *see* Batchelor M T 5951
- Herbut F: Hermitian Schmidt decomposition and twin observables of bipartite mixed states 1691
- Herbut F: Necessary and sufficient range-dimension conditions for bipartite quantum correlations 7607
- Herbut I F: *see* Case M J 2523
- Herman M F: *see* Grossmann F 9489
- Hernández-Bermejo B and Brenig L: Quasipolynomial generalization of Lotka–Volterra mappings 5453
- Hernandez-Sierra A: *see* Alonso M 6271
- Herranz F J and Santander M: Conformal symmetries of spacetimes 6601
- Herranz F J and Santander M: Conformal compactification of spacetimes 6619
- Herranz F J: *see* Aizawa N 8179
- Herrero H: *see* Hoyas S 4067
- Heumann R: The classical supersymmetric Coulomb problem 7437
- Heusler S: *see* Braun P A 1381
- Hickling F: *see* Arrigo D J L389
- Hilhorst H J: *see* Antal T 8145
- Hinrichsen H: *see* Dammer S M 4527
- Hinrichsen H: *see* Sittler L 10531
- Hioe F T and Salter T S: Special set and solutions of coupled nonlinear Schrödinger equations 8913
- Hiroshima F: Embedded eigenvalues, localization and asymptotics of quantum field models: a functional integral approach 351
- Hirota R: *see* Kimura K 9205
- Hnizdo V: Comment on ‘Self-dressing and radiation reaction in classical electrodynamics’ 8961
- Holdsworth P C W: *see* Portelli B 1231
- Holm D D: Variational principles for Lagrangian-averaged fluid dynamics 679
- Holtmann S: *see* Cucchieri A 6517
- Hong S-T, Kim Y-W, Park Y-J and Rothe K D: Symplectic quantization of self-dual master Lagrangian 7461
- Hopcraft K I, Jakeman E and Matthews J O: Generation and monitoring of a discrete stable random process L745
- Hopcraft K I: *see* Annibaldi S V 8635
- Hornig G and Mayer C: Towards a third-order topological invariant for magnetic fields 3945
- Horton G and Dewdney C: Reply to ‘Comment on “Time-like flows of energy momentum and particle trajectories for the Klein–Gordon equation”’ 7963
- Horton G: *see* Dewdney C 10117
- Hou Bo-yu, Hou Bo-yuan and Yue Ruihong: A fuzzy-sphere-bimodule ABS construction for obtaining exact soliton solutions 2937
- Hou Bo-Yu, Yang Wen-Li, Zhang Yao-Zhong and Zhen Yi: The  $q$ -deformed supersymmetric  $t$ - $J$  model with a boundary 2593
- Hou Bo-yuan: *see* Hou Bo-yu 2937
- Howard I A, March N H and Nieto L M: The determination of the Dirac density matrix of the  $d$ -dimensional harmonic oscillator for an arbitrary number of closed shells 4985
- Howard I A and March N H: Total kinetic energy density for closed shells in a bare Coulomb field solely in terms of  $s$ -state information L635
- Howls C J: *see* Álvarez G 4003
- Howls C J: *see* Álvarez G 4017
- Hoyas S, Herrero H and Mancho A M: Thermal convection in a cylindrical annulus heated laterally 4067
- Hsu H-P and Grassberger P: Collapsed two-dimensional polymers on a cylinder L759
- Hu Bambi: *see* Zhang Degang 3009
- Hu C-K: *see* Ivashkevich E V 5543
- Hu C-K: *see* Wu M-C 5189
- Hua B: *see* Chen J 7995
- Hua C-C, Lu Q-S and Twizell E H: A time-dependent model: bifurcating transition, control and pulsing oscillation 6091
- Huang Ding-wei and Lin Yen-ling: Reply to ‘Comment on “Garden of Eden states in a traffic model revisited”’ 1323
- Hucht A: On the symmetry of universal finite-size scaling functions in anisotropic systems L481
- Hucht A: *see* Lübeck S 4853
- Huillet T: Renewal processes and the Hurst effect 4395
- Hussin V: *see* Daoud M 7381
- Iatrou A: *see* Roberts J A G 2309
- Id Betan R: *see* Castagnino M 6055
- Iglói F: *see* Anglès d’Auriac J-Ch 6973
- Iglesias D and Marrero J C: Lie algebroid foliations and  $\mathcal{E}^1(M)$ -Dirac structures 4085

- Iglič A: *see* Kralj-Iglič V 1533
- Igonin S and Martini R: Prolongation structure of the Krichever–Novikov equation 9801
- Igonin S: Conservation laws for multidimensional systems and related linear algebra problems 10607
- Ikeda K S: *see* Shudo A L225
- Imai H: *see* Fan H 7415
- Inoue R: The lattice Toda field theory and lattice  $\mathcal{W}$  algebras for  $B_2$  and  $C_2$  1013
- Inozemtsev V I: *see* Calogero F 10365
- Ioffe M V and Neelov A I: Intertwining relations for the matrix Calogero-like models: supersymmetry and shape invariance 7613
- Ioffe M V: *see* Cannata F 1389
- Iona S and Calogero F: Integrable systems of quartic oscillators in ordinary (three-dimensional) space 3091
- Irac-Astaud M: *see* Bertrand J 7347
- Ishii Y: *see* Shudo A L225
- Ishikawa H: An accurate method for numerical calculations in quantum mechanics 4453
- Ishio H: *see* Berry M V 5961
- Ishio H: *see* Saichev A I L87
- Ishizaka S: The reduction of the closest disentangled states 8075
- Isidro J M: Duality and the geometry of quantum mechanics 3305
- Isojima S, Willox R and Satsuma J: On various solutions of the coupled KP equation 6893
- Itoh T, Oh P and Ryou C: Duality and enhanced gauge symmetry in  $2 + 1$  dimensions 1025
- Itoyama H and Oota T: Normalization of off-shell boundary state,  $g$ -function and zeta function regularization 9395
- Iucci A and Naón C M: Improved harmonic approximation and the 2D Ising model at  $T \neq T_c$  and  $h \neq 0$  8005
- Ivanov I B: *see* Bunakov V E 1907
- Ivanova O A: *see* Andreev V A 8587
- Ivashkevich E V, Sh Izmailian N and Hu C-K: Kronecker's double series and exact asymptotic expansions for free models of statistical mechanics on torus 5543
- Iwasaki K, Kajiwara K and Nakamura T: Generating function associated with the rational solutions of the Painlevé II equation L207
- Jacobsen J L and Zinn-Justin P: A transfer matrix for the backbone exponent of two-dimensional percolation 2131
- Jafarpour M and Afshar D: Calculation of energy eigenvalues for the quantum anharmonic oscillator with a polynomial potential 87
- Jakeman E: *see* Hopcraft K I L745
- Jakóbczyk L: Entangling two qubits by dissipation 6383
- James E W and Soteros C E: Critical exponents for square lattice trails with a fixed number of vertices of degree 4 9273
- James E W and Whittington S G: Extent of self-averaging in the statistical mechanics of finite random copolymers 3203
- Janke W, Johnston D A and Stathakopoulos M: A Kertesz line on planar random graphs 7575
- Janse van Rensburg E J: *see* Rechnitzer A L605
- Janyška J and Modugno M: Covariant Schrödinger operator 8407
- Japaridze G S: Space of state vectors in  $\mathcal{PT}$ -symmetric quantum mechanics 1709
- Jara P and Jódar J: Finite-dimensional duality on the generalized Lie algebra  $\mathfrak{sl}(2)_q$  3683
- Jaramillo J L: *see* Aldaya V L627
- Jefimenko O D: Torque exerted by a moving electric charge on a stationary electric charge distribution 5305
- Jellal A and El Kinani E H: Graded  $q$ -pseudo-differential operators and supersymmetric algebras 3697
- Jentschura U D and Pachucki K: Two-loop self-energy corrections to the fine structure 1927
- Jiang R and Wu Q: Traffic patterns induced by the merging of two moving car platoons with different densities 2145
- Jódar J: *see* Jara P 3683
- Johansson M: *see* Morgante A M 4999
- Johnston D A and Malmini R P K C: Decorating random quadrangulations L81
- Johnston D A: *see* Janke W 7575
- Johnston D A: *see* Dolan B P 9025
- Joyce G S: Exact evaluation of the simple cubic lattice Green function for a general lattice point 9811
- Joyce W P and Martin J G: Equivalence of Dirac formulations 4729
- Joyce W P: Gauge freedom of Dirac theory in complexified spacetime algebra 4737
- Joyce W P: Reply to Comment on 'Dirac theory in spacetime algebra' 4797
- Kafri Y, Levine E, Mukamel D and Török J: Sharp crossover and anomalously large correlation length in driven systems L459
- Kafri Y: *see* Evans M R L433
- between a  $2 \times 2$  matrix and second-order scalar spectral problems for integrable equations L13
- Kälbermann G: Wave packet diffraction in the Kronig–Penney model 1045
- Kälbermann G: Single- and double-slit scattering of wavepackets 4599
- Kälbermann G: Wave packets falling under a mirror 9829
- Kamenev A: *see* Nishigaki S M 457
- Kajiwara K: *see* Iwasaki K L207

- Kalhous M: *see* Skála L [L167](#)
- Kalisch F and Braak D: Exact density of states for finite Gaussian random matrix ensembles via supersymmetry [9957](#)
- Kalmykov Yu P: *see* Coffey W T [6789](#)
- Kalnins E G, Williams G C, Miller Jr W and Pogosyan G S: On superintegrable symmetry-breaking potentials in  $N$ -dimensional Euclidean space [4755](#)
- Kalpakides V K: *see* Maugin G A [10775](#)
- Kamata M and Nakamura A: Riemann–Liouville integrals of fractional order and extended KP hierarchy [9657](#)
- Kamchatnov A M and Kraenkel R A: On the relationship between a  $2 \times 2$  matrix and second-order scalar spectral problems for integrable equations [L13](#)
- Kamenev A: *see* Nishigaki S M [4571](#)
- Kanfouf A D, Füzfa A and Lambert D: Some examples of exponentially harmonic maps [7629](#)
- Kaniadakis G and Scarfone A M: Cole–Hopf-like transformation for Schrödinger equations containing complex nonlinearities [1943](#)
- Kanter I: *see* Rosen-Zvi M [L707](#)
- Kanzieper E: Eigenvalue correlations in non-Hermitian symplectic random matrices [6631](#)
- Karakhanyan D: *see* Arnaudon D [2353](#)
- Karlsson A: *see* Bourennane M [10065](#)
- Karlsson H O: *see* Mauritz Andersson L [7787](#)
- Karowski M: *see* Babujian H [9081](#)
- Kashaev R M: *see* Faddeev L D [4043](#)
- Katatbeh Q D: *see* Hall R L [8727](#)
- Kaushal R S and Parthasarathi: Quantum mechanics of complex Hamiltonian systems in one dimension [8743](#)
- Kavaklıoğlu Ö: On Schlömilch series representation for the transverse electric multiple scattering by an infinite grating of insulating dielectric circular cylinders at oblique incidence [2229](#)
- Kawai T: *see* Aoki T [2401](#)
- Kawamura M and Okada M: Transient dynamics for sequence processing neural networks [253](#)
- Keane A J: Spectrum generating algebras for the classical Kepler problem [8083](#)
- Kearney M J: Staircase polygons, scaling functions and asymmetric compact directed percolation [L731](#)
- Kearney M J: Compact directed percolation with modified boundary rules: a forest fire model [L421](#)
- Kearney M J: On an exactly solvable compact cluster growth model on a square lattice [4553](#)
- Keating J P: *see* Berry M V [L1](#)
- Keck F and Korsch H J: Infinite-variable Bessel functions in two-dimensional Wannier–Stark systems [L105](#)
- Keck F: *see* Baranger M [9493](#)
- Kenna R: *see* Dolan B P [9025](#)
- Kennedy P: The Woods–Saxon potential in the Dirac equation [689](#)
- Kennedy P and Dombey N: Low momentum scattering in the Dirac equation [6645](#)
- Keppert M: *see* Oitmaa J [L219](#)
- Kerimov A: The relationship between phase transitions and percolation in models with ground-state degeneracy [5365](#)
- Kerimov G A and Seckin-Gorgun N: On scattering systems related to the  $SO(2, 1)$  group: II [6659](#)
- Kerner B S and Klenov S L: A microscopic model for phase transitions in traffic flow [L31](#)
- Kerner B S, Klenov S L and Wolf D E: Cellular automata approach to three-phase traffic theory [9971](#)
- Kevrekidis I G: *see* Kevrekidis P G [267](#)
- Kevrekidis P G, Kevrekidis I G and Malomed B A: Stability of solitary waves in finite Ablowitz–Ladik lattices [267](#)
- Kevrekidis P G, Konotop V V, Bishop A R and Takeno S: Discrete compactons: some exact results [L641](#)
- Khachatourian A V M and Wistrom A O: Electrostatic pair-interaction force between semi-permeable membranes [2159](#)
- Khan K M and Ahmad W: NO–CO catalytic reaction on a square lattice: the effect of the Eley–Rideal mechanism [2713](#)
- Khan K M and Albano E V: Surface–subsurface model for a dimer–dimer catalytic reaction: a Monte Carlo simulation study [1167](#)
- Khan K M, Basit A and Albano E V: The effect of Na concentration on the kinetic phase transitions of a monomer–dimer reaction system on an Na-promoted surface [3855](#)
- Khare A: *see* Cooper F [10085](#)
- Kidun O, Fominykh N and Berakdar J: Scattering and bound-state problems with non-local potentials: application of the variable-phase approach [9413](#)
- Kiefer C: *see* Diósi L [2675](#)
- Kim C K: *see* Lu W-F [21](#)
- Kim Chul Koo: *see* Lu Wen-Fa [393](#)
- Kim J, Lee S and Chi D P: Quantum functional oracles [6911](#)
- Kim J-H: A diffusion process for the asymptotic limit of a noncentred stochastic system [1821](#)
- Kim J: Transition behaviour in the asymptotic long-time limit and theoretical approach [7305](#)
- Kim Y-W: *see* Hong S-T [7461](#)
- Kimura K, Yahagi H, Hirota R, Ramani A, Grammaticos B and Ohta Y: A new class of integrable discrete systems [9205](#)
- King J R and Wattis J A D: Asymptotic solutions

- of the Becker–Döring equations with size-dependent rate constants [1357](#)
- King J R: *see* Richardson G [9857](#)
- King R C and Wybourne B G: Multiplicity-free tensor products of irreducible representations of the exceptional Lie groups [3489](#)
- Kinzel W: *see* Rosen-Zvi M [L707](#)
- Kitanine N, Maillet J M, Slavnov N A and Terras V: Emptiness formation probability of the XXZ spin- $\frac{1}{2}$  Heisenberg chain at  $\Delta = \frac{1}{2}$  [L385](#)
- Kitanine N, Maillet J M, Slavnov N A and Terras V: Large distance asymptotic behaviour of the emptiness formation probability of the XXZ spin- $\frac{1}{2}$  Heisenberg chain [L753](#)
- Klages R and Korabel N: Understanding deterministic diffusion by correlated random walks [4823](#)
- Kleber M: *see* Kramer T [8361](#)
- Klein A and Dreizler R M: Extension of Kohn–Sham theory to excited states by means of an off-diagonal density array [2685](#)
- Kleinekathöfer U: *see* Čápek V [5521](#)
- Klenov S L: *see* Kerner B S [L31](#)
- Klenov S L: *see* Kerner B S [9971](#)
- Klimek M: Stationarity–conservation laws for fractional differential equations with variable coefficients [6675](#)
- Klimov A B and Espinoza P: Moyal-like form of the star product for generalized  $SU(2)$  Stratonovich–Weyl symbols [8435](#)
- Klimov A B, Man’ko O V, Man’ko V I, Smirnov Yu F and Tolstoy V N: Tomographic representation of spin and quark states [6101](#)
- Klimyk A U: *see* Atakishiyev N M [5267](#)
- Kłos J and Kobe S: Simulated annealing with Tsallis weights for a system of interacting hard spheres [6261](#)
- Klusoň J: Remark on the string field for a general configuration of  $N$  D-instantons [5093](#)
- Klümper A and Sakai K: The thermal conductivity of the spin- $\frac{1}{2}$  XXZ chain at arbitrary temperature [2173](#)
- Knežević M and Vannimenus J: On directed interacting animals and directed percolation [2725](#)
- Knospe W, Santen L, Schadschneider A and Schreckenberg M: A realistic two-lane traffic model for highway traffic [3369](#)
- Kob W: *see* Brangian C [191](#)
- Kobe S: *see* Kłos J [6261](#)
- Koç R, Koca M and Körcük E: A new class of quasi-exactly solvable potentials with a position-dependent mass [L527](#)
- Koca M: *see* Koç R [L527](#)
- Koca M: *see* Koç R [9425](#)
- Koç R, Koca M and Tütüncüler H: Quasi exact solution of the Rabi Hamiltonian [9425](#)
- Kodama Y and Konopelchenko B G: Singular sector of the Burgers–Hopf hierarchy and deformations of hyperelliptic curves [L489](#)
- Koelink E: *see* Groenevelt W [65](#)
- Kolesik M: *see* Rikvold P A [L117](#)
- Kolev B: *see* Constantin A [R51](#)
- Koller W: *see* Ertler C [8673](#)
- Kondratieva M F: *see* Osborn T A [5279](#)
- Konopelchenko B G and Schief W K: Menelaus’ theorem, Clifford configurations and inversive geometry of the Schwarzian KP hierarchy [6125](#)
- Konopelchenko B G: *see* Kodama Y [L489](#)
- Konotop V V: *see* Kevrekidis P G [L641](#)
- Kopidakis G: *see* Morgante A M [4999](#)
- Korabel N: *see* Klages R [4823](#)
- Körcük E: *see* Koç R [L527](#)
- Korepin V E: *see* Boos H E [4443](#)
- Korff C and Roditi I: Quantum superalgebras at roots of unity and non-Abelian symmetries of integrable models [5115](#)
- Kormos M and Palla L: Some semi-classical issues in the boundary sine-Gordon model [5471](#)
- Korovnichenko A: *see* Zhedanov A [5767](#)
- Korsch H J: *see* Baranger M [9493](#)
- Korsch H J: *see* Keck F [L105](#)
- Korsch H J: *see* Thylwe K-E [7507](#)
- Korzhenevskii A L, Bausch R and Schmitz R: Coating of moving domain boundaries by a diffusive ordered phase [4565](#)
- Koshelkin A V: Bremsstrahlung by high-energy particles in matter [8763](#)
- Kotovych O and Bowman J C: An exactly conservative integrator for the  $n$ -body problem [7849](#)
- Koutroulos C G: *see* Grypeos M E [2223](#)
- Kovalsky A E and Pronko G P: On the algebraic Bethe ansatz for the XXX spin chain: creation operators ‘beyond the equator’ [L509](#)
- Kowalski K and Rembieliński J: On the uncertainty relations and squeezed states for the quantum mechanics on a circle [1405](#)
- Kozłowski P: *see* Bollé D [2093](#)
- Kozyrev S V: *see* Avetisov V A [177](#)
- Kraenkel R A: *see* Kamchatnov A M [L13](#)
- Kralj-Iglič V, Iglič A, Gomišček G, Sevšek F, Arrigler V and Hägerstrand H: Microtubes and nanotubes of a phospholipid bilayer membrane [1533](#)
- Kramer P and Lorente M: The double torus as a 2D cosmos: groups, geometry and closed geodesics [1961](#)
- Kramer P and Lorente M: Surface embedding, topology and dualization for spin networks [8563](#)
- Kramer T, Bracher C and Kleber M: Matter



- waves from quantum sources in a force field 8361
- Krapivsky P L and Ben-Naim E: Nontrivial velocity distributions in inelastic gases L147
- Krapivsky P L and Redner S: Finiteness and fluctuations in growing networks 9517
- Krapivsky P L: *see* Ben-Naim E L557
- Kříž J: *see* Dittrich J L269
- Krokhmal'skii T: *see* Derzhko O 3573
- Krutikov D: Asymptotics of the Fourier transform of the spectral measure for Schrödinger operators with bounded and unbounded sparse potentials 6393
- Kudryashov N A: One generalization of the second Painlevé hierarchy 93
- Kudryashov N A: Fourth-order analogies to the Painlevé equations 4617
- Kundu A: Consistent refinement of Bethe strings for spin and electron models and a new non-Bethe solution L125
- Kundu A: New series of integrable vertex models through a unifying approach L447
- Kundu K: A study of a new class of discrete nonlinear Schrödinger equations 8109
- Kuniba A, Okado M, Suzuki J and Yamada Y: Difference  $L$  operators related to  $q$ -characters 1415
- Kurasov P and Stenberg F: On the inverse scattering problem on branching graphs 101
- Kurtsiefer C: *see* Beige A L407
- Kuznetsov V B: Simultaneous separation for the Kowalevski and Goryachev–Chaplygin gyrostats 6419
- Lafortune S: *see* Ramani A 7943
- Lahiri A: Local symmetries of the non-Abelian two-form 8779
- Lahti P: *see* Dubin D A 9113
- Lambert D: *see* Kanfon A D 7629
- Lancaster D: Cluster growth in two growing network models 1179
- Landsberg P T: *see* Badescu V L591
- Larsen S Y: *see* Chuluunbaatar O L513
- Larsson M, Antonyuk V B, Mal'shukov A G, Ma Z and Chao K A: Thermionic current reversal L531
- Laura R: *see* Castagnino M 6055
- Lawrence N: *see* Chen Y 4651
- Lazar M: An elastoplastic theory of dislocations as a physical field theory with torsion 1983
- Lazarides N: *see* Gaididei Y 10409
- Le Méhauté A: *see* Wang Q A 7003
- Leach P G L: *see* Moyo S 5333
- Leahy J V: *see* Schirmer S G 4125
- Leahy J V: *see* Schirmer S G 8551
- Leblond H: KP lumps in ferromagnets: a three-dimensional KdV–Burgers model 10149
- Lebowitz J L: *see* Rokhlenko A 8943
- LeClair A: *see* Bernard D 2555
- Lee Niann-Chern: *see* Tu Ming-Hsien 4375
- Lee S: *see* Kim J 6911
- Lefèvre A: Edwards measure and the steady-state regime of a model with kinetic constraints under tapping 9037
- Lefebvre R: *see* Palma A 419
- Legaré M: Reduced systems of  $(2, 2)$  pseudo-Euclidean noncommutative self-dual Yang–Mills theories 5489
- Lei X L: *see* Wei L F 435
- Leite M M: *see* de Albuquerque L C 1807
- Lemes V E R, Picariello M, Sarandy M S and Sorella S P: Remarks on the BRST cohomology of supersymmetric gauge theories 3703
- Lendi K: *see* van Wonderen A J 9889
- Leon V: *see* Palma A 419
- Leone M: *see* Braunstein A 7559
- Leporati A: *see* Cattaneo G 9755
- Leporini R: *see* Cattaneo G 9755
- Leroux-Hugon P M: Structure of the internal noise in a kinetic model of catalytic reaction L19
- Leschke H, Ruder R and Warzel S: Simple diamagnetic monotonicities for Schrödinger operators with inhomogeneous magnetic fields of constant direction 5701
- Leuzzi L: *see* Crisanti A 481
- Lévai G, Cannata F and Ventura A:  $\mathcal{PT}$ -symmetric potentials and the  $so(2, 2)$  algebra 5041
- Lévai G and Znojil M: The interplay of supersymmetry and  $\mathcal{PT}$  symmetry in quantum mechanics: a case study for the Scarf II potential 8793
- Lévay P: Exactly solvable models of scattering with  $SL(2, \mathbb{C})$  symmetry 6431
- Levi D and Grundland A M: Discrete third-order spectral problems and a new Toda-type equation L67
- Levi D and Winternitz P: Lie point symmetries and commuting flows for equations on lattices 2249
- Levine E: *see* Evans M R L433
- Levine E: *see* Kafri Y L459
- Lewenkopf C H: *see* Ozorio de Almeida A M 10629
- Leyvraz F, Firpo M-C and Ruffo S: Inhomogeneous quasi-stationary states in a mean-field model with repulsive cosine interactions 4413
- Leyvraz F and Ruffo S: Ensemble inequivalence in systems with long-range interactions 285
- Li B, Chen Y and Zhang H: Explicit exact solutions for new general two-dimensional KdV-type and two-dimensional

- KdV–Burgers-type equations with nonlinear terms of any order [8253](#)
- Lin K Y: *see* Chen M [1501](#)
- Lin Qiong-gui: Geometric phases for neutral and charged particles in a time-dependent magnetic field [377](#)
- Lin R, Ma W-X and Zeng Y: Higher order potential expansion for the continuous limits of the Toda hierarchy [4915](#)
- Lin S-S and Roan S-S: Algebraic geometry approach to the Bethe equation for Hofstadter-type models [5907](#)
- Lin Yen-ling: *see* Huang Ding-wei [1323](#)
- Lindell I V: *see* Dassios G [5139](#)
- Links J, Zhou H-Q, Gould M D and McKenzie R H: Integrability and exact spectrum of a pairing model for nucleons [6459](#)
- Links J: *see* Ge X-Y [6197](#)
- Liotta R J: *see* Castagnino M [6055](#)
- Lise S: Self-organization to criticality in a system without conservation law [4641](#)
- Liu B: *see* Liu Y [9535](#)
- Liu Jie: *see* Fu Li-Bin [L181](#)
- Liu Q P: *see* Yu Delong [3779](#)
- Liu Y, Liu B, Yang S-Z and Wang L: Defects related self-diffusion in a two-dimensional dusty plasma crystal [9535](#)
- Liu Zhongzhu: *see* Zhou Xianjun [4495](#)
- Livi R: *see* Ginelli F [499](#)
- Lledó M A: *see* Fioresi R [5687](#)
- Llewellyn Smith S G: Scattering of acoustic waves by a superfluid vortex [3597](#)
- Llibre J: *see* Cairó L [589](#)
- Llibre J: *see* Christopher C [2457](#)
- Lo Iudice N: *see* Androozzi F [L61](#)
- Longinetti M, Parigi G and Sgheri L: Uniqueness and degeneracy in the localization of rigid structural elements in paramagnetic proteins [8153](#)
- López A: *see* Ciccolini M L [10077](#)
- Lorente M: *see* Kramer P [1961](#)
- Lorente M: *see* Kramer P [8563](#)
- Lou S-Y:  $(2 + 1)$ -dimensional compacton solutions with and without completely elastic interaction properties [10619](#)
- Lou S-y: *see* Tang X-y [L293](#)
- Loubenets E R: *see* Barndorff-Nielsen O E [565](#)
- Low S G: Representations of the canonical group, (the semidirect product of the unitary and Weyl–Heisenberg groups), acting as a dynamical group on noncommutative extended phase space [5711](#)
- Lu Q-S: *see* Hua C-C [6091](#)
- Lu W-F, You S K, Bak J, Kim C K and Nahm K: A variational expansion for the free energy of a bosonic system [21](#)
- Lu Wen-Fa and Kim Chul Koo: Gaussian effective potential and Coleman’s normal-ordering prescription: the functional integral formalism [393](#)
- Lübeck S and Hucht A: The mean-field scaling function of the universality class of absorbing phase transitions with a conserved field [4853](#)
- Lübeck S and Willmann R D: Universal scaling behaviour of directed percolation and the pair contact process in an external field [10205](#)
- Lucarelli D: Chow’s theorem and universal holonomic quantum computation [5107](#)
- Lucas P: *see* Ferrández A [8243](#)
- Ludu A: *see* Eichmann U A [6075](#)
- Ludwig A W W: *see* Gurarie V [L377](#)
- Lugiewicz P and Olkiewicz R: Decoherence in infinite quantum systems [6695](#)
- Luis A: Visibility for anharmonic fringes [8805](#)
- Luo Jun: *see* Zhou Xianjun [4495](#)
- Luo S: Fisher information, kinetic energy and uncertainty relation inequalities [5181](#)
- Luo S, Wang Z and Zhang Q: An inequality for characteristic functions and its applications to uncertainty relations and the quantum Zeno effect [5935](#)
- Lustemberg P: *see* Carlo G G [7965](#)
- Lyakhovskiy V D and del Olmo M A: Quantization of Lie–Poisson structures by peripheric chains [5731](#)
- Lyman E and Schmittmann B: Phase diagram of a driven interacting three-state lattice gas [L213](#)
- Ma W-X: *see* Lin R [4915](#)
- Ma Y-Q: *see* Yang X-Q [10539](#)
- Ma Z: *see* Larsson M [L531](#)
- Maaouni A and Amri A: Overhead line switching transients [7125](#)
- Mace R L: *see* Verheest F [795](#)
- Machnikowski P: *see* Radosz A [L101](#)
- MacKay N J: Rational  $K$ -matrices and representations of twisted Yangians [7865](#)
- MacKay R S and Sepulchre J-A: Effective Hamiltonian for travelling discrete breathers [3985](#)
- Mackay T D, Bartlett S D, Stephenson L T and Sanders B C: Quantum walks in higher dimensions [2745](#)
- Macris N and Ouvry S: Projection on higher Landau levels and non-commutative geometry [4477](#)
- Macris N and Ouvry S: Projection on higher Landau levels and non-commutative geometry [8883](#)
- Macris N: *see* Ferrari C [6339](#)
- Madras N and Whittington S G: Self-averaging in finite random copolymers [L427](#)
- Maes C and Netočný K: Spacetime expansions for weakly coupled interacting particle systems [3053](#)

- Magnasco V: *see* Battezzati M 5653
- Mahalingam A and Porsezian K: Propagation of dark solitons in a system of coupled higher-order nonlinear Schrödinger equations 3099
- Mahjani M G: *see* Shafiee A 8627
- Maillard J-M: *see* Anglès d'Auriac J-Ch 4801
- Maillard J-M: *see* Anglès d'Auriac J-Ch 9251
- Maillet J M: *see* Kitanine N L385
- Maillet J M: *see* Kitanine N L753
- Majerník V and Majerníková E: Standard and entropic uncertainty relations of the finite well 5751
- Majerníková E: *see* Majerník V 5751
- Majewski A W: On entanglement of formation 123
- Majumdar K and Mukherjee M: Logarithmic corrections to finite-size spectrum of  $SU(N)$  symmetric quantum chains L543
- Majumdar S N: *see* Comtet A L687
- Majumdar S N: *see* Dean D S L501
- Mal'shukov A G: *see* Larsson M L531
- Malbouisson A P C and Malbouisson J M C: Boundary dependence of the coupling constant and the mass in the vector  $N$ -component  $(\lambda\phi^4)_D$  theory 2263
- Malbouisson J M C: *see* Malbouisson A P C 2263
- Malik G P and Malik U: A nonlinear model having solutions akin to Abrikosov's mixed state 2005
- Malik R P: Superfield approach to BRST cohomology 3711
- Malik R P: Topological aspects of Abelian gauge theory in superfield formulation 6919
- Malik R P: Superfield approach to topological features of non-Abelian gauge theory 8817
- Malik U: *see* Malik G P 2005
- Mallick K: *see* Boutillier C 9703
- Mallick S: *see* Boutillier C 9703
- Malmini R P K C: *see* Johnston D A L81
- Malomed B A: *see* Kevrekidis P G 267
- Malovrh J and Prosen T: Spectral statistics of a system with sharply divided phase space 2483
- Man'ko O V, Man'ko V I and Marmo G: Alternative commutation relations, star products and tomography 699
- Man'ko O V: *see* Klimov A B 6101
- Man'ko V I, Marmo G, Sudarshan E C G and Zaccaria F: Interference and entanglement: an intrinsic approach 7137
- Man'ko V I: *see* Klimov A B 6101
- Man'ko V I: *see* Man'ko O V 699
- Mañas M, Martínez Alonso L and Medina E: Reductions and hodograph solutions of the dispersionless KP hierarchy 401
- Mančal T: *see* Čápek V 2111
- Mancho A M: *see* Hoyas S 4067
- Mandilara A: *see* Bender C M L467
- Mangiarotti L: *see* Giachetta G L439
- Mankoč Borštnik N and Nielsen H B: Why Nature has made a choice of one time and three space coordinates? 10563
- Maraldi N M: *see* Santoro R 1871
- March N H: *see* Howard I A L635
- March N H: *see* Howard I A 4985
- Marchetti F M and Simons B D: Tail states in disordered superconductors with magnetic impurities: the unitarity limit 4201
- Marciniak K and Błaszak M: Separation of variables in quasi-potential systems of bi-cofactor form 2947
- Marenduzzo D, Maritan A and Seno F: Force-induced unfolding of a homopolymer on a fractal lattice: exact results versus mean-field predictions L233
- Marenduzzo D: *see* Bhattacharjee S M L349
- Margulis V A: *see* Brüning J 4239
- Marinari E, Parisi G and Ruiz-Lorenzo J J: Low  $T$  dynamical properties of spin glasses smoothly extrapolate to  $T = 0$  6805
- Maritan A: *see* Marenduzzo D L233
- Marmo G, Morandi G, Simoni A and Ventriglia F: Alternative structures and bi-Hamiltonian systems 8393
- Marmo G: *see* Cariñena J F L679
- Marmo G: *see* Man'ko O V 699
- Marmo G: *see* Man'ko V I 7137
- Marrero J C: *see* Iglesias D 4085
- Martínez Alonso L: *see* Mañas M 401
- Martínez E: *see* Mestdag T 9843
- Martin J G: *see* Joyce W P 4729
- Martini R: *see* Igonin S 9801
- Martins M J: The excitations of the symplectic integrable models and their applications L261
- Marvan M: Scalar second-order evolution equations possessing an irreducible  $sl_2$ -valued zero-curvature representation 9431
- Massa E, Vignolo S and Bruno D: Non-holonomic Lagrangian and Hamiltonian mechanics: an intrinsic approach 6713
- Masser T: *see* Abad E 1483
- Matiadou L K: *see* Fellouris A G 9183
- Matsumoto K: A new approach to the Cramér–Rao-type bound of the pure-state model 3111
- Matsumoto K: *see* Fan H 7415
- Matsutani S: Hyperelliptic solutions of modified Korteweg–de Vries equation of genus  $g$ : essentials of the Miura transformation 4321
- Matthews J O: *see* Hopcraft K I L745
- Matveenko A V and Czerwonko J: Hyper-trigonometry of the particle triangle: II 8267
- Maugin G A and Kalpakides V K: A Hamiltonian

- formulation for elasticity and thermoelasticity [10775](#)
- Mauritz Andersson L, Åberg J, Karlsson H O and Goscinski O: Properties of a discretized coherent state representation and the relation to Gabor analysis [7787](#)
- Mayer C: *see* Hornig G [3945](#)
- McAven L F and Hamel A M: Calculating symmetric group split-standard transformation coefficients using the block selective method: a proof [1719](#)
- McKenzie R H: *see* Links J [6459](#)
- Medina E: *see* Mañas M [401](#)
- Mehta M L: Zeros of some bi-orthogonal polynomials [517](#)
- Meinke J H: *see* Dobrin R [L247](#)
- Meleshko S V: Group classification of two-dimensional steady viscous gas dynamics equations with arbitrary state equations [3515](#)
- Melrose D B and Russell K: Spin flips in cyclotron emission by an electron [135](#)
- Mendes T: *see* Cucchieri A [6517](#)
- Meng D: *see* Bai C [10053](#)
- Meng D: *see* Yang M [6495](#)
- Mestdag T, Sarlet W and Martínez E: Note on generalized connections and affine bundles [9843](#)
- Metzler R: Antipersistent binary time series [721](#)
- Meurice Y: Arbitrarily accurate eigenvalues for one-dimensional polynomial potentials [8831](#)
- Mielnik B: *see* Fernández C D J [4279](#)
- Mihaila B and Mihaila I: Numerical approximations using Chebyshev polynomial expansions: El-gendi's method revisited [731](#)
- Mihaila B and Shaw R E: Parallel algorithm with spectral convergence for nonlinear integro-differential equations [5315](#)
- Mihaila I: *see* Mihaila B [731](#)
- Mikhailov A V and Novikov V S: Perturbative symmetry approach [4775](#)
- Miklavcic S J and Attard P: Sufficient conditions for the stability and instability of a fluid boundary subjected to local stress [4335](#)
- Milgrom M: Forces in nonlinear media [1437](#)
- Miller A R: On the Mellin transform of a product of two Fox–Wright psi functions [2275](#)
- Miller Jr W: *see* Kalnins E G [4755](#)
- Millev Y: *see* Pickett G [4485](#)
- Miniatura C: *see* Müller C A [10163](#)
- Miri MF and Rivier N: Continuum elasticity with topological defects, including dislocations and extra-matter [1727](#)
- Mirumyan M: *see* Arnaudon D [2353](#)
- Mithaiwala M J: *see* Bohm A R [8479](#)
- Miyamoto M: The various power decays of the survival probability at long times for a free quantum particle [7159](#)
- Mizrahi S S and Dodonov V V: Creating quanta with an ‘annihilation’ operator [8847](#)
- Mizrahi S S and Galetti D: Laguerre moments and generalized functions [3535](#)
- Modugno M: *see* Janyška J [8407](#)
- Moghaddam M S and Whittington S G: A Monte Carlo study of polymer adsorption: random copolymers and random surfaces [33](#)
- Molinari L: *see* Cicuta G M [L51](#)
- Molinari L: *see* Cicuta G M [1125](#)
- Mora J C S T: Matrix methods and local properties of reversible one-dimensional cellular automata [5563](#)
- Morandi G: *see* Marmo G [8393](#)
- Morando P: *see* Gaeta G [3925](#)
- Morgan J D: Relating classical spinning particles to Dirac 4-spinors [3317](#)
- Morgante A M, Johansson M, Aubry S and Kopidakis G: Breather–phonon resonances in finite-size lattices: ‘phantom breathers’? [4999](#)
- Morosi C and Tondo G: The quasi-bi-Hamiltonian formulation of the Lagrange top [1741](#)
- Morozov O: Moving coframes and symmetries of differential equations [2965](#)
- Moshinsky M: The two-body problem with spin in relativistic quantum mechanics: the case of positronium [8467](#)
- Mota R D, Granados V D, Queijeiro A and García J: Constants of motion, ladder operators and supersymmetry of the two-dimensional isotropic harmonic oscillator [2979](#)
- Moyo S and Leach P G L: A note on the construction of the Ermakov–Lewis invariant [5333](#)
- Msezane A Z: *see* Handy C R [6359](#)
- Muga J G: *see* Delgado F [10377](#)
- Mukamel D: *see* Evans M R [L433](#)
- Mukamel D: *see* Kafri Y [L459](#)
- Mukherjee M: *see* Majumdar K [L543](#)
- Mukherjee P: *see* Banerjee R [5591](#)
- Murayama T: Statistical mechanics of the data compression theorem [L95](#)
- Musolff C E: *see* Donev A [L327](#)
- Musso F: *see* Ballesteros Á [8197](#)
- Mustafa O and Znojil M:  $\mathcal{PT}$ -symmetric pseudo-perturbation recipe: an imaginary cubic oscillator with spikes [8929](#)
- Mustafa O: Reply to Comment ‘On large-N expansion’ [10671](#)
- Mustafa O: *see* Znojil M [5781](#)
- Muñoz Masqué J and Rosado María M E: Invariant variational problems on linear frame bundles [2013](#)
- Müller C A and Miniatura C: Multiple scattering of light by atoms with internal degeneracy [10163](#)

- Nagahama H: *see* Yamasaki K 3767
- Nahla A A: *see* Aboanber A E 3245
- Nahla A A: *see* Aboanber A E 9609
- Nahm K: *see* Lu W-F 21
- Nakamura A: *see* Kamata M 9657
- Nakamura S: *see* Furuichi S 5445
- Nakamura T: *see* Iwasaki K L207
- Naón C M: *see* Lucci A 8005
- Navrátil O: *see* Burdík Č 2431
- Neelov A I: *see* Ioffe M V 7613
- Negro J, del Olmo M A and Rodríguez-Marco A:  
Landau quantum systems: an approach based  
on symmetry 2283
- Negro J: *see* Aizawa N 8179
- Nepomechie R I: *see* Delius G W L341
- Netočný K: *see* Maes C 3053
- Nettleton R E: Fisher and Jaynesian statistics  
compared in the description of classical  
fluids 295
- Nielsen H B: *see* Mankoč Borštnik N 10563
- Niemi A J: *see* Faddeev L L133
- Nienhuis B: *see* Pearce P A L661
- Nieto L M: *see* Howard I A 4985
- Nikolov N M, Stanev Ya S and Todorov I T:  
Four-dimensional conformal field theory  
models with rational correlation  
functions 2985
- Nishi C C: *see* De Leo S 5411
- Nishigaki S M and Kamenev A: Replica  
treatment of non-Hermitian disordered  
Hamiltonians 4571
- Nishimori H, Falvo C and Ozeki Y: Energy  
fluctuations at the multicritical point in  
two-dimensional spin glasses 8171
- Nishimori H: Derivatives and inequalities for  
order parameters in the Ising spin glass 9541
- Nishinari K: *see* Chowdhury D L573
- Nishiyama Y: *see* Boos H E 4443
- Nishnianidze D N: *see* Cannata F 1389
- Nivanen L: *see* Wang Q A 7003
- Nokura K: A replica method for the deterministic  
spin model with long range interactions 4973
- Nokura K: A replica mean field theory for the  
long range anti-ferromagnetic spin  
models 8013
- Novikov V S: *see* Mikhailov A V 4775
- Núñez M: The effect of the change of direction of  
the flow velocity in the viscous dissipation of  
active regions 8277
- O'Carroll M: *see* Faria da Veiga P A 4541
- O'Connell R F: *see* Ford G W 4183
- Obermair G M: *see* Chmela F G 2449
- Odake S and Sasaki R: Polynomials associated  
with equilibrium positions in  
Calogero–Moser systems 8283
- Odziejewicz and A Ryzko A: The Darboux-like  
transform and some integrable cases of the  
 $q$ -Riccati equation 747
- Oh P: *see* Itoh T 1025
- Ohta Y, Ramani A and Grammaticos B: Elliptic  
discrete Painlevé equations L653
- Ohta Y: *see* Kimura K 9205
- Oitmaa J and Keppert M: Exact solution of the  
Ising model on a 4–6 lattice L219
- Okada M: *see* Kawamura M 253
- Okado M: *see* Kuniba A 1415
- Olkiewicz R: *see* Ługiewicz P 6695
- Oota T: *see* Itoyama H 9395
- Oppenheim A C, Brak R and Owczarek A L:  
Anisotropic step, mutual contact and area  
weighted festoons and parallelogram  
polyominoes on the triangular lattice 3213
- Oppenheim J, Reznik B and Unruh W G:  
Temporal ordering in quantum  
mechanics 7641
- Ordemann A, Porto M and Roman H E:  
Self-avoiding walks on self-similar structures:  
finite versus infinite ramification 8029
- Orlandini E, Rechnitzer A and Whittington S G:  
Random copolymers and the Morita  
approximation: polymer adsorption and  
polymer localization 7729
- Orlandini E, Tesi M C and Whittington S G:  
Self-averaging in the statistical mechanics of  
some lattice models 4219
- Ortega R and Santander M: Trigonometry of  
'complex Hermitian'-type homogeneous  
symmetric spaces 7877
- Osborn T A and Kondratieva M F: Heisenberg  
evolution WKB and symplectic area  
phases 5279
- Oshanin G and Burlatsky S F: Single-species  
reactions on a random catalytic chain L695
- Osipov V A: *see* Avetisov V A 177
- Ouvry S: *see* Macris N 4477
- Ouvry S: *see* Macris N 8883
- Owczarek A L: *see* Oppenheim A C 3213
- Oxman L E: *see* Fosco C D 8715
- Ozeki Y: *see* Nishimori H 8171
- Ozorio de Almeida A M, Lewenkopf C H and  
Tomsovic S: On resumming periodic orbits in  
the spectra of integrable systems 10629
- Ozorio de Almeida A M: *see* de M Rios P P 2609
- Pacheco A F: *see* Sañudo J 3559
- Pachucki K: *see* Jentschura U D 1927
- Palev T D: *see* Doebner H-D 9367
- Palla L: *see* Kormos M 5471
- Palma A, Leon V and Lefebvre R: Harmonic  
oscillator Floquet states in the  
Bargmann–Segal space 419
- Palmero F: *see* Cuevas J 10519
- Pan F, Zhang X and Draayer J P: Algebraic  
solutions of an  $sl$ -boson system in the  $U(2l +$   
 $1) \longleftrightarrow O(2l + 2)$  transitional region 7173
- Pantazi C: *see* Christopher C 2457

- Papp E: On the description of electrons on a noncommutative plane threaded by a transversal magnetic field 3337
- Parigi G: *see* Longinetti M 8153
- Parisi G: *see* Crisanti A 481
- Parisi G: *see* Marinari E 6805
- Park Y-J: *see* Hong S-T 7461
- Parker D F, Sophocleous C and Radha Ch: Photorefractive accelerating pulses 1283
- Parthasarathi: *see* Kaushal R S 8743
- Patera J and Twarock R: Affine extension of noncrystallographic Coxeter groups and quasicrystals 1551
- Paz G: The non-self-adjointness of the radial momentum operator in  $n$  dimensions 3727
- Pearce P A, Rittenberg V, de Gier J and Nienhuis B: Temperley–Lieb stochastic processes L661
- Pechen A N: *see* Accardi L 4889
- Pecheritsin A A: *see* Debergh N 3279
- Pelissetto A: *see* Caselle M 4861
- Pellonpää J P: *see* Dubin D A 9113
- Pelykh V: Knot points of a double-covariant system of elliptic equations and preferred frames in general relativity 8135
- Peng D-T and Yue R-H: Yang–Baxter equation for the  $R$ -matrix of the 1D  $SU(n)$  Hubbard model 6985
- Peng Daheng and Wang Zhicheng: Existence and nonexistence of global solutions to the Cauchy problem of a class of nonlocal convective reaction–diffusion equations 2491
- Penskoi A V: Ordinary differential equations with superposition formulae: II. Parabolic subgroups of the symplectic group 425
- Perelomov A M: *see* García Fuertes W L335
- Pérez-Oyarzún S: *see* Benguria R D 3409
- Persico F: *see* Compagno G 3629
- Persico F: *see* Compagno G 8965
- Pesz K: A class of Fokker–Planck equations with logarithmic factors in diffusion and drift terms 1827
- Petalidou F: On a new relation between Jacobi and homogeneous Poisson manifolds 2505
- Petkova V B: *see* Furlan P L319
- Petri A: *see* Tomé T 5379
- Petridou Th A: *see* Grypeos M E 2223
- Petz D: Covariance and Fisher information in quantum mechanics 929
- Peysson S and Schoutens K: A form-factor approach to finite-temperature correlation functions in  $c = 1$  CFT 6471
- Pezeril M: *see* Wang Q A 7003
- Picariello M: *see* Lemes V E R 3703
- Pickett G and Millev Y: On the analytic inversion of functions, solution of transcendental equations and infinite self-mappings 4485
- Picone A and Henkel M: Response of non-equilibrium systems with long-range initial correlations 5575
- Pillay S R: *see* Verheest F 795
- Pinamonti N and Toller M: Time observables with projective covariance 3547
- Pinnow H A and Wiese K J: Interacting crumpled manifolds 1195
- Pisani P A G: *see* Falomir H 5427
- Plastino A R: *see* Batle J 10311
- Plastino A: *see* Batle J 10311
- Plebański J F: *see* García-Compeán H 4301
- Plefka T: Dynamic linear response of the SK spin glass coupled microscopically to a bath 8691
- Plenio M B: *see* Eisert J 3911
- Pogosyan G S: *see* Kalnins E G 4755
- Politi A: *see* Ginelli F 499
- Pons J M: *see* Gràcia X 5059
- Popkov V, Fouladvand M E and Schütz G M: A sufficient criterion for integrability of stochastic many-body dynamics and quantum spin chains 7187
- Popov D: Photon-added Barut–Girardello coherent states of the pseudoharmonic oscillator 7205
- Porrino A: *see* Andreozzi F L61
- Porsezian K: *see* Mahalingam A 3099
- Portelli B and Holdsworth P C W: Relevance of soft modes for order parameter fluctuations in the two-dimensional XY model 1231
- Porto M: *see* Ordemann A 8029
- Prandi R: *see* Bangert P D 43
- Pratt J: *see* Turner L 781
- Preissmann M: *see* Anglès d’Auriac J-Ch 6973
- Pronko A G: *see* Bogoliubov N M 5525
- Pronko G P: *see* Kovalsky A E L509
- Prosen T and Žnidarič M: Stability of quantum motion and correlation decay 1455
- Prosen T and Seligman T H: Decoherence of spin echoes 4707
- Prosen T: Ruelle resonances in quantum many-body dynamics L737
- Prosen T: *see* Malovrh J 2483
- Protopopescu V: *see* D’Helon C L597
- Przanowski M and Turrubiates F J: Uncertainty relations in deformation quantization 10643
- Przanowski M: *see* García-Compeán H 4301
- Pucci E and Saccomandi G: On the reduction methods for ordinary differential equations 6145
- Puddu G: Functional integrals for Hartree–Fock–Bogoliubov many-body matrix elements 7919
- Pullen I C H: *see* Schirmer S G 2327
- Pyataev M A: *see* Brüning J 4239
- Qian Shang-Wu and Gu Zhi-Yu: Knotted pictures of entangled states 3733
- Qiu D: Upper bound on the success probability of separation among quantum states 6931

- Quano Y-H: Bootstrap equations and correlation functions for the Heisenberg XYZ antiferromagnet 9549
- Queijeiro A: *see* Mota R D 2979
- Queirós S M D and Ferreira A L: Growth model induced by a random walk of particles 5807
- Quella T: Branching rules of semi-simple Lie algebras using affine extensions 3743
- Quesne C: New  $q$ -deformed coherent states with an explicitly known resolution of unity 9213
- Quesne C: *see* Del Sol Mesa A 2857
- Quispel G R W: *see* Roberts J A G 2309
- Raa B: *see* De Vos A 7063
- Rabitz H: *see* Schirmer S G 8315
- Rác Z: *see* Barrat A 463
- Radha Ch: *see* Parker D F 1283
- Radosz A and Machnikowski P: One-dimensional broken translation symmetry and pseudo-Goldstone excitation L101
- Raginsky M: Entropy production rates of bistochastic strictly contractive quantum channels on a matrix algebra L585
- Ragnisco O: *see* Ballesteros Á 8197
- Ragoucy E: Vertex operators for quantum groups and application to integrable systems 7929
- Rajan P: *see* Faddeev L L133
- Ralko A and Truong T T: Heun functions and the energy spectrum of a charged particle on a sphere under a magnetic field and Coulomb force 9573
- Ralko A and Truong T T: Behaviour of three charged particles on a plane under perpendicular magnetic field 9671
- Ralston J: *see* Dimassi M 7597
- Ramakrishna V: *see* Schirmer S G 8315
- Ramani A, Grammaticos B and Lafortune S: The discrete Chazy III system of Labrunie–Conte is not integrable 7943
- Ramani A: *see* Kimura K 9205
- Ramani A: *see* Ohta Y L653
- Ramani A: *see* Tokihiro T 5943
- Ramm A G: Modified Rayleigh conjecture and applications L357
- Ramm A G: *see* Gutman S 8065
- Rañada M F: *see* Cariñena J F L679
- Raposo E P: *see* Vitoriano C 9049
- Rasmussen J and Walton M A: Affine  $su(3)$  and  $su(4)$  fusion multiplicities as polytope volumes 6939
- Rasmussen J: A non-reductive  $N = 4$  superconformal algebra 2037
- Rasmussen J: *see* Flynn G 10129
- Raychaudhuri S and Shapir Y: Scaling behaviour of randomly alternating surface growth processes 10705
- Read N: *see* Fendley P 10675
- Rechnitzer A and Janse van Rensburg E J: Canonical Monte Carlo determination of the connective constant of self-avoiding walks L605
- Rechnitzer A: *see* Orlandini E 7729
- Redner S: *see* Krapivsky P L 9517
- Regina S: *see* Burioni R 217
- Reginatto M: *see* Hall M J W 3289
- Reimann S and Tupak A: Can constrained percolation be approximated by Bernoulli percolation? 10219
- Rembieliński J: *see* Caban P 3265
- Rembieliński J: *see* Kowalski K 1405
- Repetowicz P: Finite-lattice expansion for the Ising model on the Penrose tiling 7753
- Repka J: *see* Bartlett S D 5599
- Repka J: *see* Bartlett S D 5625
- Requardt M: Dirac operators and the calculation of the Connes metric on arbitrary (infinite) graphs 759
- Reverberi A P, Scalas E and Vegliò F: Numerical solution of moving boundary problems in diffusion processes with attractive and repulsive interactions 1575
- Reznik B: *see* Oppenheim J 7641
- Rheinberger K: *see* Grübl G 2907
- Ricci-Tersenghi F: *see* Braunstein A 7559
- Richardson G and King J R: The evolution of space curves by curvature and torsion 9857
- Ricker M and Trebin H-R: Non-linear generalized elasticity of icosahedral quasicrystals 6953
- Rikvold P A and Kolesik M: Soft versus hard dynamics for field-driven solid-on-solid interfaces L117
- Rintoul M D: *see* Faulon J-L 1
- Rittenberg V: *see* Pearce P A L661
- Rivier N: *see* Miri MF 1727
- Roan S-S: *see* Lin S-S 5907
- Robert J: *see* Guillot J-C 5023
- Roberts J A G, Iatrou A and Quispel G R W: Interchanging parameters and integrals in dynamical systems: the mapping case 2309
- Robnik M: *see* Veble G 4151
- Robnik M: *see* Vraničar M 4929
- Rodić I: *see* Korff C 5115
- Rodríguez M A: *see* Álvarez G 8705
- Rodríguez-Marco A: *see* Negro J 2283
- Rokhlenko A, Costin O and Lebowitz J L: Decay versus survival of a localized state subjected to harmonic forcing: exact results 8943
- Roman H E: *see* Ordemann A 8029
- Romano R: *see* Benatti F 4955
- Romano R: *see* Benatti F L551
- Romano V and Valenti A: Symmetry analysis and exact invariant solutions for a class of energy-transport models of semiconductors 1751
- Romanovski V: *see* Veble G 4151

- Romeo A and Saharian A A: Casimir effect for scalar fields under Robin boundary conditions on plates [1297](#)
- Romero F R: *see* Cuevas J [10519](#)
- Rosado María M E: *see* Muñoz Masqué J [2013](#)
- Rosas-Ortiz O: *see* Fernández C D J [4279](#)
- Rosen-Zvi M, Kanter I and Kinzel W: Cryptography based on neural networks—analytical results [L707](#)
- Rosensteel G and Dankova Ts:  $SU(3)$  mean field Hamiltonian [1055](#)
- Rosensteel G and Graber J L:  $Sp(3, \mathbb{R})$  coadjoint orbit theory [L535](#)
- Rossi M and Weston R: A generalized  $Q$ -operator for  $U_q(\widehat{\mathfrak{sl}}_2)$  vertex models [10015](#)
- Rossi M: *see* Fioravanti D [3647](#)
- Rothe K D: *see* Hong S-T [7461](#)
- Roux Ph and Yafaev D: On the mathematical theory of the Aharonov–Bohm effect [7481](#)
- Rowe D J: *see* Bartlett S D [5599](#)
- Rowe D J: *see* Bartlett S D [5625](#)
- Roy B and Roy P: A Lie algebraic approach to effective mass Schrödinger equations [3961](#)
- Roy P: *see* Roy B [3961](#)
- Rozmej P, Turek M, Arvieu R and Averbukh I S: Relativistic precession and spin dynamics of an elliptic Rydberg wave packet [7803](#)
- Ruder R: *see* Leschke H [5701](#)
- Rudolph G, Schmidt M and Volobuev I P: On the gauge orbit space stratification: a review [R1](#)
- Ruffo S: *see* Leyvraz F [285](#)
- Ruffo S: *see* Leyvraz F [4413](#)
- Ruiz-Lorenzo J J: *see* Marinari E [6805](#)
- Ruiz-Suárez J C: *see* Vargas M C [3865](#)
- Runkel I: *see* Fuchs J [L255](#)
- Ruschhaupt A: A relativistic extension of event-enhanced quantum theory [9227](#)
- Ruschhaupt A: Relativistic time of arrival and traversal time [10429](#)
- Russell K: *see* Melrose D B [135](#)
- Rutkevich S B: Comment on ‘Equilibrium crystal shape of the Potts model at the first-order transition point’ [7549](#)
- Ruzzi M and Galetti D: Schwinger and Pegg–Barnett approaches and a relationship between angular and Cartesian quantum descriptions: II. Phase spaces [4633](#)
- Ruzzi M: Schwinger, Pegg and Barnett approaches and a relationship between angular and Cartesian quantum descriptions [1763](#)
- Ryou C: *see* Itoh T [1025](#)
- Saad N and Hall R L: Closed-form sums for some perturbation series involving hypergeometric functions [4105](#)
- Sabaye Moghaddam M: A numerical study of self-averaging in adsorption of random copolymers and random surfaces [10721](#)
- Sabry R: *see* El-labany S K [8055](#)
- Saccomandi G: *see* Pucci E [6145](#)
- Sadreev A F: *see* Saichev A I [L87](#)
- Safouhi H: Convergence properties of the  $S\bar{D}$  transformation and a fast and accurate numerical evaluation of molecular integrals [9685](#)
- Saharian A A: *see* Romeo A [1297](#)
- Sahu B, Agarwalla S K and Shastry C S: Above-barrier resonances: analytical expressions for energy and width [4349](#)
- Saichev A I, Ishio H, Sadreev A F and Berggren K-F: Statistics of interior current distributions in two-dimensional open chaotic billiards [L87](#)
- Sakai K: *see* Klümper A [2173](#)
- Saksida P: Neumann system, spherical pendulum and magnetic fields [5237](#)
- Salamó S: *see* Codriansky S [4269](#)
- Salas J: Exact finite-size-scaling corrections to the critical two-dimensional Ising model on a torus: II. Triangular and hexagonal lattices [1833](#)
- Salter T S: *see* Hioe F T [8913](#)
- Samsonov B F: *see* Debergh N [3279](#)
- Samsonov B F: *see* Fernández C D J [4279](#)
- Sánchez A: *see* Cuesta J A [2373](#)
- Šanda F: The instability in the long-time regime behaviour of a kinetic model [5815](#)
- Sanders B C: *see* Mackay T D [2745](#)
- Sanjay: Logarithmic operators in  $SL(2, \mathbb{R})$  WZNW model, singletons and  $AdS_3/(L)CFT_2$  correspondence [9881](#)
- Santander M: *see* Herranz F J [6601](#)
- Santander M: *see* Herranz F J [6619](#)
- Santander M: *see* Ortega R [7877](#)
- Santangelo E M: *see* Beneventano C G [9343](#)
- Santen L: *see* Knospé W [3369](#)
- Santoro R, Maraldi N M, Campagna S and Turchetti G: Uniform partitions and a dimensions spectrum for lacunar measures [1871](#)
- Santos F C: *see* Elizalde E [7403](#)
- Santos F C: *see* Farina C [2477](#)
- Sañudo J, Pacheco A F and Verbaarschot J J M: Resolution of two new Thomas–Fermi problems [3559](#)
- Saponov P: *see* Gurevich D [9629](#)
- Sarandy M S: *see* Lemes V E R [3703](#)
- Sardanashvily G: *see* Giachetta G [L439](#)
- Sarlet W: *see* Mestdag T [9843](#)
- Sasaki M: *see* Ban M [L401](#)
- Sasaki R: *see* Corrigan E [7017](#)
- Sasaki R: *see* Odake S [8283](#)
- Satsuma J: *see* Isojima S [6893](#)
- Sauter T: Gaussian pulses and superluminality [6743](#)



- Saxena G M: Eigenvalue equation of squeezed coherent states and time evolution of squeezed states [8953](#)
- Scalas E: *see* Reverberi A P [1575](#)
- Scarfone A M: *see* Kaniadakis G [1943](#)
- Schürmann T: Scaling behaviour of entropy estimates [1589](#)
- Schürer F: *see* Ertler C [8673](#)
- Schütz G M: *see* Popkov V [7187](#)
- Schaap H G: *see* van Enter A C D [2581](#)
- Schadschneider A and Schreckenberg M: Comment on ‘Garden of Eden states in a traffic model revisited’ [1321](#)
- Schadschneider A: *see* Chowdhury D [L573](#)
- Schadschneider A: *see* Knospé W [3369](#)
- Schellhaaß B: *see* Baranger M [9493](#)
- Schief W K: *see* Konopelchenko B G [6125](#)
- Schirmer S G, Greentree A D, Ramakrishna V and Rabitz H: Constructive control of quantum systems using factorization of unitary operators [8315](#)
- Schirmer S G, Pullen I C H and Solomon A I: Identification of dynamical Lie algebras for finite-level quantum control systems [2327](#)
- Schirmer S G, Solomon A I and Leahy J V: Degrees of controllability for quantum systems and application to atomic systems [4125](#)
- Schirmer S G, Solomon A I and Leahy J V: Criteria for reachability of quantum states [8551](#)
- Schlesinger K-G: A quantum analogue of the Grothendieck–Teichmüller group [10189](#)
- Schlottmann P and Zvyagin A A: Comment on ‘Integrable Kondo impurity in one-dimensional  $q$ -deformed  $t$ - $J$  models’ [6191](#)
- Schmidt A G M: *see* Suzuki A T [151](#)
- Schmidt A U: Zeno dynamics of von Neumann algebras [7817](#)
- Schmidt H-J: Linear energy bounds for Heisenberg spin systems [6545](#)
- Schmidt M: *see* Rudolph G [R1](#)
- Schmittmann B: *see* Lyman E [L213](#)
- Schmittmann B: *see* Schmüser F [2569](#)
- Schmitz R: *see* Korzhenevskii A L [4565](#)
- Schmüser F and Schmittmann B: Non-equilibrium stationary state of a two-temperature spin chain [2569](#)
- Schork M: The  $bc$ -system of higher rank revisited [2627](#)
- Schoutens K: *see* Peysson S [6471](#)
- Schreckenberg M: *see* Knospé W [3369](#)
- Schreckenberg M: *see* Schadschneider A [1321](#)
- Schroer B: The paradigm of the area law and the structure of transversal and longitudinal lightfront degrees of freedom [9165](#)
- Schroer B: *see* Fassarella L [9123](#)
- Schubert R: *see* Bäcker A [527](#)
- Schubert R: *see* Bäcker A [539](#)
- Schubert R: *see* Bäcker A [10293](#)
- Schuch D: New energetic and dynamic quantum effects originating from the breaking of time-reversal symmetry [8615](#)
- Schulze T: *see* Cucchieri A [6517](#)
- Schweigert C: *see* Fuchs J [L255](#)
- Schürmann H W, Serov V S and Shestopalov Yu V: Solutions to the Helmholtz equation for TE-guided waves in a three-layer structure with Kerr-type nonlinearity [10789](#)
- Sciarrino A: A  $q$ -analogue of the embedding chain  $U(6) \supset G \supset SO(3)$  [8519](#)
- Scolarici G: Pseudoanti-Hermitian operators in quaternionic quantum mechanics [7493](#)
- Scott A J: *see* Tracy M M [8341](#)
- Seaton K A: Ising tricriticality and the dilute  $A_3$  model [1597](#)
- Sebő A: *see* Anglès d’Auriac J-Ch [6973](#)
- Seckin-Gorgun N: *see* Kerimov G A [6659](#)
- Sedrakyan A: *see* Arnaudon D [2353](#)
- Segev B: *see* Sergeev A V [1769](#)
- Seligman T H: *see* Prosen T [4707](#)
- Semerjian G and Cugliandolo L F: Sparse random matrices: the eigenvalue spectrum revisited [4837](#)
- Sen P and Bhattacharjee S M: Is there a true model-D critical dynamics? [L141](#)
- Sen P and Dasgupta S: Short-time scaling in the critical dynamics of an antiferromagnetic Ising system with conserved magnetization [2755](#)
- Seno F: *see* Marenduzzo D [L233](#)
- Sepulchre J-A: *see* MacKay R S [3985](#)
- Sergeev A V and Segev B: Most probable path in phase space for a radiationless transition in a molecule [1769](#)
- Sergyeyev A: Constructing conditionally integrable evolution systems in  $(1+1)$  dimensions: a generalization of invariant modules approach [7653](#)
- Serov V S: *see* Schürmann H W [10789](#)
- Serrano M, De Fabritiis G, Español P, Flekkøy E G and Coveney P V: Mesoscopic dynamics of Voronoi fluid particles [1605](#)
- Sevšek F: *see* Kralj-Iglič V [1533](#)
- Sgheri L: *see* Longinetti M [8153](#)
- Sh Izmailian N: *see* Ivashkevich E V [5543](#)
- Shafiee A, Golshani M and Mahjani M G: Bell’s theorem and chemical potential [8627](#)
- Shapir Y: *see* Raychaudhuri S [10705](#)
- Shastri B S: *see* Yuzbashyan E A [7525](#)
- Shastri C S: *see* Sahu B [4349](#)
- Shaw R E: *see* Mihaila B [5315](#)
- Sherrington D: *see* Chakravorty H [8647](#)
- Shestopalov Yu V: *see* Schürmann H W [10789](#)

- Shimamura M K and Deguchi T: Anomalous finite-size effects for the mean-squared gyration radius of Gaussian random knots [L241](#)
- Shiroishi M: *see* Boos H E [4443](#)
- Shkarin S A: *see* Antoniou I [2833](#)
- Shpot M: *see* Diehl H W [6249](#)
- Shudo A, Ishii Y and Ikeda K S: Julia set describes quantum tunnelling in the presence of chaos [L225](#)
- Sieber M: Leading off-diagonal approximation for the spectral form factor for uniformly hyperbolic systems [L613](#)
- Silagadze Z K: Multi-dimensional vector product [4949](#)
- Silverstone H J: *see* Álvarez G [4003](#)
- Silverstone H J: *see* Álvarez G [4017](#)
- Simbel M H: *see* El-Hady A A [2361](#)
- Simon C: *see* Eisert J [3911](#)
- Simon D S: Duality and supersymmetric quantum mechanics [4143](#)
- Simoni A: *see* Marmo G [8393](#)
- Simons B D: *see* Marchetti F M [4201](#)
- Sittler L and Hinrichsen H: On generalized scaling laws with continuously varying exponents [10531](#)
- Sivakumar S: Interpolating coherent states for Heisenberg–Weyl and single-photon  $SU(1, 1)$  algebras [6755](#)
- Skála L, Kalhous M, Zamastil J and Čížek J: Perturbation theory using functions that are not quadratically integrable [L167](#)
- Slanina F: *see* Chvosta P [L277](#)
- Slavnov N A: *see* Kitanine N [L385](#)
- Slavnov N A: *see* Kitanine N [L753](#)
- Smailagic A and Spallucci E: Noncommutative 3D harmonic oscillator [L363](#)
- Small A: The spectral lines of the charge 2 axially symmetric monopole [5763](#)
- Smirnov Yu F: *see* Klimov A B [6101](#)
- Smirnova N A: *see* Chau Huu-Tai P [L199](#)
- Smoliński K A: *see* Caban P [3265](#)
- Sochichiu C: Notes on the dynamics of noncommutative lumps [3125](#)
- Sokalska D: *see* Sokalski K [6157](#)
- Sokalski K, Stepień L and Sokalska D: The existence of Bogomolny decomposition by means of strong necessary conditions [6157](#)
- Solomon A I: *see* Fu Hongchen [4293](#)
- Solomon A I: *see* Schirmer S G [2327](#)
- Solomon A I: *see* Schirmer S G [4125](#)
- Solomon A I: *see* Schirmer S G [8551](#)
- Song Jinping: *see* Zeng Yunbo [1095](#)
- Song Tong-qiang and Fan Hongyi: Properties of two-mode nonlinear squeezed vacuum and coherent squeezed vacuum states [1071](#)
- Sonoda T: Adaptation of learning antigens by gene recombination in the immune system [5973](#)
- Sophocleous C: *see* Parker D F [1283](#)
- Sorba P: *see* Arnaudon D [2353](#)
- Sorella S P: *see* Fosco C D [8715](#)
- Sorella S P: *see* Lemes V E R [3703](#)
- Soteros C E: *see* James E W [9273](#)
- Souza L E S: *see* Vaidya A N [6489](#)
- Spallucci E: *see* Smailagic A [L363](#)
- Speliotopoulos A D: A topological string: the Rasetti–Regge Lagrangian, topological quantum field theory and vortices in quantum fluids [8859](#)
- Sportiello A: *see* Caracciolo S [7661](#)
- Srinivasan S K: Theory of quantum phenomena via extended measures: geometric features [3755](#)
- Stöckmann H-J: *see* Vraničar M [4929](#)
- Stöckmann H-J: A supersymmetry approach to billiards with randomly distributed scatterers [5165](#)
- Stadler P F: *see* Fontanari J F [1509](#)
- Stanev Ya S: *see* Nikolov N M [2985](#)
- Starostin E L: Comment on ‘Cyclic rotations, contractibility and Gauss–Bonnet’ [6183](#)
- Starovoitov V S: Ergodic properties of local spectral density for a conservative system of coupled quantum states [3609](#)
- Stathakopoulos M: *see* Janke W [7575](#)
- Steiner F: *see* Bäcker A [10293](#)
- Stenberg F: *see* Kurasov P [101](#)
- Stepanow S and Chudnovskiy A L: The Green’s function approach to adsorption of a random heteropolymer onto surfaces [4229](#)
- Stephenson L T: *see* Mackay T D [2745](#)
- Stepień L: *see* Sokalski K [6157](#)
- Stevens A: *see* Hammond L A [9945](#)
- Stoilova N I: *see* Doebner H-D [9367](#)
- Stolze J: *see* Derzhko O [3573](#)
- Storme L: *see* De Vos A [7063](#)
- Stroganov Yu G: *see* Alcaraz F C [3805](#)
- Stroganov Yu G: *see* Alcaraz F C [6767](#)
- Sudarshan E C G: *see* Man’ko V I [7137](#)
- Sudarshan E C G: *see* Tilma T [10445](#)
- Sudarshan E C G: *see* Tilma T [10467](#)
- Sugita A: Proof of the generalized Lieb–Wehrl conjecture for integer indices larger than one [L621](#)
- Sukhatme U: *see* Cooper F [10085](#)
- Sütő A: Percolation transition in the Bose gas: II [6995](#)
- Suyari H: On the most concise set of axioms and the uniqueness theorem for Tsallis entropy [10731](#)
- Suzuki A T and Schmidt A G M: Non-planar double-box, massive and massless pentabox Feynman integrals in the negative-dimensional approach [151](#)
- Suzuki J: *see* Kuniba A [1415](#)

- Svinin A K: Extension of the discrete KP hierarchy 2045
- Szablikowski B M: *see* Błaszak M 10325
- Szablikowski B M: *see* Błaszak M 10345
- Szabó G and Borsos I: A cellular automaton with two phase transitions L189
- Tahić M: *see* Flynn G 10129
- Takács G: *see* Bajnok Z 9333
- Takei Y: *see* Aoki T 2401
- Takemura K: Quasi-exact solvability of Inozemtsev models 8867
- Takeo S: *see* Kevrekidis P G L641
- Takeoka M: *see* Ban M L401
- Tanaka K: Statistical-mechanical approach to image processing R81
- Tang X-y, Chen C-l and Lou S-y: Localized solutions with chaotic and fractal behaviours in a  $(2 + 1)$ -dimensional dispersive long-wave system L293
- Tanner G: The autocorrelation function for spectral determinants of quantum graphs 5985
- Tarasov V E: Quantum computer with mixed states and four-valued logic 5207
- Tarjus G and Dotsenko V: Is there a spin-glass phase in the random temperature Ising ferromagnet? 1627
- Tekin Ş C: *see* Arik M 4591
- Tello-Llanos R A: Bose realization for non-canonical representations of the symplectic group  $Sp(4) \supset SU(2) \times U(1)$  1079
- Tello-Llanos R A: Bose realization of the  $Sp(4) \supset SU(2) \times U(1)$  tensor operators 3343
- Terras V: *see* Kitanine N L385
- Terras V: *see* Kitanine N L753
- Tesi M C: *see* Orlandini E 4219
- Tessieri L: Delocalization phenomena in one-dimensional models with long-range correlated disorder: a perturbative approach 9585
- Texier C: Scattering theory on graphs: II. The Friedel sum rule 3389
- Thylwe K-E and Korsch H J: On pulse-induced transition amplitudes in a two-state quantum system without level crossings 7507
- Thylwe K-E: Note on invariants for uncoupled Ermakov systems 4359
- Tian Guang-Shan and Wang Ji-Gang: A rigorous study on the charged gap in strongly correlated electron clusters 941
- Tifrea I: *see* Crisan M 239
- Tilma T, Byrd M and Sudarshan E C G: A parametrization of bipartite systems based on  $SU(4)$  Euler angles 10445
- Tilma T and Sudarshan E C G: Generalized Euler angle parametrization for  $SU(N)$  10467
- Titov S V: *see* Coffey W T 6789
- Todorov I T: *see* Nikolov N M 2985
- Tokihiro T, Grammaticos B and Ramani A: From the continuous  $P_V$  to discrete Painlevé equations 5943
- Tokihiro T: *see* Yura F 3787
- Toller M: *see* Pinamonti N 3547
- Tolstoy V N: *see* Klimov A B 6101
- Tomsovic S: *see* Ozorio de Almeida A M 10629
- Tomé T and Petri A: Cumulants of the three-state Potts model and of nonequilibrium models with  $C_{3v}$  symmetry 5379
- Tondo G: *see* Morosi C 1741
- Topalov P: Hierarchies of cofactor systems L175
- Török J: *see* Kafri Y L459
- Torres-Jiménez J: *see* Vargas M C 3865
- Tort A C: *see* Elizalde E 7403
- Tort A C: *see* Farina C 2477
- Tracy M M and Scott A J: The classical limit for a class of quantum baker's maps 8341
- Trebin H-R: *see* Ricker M 6953
- Trizac E: *see* Barrat A 463
- Truong T T: *see* Ralko A 9573
- Truong T T: *see* Ralko A 9671
- Tsiganov A V: On the Kowalevski–Goryachev–Chaplygin gyrostat L309
- Tsironis G P: An algebraic approach to discrete breather construction 951
- Tsuboi Z: Difference  $L$  operators and a Casorati determinant solution to the  $T$ -system for twisted quantum affine algebras 4363
- Tsuchida T: Integrable discretizations of derivative nonlinear Schrödinger equations 7827
- Tu Ming-Hsien, Lee Niann-Chern, Chen Yu-Tung and Verbaarschot J J M: Conformal covariantization of Moyal–Lax operators 4375
- Tu S-J and Fischbach E: Random distance distribution for spherical objects: general theory and applications to physics 6557
- Tumulka R: Comment on ‘Time-like flows of energy momentum and particle trajectories for the Klein–Gordon equation’ 7961
- Tupak A: *see* Reimann S 10219
- Turchetti G: *see* Santoro R 1871
- Turek M: *see* Rozmej P 7803
- Turner L and Pratt J: Eddy-damped quasinormal Markovian closure: a closure for magnetohydrodynamic turbulence? 781
- Turrubiates F J: *see* García-Compeán H 4301
- Turrubiates F J: *see* Przanowski M 10643
- Tütüncüler H: *see* Koç R 9425
- Twarock R: *see* Patera J 1551
- Twizell E H: *see* Hua C-C 6091
- Uezu T and Coolen A C C: Hierarchical

- self-programming in recurrent neural networks 2761
- Unruh W G: *see* Oppenheim J 7641
- Urumov V: Exact solution of the Ising model on a pentagonal lattice 7317
- Ustinov N V: Darboux transformations, infinitesimal symmetries and conservation laws for the nonlocal two-dimensional Toda lattice 6963
- Vaidya A N and de Lima Rodrigues R: Comment on 'Relativistic extension of shape invariant potentials' 6205
- Vaidya A N and Souza L E S: S-matrix for a spin-1/2 particle in a Coulomb and scalar potential 6489
- Vakulenko S A: Computational capacity of time-recurrent networks 2539
- Valenti A: *see* Romano V 1751
- Van den Bossche B: *see* Debergh N 3279
- van Enter A C D and Schaap H G: Infinitely many states and stochastic symmetry in a Gaussian Potts–Hopfield model 2581
- Van Isacker P: *see* Chau Huu-Tai P L199
- van Wijland F: Trapping of a random walk by diffusing traps 5391
- van Wijland F: *see* Barrat A 463
- van Wonderen A J and Lendi K: Limit of maximum entropy for the damped Jaynes–Cummins model 9889
- Vannimenus J: *see* Knežević M 2725
- Varga P: Relative entropy in the Sherrington–Kirkpatrick spin glass model 7773
- Vargas M C, Torres-Jiménez J and Ruiz-Suárez J C: Analysis of x-ray diffraction data using a hybrid stochastic optimization method 3865
- Veble G, Robnik M and Romanovski V: Semiclassical analysis of Wigner functions 4151
- Veble G: *see* Vraničar M 4929
- Vegliò F: *see* Reverberi A P 1575
- Ventriglia F: *see* Marmo G 8393
- Ventura A: *see* Lévai G 5041
- Verbaarschot J J M: *see* Dong Shi-Hai 4187
- Verbaarschot J J M: *see* Sañudo J 3559
- Verbaarschot J J M: *see* Tu Ming-Hsien 4375
- Verbaarschot J J M: *see* Wu Yong-Tang 3971
- Vergini E G: *see* Carlo G G 7965
- Verheest F, Mace R L, Pillay S R and Hellberg M A: Unified derivation of Korteweg–de Vries–Zakharov–Kuznetsov equations in multispecies plasmas 795
- Vernizzi G: *see* Cicuta G M L51
- Vezzani A: *see* Burioni R 1245
- Viallet C M: *see* Anglès d'Auriac J-Ch 4801
- Viallet C M: *see* Anglès d'Auriac J-Ch 9251
- Vicari E: *see* Caselle M 4861
- Vidigal R: *see* Dickman R 1147
- Vidigal R: *see* Dickman R 7269
- Vignolo S: *see* Massa E 6713
- Vigoureux J-M: *see* Grossel Ph 9787
- Villaseñor E J S: Higher derivative fermionic field theories 6169
- Vinitsky S I: *see* Chuluunbaatar O L513
- Vitoriano C, Coutinho-Filho M D and Raposo E P: Ising and Heisenberg models on ferrimagnetic  $AB_2$  chains 9049
- Volobuev I P: *see* Rudolph G R1
- Volovich I V: *see* Accardi L 4889
- Vraničar M, Barth M, Veble G, Robnik M and Stöckmann H-J: 'Persistent currents' and eigenfunctions in microwave resonators with broken time-reversal symmetry 4929
- Vrejoiu C: Electromagnetic multipoles in Cartesian coordinates 9911
- Vvedensky D D: *see* Haselwandter C L579
- Walczak Z: *see* Caban P 3265
- Walton M A: *see* Flynn G 10129
- Walton M A: *see* Rasmussen J 6939
- Wang H-Y: *see* Bao J-D 7009
- Wang Hongye: *see* Wu Yong-Tang 3971
- Wang Ji-Gang: *see* Tian Guang-Shan 941
- Wang L: *see* Liu Y 9535
- Wang Q A, Nivanen L, Le Méhauté A and Pezeril M: On the generalized entropy pseudoadditivity for complex systems 7003
- Wang S J: *see* Wei L F 435
- Wang Shikun: *see* Yu Delong 3779
- Wang X Z: Exact particle and energy densities for a noninteracting Fermi gas in a harmonic trap 9601
- Wang X-B: *see* Fan H 7415
- Wang Xian-Zhi: Re-examination of Yang–Lee zeros of the anisotropic Ising models on square, triangular and honeycomb lattices 1885
- Wang Xiaoguang: Bipartite entangled non-orthogonal states 165
- Wang Xiaoguang: *see* Fu Hongchen 4293
- Wang Xiaoguang: *see* Zanardi P 7947
- Wang Zhicheng: *see* Peng Daheng 2491
- Wang Z: *see* Luo S 5935
- Warzel S: *see* Leschke H 5701
- Watanabe T: Concrete construction and properties of the difference equation derived from the cellular automaton using the filtration technique 305
- Wattis J A D: *see* Bolton C D 3183
- Wattis J A D: *see* King J R 1357
- Wei G, Clifford P and Feng J: Population death sequences and Cox processes driven by interacting Feller diffusions 9309
- Wei G: *see* Clifford P 5795

- Wei G: *see* Feng J 7287
- Wei L F, Wang S J and Lei X L: Gauge-covariant properties of a linear nonautonomous quantum system: time-dependent even and odd coherent states 435
- Weigert S: Quantum parametric resonance 4169
- Weinfurter H: *see* Beige A L407
- Weston R: *see* Rossi M 10015
- Whittington S G: *see* James E W 3203
- Whittington S G: *see* Madras N L427
- Whittington S G: *see* Moghaddam M S 33
- Whittington S G: *see* Orlandini E 4219
- Whittington S G: *see* Orlandini E 7729
- Wickramasekara S and Bohm A: On Einstein causality and time asymmetry in quantum physics L715
- Wickramasekara S and Bohm A: Symmetry representations in the rigged Hilbert space formulation of quantum mechanics 807
- Wierman J C: On the range of bond percolation thresholds for fully triangulated graphs 959
- Wiese K J: *see* Pinnow H A 1195
- Williams G C: *see* Kalnins E G 4755
- Willmann R D: *see* Lübeck S 10205
- Willox R: *see* Isojima S 6893
- Winternitz P: *see* Levi D 2249
- Wipf A: *see* Beneventano C G 9343
- Wipf A: *see* Falomir H 5427
- Wistrom A O: *see* Khachatourian A V M 2159
- Wolf D E: *see* Kerner B S 9971
- Wreszinski W F: *see* Bagrov V G 175
- Wu M-C and Hu C-K: Exact partition functions of the Ising model on  $M \times N$  planar lattices with periodic–aperiodic boundary conditions 5189
- Wu Q: *see* Jiang R 2145
- Wu X: *see* Zhu Z 5079
- Wu Yong-Tang, Wang Hongye, Du Dianlou and Verbaarschot J J M: An integrable Poisson map generated from the eigenvalue problem of the Lotka–Volterra hierarchy 3971
- Wybourne B G: *see* King R C 3489
- Xu D: Hannay angle in an LCR circuit with time-dependent inductance, capacity and resistance L455
- Xu D: Geometric amplitude factor in an LCR circuit with time-dependent inductance, capacitance and resistance L669
- Xu Y: Biorthogonal polynomials and total positive functions 5499
- Xue K: *see* Zhang Hong-Biao L7
- Xue W: *see* Zhu Z 5079
- Yafaev D: *see* Roux Ph 7481
- Yahagi H: *see* Kimura K 9205
- Yamada Y: *see* Kuniba A 1415
- Yamasaki K and Nagahama H: A deformed medium including a defect field and differential forms 3767
- Yan Z: A transformation with symbolic computation and abundant new soliton-like solutions for the (1 + 2)-dimensional generalized Burgers equation 9923
- Yan Z: *see* Handy C R 6359
- Yang C B: Fluctuations and correlations in two-dimensional Bak–Sneppen model 5997
- Yang M and Meng D: Dipolarizations in quadratic Lie algebras and homogeneous parakähler manifolds 6495
- Yang S-Z: *see* Liu Y 9535
- Yang Wen-Li: *see* Hou Bo-Yu 2593
- Yang X-Q and Ma Y-Q: Car accidents determined by stopped cars and traffic flow 10539
- Yaremko Yu: On the validity of the Lorentz–Dirac equation 831
- Yaremko Yu: Wheeler and Feynman electrodynamics within the framework of retarded causality 9441
- Yarevsky E: *see* Antoniou I 2833
- Ye S and Zeng Y: Integration of the modified Korteweg–de Vries hierarchy with an integral type of source L283
- Yehia H M: Relation between the first and second moments of distributions 6505
- Yehia H M: On certain two-dimensional conservative mechanical systems with a cubic second integral 9469
- Yehia H M: Comment on ‘On the Kowalevsky–Goryachev–Chaplygin gyrostat’ 10669
- Yildiz A: Generalized exclusion and Hopf algebras 10803
- Yilmaz H and Athorne C: The geometrically invariant form of evolution equations 2619
- Yoshinaga N, Arima A and Zhao Y M: The  $0^+$  predominance in nuclear physics: single- $j$  shell study 8575
- Yoshitomi K: *see* Exner P 3479
- You S K: *see* Lu W-F 21
- Young M M: *see* Faulon J-L 1
- Yu DeLong, Liu Q P and Wang Shikun: Darboux transformation for the modified Veselov–Novikov equation 3779
- Yue R-H: *see* Peng D-T 6985
- Yue Ruihong: *see* Hou Bo-yu 2937
- Yukalov V I and Yukalova E P: Topological coherent modes for nonlinear Schrödinger equation 8603
- Yukalova E P: *see* Yukalov V I 8603
- Yura F and Tokihiro T: On a periodic soliton cellular automaton 3787
- Yuzbashyan E A, Altshuler B L and Shastry B S: The origin of degeneracies and crossings in the 1d Hubbard model 7525
- Zaboronski O V: Dimensional reduction in supersymmetric field theories 5511

- Zaccaria F: *see* Man'ko V I 7137
- Zaitsev O: Spin phase-space semiclassics for weak spin-orbit coupling L721
- Zak J: Wilson-like functions on von Neumann lattices L369
- Zak J: Topologically unavoidable points and lines of crossings in the band structure of solids 6509
- Zak J: *see* Abe S 2395
- Zaks M A: On the dimensions of the spectral measure of symmetric binary substitutions 5833
- Zamastil J: *see* Skála L L167
- Zanardi P and Wang Xiaoguang: Fermionic entanglement in itinerant systems 7947
- Zecchina R: *see* Braunstein A 7559
- Zenchuk A I: On the construction of particular solutions to  $(1 + 1)$ -dimensional partial differential equations 1791
- Zeng Yunbo, Dai Huihui and Song Jinping: Bäcklund transformations for high-order constrained flows of the AKNS hierarchy: canonicity and spectrality property 1095
- Zeng Y: *see* Lin R 4915
- Zeng Y: *see* Ye S L283
- Zhang D and Chen D: Hamiltonian structure of discrete soliton systems 7225
- Zhang Degang and Hu Bambi: Non-Kramers degeneracy and oscillatory tunnel splittings in the biaxial spin system 3009
- Zhang H and Zhang W: Maximum principles and bounds in a class of fourth-order uniformly elliptic equations 9245
- Zhang Hong-Biao, Ge Mo-Lin and Xue K:  $SO(5)$  structure of p-wave superconductivity for the spin-dipole interaction model L7
- Zhang H: *see* Li B 8253
- Zhang K: *see* Feng J 7287
- Zhang Q: *see* Luo S 5935
- Zhang Shou: *see* Choi Jeong-Ryeol 2845
- Zhang W: *see* Zhang H 9245
- Zhang Xiang: *see* Christopher C 2457
- Zhang X: Invariant hyperplanes and Darboux integrability of polynomial vector fields 9931
- Zhang X: *see* Pan F 7173
- Zhang Y-Z: *see* Gould M D 9381
- Zhang Yao-Zhong: *see* Hou Bo-Yu 2593
- Zhao S-Y: *see* Gould M D 9381
- Zhao Y M: *see* Yoshinaga N 8575
- Zhedanov A and Korovnichenko A: 'Leonard pairs' in classical mechanics 5767
- Zhen Yi: *see* Hou Bo-Yu 2593
- Zheng G: Short-time dynamics of first-order phase transition in a disordered system 10549
- Zhilinskii B: *see* Cushman R L415
- Zhou H-Q: *see* Ge X-Y 6197
- Zhou H-Q: *see* Links J 6459
- Zhou Xianjun, Liu Zhongzhu and Luo Jun: The density wave in a car-following model 4495
- Zhu Z, Xue W, Wu X and Zhu Z: Infinitely many conservation laws and integrable discretizations for some lattice soliton equations 5079
- Zhu Z: *see* Zhu Z 5079
- Zia R K P: *see* Antal T 8145
- Zinn-Justin P: *see* Jacobsen J L 2131
- Žnidarič M: *see* Prosen T 1455
- Znojil M, Gemperle F and Mustafa O: Asymptotic solvability of an imaginary cubic oscillator with spikes 5781
- Znojil M: Non-Hermitian supersymmetry and singular,  $\mathcal{PT}$ -symmetrized oscillators 2341
- Znojil M: *see* Lévai G 8793
- Znojil M: *see* Mustafa O 8929
- Zois I P: Black hole entropy, topological entropy and the Baum-Connes conjecture in  $K$ -theory 3015
- Zuo D, Chen Q and Cheng Y: Flat time-like submanifolds in  $S_{2q}^{2n-1}(1)$  10197
- Zvonarev M B: *see* Bogoliubov N M 5525
- Zvyagin A A: *see* Schlottmann P 6191