

Home Search Collections Journals About Contact us My IOPscience

Author index with titles

This article has been downloaded from IOPscience. Please scroll down to see the full text article.

2007 J. Phys. A: Math. Theor. 40 15149

(http://iopscience.iop.org/1751-8121/40/50/M01)

View the table of contents for this issue, or go to the journal homepage for more

Download details:

IP Address: 171.66.16.147

The article was downloaded on 03/06/2010 at 06:31

Please note that terms and conditions apply.

Abanov A G: see Bettelheim E F193

Abbott P C: Asymptotic expansion of the Keesom integral 8599

Abdelmalek S and Kouachi S: Proof of existence of global solutions for *m*-component reaction–diffusion systems with mixed boundary conditions via the Lyapunov functional method 12335

Abdennadher A: see Néel M C 8299

Abenda S and Grava T: Reciprocal transformations and flat metrics on Hurwitz spaces 10769

Abrikosov A A jr and Wipf A: The integral form of APS boundary conditions in the bag model 5163

Acatrinei C S: A path integral leading to higher order Lagrangians F929

Adam C, Sánchez-Guillén J and Wereszczyński A: New integrable sectors in the Skyrme and four-dimensional *CP*ⁿ models 1907

Adam C, Sánchez-Guillén J and Wereszczyński A: Integrability in theories with local *U*(1) gauge symmetry 9079

Adam C, Sánchez-Guillén J and Wereszczyński A: k-defects as compactons 13625

Adamyan V M and Smyrnov O A: Large radius excitons in single-walled carbon nanotubes 10519

Adesso G and Illuminati F: Entanglement in continuous-variable systems: recent advances and current perspectives 7821

Adesso G: see Serafini A 8041

Adhikari S K: Formation of bright solitons and soliton trains in a fermion–fermion mixture by modulational instability 2673

Adler S L: Comments on proposed gravitational modifications of Schrödinger dynamics and their experimental implications 755

Adler S L: Lower and upper bounds on CSL parameters from latent image formation and IGM heating 2935

Adler S L: A density tensor hierarchy for open system dynamics: retrieving the noise 8959

Adler S L: Vacuum birefringence in a rotating magnetic field F143

Adler S L: Lower and upper bounds on CSL parameters from latent image formation and IGM heating 13501

Adler S L and Bassi A: Collapse models with non-white noises 15083

Adler S L and Ramazanoğlu F M:

Photon-emission rate from atomic systems in the CSL model 13395

Aerts D and Czachor M: Cartoon computation: quantum-like computing without quantum mechanics F259

Agrawal O P: Fractional variational calculus in terms of Riesz fractional derivatives 6287

Agrello D A: see Guimarães A F 15131

Ahadpour S: see Najarbashi G 6481

Ahmedov H: Casimir effect in hyperbolic polygons 10611

Ai B-Q, Li F-G and Liu L-G: Current in a two-dimensional ratchet with an asymmetric unbiased external force 6061

Aizawa N and Chakrabarti R: Fuzzy torus via *q*-Parafermion 10021

Aizawa N, Chakrabarti R, Mohammed S S N and Segar J: Basic hypergeometric functions and covariant spaces for even-dimensional representations of $U_q[osp(1/2)]$ 14985

Akcay H: The Dirac oscillator with a Coulomb-like tensor potential 6427

Akemann G and Shifrin L: A generalization of Dyson's integration theorem for determinants F785

Akhalwaya I, Fannes M and Petruccione F: Qubits in a random environment 8069

Akhtarshenas S J: An explicit computation of the Bures metric over the space of *N*-dimensional density matrices 11333

Al-Ajmi M: see Koca M 7633

Al-Alawi J H and Zakrzewski W J: Scattering of topological solitons on barriers and holes in two φ^4 models 11319

Alamino R C and Saad D: Statistical mechanics analysis of LDPC coding in MIMO Gaussian channels 12259

Alba D, Crater H W and Lusanna L: Hamiltonian relativistic two-body problem: center of mass and orbit reconstruction 9585

Alber G: see Ranade K S 139

Albertini F: see D'Alessandro D 2439

Albertini F: see D'Alessandro D 14447

Albeverio S, Dell Antonio G F and Lakaev S N: The number of eigenvalues of three-particle Schrödinger operators on lattices 14819

Albeverio S, Fei S-M and Goswami D: Local equivalence of rank-2 quantum mixed states 11113

Alcalde M A, de Lemos A L L and Svaiter N F: Functional methods in the generalized Dicke

- model 11961
- Aleixo A N F and Balantekin A B: An algebraic construction of generalized coherent states associated with *q*-deformed models for primary shape-invariant systems 3463
- Aleixo A N F and Balantekin A B: A two-level atom coupled to a two-dimensional supersymmetric and shape-invariant system: models 3915
- Aleixo A N F and Balantekin A B: A two-level atom coupled to a two-dimensional supersymmetric and shape-invariant system: dynamics and entanglement 3933
- Aleixo A N F and Balantekin A B: Generalized Robertson intelligent states and squeezing for supersymmetric and shape-invariant systems: an algebraic construction 5105
- Aleixo A N F and Balantekin A B: Three-level coupled systems and parasupersymmetric shape invariance 6433
- Aleixo A N F and Balantekin A B: Quantum dynamics of parasupersymmetric and shape-invariant coupled systems 8417
- Alhaidari A D: Representation reduction and solution space contraction in quasi-exactly solvable systems 6305
- Alhaidari A D: Charged particle in the field of an electric quadrupole in two dimensions 14843 Ali M M: *see* Home D 13975
- Alicki R, Fannes M and Horodecki M: A statistical mechanics view on Kitaev's proposal for quantum memories 6451
- Alicki R: see Pogorzelska M 3379
- Alnes H, Olaussen K, Ravndal F and Wehus I K: Resolution of an apparent inconsistency in the electromagnetic Casimir effect F315
- Alnes H, Ravndal F and Wehus I K: Black-body radiation with extra dimensions 14309
- Alonso L M and Medina E: Semiclassical expansions in the Toda hierarchy and the Hermitian matrix model 14223
- Altarelli F, Monasson R and Zamponi F: Can rare SAT formulae be easily recognized? On the efficiency of message-passing algorithms for *K*-SAT at large clause-to-variable ratios 867
- Álvarez E and Faedo A F: Quantum corrections to higher dimensional theories 6641
- Alvarez J, Orlandini E, Soteros C E and Whittington S G: Higher order Morita approximations for random copolymer adsorption F289
- Alvarez M and Martin P P: Higher-dimensional Temperley-Lieb algebras F895
- Amore P, Cervantes M and Fernández F M: Variational collocation on finite intervals 13047
- Anderloni S, Benatti F and Floreanini R: Redfield reduced dynamics and entanglement 1625

- Andrecut M, Este R A and Kauffman S A: Competitive optimization of compressed sensing F299
- Andrecut M, Este R A and Kauffman S A: Competitive optimization of compressed sensing 11675
- Aneva B: Matrix-product ansatz as a tridiagonal algebra 11677
- Angel A G, Schmittmann B and Zia R K P: Zero-range process with long-range interactions at a *T*-junction 12811
- Angelescu N and Bundaru M: On the transport between condensed phases 5565
- Anghel D V: The thermodynamic limit for fractional exclusion statistics F1013
- Anghel D V and Kühn T: Quantization of the elastic modes in an isotropic plate 10429
- Anh D H N, Blaudeck P, Hoffmann K H, Prehl J and Tarafdar S: Anomalous diffusion on random fractal composites 11453
- Aniello P: see Militello B 4847
- Antal T: see D'Orsogna M R 5575
- Antoniadis I: Gravity modifications from extra dimensions 6657
- Aquilanti V, Haggard H M, Littlejohn R G and Yu L: Semiclassical analysis of Wigner 3*i*-symbol 5637
- Arashiro E and Tomé T: The threshold of coexistence and critical behaviour of a predator–prey cellular automaton 887
- Aratyn H, Gomes J F and Zimerman A H:
 Deformations of N = 2 superconformal
 algebra and supersymmetric two-component
 Camassa–Holm equation 4511
- Aravinthan K: see Radhakrishnan R 13023
- Arik M: see Tekin Ş C 7699
- Arimitsu T: see Hayashi T F457
- Armour E A G and Jonsell S: On the evaluation of transition matrices for rearrangement in atom–antiatom scattering 701
- Arnaut L R: Nonstationary random acoustic and electromagnetic fields as wave diffusion processes 7745
- Aronovitch A and Smilansky U: The statistics of the points where nodal lines intersect a reference curve 9743
- Arsuaga J, Blackstone T, Diao Y, Hinson K, Karadayi E and Saito M: Sampling large random knots in a confined space 11697
- Arsuaga J, Blackstone T, Diao Y, Karadayi E and Saito M: Linking of uniform random polygons in confined spaces 1925
- Arteaga D: Particle propagation in cosmological backgrounds 6901
- Arutyunov G, Frolov S, Plefka J and Zamaklar M: The off-shell symmetry algebra of the light-cone AdS₅ × S⁵ superstring 3583
- Asad A and Zheng B: Non-equilibrium critical

dynamics of the two-dimensional XY model Bálint Á: see Kirschner I 9361 with Hamiltonian equations of motion 9957 Ballesteros A, Celeghini E and del Olmo M A: Classical Lie algebras and Drinfeld Asorey M, García-Álvarez D and Muñoz-Castañeda J M: Vacuum energy and doubles 2013 Ballesteros Á and Herranz F J: Universal integrals renormalization on the edge 6767 Assaraf R, Caffarel M and Khelif A: The fermion for superintegrable systems on N-dimensional Monte Carlo revisited 1181 spaces of constant curvature F51 Atakishiyev M N and Klimyk A U: The Balogh A: see Kirschner I 9361 factorization of a q-difference equation for Băluș O: see Bizdadea C 14537 continuous q-Hermite polynomials 9311 Banerjee S and Ghosh R: Functional integral Atanackovic T M, Pilipovic S and Zorica D: A treatment of some quantum nondemolition diffusion wave equation with two fractional systems 1273 Baneriee S and Ghosh R: Dynamics of derivatives of different order 5319 Atkinson J, Hietarinta J and Nijhoff F: Seed and decoherence without dissipation in a squeezed soliton solutions for Adler's lattice thermal bath 13735 Banik S K: see Chaudhuri J R 14715 equation F1 Atman A P F: see Mattos T G 13245 Bao R: see Zeng L 7175 Audenaert K M R: A sharp continuity estimate for Baowan D, Thamwattana N and Hill J M: Zigzag the von Neumann entropy 8127 and spiral configurations for fullerenes in Auzzi R and Shifman M: Low-energy limit of carbon nanotubes 7543 Yang-Mills with massless adjoint quarks: Barato A C and de Oliveira M J: Mean-field chiral Lagrangian and Skyrmions 6221 approximations for the restricted Avan J and Rollet G: Parametrization of solid-on-solid growth models 8205 semi-dynamical quantum reflection Barberis-Blostein P: see Fuentes-Schuller I F601 algebra 2709 Barbero-Liñán M, Echeverría-Enríquez A, Averin D V: see Pâţu O I 14963 de Diego D M, Muñoz-Lecanda M C and Aydin F T: see Tekin Ş C 7699 Román-Roy N: Skinner-Rusk unified formalism for optimal control systems and applications 12071 Babichenko A and Gepner D: Multicoloured Barbosa L A: see da Silva J K L F953 Temperley-Lieb lattice models. The ground Barik D: see Chaudhuri J R 14715 state 203 Barkovsky L M: see Furs A N 309 Baboin A-C: see Planat M F1005 Barnett M, Dowker F and Rideout D: Bachas C P: Comment on the sign of the Casimir Popescu-Rohrlich boxes in quantum measure force 9089 Bachkhaznadji A, Lassaut M and Lombard R J: A theory 7255 Barnett S M: see Bellomo B 9437 model of the Calogero type in the Baroni F, Fubini A, Tognetti V and Verrucchi P: D-dimensional space 8791 Two-spin entanglement distribution near Baer M: see Halász G J F267 factorized states 9845 Baer R: see Halász G J F267 Barrat A, Trizac E and Ernst M H: Quasi-elastic Bagchi B: Position-dependent mass models and solutions to the nonlinear Boltzmann equation their nonlinear characterization F1041 for dissipative gases 4057 Bahr B and Korsch H J: Quantum mechanics on a Barton G: On the 1D Coulomb Klein-Gordon circle: Husimi phase-space distributions and equation 1011 semiclassical coherent state propagators 3959 Bai C: A unified algebraic approach to the Barvinsky A O and Kamenshchik A Yu: Cosmological landscape and Euclidean classical Yang-Baxter equation 11073 quantum gravity 7043 Bai Z-Q: On the cycle expansion for the Bassi A and Ghirardi G C: The Trieste Lecture of Lyapunov exponent of a product of random John Stewart Bell 2919 matrices 8315 Balachandran A P, Queiroz A R, Marques A M Bassi A, Ghirardi G C and Salvetti D G M: The Hilbert-space operator formalism within and Teotonio-Sobrinho P: Deformed dynamical reduction models 13755 Kac-Moody and Virasoro algebras 7789 Balantekin A B: see Aleixo A N F 3463 Bassi A and Salvetti D G M: The quantum theory Balantekin A B: see Aleixo A N F 3915 of measurement within dynamical reduction Balantekin A B: see Aleixo A N F 3933 models 9859 Bassi A: see Adler S L 15083 Balantekin A B: see Aleixo A N F 5105 Balantekin A B: see Aleixo A N F 6433 Bassler K E: see Reichhardt C J O 4339 Balantekin A B: see Aleixo A N F 8417 Bastero-Gil M: Supersymmetric hybrid inflation

with minimal and non-minimal Kähler potential 6859

Batic D and Schmid H: The Dirac propagator in the extreme Kerr metric 13443

Batle J: see Borras A 13407

Bauer F: Gravity and quantum fields in discrete spacetimes 6957

Baumann F, Dutta S B and Henkel M: Kinetics of the long-range spherical model 7389

Baumgartner B, Hiesmayr B and Narnhofer H: A special simplex in the state space for entangled qudits 7919

Baye D: see Samsonov B F 4225

Bayrak O and Boztosun I: The pseudospin symmetric solution of the Morse potential for any κ state 11119

Beck Y, Braunstein A and Frankental S: The induced electric field due to a current transient 5173

Bedeaux D: see Ratushnaya V I 2573

Bedingham D J: Stochastic particle annihilation: a model of state reduction in relativistic quantum field theory F647

Beheshti S and Williams F L: Explicit soliton–black hole correspondence for static configurations 4017

Belbasi S: see Foulaadvand M E 8289

Belitsky V, Marić N and Schütz G M: Phase transitions in a cellular automaton model of a highway on-ramp 11221

Bellazzini B, Mintchev M and Sorba P: Bosonization and scale invariance on quantum wires 2485

Bellomo B, Barnett S M and Jeffers J: Frictional quantum decoherence 9437

Belvedere L V and Rodrigues A F: The two-dimensional derivative-coupling model revisited, 5193

Ben-Naim E, Hastings M B and Izraelevitz D: Statistics of partial minima F1021

Ben-Naim E and Krapivsky P L:

Addition-deletion networks 8607

Ben-Naim E: see Bender C M F9

Benamira F, Guechi L and Zouache A: Comment on 'shape invariance and the supersymmetry WKB approximation for a diatomic molecule potential' 4915

Benassi A and Calandra C: A study of the electromagnetic-fluctuation-induced forces on thin metallic films 13453

Benatti F and Weber T: The GRW model and Bell-like inequalities 2959

Benatti F: see Anderloni S 1625

Bencheikh K and Nieto L M: On the density profile in Fourier space of harmonically confined ideal quantum gases in *d* dimensions 13503

Bender C M and Ben-Naim E: Nonlinear

integral-equation formulation of orthogonal polynomials F9

Bender C M, Brody D C, Chen J-H and Furlan E: \mathcal{PT} -symmetric extension of the Korteweg-de Vries equation F153

Bender C M, Holm D D and Hook D W: Complex trajectories of a simple pendulum F81

Bender C M, Holm D D and Hook D W: Complexified dynamical systems F793

Benenti G: see Žnidarič M 13787

Beneventano C G, Giacconi P, Santangelo E M and Soldati R: The quantum Hall effect in graphene samples and the relativistic Dirac effective action F435

Berche B: see Kapikranian O 3741

Berger W A and Miller H G: A modified version of the Waxman algorithm 5675

Berry M V: Vortex-free complex landscapes and umbilic-free real landscapes F185

Berry M V and Dennis M R: Topological events on wave dislocation lines: birth and death of loops, and reconnection 65

Bertrand B and Govaerts J: Gauge-invariant factorization and canonical quantization of topologically massive gauge theories in any dimension 9609

Bertrand B and Govaerts J: Topologically massive gauge theories and their dual factorized gauge-invariant formulation F979

Besprosvany J: Cosmology with dark energy decaying through its chemical-potential contribution 7099

Bettelheim E, Abanov A G and Wiegmann P: Nonlinear dynamics of quantum systems and soliton theory F193

Bettelheim E: see Rushkin I 2165

Bezerra V B: see Dong S-H 10535

Bhattacharjee J K: see Saha A 13269

Bhattacharjee S M: Duality and phase diagram of one-dimensional transport 1703

Bhattacharya R: see Dasgupta A 773

Bhattacharyay A: A theory for one-dimensional asynchronous chemical waves 3721

Bi C: see Wang B 10491

Białecki M and Nimmo J J C: On pattern structures of the *N*-soliton solution of the discrete KP equation over a finite field 949

Bianchi M P: see Kremer G M 2553

Bibikov P N: *R*-matrices for integrable $SU(2) \times U(1)$ -symmetric $S = \frac{1}{2}$ spin-orbital chains 4683

Bilenky S M: Status of neutrino masses and mixing and future perspectives 6707

Bilić N, Tupper G B and Viollier R D: Chaplygin gas cosmology—unification of dark matter and dark energy 6877

Bin S: see Zhao-Ming W 9067

Birkandan T, Horta M,çsu: Examples of Heun and

- Mathieu functions as solutions of wave equations in curved spaces 9177
- Birkandan T and Hortaçsu M: Examples of Heun and Mathieu functions as solutions of wave equations in curved spaces 1105
- Birkandan T and Hortaçsu M: Examples of Heun and Mathieu functions as solutions of wave equations in curved spaces 11203
- Bishop A R: see Rybin A V F135
- Bisht P S, Singh J and Negi O P S: Generalized electromagnetic fields in a chiral medium 11395
- Bisht P S: see Singh J 9137
- Bisson J-F: see Kouznetsov D 2107
- Biswas S: Bose–Einstein condensation and the Casimir effect for an ideal Bose gas confined between two slabs 9969
- Bizdadea C, Cioroianu E M, Saliu S O, Săraru S C and Băluş O: An irreducible approach to second-order reducible second-class constraints 14537
- Björk G: see Klimov A B 3987
- Björk G: see Klimov A B 9177
- Blackstone T: see Arsuaga J 1925
- Blackstone T: see Arsuaga J 11697
- Blas D: Gauge symmetry and consistent spin-2 theories 6965
- Blaudeck P: see Anh D H N 11453
- Blöte H W J: see Ding C 3305
- Blundell J R and Terentjev E M: Forces and extensions in semiflexible and rigid polymer chains and filaments 10951
- Blythe R A and Evans M R: Nonequilibrium steady states of matrix-product form: a solver's guide R333
- Bogdanov L V, Dryuma V S and Manakov S V: Dunajski generalization of the second heavenly equation: dressing method and the hierarchy 14383
- Bogomolny E, Dubertrand R and Schmit C: SLE description of the nodal lines of random wavefunctions 381
- Bogomolny E and Schmit C: Random wavefunctions and percolation 14033
- Bohigas O: see Vivo P 4317
- Bohinc K: see Maset S 11815
- Boisseau B, Forgács P and Giacomini H: An analytical approximation scheme to two-point boundary value problems of ordinary differential equations F215
- Bolonek K and Kosiński P: On the unitarity of higher derivative and nonlocal theories 11561
- Bondar D I, Hnatich M and Lazur V Yu: The two Coulomb centres problem at small intercentre separations in the space of arbitrary dimension 1791
- Bonini M, Cicuta G M and Onofri E: Fock space methods and large *N* F229

- Boonchui S: see Briggs J S 1289
- Boos H E, Göhmann F, Klümper A and Suzuki J: Factorization of the finite temperature correlation functions of the *XXZ* chain in a magnetic field 10699
- Boosé D and Luck J M: Statistics of quantum transmission in one dimension with broad disorder 14045
- Borisov D: The spectrum of two quantum layers coupled by a window 5045
- Borisyuk D, Faber M and Kobushkin A: Electro-magnetic waves within a model for charged solitons 525
- Borodin A and Kanzieper E: A note on the Pfaffian integration theorem F849
- Borondo F: see Wisniacki D A 14353
- Borras A, Plastino A R, Batle J, Zander C, Casas M and Plastino A: Multiqubit systems: highly entangled states and entanglement distribution 13407
- Bortz M: Low-temperature asymptotics of integrable systems in an external field 1
- Bortz M, Sato J and Shiroishi M: String correlation functions of the spin-1/2 Heisenberg XXZ chain 4253
- Bosanac S D: Solution of Dirac equation for a step potential and the Klein paradox 8991
- Bostrem I G: see Sinitsyn V E 645
- Bouda J and Ziman M: Optimality of private quantum channels 5415
- Boukraa S, Hassani S, Maillard J-M, McCoy B M, Orrick W P and Zenine N: Holonomy of the Ising model form factors 75
- Boukraa S, Hassani S, Maillard J-M, McCoy B M and Zenine N: The diagonal Ising susceptibility 8219
- Boukraa S, Hassani S, Maillard J-M and Zenine N: Landau singularities and singularities of holonomic integrals of the Ising class 2583
- Boukraa S, Hassani S, Maillard J-M and Zenine N: Singularities of *n*-fold integrals of the Ising class and the theory of elliptic curves 11713
- Boulton L and Levitin M: On approximation of the eigenvalues of perturbed periodic Schrödinger operators 9319
- Bourée J-E: see Lim M 853
- Bouttier J, Di Francesco P and Guitter E: Blocked edges on Eulerian maps and mobiles: application to spanning trees, hard particles and the Ising model 7411
- Boyer T H: Scaling symmetries of scatterers of classical zero-point radiation 9635
- Boyko V, Patera J and Popovych R: Invariants of Lie algebras with fixed structure of nilradicals 113
- Boyko V, Patera J and Popovych R: Invariants of

15154 triangular Lie algebras 7557 Bronnikov K A, Fabris J C and Gonçalves S V B: Boyko V, Patera J and Popovych R: Invariants of The different faces of a phantom 6835 triangular Lie algebras with one Brouder C: Analytical solutions for two-level nil-independent diagonal element 9783 systems with damping 9455 Boztosun I: see Bayrak O 11119 Brown W G: see Viola L 8109 Brack M: see Gutiérrez M 1525 Brozos-Vázquez M, García-Río E, Gilkey P and Brak R, Iliev G K, Rechnitzer A and Vázquez-Lorenzo R: Examples of signature Whittington S G: Motzkin path models of (2, 2) manifolds with commuting curvature long chain polymers in slits 4415 operators 13149 Braun P: see Nagao T 47 Bruce S A and Minning P C: Supersymmetry, Braunss G: On irreversible microscopic quark confinement and the harmonic processes 3785 oscillator 14877 Braunstein A: see Beck Y 5173 Bruers S: A discussion on maximum entropy Braunstein S L, Choi B-S, Ghosh S and Maitra S: production and information theory 7441 Exact quantum algorithm to distinguish Brunelle É, Owens R G and van Roessel H J: Boolean functions of different weights 8441 Gelation time in the discrete Braunstein S L, Ghosh S and Severini S: Estimation of pure qubits on circles 1809 Bray A J and Smith R: The survival probability of a diffusing particle constrained by two moving, absorbing boundaries F235 Bray A J and Smith R: Survival of a diffusing particle in an expanding cage 10965 Brenig L: Is quantum mechanics based on an invariance principle? 4567 Brennen G K: see Bullock S S 3481 Breuer J, Forrester P J and Smilansky U: Random discrete Schrödinger operators from random matrix theory F161 Brevik I: see Ellingsen S A 3643 Brey J J, Prados A, García de Soria M I and Maynar P: Scaling and aging in the homogeneous cooling state of a granular fluid of hard particles 14331 Brézin E and Hikami S: Vertices from replica in a random matrix theory 13545 Brida G, Genovese M, Krivitsky L A, Chekhova M V and Predazzi E: Go and return propagation of biphotons in fibre and polarization entanglement 7985 Brierley S and Higuchi A: On maximal entanglement between two pairs in four-qubit pure states 8455 Brif C: see Wu R 5681 Briggs J S, Boonchui S and Khemmani S: The derivation of time-dependent Schrödinger equations 1289

Brihaye Y, Nininahazwe A and Mandal B P:

Hamiltonians 13063

distributions F691

Brody D C: see Bender C M F153

thermodynamics F503

PT-symmetric, quasi-exactly solvable matrix

Brion E, Pedersen L H and Mølmer K: Adiabatic

elimination in a lambda system 1033

Brody D C: A note on exponential families of

Brody D C, Hook D W and Hughston L P:

Unitarity, ergodicity and quantum

coagulation-fragmentation equations with a bilinear coagulation kernel 11749 Brüning J, Geyler V and Pankrashkin K: On the number of bound states for weak perturbations of spin-orbit Hamiltonians F113 Brüning J, Geyler V and Pankrashkin K: Explicit Green functions for spin-orbit Hamiltonians F697 Brüning J, Klawonn D and Puhle C: Comment on 'Resolving isospectral 'drums' by counting nodal domains' 15143 Bruß D: see Kleinmann M F871 Bruß D: see Unanyan R G F483 Bruschi M, Calogero F and Droghei R: Proof of certain Diophantine conjectures and identification of remarkable classes of orthogonal polynomials 3815 Bruschi M, Calogero F and Droghei R: Tridiagonal matrices, orthogonal polynomials and Diophantine relations: I 9793 Bruschi M, Calogero F and Droghei R: Tridiagonal matrices, orthogonal polynomials and Diophantine relations: II 14759 Buchholz D and Summers S J: String- and brane-localized causal fields in a strongly nonlocal model 2147 Buck D and Flapan E: A topological characterization of knots and links arising from site-specific recombination 12377 Budko N V and Samokhin A B: Singular modes of the electromagnetic field 6239 Bullock S S and Brennen G K: Qudit surface codes and gauge theory with finite cyclic groups 3481 Bundaru M: see Angelescu N 5565 Burić N: Geometry and dynamics of quantum state diffusion 5937 Burioni R, Cassi D and Neri F M: Electrical networks on *n*-simplex fractals 12397 Burton D A, Gratus J and Tucker R W: Multiple

currents in charged continua 811 Butt I A and Wattis J A D: Discrete breathers in a

two-dimensional hexagonal walks in periodic systems: fluid limit and Fermi-Pasta-Ulam lattice 1239 fractional differential equations on the Buzzi C A, Llibre J and da Silva P R: On the circle 13511 dynamics of the Bianchi IX system 7187 Calvo I: see Zueco D 4635 Calzetta E: see Zanella J 6927 Cacciapuoti C. Carlone R and Figari R: Calzetta E: see Zanella J 7037 Spin-dependent point potentials in one and Campoamor-Stursberg R: Non-solvable three dimensions 249 contractions of semisimple Lie algebras in Cacciapuoti C and Exner P: Nontrivial edge low dimension 5355 coupling from a Dirichlet network squeezing: Campoamor-Stursberg R: Internal labelling the case of a bent waveguide F511 operators and contractions of Lie Cacciari I, Lantieri M and Moretti P: Quantum algebras 14773 dynamics of a particle interacting with a Canet L and Chaté H: A non-perturbative double barrier 12439 approach to critical dynamics 1937 Cacciari I and Moretti P: On a class of integral Cao J: see Cui X 13523 equations having application in quantum Cao J: see Tang Y 2425 dynamics F421 Cao J-P: see Chan W-L 12143 Cadoni M, De Leo R and Gaeta G: A symmetry Cao Ya and Wang An Min: Revised geometric breaking mechanism for selecting the speed measure of entanglement 3507 of relativistic solitons 8517 Cao Z-L and Dong P: Implementation of quantum Cadoni M, De Leo R and Gaeta G: Sine-Gordon algorithms with resonant interactions 765 solitons, auxiliary fields and singular limit of Capel H W, Sahadevan R and Rajakumar S: Super a double pendulums chain 12917 integrable four-dimensional autonomous Caffarel M: see Assaraf R 1181 mappings 5373 Cai S, Su G and Chen J: Thermostatistic Caracciolo S, Sokal A D and Sportiello A: properties of a q-deformed ideal Fermi gas Grassmann integral representation for with a general energy spectrum 11245 spanning hyperforests 13799 Cairó L and Llibre J: Phase portraits of cubic Cardeal J A, de Montigny M, Khanna F C, polynomial vector fields of Lotka-Volterra Filho T M R and Santana A E: type having a rational first integral of degree Galilei-invariant gauge symmetries in 2 6329 Fokker-Planck dynamics with logarithmic Calandra C: see Benassi A 13453 diffusion and drift terms 13467 Calarco T: see Rossini D 8033 Cardy J: ADE and SLE 1427 Caliceti E, Graffi S and Sjöstrand J: PT Cardy J: see Doyon B 2509 symmetric non-self-adjoint operators, Cardy J: see Rajabpour M A 14703 diagonalizable and non-diagonalizable, with a Cariñena J F, Nunes da Costa J M and Santos P S: real discrete spectrum 10155 Quasi-coordinates from the point of view of Calogero F, Françoise J-P and Sommacal M: Lie algebroid structures 10031 Solvable nonlinear evolution PDEs in Cariñena J F, Rañada M F and Santander M: multidimensional space involving Superintegrability on curved spaces, orbits trigonometric functions F363 and momentum hodographs: revisiting a Calogero F, Françoise J-P and Sommacal M: classical result by Hamilton 13645 Solvable nonlinear evolution PDEs in Carlisle J E, Johnson C V and Pennington J S: multidimensional space involving elliptic Bäcklund transformations, D-branes and functions F705 Calogero F and Gómez-Ullate D: Two novel fluxes in minimal type 0 strings 12451 Carlone R: see Cacciapuoti C 249 classes of solvable many-body problems of Carloni S and Dunsby P K S: A dynamical system goldfish type with constraints 5335 Calogero F and Gómez-Ullate D: A new class of approach to higher order gravity 6919 Carmeli C, Heinonen T and Toigo A: Intrinsic solvable many-body problems with constraints, associated with an exceptional unsharpness and approximate repeatability of quantum measurements 1303 polynomial subspace of codimension 2 F573 Carneiro S: Non-singular inflation with vacuum Calogero F and Leyvraz F: General technique to decay 6841 produce isochronous Hamiltonians 12931 Calogero F: see Bruschi M 3815 Carreras B A: see Calvo I 13511 Carstea A S: see Grammaticos B F725 Calogero F: see Bruschi M 9793 Carvalho M J: see Rowe D J 471 Calogero F: see Bruschi M 14759 Calvo I, Carreras B A, Sánchez R and Casas F: Sufficient conditions for the convergence

of the Magnus expansion 15001

van Milligen B Ph: Continuous time random

The solution of the Schrödinger equation for

Casas J A: Model-independent predictions for n

and dn/d lnk from a broad class of inflationary complex Hamiltonian systems in two models 6679 dimensions 10171 Casas M: see Borras A 13407 Chandra A K and Dasgupta S: Spin-spin Casas M: see Zander C 2861 correlation in some excited states of the Casati G: see Žnidarič M 13787 transverse Ising model 5231 Chandra A K and Dasgupta S: Floating phase in a Caseiro R and da Costa J M N: Jacobi-Nijenhuis algebroids and their modular classes 13311 2D ANNNI model 6251 Casini H and Huerta M: A c-theorem for Chandrasekar V K, Senthilvelan M and Lakshmanan M: On the general solution for entanglement entropy 7031 Cassi D: see Burioni R 12397 the modified Emden-type equation Castin Y: see Pricoupenko L 12863 $\ddot{x} + \alpha x + \beta x^3 = 0$ 4717 Castro L B and de Castro A S: Relativistic Chang J-H: On the waterbag model of the confinement of neutral fermions with a dispersionless KP hierarchy (II) 12973 trigonometric tangent potential 263 Chang-Young E and Kim H: Quantum thetas on Castro-Alvaredo O A and Maillet J M: Form noncommutative T^4 from embeddings into factors of integrable Heisenberg (higher) spin lattice 12213 chains 7451 Charneski B, Ferrari A F and Gomes M: The Castro-Villarreal P and Guven J: Axially three-dimensional noncommutative symmetric membranes with polar Gross-Neveu model 3633 tethers 4273 Chaté H: see Canet L 1937 Catena R, Pietroni M and Scarabello L: Local Chaudhuri J R, Barik D and Banik S K: Directed transformations of units in scalar-tensor motion generated by heat bath nonlinearly cosmology 6883 driven by external noise 14715 Caux J-S: see Hagemans R 14605 Chefles A, Kitagawa A, Takeoka M, Sasaki M and Cavero-Peláez I, Milton K A and Kirsten K: Local Twamley J: Unambiguous discrimination and global Casimir energies for a among oracle operators 10183 semitransparent cylindrical shell 3607 Chekhova M V: see Brida G 7985 Ceinar P and Iachello F: Phase structure of Chen B-Y: Realization of Robertson-Walker interacting boson models in arbitrary spacetimes as affine hypersurfaces 4241 dimension 581 Chen F, Chen Z, Liu Z, Xiang L and Yuan Z: Celeghini E: see Ballesteros A 2013 Finding and evaluating the hierarchical Célérier M-N: see Nottale L 14471 structure in complex networks 5013 Cembranos J A R, Dobado A and Maroto A L: Chen F: see Xiang L 14369 Some model-independent phenomenological Chen H-D: Two-point entanglement near a consequences of flexible braneworlds 6631 quantum phase transition 10215 Cervantes M: see Amore P 13047 Chen J: see Cai S 11245 Chabanol M-L: Three-point correlations for Chen J-H: see Bender C M F153 quantum star graphs 13535 Chen J-L and Zhang Y-d: The analytical Chacón R: Optimal control of ratchets without calculations of nonlinear dynamics of Kerr spatial asymmetry F413 medium 271 Chadan K: Generalization of Bochner's theorem Chen J-L: see Liu Z-X 1661 for functions of the positive type 14395 Chen T: see Jiang L-1 11271 Chadzitaskos G: see Luft P 4833 Chen W Y C, Saad H L and Sun L H: The Chair N: Perturbative Chern-Simons theory from bivariate Rogers-Szegö polynomials 6071 the Penner model F443 Chen X: see Chouikha A R 2313 Chakrabarti R: see Aizawa N 10021 Chen X: see Romanovski V G 5905 Chakrabarti R: see Aizawa N 14985 Chen Y: see Li Yu-Qi 3425 Chakraborty B: see Scholtz F G 14581 Chen Y W, Zhang L F and Huang J P: The Chamorro-Posada P: see Christian J M 1545 Watts-Strogatz network model developed by Chamorro-Posada P: see Christian J M 8601 including degree distribution: theory and Chan C J and Terentjev E M: Non-equilibrium computer simulation 8237 Chen Z and Zhu F: Bilinear forms on fermionic statistical mechanics of liquid crystals: relaxation, viscosity and elasticity R103 Novikov algebras 4729 Chan W-L, Cao J-P, Yang D and Gu S-J: Effects Chen Z: see Chen F 5013 of environmental parameters to total, quantum Chen Z: see Xiang L 14369 and classical correlations 12143 Chen Z: see Zhu F 14243 Chand F, Singh R M, Kumar N and Mishra S C: Chen Z-B: see Song W 785

- Chenaghlou A: *see* Fakhri H 5511 Cherbal O, Drir M, Maamache M and Trifonov D A: Fermionic coherent states for pseudo-Hermitian two-level systems 1835
- Cherniha R and Pliukhin O: New conditional symmetries and exact solutions of nonlinear

symmetries and exact solutions of nonlinea reaction–diffusion–convection equations 10049

Chetouani L: see Haouat S 1349

Chetouani L: see Haouat S 10541

Chew L Y: see Liu Y 10383

Chibirova F K: see Khalilov V R 6469

Chilla V: Combinatorics of transformations from standard to non-standard bases in Brauer algebras 5395

Chishtie F A: see Frolov A M 11923

Cho H-T and Ho C-L: Quasi-exactly solvable quasinormal modes 1325

Choi B-S: see Braunstein S L 8441

Choi J and Cvijović D: Values of the polygamma functions at rational arguments 15019

Choi J: see Kang H 3319

Choi M Y: see Jeong D 9723

Choi M Y: see Kang H 3319

Chou T: see D'Orsogna M R 5575

Chou T-W: see Li C 14679

Chouikha A R, Romanovski V G and Chen X: Isochronicity of analytic systems via Urabe's criterion 2313

- Christian J M, McDonald G S and Chamorro-Posada P: Helmholtz bright and boundary solitons 1545
- Christian J M, McDonald G S and Chamorro-Posada P: Helmholtz bright and boundary solitons 8601
- Christiansen P L: *see* Zolotaryuk A V 5443
- Christodoulides Y T and Mestel B D: On functional equations associated with the renormalization of non-commuting circle mappings 11877
- Chuluunbaatar O, Gusev A A, Derbov V L, Kaschiev M S, Melnikov L A, Serov V V and Vinitsky S I: Calculation of a hydrogen atom photoionization in a strong magnetic field by using the angular oblate spheroidal functions 11485
- Chung S B and Stone M: Explicit monodromy of Moore–Read wavefunctions on a torus 4923
- Ciccarello F, Palma G M, Zarcone M, Omar Y and Vieira V R: Electron Fabry–Perot interferometer with two entangled magnetic impurities 7993
- Cicogna G and Gaeta G: Noether theorem for μ -symmetries 11899

Cicuta G M: see Bonini M F229

Ciftci H: see Saad N 10903

Cioroianu E M: see Bizdadea C 14537

Clisby N, Liang R and Slade G: Self-avoiding

- walk enumeration via the lace expansion 10973
- Coffey M W and Colburn G G: Feasibility of the controlled-NOT gate from certain model Hamiltonians 9463
- Coffey W T, Kalmykov Yu P, Titov S V and Mulligan B P: Semiclassical Klein–Kramers and Smoluchowski equations for the Brownian motion of a particle in an external potential F91
- Coffey W T, Kalmykov Yu P, Titov S V and Mulligan B P: Reply to 'Comment on 'Semiclassical Klein–Kramers and Smoluchowski equations for the Brownian motion of a particle in an external potential" 12505
- Cohen D and Horovitz B: Dephasing of a particle in a dissipative environment 12281
- Colburn G G: see Coffey M W 9463
- Colin S and Struyve W: A Dirac sea pilot-wave model for quantum field theory 7309
- Comellas F and Gago S: Synchronizability of complex networks 4483
- Comtet A, Majumdar S N and Ouvry S: Integer partitions and exclusion statistics 11255
- Conte R, Rogers C and Schief W K: Painlevé structure of a multi-ion electrodiffusion system F1031
- Contopoulos G: *see* Efthymiopoulos C 12945 Cordeiro F, Providência C, da Providência J and Nishiyama S: The Buck–Sukumar model described in terms of $su(2) \otimes su(1, 1)$ coherent states 12153
- Cornette V, Linares D, Ramirez-Pastor A J and Nieto F: Random sequential adsorption of polyatomic species 11765
- Correa F and Plyushchay M S: Peculiarities of the hidden nonlinear supersymmetry of the Pöschl–Teller system in the light of the Lamé equation 14403
- Costantini G, Facchi P, Florio G and Pascazio S: Multipartite entanglement characterization of a quantum phase transition 8009
- Cotăescu I I and Visinescu M: Infinite loop superalgebras of the Dirac theory on the Euclidean Taub–NUT space 11987
- Courbage M, Durt T and Fathi S M S: Quantum-mechanical decay laws in the neutral kaons 2773
- Cox B J, Thamwattana N and Hill J M: Mechanics of fullerenes oscillating in carbon nanotube bundles 13197
- Craig D, Dowker F, Henson J, Major S, Rideout D and Sorkin R D: A Bell inequality analog in quantum measure theory 501
- Crampé N and Young C A S: Integrable models from twisted half-loop algebras 5491

Crater H W: see Alba D 9585

Legendre polynomials class integrals' 14029 Csikja R: see Kirschner I 9361 Cugliandolo L F, Dean D S and Yoshino H: Nonlinear susceptibilities of spherical models 4285 Cui X, Gu S-J, Cao J, Wang Y and Lin H-Q: Correlation entropy and the Kosterlitz-Thouless transition 13523 Curilef S, Pennini F, Plastino A and Ferri G L: Fisher information, delocalization and the semiclassical description of molecular rotation 5127 Cvijović D: see Choi J 15019 Czachor M: Elementary gates for cartoon computation F753 Czachor M: see Aerts D F259 Czyżycki T: The Tresse theorem and differential invariants for the nonlinear Schrödinger equation 9331 D'Alessandro D and Albertini F: Quantum symmetries and Cartan decompositions in arbitrary dimensions 2439 D'Alessandro D, Parlangeli G and Albertini F: Non-stationary quantum walks on the cycle 14447 D'Ambrumeni N H: The Quantum Hall Effect: Poincaré Seminar (Progress in Mathematical Physics) 12256 D'Ariano G M: No-signalling, dynamical independence and the local observability principle 8137 D'Ariano G M: see van Dam W 7971 d'Espagnat B: GianCarlo Ghirardi and the interpretation of quantum physics 2971 D'Orsogna M R, Chou T and Antal T: Exact steady-state velocity of ratchets driven by random sequential adsorption 5575 da Costa J M N: see Caseiro R 13311 da Providência J: see Cordeiro F 12153 da Silva A J: see Ferrari A F 7803 da Silva A R and Scavone G P: Lattice Boltzmann simulations of the acoustic radiation from waveguides 397 da Silva A R and Scavone G P: Lattice Boltzman simulations of the acoustic radiation from waveguides 9721 da Silva J K L, Barbosa L A and Silva P R: Unified theory of interspecific allometric scaling F953 da Silva J K L: see Kamphorst S O F887 da Silva J K L: see Ladeira D G 11467 da Silva PR: see Buzzi CA 7187 Da Silva S: see Figueiredo A 5783 Dahlsten O C O, Oliveira R and Plenio M B: The emergence of typical entanglement in De Leo R: see Cadoni M 8517 two-party random processes 8081

Cregg P J and Svedlindh P: Comment on

'Analytical results for a Bessel function times

Dahlsten O C O: see Serafini A 9551 Dai H-p: see Wang L 13279 Dajka J, Mierzejewski M and Łuczka J: Entanglement persistence in contact with the environment: exact results F879 Dalmazi D and de Souza Dutra A: Restrictions over two-dimensional gauge models with Thirring-like interaction 13479 Damerau J, Göhmann F, Hasenclever N P and Klümper A: Density matrices for finite segments of Heisenberg chains of arbitrary length 4439 Dancer K A, Finch P E and Isaac P S: Universal Baxterization for Z-graded Hopf algebras F1069 Dantas W G: see Fiore C E 4305 Das P K, Dasgupta S and Sen P: Dynamics of unvisited sites in the presence of mutually repulsive random walkers 6013 Dasgupta A, Roy D and Bhattacharya R: Simple systematics in the energy eigenvalues of quantum anharmonic oscillators 773 Dasgupta S: see Chandra A K 5231 Dasgupta S: see Chandra A K 6251 Dasgupta S: see Das P K 6013 Datta N and Dorlas T C: The coding theorem for a class of quantum channels with long-term memory 8147 Davison M: see Fischer A 11441 De Baerdemacker S, Heyde K and Hellemans V: Quadrupole collective variables in the natural Cartan-Weyl basis 2733 De Bie H and Sommen F: Spherical harmonics and integration in superspace 7193 De Bie H and Sommen F: Hermite and Gegenbauer polynomials in superspace using Clifford analysis 10441 de Carvalho K C: see Tomé T 12901 de Castro A S: see Castro L B 263 de Diego D M: see Barbero-Liñán M 12071 De Felice A: Are modified gravity models free of ghosts? 7061 de Gosson M A: see Isidro J M 3549 de Guise H: see Lavoie B R 2825 de Hoop A T and Prange M D: Variational analysis of the natural decay rates and eigenmodes of cavity-enclosed diffusive fields 12463 de la Incera V: see Ferrer E J 6913 de la Llave R, Olvera A and Petrov N P: Universal scalings of universal scaling exponents F427 de la Madrid R: Reply to 'Comment on 'On the inconsistency of the Bohm-Gadella theory with quantum mechanics" 4671 de Leeuw M: Coordinate Bethe ansatz for the string S-matrix 14413 de Lemos A L L: see Alcalde M A 11961

| De Leo R: see Cadoni M 12917 | Deng H Z: see Wu J 2665 |
|---|---|
| de M Rios P: A semiclassically entangled | Deng M: see Duan X-J 3831 |
| puzzle F1047 | Deng Y: see Ding C 3305 |
| De Martini F and Sciarrino F: Entanglement, | Dennis M R: see Berry M V 65 |
| Einstein Podolsky Rosen correlations and | Derbov V L: see Chuluunbaatar O 11485 |
| Schrődinger cat state generation by | Dereli T, Gratus J and Tucker R W: New |
| quantum-injected optical parametric | perspectives on the relevance of gravitation |
| amplification 2977 | for the covariant description of |
| de Miguel R, Shental O, Müller R R and Kanter I: | electromagnetically polarizable media 5695 |
| Information and multiaccess interference in a | Deriglazov A A: Reconstruction of higher-stage |
| complexity-constrained vector channel 5241 | first-class constraints into the secondary |
| de Montigny M: see Cardeal J A 13467 | ones 11083 |
| de Montigny M: see Kobayashi M 1117 | Desbois J: Occupation times for planar and higher |
| de Oliveira M C: see Haruna L F 14195 | dimensional Brownian motion 2251 |
| de Oliveira M J: see Barato A C 8205 | Dhar D: see Pradhan P 2639 |
| de Oliveira M J: see Fiore C E 4305 | Di Francesco P: see Bouttier J 7411 |
| De Santis E and Marinelli C: A class of stochastic | Diao Y: see Arsuaga J 1925 |
| | |
| games with infinitely many interacting agents | Diao Y: see Arsuaga J 11697 Díaz R and Pariguán E: An example of |
| related to Glauber dynamics on random graphs 11777 | Feynman–Jackson integrals 1265 |
| de Souza Dutra A: see Dalmazi D 13479 | • |
| | Díaz-Cano A and González-Gascón F: Limit |
| de Souza L A: see Dodonov V V 13955 | speed of particles in a non-homogeneous |
| de Vicente J I, Gandy S and Sánchez-Ruiz J: | electric field under friction 15029 |
| Information entropy of Gegenbauer | Dietrich D D and Dunne G V: Gutzwiller's trace |
| polynomials of integer parameter 8345 | formula and vacuum pair production F825 |
| De Vita R, Stewart I W and Leo D J: Pressure | Dimakis A and Müller-Hoissen F: A new |
| effects on the equilibrium configurations of | approach to deformation equations of |
| bilayer lipid membranes 13179 Deep D. S. and Langester Dr. Fluctuations in the | noncommutative KP hierarchies 7573 Dimakis A and Müller-Hoissen F: With a |
| Dean D S and Lancaster D: Fluctuations in the | |
| site-disordered traveling salesman | Cole—Hopf transformation to solutions of the |
| problem 13837 | noncommutative KP hierarchy in terms of |
| Dean D S: see Cugliandolo L F 4285 | Wronski matrices F321 |
| Dean D S: see Touya C 919 | Ding C, Deng Y, Guo W, Qian X and Blöte H W J: |
| Deb B M: see Poddar A 5981 | Geometric properties of two-dimensional |
| Deconinck B, Kimura Y and Segur H: The pole | O(n) loop configurations 3305 |
| dynamics of rational solutions of the viscous | Ding Q: Chaotic properties between the |
| Burgers equation 5459 | nonintegrable discrete nonlinear Schrödinger |
| Degasperis A and Lombardo S: Multicomponent | equation and a nonintegrable discrete |
| integrable wave equations: I. | Heisenberg model 1991 |
| Darboux-dressing transformation 961 | Diósi L: Notes on certain Newton gravity mechanisms of wavefunction localization and |
| Deguchi T: Regular XXZ Bethe states at roots of | |
| unity as highest weight vectors of the sl_2 loop | decoherence 2989 |
| algebra 7473 | Dmitriev S V, Kevrekidis P G, Khare A and |
| Dehesa J S, González-Férez R and | Saxena A: Exact static solutions to a |
| Sánchez-Moreno P: The | translationally invariant discrete ϕ^4 |
| Fisher-information-based uncertainty relation, | model 6267 |
| Cramer–Rao inequality and kinetic energy for | Dmitriev S V, Kevrekidis P G, Yoshikawa N and |
| the <i>D</i> -dimensional central problem 1845 | Frantzeskakis D J: Exact stationary solutions |
| del Olmo M A: see Ballesteros A 2013 | for the translationally invariant discrete |
| del Río E: see Donoso J M F449 | nonlinear Schrödinger equations 1727 |
| Delannay R: see Le Caër G 1561 | Dmitriev S V: see Khare A 11301 |
| Dell Antonio G F: see Albeverio S 14819 | Dobado A: see Cembranos J A R 6631 |
| Delves R T and Joyce G S: Derivation of exact | Dobarro F and Unal B: About curvature, |
| product forms for the simple cubic lattice | conformal metrics and warped |
| Green function using Fourier generating | products 13907 |
| functions and Lie group identities 8329 | Dobrogowska A and Odzijewicz A: Solutions of |
| Demir F: see Kelbert E 7721 | the <i>q</i> -deformed Schrödinger equation for |
| Deng F-G: see Zhou P 13121 | special potentials 2023 |

Dodelson S and Vale C: Gravitational lensing, the self-averaging of dispersion for transport in cosmic microwave background and cluster quasi-periodic random media 597 masses 6621 Echeverría-Enríquez A: see Dodonov V V: Comment on 'Analytical results Barbero-Liñán M 12071 for a Bessel function times Legendre Eckert K: see Romero-Isart O 8019 polynomials class integrals' 14329 Eckhardt D H: see Pestaña J L G 12001 Dodonov V V and de Souza L A: Decoherence of Efendiyev M Y: see Nagiyev S M 289 multicomponent symmetrical superpositions Efraim H, Yacov N, Shental O, Kanter I and of displaced quantum states 13955 Saad D: Improved detection in CDMA for Dokuchaev N: Parabolic equations with the biased sources 9977 second-order Cauchy conditions on the Efthymiopoulos C, Kalapotharakos C and boundary 12409 Contopoulos G: Nodal points and the Domínguez A: see Gaite J 6849 transition from ordered to chaotic Bohmian Dong P: see Cao Z-L 765 trajectories 12945 Dong S-H, Qiang W-C, Sun G-H and Ekert A: see van Dam W 7971 Bezerra V B: Analytical approximations to El G A, Gladush Yu G and Kamchatnov A M: the *l*-wave solutions of the Schrödinger Two-dimensional periodic waves in equation with the Eckart potential 10535 supersonic flow of a Bose-Einstein Donoso J M and del Río E: Integral propagator condensate 611 solvers for Vlasov-Fokker-Planck Elander N: see Rakityansky S A 14857 equations F449 Elgin J N: see Woodcock T F355 Donzis D: see Verma M K 4401 Eliazar I and Klafter J: Fractal Lévy correlation Dorey P, Dunning C and Tateo R: The ODE/IM cascades F307 correspondence R205 Elizalde E: Quantum vacuum fluctuations and the Dorlas T C: see Datta N 8147 cosmological constant 6647 Dosch A: see Shalchi A 11191 Ellingsen S A: Casimir attraction in multilavered Dowker F: see Barnett M 7255 plane parallel magnetodielectric Dowker F: see Craig D 501 systems 1951 Doyon B and Cardy J: Calogero-Sutherland Ellingsen S A and Brevik I: Casimir force on real eigenfunctions with mixed boundary materials—the slab and cavity geometry 3643 conditions and conformal field theory Elliott T M and Wheater J F: Biased random correlators 2509 walks on random combs 8265 Drir M: see Cherbal O 1835 Elon Y, Gnutzmann S, Joas C and Smilansky U: Droghei R: see Bruschi M 3815 Geometric characterization of nodal domains: Droghei R: see Bruschi M 9793 the area-to-perimeter ratio 2689 Droghei R: see Bruschi M 14759 Enciso A, Finkel F, González-López A and Dryuma V S: see Bogdanov L V 14383 Rodríguez M A: Exchange operator Duan X-J, Deng M, Zhao W-Z and Wu K: The formalism for N-body spin models with prolongation structure of the inhomogeneous near-neighbours interactions 1857 equation of the reaction-diffusion type 3831 Erdem R: A symmetry for the vanishing Dubertrand R: see Bogomolny E 381 cosmological constant 6945 Dudka M, Folk R, Holovatch Yu and Moser G: Ernst M H and Pagonabarraga I: The nonlinear Model C critical dynamics of random fragmentation equation F331 anisotropy magnets 8247 Ernst M H: see Barrat A 4057 Dunne G V: see Dietrich D D F825 Errea B: see Lerma H S 4125 Dunning C: see Dorey P R205 Esposti M D: see Horvat M 9771 Dunsby P K S: see Carloni S 6919 Essex C: see Fischer A 11441 Dürr D, Goldstein S, Taylor J, Tumulka R and Este R A: see Andrecut M F299 Zanghì N: Quantum mechanics in Este R A: see Andrecut M 11675 multiply-connected spaces 2997 Estévez P G, Kuru Ş, Negro J and Nieto L M: Durt T: see Courbage M 2773 Factorization of a class of almost linear Dutta S B: see Baumann F 7389 second-order differential equations 9819 Duxbury PM: see Farrow CL F581 Estévez P G, Prada J and Villarroel J: On an Dwandaru W S B and Schmidt M: A relationship algorithmic construction of lump solutions in of mean-field theory for a driven lattice gas to a 2+1 integrable equation 7213 an exact equilibrium density functional 13209 Evans M R: see Blythe R A R333 Exner P and Fraas M: The decay law can have an Eberhard J P, Suciu N and Vamoş C: On the irregular character 1333

| Exner P: see Cacciapuoti C F511 | Ferraro E, Napoli A and Messina A: A criterion |
|--|--|
| Ezawa H: see Jia XY 6023 | for entanglement in two two-level |
| | systems F935 |
| Fober M. saa Rorisynk D. 525 | Ferreira P J S G, Kempf A and Reis M J C S: |
| Faber M: <i>see</i> Borisyuk D 525 Fabricius K: A new <i>Q</i> -matrix in the eight-vertex | Construction of Aharonov–Berry's |
| model 4075 | superoscillations 5141 |
| Fabricius K and McCoy B M: The TQ equation of | Ferreira S C Jr: see Paiva L R F43 |
| | Ferrer E J and de la Incera V: Paramagnetism in |
| the eight-vertex model for complex elliptic roots of unity 14893 | colour superconductivity and compact |
| Fabris J C: see Bronnikov K A 6835 | stars 6913 |
| Facchi P: see Costantini G 8009 | Ferri G L: see Curilef S 5127 |
| Faedo A F: see Álvarez E 6641 | Field C M: Extension of the |
| Fakhri H and Chenaghlou A: Quantum solvable | Adler-Bobenko-Suris classification of |
| | integrable lattice equations F589 |
| models with $gl(2, c)$ Lie algebra symmetry | Figari R: see Cacciapuoti C 249 |
| embedded into the extension of unitary | Figueiredo A, Gleria I, Matsushita R and |
| parasupersymmetry 5511 Fan H: see Ou Y-C 2455 | Da Silva S: The Levy sections theorem |
| Fan T: see Wu H 10505 | revisited 5783 |
| | Filho T M R: see Cardeal J A 13467 |
| Fanelli L and Montefusco E: On the blow-up | Finch P E: see Dancer K A F1069 |
| threshold for weakly coupled nonlinear | Finkel F: see Enciso A 1857 |
| Schrödinger equations 14139 | Fiore C E, Dantas W G and de Oliveira M J: A |
| Fannes M: see Akhalwaya I 8069 | comparative study for the pair-creation |
| Fannes M: see Alicki R 6451 | contact process using series expansions 4305 |
| Fannjiang A C: Self-averaging scaling limits of | Fischer A, Seeger S, Hoffmann K H, Essex C and |
| two-frequency Wigner distribution for | Davison M: Modeling anomalous |
| random paraxial waves 5025 | superdiffusion 11441 |
| Fannjiang A C: Mutual coherence of polarized | Flapan E: see Buck D 12377 |
| light in disordered media: two-frequency | Floreanini R: see Anderloni S 1625 |
| method extended 13667 | Flores-Hidalgo G: The thermalization process of |
| Farina C: see Mendes T N C 7343 | an atom with the thermal radiation |
| Farina C: see Vaidya A N 9149 | field 13217 |
| Farrar T J: see Yuen W K F639 | Florio G: see Costantini G 8009 |
| Farrow C L, Shukla P and Duxbury P M: | Flytzanis N: see Paltoglou V 12829 |
| Dynamics of <i>k</i> -core percolation F581 | Folk R: see Dudka M 8247 |
| Fasihi M A: see Najarbashi G 6481 | Fonseca A L A: see Guimarães A F 15131 |
| Fathi S M S: see Courbage M 2773 | Fontanari J F: see Poderoso F C 8723 |
| Faure F: see Hansen M S 13075 | Forgács P: see Boisseau B F215 |
| Fazio R: see Rossini D 8033 | Forrester P J: Eigenvalue distributions for some |
| Fedotov S, Milstein G N and Tretyakov M V: | correlated complex sample covariance |
| Superdiffusion of a random walk driven by an | matrices 11093 |
| ergodic Markov process with switching 5769 | Forrester P J: see Breuer J F161 |
| Fei S-M: see Albeverio S 11113 | Foster D P: Critical behaviour of the |
| Feldman E and Hillery M: Modifying quantum | bond-interacting self-avoiding walk 1963 |
| walks: a scattering theory approach 11343 | Foulandvand M E and Belbasi S: Vehicular traffic |
| Feng J: see Li Y-L 10301 | flow at a non-signalized intersection 8289 |
| Feng X L: see Kwek L C 8165 | |
| Ferapontov E V and Svirshchevskii S R: Ordinary | Fraas M: see Exner P 1333 |
| differential equations which linearize on | Franchini F, Its A R, Jin B-Q and Korepin V E: |
| differentiation 2037 | Ellipses of constant entropy in the XY spin |
| Fernández D J, Hussin V and Rosas-Ortiz O: | chain 8467 |
| Coherent states for Hamiltonians generated | Françoise J-P: see Calogero F F363 |
| by supersymmetry 6491 | Françoise J-P: see Calogero F F705 |
| Fernández F M: see Amore P 13047 | Frankental S: see Beck Y 5173 |
| Ferrari A F, Lehum A C, da Silva A J and | Frantzeskakis D J: see Dmitriev S V 1727 |
| Teixeira F: The supersymmetric $(2 + 1)D$ | Franz S and Montanari A: Analytic determination |
| noncommutative $CP^{(N-1)}$ model in the | of dynamical and mosaic length scales in a |
| fundamental representation 7803 | Kac glass model F251 |
| Ferrari A F: see Charneski B 3633 | Fredenhagen S, Gaberdiel M R and Keller C A: |

Bulk-induced boundary perturbations F17 Fredenhagen S, Gaberdiel M R and Keller C A: Symmetries of perturbed conformal field theories 13685 Fring A: \mathcal{PT} -symmetric deformations of the Korteweg-de Vries equation 4215 Fröhlich J, Knowles A and Pizzo A: Atomism and quantization 3033 Frolov A M: Highly accurate evaluation of the singular properties for the positronium and hydrogen negative ions 6175 Frolov A M and Chishtie F A: Annihilation of the electron-positron pairs in polyelectrons 11923 Frolov I E and Zhukovsky V Ch: Synchrotron radiation in the standard model extension 10625 Frolov S: see Arutyunov G 3583 Fu Z, Liu S and Liu S: A systematical way to find breather lattice solutions to the positive mKdV equation 4739 Fubini A: see Baroni F 9845 Fuchs J. Gaberdiel M R. Runkel I and Schweigert C: Topological defects for the free boson CFT 11403 Fuentes-Schuller I and Barberis-Blostein P: A family of many-body models which are exactly solvable analytically F601 Fujiwara A: see Imai H 4391 Fukuyama T, Kamimura K, Krešić-Jurić S and Meljanac S: Gauge transformations and symmetries of integrable systems 12227 Fulling S A, Kuchment P and Wilson J H: Index theorems for quantum graphs 14165 Fülöp T and Tsutsui I: Boundary effect of a partition in a quantum well 4585 Furlan E: see Bender C M F153 Furs A N and Barkovsky L M: A new type of surface polaritons at the interface of the magnetic gyrotropic media 309 Fussner D W: see Wang B 10491 Fyodorov Y V and Khoruzhenko B A: A few remarks on colour-flavour transformations, truncations of random unitary matrices, Berezin reproducing kernels and Selberg-type integrals 669 Fyodorov Y V: see Wei Y 13587 Gaberdiel M R: see Fredenhagen S F17

Gadella M, Negro J and Pronko G P: Classical and quantum three-dimensional integrable systems with axial symmetry 10791 Gadella M and Wickramasekara S: Comment on 'On the inconsistency of the Bohm-Gadella

Gaberdiel M R: see Fredenhagen S 13685

Gaberdiel MR: see Fuchs J 11403

theory with quantum mechanics' 4665

Gadjiev S A and Jafarov R G: On quantization of time-dependent systems with constraints 3665

Gaeta G, Gramchev T and Walcher S: Compact solitary waves in linearly elastic chains with non-smooth on-site potential 4493

Gaeta G: see Cadoni M 8517

Gaeta G: see Cadoni M 12917

Gaeta G: see Cicogna G 11899

Gaffet B: On a class of quartic surfaces and an associated integrable differential system 6085

Gago S: see Comellas F 4483

Gaite J and Domínguez A: Scaling laws in the cosmic structure and renormalization group 6849

Gál T: Functional differentiation under simultaneous conservation constraints 2045

Gal'tsov D V: see Melkumova E Yu 6979

Galkin A: see Militello B 533

Gandarias M L, Torrisi M and Tracinà R: On some differential invariants for a family of diffusion equations 8803

Gandy S: see de Vicente J I 8345

Ganguly A and Nieto L M: Shape-invariant quantum Hamiltonian with position-dependent effective mass through second-order supersymmetry 7265

Gao Y: see Oiang W-C 1677

Garattini R: Multigravity and spacetime foam 7055

García de Soria M I: see Brey J J 14331

Garcia M E: see Gridnev D K 9003

García-Álvarez D: see Asorey M 6767 García-Río E: see Brozos-Vázquez M 13149

Garnerone S, Marzuoli A and Rasetti M: Quantum geometry and quantum algorithms 3047

Garny M: B-L-symmetric baryogenesis with leptonic quintessence 7005

Garzó V: Shear-rate-dependent transport coefficients for inelastic Maxwell models 10729

Garzó V and Santos A: Third and fourth degree collisional moments for inelastic Maxwell models 14927

Gat O: Quantum dynamics and breakdown of classical realism in nonlinear oscillators F911

Gavish U and Smilansky U: Degeneracies in the length spectra of metric graphs 10009

Gazeau J P, Huguet E, Lachièze-Rey M and Renaud J: Fuzzy spheres from inequivalent coherent states quantizations 10225

Ge H and Jiang D-Q: The transient fluctuation theorem of sample entropy production for general stochastic processes F713

Gehlen G von, Iorgov N, Pakuliak S, Shadura V and Tykhyy Yu: Form-factors in the Baxter-Bazhanov-Stroganov model I: norms and matrix elements 14117

| Geldart D J W: see Wayan Sudiarta I 1885 | transformation for point rotation coordinate |
|--|---|
| Geloun J B and Hounkonnou M N: New | frames 1341 |
| formulation of nonlinear vector coherent | Gitman D M and Kupriyanov V G: The action |
| states of f-deformed spin-orbit | principle for a system of differential |
| Hamiltonians F817 | equations 10071 Gladush Yu G: see El G A 611 |
| Geng W T: see Wang H-J 11617 | |
| Geng X and Su T: Discrete coupled derivative | Glasser M L and Lamb G: Analysis of the |
| nonlinear Schrödinger equations and their | second-order exchange self-energy of a dense |
| quasi-periodic solutions 433 | electron gas 1215 |
| Genovese M: see Brida G 7985 | Gleria I: see Figueiredo A 5783 |
| Gepner D: see Babichenko A 203 | Gliozzi F: The Stefan–Boltzmann law in a small |
| Geyer B, Klimchitskaya G L and Mostenanenko V M: Generalized plasma like | box and the pressure deficit in hot $SU(N)$ |
| Mostepanenko V M: Generalized plasma-like permittivity and thermal Casimir force | lattice gauge theory F375 Gnutzmann S: see Elon Y 2689 |
| between real metals 13485 | |
| Geyer H B: see Musumbu D P F75 | Goetz M, Meyer-Spasche R and Weitzner H: A |
| · · | study of a simple gyrotron equation 2203 Göhmann F: <i>see</i> Boos H E 10699 |
| Geyler V: see Brüning J F113 Geyler V: see Brüning J F697 | Göhmann F: see Damerau J 4439 |
| Geyler V. see Bruning 3 1097 Gheisari R: Fusion channel of $pd\mu$ | |
| charge-symmetric ion including | Goldhaber A S and Horner M L: Single-particle analog to the fractional quantum Hall |
| photons 13423 | effect 14343 |
| Ghirardi GC: Some reflections inspired by my | Goldstein S: see Dürr D 2997 |
| research activity in quantum mechanics 2891 | Golinelli O and Mallick K: Family of commuting |
| Ghirardi GC: see Bassi A 2919 | operators for the totally asymmetric exclusion |
| Ghirardi GC: see Bassi A 13755 | process 5795 |
| Ghosh R: see Banerjee S 1273 | Golinelli O and Mallick K: Connected operators |
| Ghosh R: see Banerjee S 13735 | for the totally asymmetric exclusion |
| Ghosh S: Skew-orthogonal polynomials, | process 13231 |
| differential systems and random matrix | Gomes J F: see Aratyn H 4511 |
| theory 711 | Gomes M: see Charneski B 3633 |
| Ghosh S: see Braunstein S L 1809 | Gomez Llorente J M: see Martín-Fierro E 1065 |
| Ghosh S: see Braunstein S L 8441 | Gómez-Ullate D: see Calogero F 5335 |
| Giacconi P: see Beneventano C G F435 | Gómez-Ullate D: see Calogero F F573 |
| Giacomin G and Toninelli F L: Force-induced | Gonçalves S V B: see Bronnikov K A 6835 |
| depinning of directed polymers 5261 | Gonera C: see Hardej M 423 |
| Giacomini H and Mouchet A: Finding gaps in a | Gong Z-X: see Yang W-X 155 |
| spectrum F921 | González-Férez R: see Dehesa J S 1845 |
| Giacomini H: see Boisseau B F215 | Gonzalez-Garcia M C, Maltoni M and Rojo J: |
| Giannetto E: Once Upon Einstein 8603 | Extraction of the atmospheric neutrino fluxes |
| Gil' M I: A bound for functions defined on a | from experimental event rate data 7093 |
| normed space 4087 | González-Gascón F: see Díaz-Cano A 15029 |
| Gilkey P: see Brozos-Vázquez M 13149 | González-López A: see Enciso A 1857 |
| Gilmore R, Letellier C and Romanazzi N: Global | Górska K J: see Makowski A J 11373 |
| topology from an embedding 13291 | Goswami D: see Albeverio S 11113 |
| Gilmore R: see Letellier C 5597 | Gottschalk H: Scattering theory for dipole |
| Gilson C R and Nimmo J J C: On a direct | quantum fields 9643 |
| approach to quasideterminant solutions of a | Gottwald G A: Dispersive regularizations and |
| noncommutative KP equation 3839 | numerical discretizations for the inviscid |
| Giovannetti V: see Rossini D 8033 | Burgers equation 14745 |
| Giraud O: Distribution of bipartite entanglement | Govaerts J, Jarvis P D, Morgan S O and Low S G: |
| for random pure states 2793 | World-line quantization of a reciprocally |
| Giraud O: Purity distribution for bipartite random | invariant system 12095 |
| pure states F1053 | Govaerts J and Scholtz F G: The Weyl-Heisenberg |
| Giri P R: The quantum oscillator on complex | group on the noncommutative two-torus: a |
| projective space (Lobachewski space) in a | zoo of representations 12415 |
| constant magnetic field and the issue of | Govaerts J: see Bertrand B 9609 |
| generic boundary conditions 3539 | Govaerts J: see Bertrand B F979 |
| Gisin B V: Experimental verification of a strange | Govaerts I. see Scholtz F.G. 14581 |

Govinder K S: On the equivalence of Günther U, Rotter I and Samsonov B F: Projective 'non-equivalent' algebraic realizations 8363 Hilbert space structures at exceptional points 8815 Gracey J A: Three-loop MS renormalization of Günther U, Samsonov B F and Stefani F: A QED in the 't Hooft-Veltman gauge 13989 globally diagonalizable α^2 -dynamo operator, Graffi S: see Caliceti E 10155 SUSY QM and the Dirac equation F169 Gramada A: On some orthogonality properties of Günther U: see Pupasov A M 10557 Maxwell's multipole vectors 2329 Günther U: see Znojil M 7375 Gramchev T: see Gaeta G 4493 Guo W: see Ding C 3305 Grammaticos B. Ramani A. Tamizhmani K M. Gusev A A: see Chuluunbaatar O 11485 Tamizhmani T and Carstea A S: Do integrable Gusin P: Inflation conditions for non-BPS cellular automata have the confinement D-branes 6985 property? F725 Gustafsson M: see Sohl C 11165 Grammaticos B: see Ramani A F391 Guth A H: Eternal inflation and its Grande J, Solà J and Štefančić H: Cosmologies implications 6811 with variable parameters and dynamical Gutiérrez M, Brack M, Richter K and Sugita A: cosmon: implications on the cosmic The effect of pitchfork bifurcations on the coincidence problem 6787 spectral statistics of Hamiltonian Grande J, Solà J and Štefančić H: What is there in systems 1525 the black box of dark energy: variable Gutkin B: Dynamical 'breaking' of time reversal cosmological parameters or multiple symmetry F761 (interacting) components? 6935 Guven J: see Castro-Villarreal P 4273 Gratus J: see Burton D A 811 Guzzardi L and Rosso R: Sessile droplets on a Gratus J: see Dereli T 5695 curved substrate: effects of line tension 19 Grava T: see Abenda S 10769 Gyarmati B: see Kirschner I 9361 Gridnev D K and Garcia M E: Rigorous conditions for the existence of bound states at the threshold in the two-particle case 9003 Haake F: see Nagao T 47 Grigoryan M L: see Saharian A A 1405 Haba Z: A relationship between scalar Green Grinstein G and Linsker R: Comments on a functions on hyperbolic and Euclidean derivation and application of the 'maximum Rindler spaces 8535 entropy production' principle 9717 Hagemans R and Caux J-S: Deformed strings in Gross D: see Serafini A 9551 the Heisenberg model 14605 Grossmann S and Robnik M: On level spacing Haggard H M: see Aquilanti V 5637 distributions for 2D non-normal Gaussian Halász G J, Vibók Á, Baer R and Baer M: Conical random matrices 409 intersections induced by the Renner effect in Grossmann S: see Vidmar G 13883 polyatomic molecules F267 Grundland A M and Hariton A J: A Halburd R G and Korhonen R J: Meromorphic supersymmetric version of a Gaussian solutions of difference equations, integrability irrotational compressible fluid flow 15113 and the discrete Painlevé equations R1 Grundland A M and Huard B: Conditional Hall R L and Lucha W: Binding energy of symmetries and Riemann invariants for semirelativistic N-boson systems 6183 hyperbolic systems of PDEs 4093 Hall R L: see Katatbeh Q D 13431 Gruzberg I A: see Rushkin I 2165 Hall R L: see Saad N 10903 Gu S-J: see Chan W-L 12143 Halliwell J J: Two derivations of the master Gu S-J: see Cui X 13523 equation of quantum Brownian motion 3067 Gu S-J: see Wang X 10759 Hamamoto N, Houri T, Oota T and Yasui Y: Gu S-J: see Yang D 14871 Kerr-NUT-de Sitter curvature in all Guan J: see Zhang Y 12365 dimensions F177 Guechi F: see Merzougui A 14317 Hamdouni Y: Decoherence and entanglement Guechi L: see Benamira F 4915 evolution of two qubits coupled through Guil F: The initial-value problem for the dKP Heisenberg interactions to a spin bath in thermal equilibrium 11569 hierarchy 15041 Guimarães A F, Miranda D F, Fonseca A L A, Han D: see Hu C 14649 Agrello D A and Nunes O A C: Suppression Han K H and Shin H J: Curve motions from the of the plasma high-frequency electrical integrable equations having variable spectral conductivity under a radiation field 15131 parameters 979 Guimarães M S: see Vaidya A N 9149 Hänggi P: see Talkner P F569 Guitter E: see Bouttier J 7411 Hangos K M: see Petz D 7955

| Hansen J P: see Sælen L 1097 | Havlicek H and Saniga M: Projective ring line of |
|---|--|
| Hansen M S, Faure F and Zhilinskií B I: | a specific qudit F943 |
| Fractional monodromy in systems with | Hay M: Hierarchies of nonlinear integrable |
| coupled angular momenta 13075 | q-difference equations from series of Lax |
| Hanyga A: Anomalous diffusion without scale | pairs 10457 |
| invariance 5551 | Hay M, Hietarinta J, Joshi N and Nijhoff F: A Lax |
| Haouat S and Chetouani L: Covariant path | pair for a lattice modified KdV equation, |
| integral for the Dirac equation with | reductions to q-Painlevé equations and |
| pseudoscalar potentials 1349 | associated Lax pairs F61 |
| Haouat S and Chetouani L: Bound states of Dirac | Hayashi A: see Hashimoto T 14253 |
| particle subjected to the pseudoscalar Hulthén | Hayashi T, Arimitsu T, Kitajima S and Shibata F: A stabilizer code for uncorrelated errors can |
| potential 10541 | |
| Hardej M, Kuś M, Gonera C and Kosiński P: On | correct spatially correlated ones F457 |
| determination of statistical properties of | He S, Shao S and Zhang H: Quantum helicity |
| spectra from parametric level dynamics 423 | entropy of moving bodies F857 He S: see Ling Y 9025 |
| Hardy L: Towards quantum gravity: a framework for probabilistic theories with non-fixed | |
| causal structure 3081 | Hegedudblac;s Á: Finite size effects and 2-string |
| Harikumar E, Queiroz A R and | deviations in the spin-1 XXZ chains 12007 Heinonen T: see Carmeli C 1303 |
| Teotonio-Sobrinho P: The index theorem for | Heinze S: see Van Isacker P 14811 |
| the q -deformed fuzzy sphere 3671 | Heinzl T and Ilderton A: Noncommutativity from |
| Hariton A J: see Grundland A M 15113 | spectral flow 9097 |
| Harms B and Micu O: Noncommutative quantum | Heiss W D and Nazmitdinov R G: Instabilities, |
| Hall effect and Aharonov–Bohm effect 10337 | nonhermiticity and exceptional points in the |
| Harrison J M, Kuchment P, Sobolev A and | cranking model 9475 |
| Winn B: On occurrence of spectral edges for | Heiss W D: see Musumbu D P F75 |
| periodic operators inside the Brillouin | Hellemans V: see De Baerdemacker S 2733 |
| zone 7597 | Heller E J and Landry B R: Statistical properties |
| Harrison J M, Smilansky U and Winn B: Quantum | of many particle eigenfunctions 9259 |
| graphs where back-scattering is | Henkel M: see Baumann F 7389 |
| prohibited 14181 | Henson J: see Craig D 501 |
| Hartle J B: Quantum physics and human | Herbut F: Quantum probability law from |
| language 3101 | 'environment-assisted invariance' in terms of |
| Haruna L F and de Oliveira M C: Physical | pure-state twin unitaries 5949 |
| properties of the Schur complement of local | Herbut F: Derivation of the quantum probability |
| covariance matrices 14195 | law from minimal non-demolition |
| Hasenclever N P: see Damerau J 4439 | measurement 10549 |
| Hashimoto T, Horibe M and Hayashi A: | Heredero R H, Levi D, Petrera M and |
| Stationary quantum Markov process for the | Scimiterna C: Multiscale expansion of the |
| Wigner function on a lattice phase | lattice potential KdV equation on functions of |
| space 14253 | an infinite slow-varyness order F831 |
| Hassaïne M: Conformal symmetry of an extended | Herranz F J: see Ballesteros Á F51 |
| Schrödinger equation and its relativistic | Heusler S: see Nagao T 47 |
| origin 5717 | Heydari H: Topological quantum gate entanglers |
| Hassan A S M and Joag P S: A combinatorial | for a multi-qubit state 9877 |
| approach to multipartite quantum systems: basic formulation 10251 | Heyde K: see De Baerdemacker S 2733 |
| Hassan M: see Saleem U 5205 | Heyl J S: Quantum mechanical fluctuations at the end of inflation 13997 |
| Hassani S: see Boukraa S 75 | Hiesmayr B: see Baumgartner B 7919 |
| Hassani S: see Boukraa S 2583 | Hietarinta J: see Atkinson J F1 |
| Hassani S: see Boukraa S 2383 | Hietarinta J: see Hay M F61 |
| Hassani S: see Boukraa S 11713 | Higuchi A: see Brierley S 8455 |
| Hastings M B: see Ben-Naim E F1021 | Hikami S and Yoshimoto T: Instanton and |
| Hatabu A: see Takeda K 14085 | superconductivity in supersymmetric CP(<i>N</i> - |
| Hatsuda Y and Matsuo Y: Symmetry and | 1) model F369 |
| integrability of non-singlet sectors in matrix | Hikami S: see Brézin E 13545 |
| quantum mechanics 1633 | Hilder T A and Hill J M: Continuous versus |
| Hatsuda Y: see Katsura H 13931 | discrete for interacting carbon |

| nanostructures 3851 | $q, \mu, \nu, \phi_1, \phi_2$)-generalized oscillator algebra |
|---|--|
| Hilhorst H J: New Monte Carlo method for planar | and related bibasic hypergeometric |
| Poisson–Voronoi cells 2615 | functions 8835 |
| Hill J M: see Baowan D 7543 | Hounkonnou M N and Nkouankam E B N: New |
| Hill J M: see Cox B J 13197 | $(p, q; \mu, \nu, f)$ -deformed states 12113 |
| Hill J M: see Hilder T A 3851 | Hounkonnou M N: see Geloun J B F817 |
| Hillery M: see Feldman E 11343 | Houri T: see Hamamoto N F177 |
| Hines C, Jacobs K and Wang J B: Readout of | Howard P J and O'Mahony P F: The behaviour of |
| solid-state charge qubits using a | resonances in Hecke triangular billiards unde |
| single-electron pump F609 | deformation 9275 |
| | Hsu C: see Hu C 14649 |
| Hirson K: see Arsuaga J 11697 | Hu B: see Kong W 1171 |
| Hitchon W N G and Wichaidit C: Physics-based | Hu C, Han D and Hsu C: Critical behavior of the |
| description of gas breakdown 1153 Hlousek Z T: <i>see</i> Kelbert E 7721 | heterogeneous random |
| | coagulation-fragmentation processes 14649 |
| Hnatich M: see Bondar D I 1791 | Hu J: see Wang H-Y 13385 |
| Ho C-L: see Cho H-T 1325 Hoffmann K H: see Anh D H N 11453 | Hu M-B: see Jiang R 9213 |
| Hoffmann K H: see Fischer A 11441 | Hu M-B: see Yuan Y-M 12351 |
| | Hu S-W and Liu B-B: Birefringence and |
| Hoggan P E: see Pinchon D 1597 | non-transversality of light propagation in an |
| Höhmann R: see Vidmar G 13883 | ultra-strongly magnetized vacuum 13859 |
| Holm D D: see Bender C M F81 | Hu W: see Li J 7643 |
| Holm D D: see Bender C M F793 | Hu Z: see Romanovski V G 5905 |
| Holovatch Yu: see Dudka M 8247 | Hu Z-N, Yi K S and Park K-S: Thermal |
| Holovatch Yu: see Kapikranian O 3741 | entanglement of a three-qubit system in |
| Holstein B R: see Ross A 6973 | inhomogeneous magnetic fields 7283 |
| Home D, Pan A K, Ali M M and Majumdar A S: | Hua D-y: see Jiang L-l 11271 |
| Aspects of nonideal Stern–Gerlach | Hua D-y: see Ying C-y 4477 |
| experiment and testable ramifications 13975 | Huang J P: see Chen Y W 8237 |
| Honda K and Tsukada K: Three-dimensional | Huang L: see Li X-F 347 |
| conformally flat homogeneous Lorentzian | Huang N-N: see Zhou G-Q 13607 |
| manifolds 831 | Huang Q and Qu C: Symmetries and invariant |
| Hong J, Jiang S, Kong L and Li C: Numerical | solutions for the geometric heat flows 9343 |
| comparison of five difference schemes for | Huang Y: see Li X-F 347 |
| coupled Klein–Gordon–Schrödinger | Huang Y: see Song W 785 |
| equations in quantum physics 9125 | Huard B: see Grundland A M 4093 |
| Hook D W: see Bender C M F81 | Huerta M: see Casini H 7031 |
| Hook D W: see Bender C M F793 | Hughston L P: see Brody D C F503 |
| Hook D W: see Brody D C F503 | Huguet E: see Gazeau J P 10225 |
| Horibe M: see Hashimoto T 14253 | Hui Y: see Jiayi H 3389 |
| Horner M L: see Goldhaber A S 14343 | Huillet T: Occupancy statistics arising from |
| Horodecki M: see Alicki R 6451 | weighted particle rearrangements 9179 |
| Horovitz B: see Cohen D 12281 | Hung P Q: Dark energy and the false |
| Horta M: see Birkandan T 9177 | vacuum 6871 |
| Hortaçsu M: see Birkandan T 1105 | Hussin V: see Fernández D J 6491 |
| Hortaçsu M: see Birkandan T 11203 | Hyder A: see Kelbert E 7721 |
| Horvat M and Esposti M D: The Egorov property | y |
| in perturbed cat maps 9771 | I I II E G' D 501 |
| Horvat M and Prosen T: The bends on a quantum | Iachello F: see Cejnar P 581 |
| waveguide and cross-products of Bessel | Ichiki A and Shiino M: The |
| functions 6349 | Thouless–Anderson–Palmer equation for an |
| Horvat M and Prosen T: Dynamical approach to | analogue neural network with temporally |
| chains of scatterers 11593 | fluctuating white synaptic noise 9201 |
| Horvat R: Cosmic coincidences and relic | Iermakova S V: see Zolotaryuk A V 5443 |
| neutrinos 7011 | Ilderton A: see Heinzl T 9097 |
| Hounkonnou M N and Nkouankam E B N: | Iliev G K: see Brak R 4415 |
| Generalized Heisenberg algebra: application | Illuminati F: see Adesso G 7821 |
| to the harmonic oscillator 7619 | Imai H and Fujiwara A: Geometry of optimal |
| Hounkonnou M N and Nkouankam E B N: On (<i>p</i> , | estimation scheme for $SU(D)$ channels 4391 |

Inomata A: see Sadiq M 11105 Janutka A: Error of quantum-logic simulation via Iorgov N: see Gehlen G von 14117 vector-soliton collisions 10813 Isaac P S: see Dancer K A F1069 Jarvis P D: see Govaerts J 12095 Isasi E and Schieber G: From modular invariants Jarvis P D: see King R C 10083 to graphs: the modular splitting method 6513 Jeffers J: see Bellomo B 9437 Ishikawa A, Tanaka A and Shudo A: Quantum Jeltsema D and Schaft A van der: Pseudo-gradient suppression of chaotic tunnelling F397 and Lagrangian boundary control system Isidro J M and de Gosson M A: Abelian gerbes as formulation of electromagnetic fields 11627 a gauge theory of quantum mechanics on Jensen H J: see Windus A 2287 phase space 3549 Jentschura U D: Non-uniform convergence of Itin Y: A generalized photon propagator F737 two-photon decay rates for excited atomic Ito N: see Ozeki Y R149 states F223 Its A R: see Franchini F 8467 Jeong D, Choi M Y and Park H: Construction of Iwai T: The geometry of concurrence as a equilibrium networks with an energy measure of entanglement 1361 function 9723 Iwai T: The geometry of multi-qubit Jia B: see Jiang R 9213 entanglement 12161 Jia M: see Li J-H 1585 Iwao S and Tokihiro T: Ultradiscretization of the Jia XY, Li WD and Ezawa H: The symmetry theta function solution of pd Toda 12987 breaking states and bifurcation of Izraelevitz D: see Ben-Naim E F1021 Bose-Einstein condensates in a double well 6023 Jacobs K and Lougovski P: Emergent quantum Jian Z: see Zhao-Ming W 9067 jumps in a nano-electro-mechanical Jiang D-Q: see Ge H F713 system F987 Jiang L-l, Hua D-y and Chen T: Nonequilibrium Jacobs K: see Hines C F609 phase transitions in a model with social Jacobsen J L: Tetromino tilings and the Tutte influence of inflexible units 11271 polynomial 1439 Jiang R, Wang R, Hu M-B, Jia B and Wu Q-S: Jacobsen J L: Exact enumeration of Hamiltonian Spontaneous symmetry breaking in a circuits, walks and chains in two and three two-lane system with parallel update 9213 dimensions 14667 Jiang R: see Yuan Y-M 12351 Jafarizadeh M A, Sufiani R and Jafarizadeh S: Jiang S: see Hong J 9125 Calculating two-point resistances in Jiayi H and Hui Y: Separation of variables distance-regular resistor networks 4949 solutions of nonlinear reaction-diffusion Jafarizadeh S: see Jafarizadeh M A 4949 systems 3389 Jafarov E I, Lievens S, Nagiyev S M and Jin B-Q: see Franchini F 8467 Van der Jeugt J: The Wigner function of a Jo J: see Kang H 3319 q-deformed harmonic oscillator model 5427 Joag P S: see Hassan A S M 10251 Jafarov E I: see Nagiyev S M 289 Joas C: see Elon Y 2689 Jafarov R G: see Gadjiev S A 3665 Joelson M: see Néel M C 8299 Jafarpour F H and Khaki P: A family of Johnson C V: see Carlisle J E 12451 exactly-solvable driven-diffusive systems in Jones C K R T: see Rapti Z 14151 one dimension 13237 Jonsell S: see Armour E A G 701 Jakubczyk P and Napiórkowski M: Interfacial Joshi N: see Hay M F61 morphology and correlations in adsorption at Joyce G S: see Delves R T 8329 a chemically structured substrate—exact Juanico D E and Monterola C: Background results in d = 2 2263 activity drives criticality of neuronal James E W and Soteros C E: New pattern avalanches 9297 theorems for square lattice self-avoiding Juarez L R: see Rosenbaum M 10367 walks and self-avoiding polygons 8621 Jurisch A: Beyond WKB quantum corrections to James E W and Soteros C E: The statistics of Hamilton-Jacobi theory 10829 collapsing square lattice trails with a fixed number of vertices of degree 4 14945 Jana T and Roy P: Higher order intertwining Kabashima Y: see Takeda K 14085 approach to quasinormal modes 5865 Kahn J: Clean positive operator-valued measures Janse van Rensburg E J, Prellberg T and for qubits and similar cases 4817 Rechnitzer A: Directed paths in a Kahng B: see Lee D-S 7139 Kalapotharakos C: see Efthymiopoulos C 12945 wedge 14069 Janssen T and Prokopec T: Problems and hopes in Kalmykov Yu P: see Coffey W T F91 Kalmykov Yu P: see Coffey W T 12505 nonsymmetric gravity 7067

Kalnins E G, Kress J M and Miller W Jr: first-passage area for drifted Brownian motion Nondegenerate 2D complex Euclidean and the moments of the Airy distribution F863 superintegrable systems and algebraic varieties 3399 Kelbert E, Hyder A, Demir F, Hlousek Z T and Kalnins E G, Kress J M and Miller W Jr: Fine Papp Z: Green's operator for Hamiltonians structure for 3D second-order superintegrable with Coulomb plus polynomial systems: three-parameter potentials 5875 potentials 7721 Kalnins E G, Miller W Jr and Post S: Wilson Keller C A: see Fredenhagen S F17 polynomials and the generic superintegrable Keller C A: see Fredenhagen S 13685 system on the 2-sphere 11525 Kempf A: see Ferreira P J S G 5141 Kamchatnov A M: see El G A 611 Kerimov A: A block effect of external field in the Kamenetskii E O: Vortices and chirality of one-dimensional ferromagnetical Ising model magnetostatic modes in quasi-2D ferrite disc with long-range interaction 10407 Kerimov G A: Quantum scattering from the particles 6539 Kamenshchik A Yu: see Barvinsky A O 7043 Coulomb potential plus an angle-dependent Kamimura K: see Fukuyama T 12227 potential: a group-theoretical study 7297 Kampermann H: see Kleinmann M F871 Kerimov G A: Non-spherically symmetric Kampermann H: see Unanyan R G F483 transparent potentials for the Kamphorst S O, Leonel E D and da Silva J K L: three-dimensional Schrödinger The presence and lack of Fermi acceleration equation 11607 in nonintegrable billiards F887 Kessabi M, Saidi E H and Sebbata H: Explicit Kanai M: Exact solution of the zero-range computation of the spectrum of the deformed process: fundamental diagram of the Calogero model by Yukawa-like corresponding exclusion process 7127 potential 2803 Kang H, Jo J, Choi M Y, Choi J and Yoon B-G: Kevrekidis P G: see Dmitriev S V 1727 Noise effects on the health status in a dynamic Kevrekidis P G: see Dmitriev S V 6267 failure model for living organisms 3319 Kevrekidis P G: see Rapti Z 14151 Kevrekidis P G: see Rothos V M 4553 Kanter I: see de Miguel R 5241 Kanter I: see Efraim H 9977 Khaki P: see Jafarpour F H 13237 Khalilov V R and Chibirova F K: Electron bound Kanzieper E: see Borodin A F849 Kapikranian O, Berche B and Holovatch Yu: by a potential well in the presence of a Quasi-long-range ordering in a finite-size 2D constant uniform magnetic field 6469 classical Heisenberg model 3741 Khanna F C: see Cardeal J A 13467 Kaplan L, Leyvraz F, Pineda C and Seligman T H: Khanna F C: see Kobayashi M 1117 A trivial observation on time reversal in Khare A, Dmitriev S V and Saxena A: Exact random matrix theory F1063 moving and stationary solutions of a Karadayi E: see Arsuaga J 1925 generalized discrete nonlinear Schrödinger equation 11301 Karadayi E: see Arsuaga J 11697 Karevski D: see Platini T 1467 Khare A: see Dmitriev S V 6267 Karevski D: see Platini T 1711 Khelif A: see Assaraf R 1181 Kaschiev M S: see Chuluunbaatar O 11485 Khemmani S: see Briggs J S 1289 Kashuba I and Patera J: Discrete and continuous Kholopov E V: A simple general proof of the exponential transforms of simple Lie groups Krazer-Prym theorem and related famous of rank 2 4751 formulae resolving convergence properties of Kasuya S: Towards the robustness of the Coulomb series in crystals 6101 Affleck-Dine mechanism 6999 Khoruzhenko B A: see Fyodorov Y V 669 Katatbeh Q D, Hall R L and Saad N: Eigenvalue Kiipper F de M: see Terçariol C A S 1981 bounds for polynomial central potentials in dKillingbeck J P: Comment on the asymptotic dimensions 13431 iteration method for polynomial Katsura H and Hatsuda Y: Entanglement entropy potentials 2819 in the Calogero-Sutherland model 13931 Killingbeck J P: Resonances for coupled Kauffman S A: see Andrecut M F299 oscillators 5149 Killingbeck J P: A Hill-series method for Kauffman S A: see Andrecut M 11675 Kawasaki K: see Kim B F33 resonances 9017 Kazakov K A: Quantum fluctuations of Coulomb Kim B and Kawasaki K: The mode coupling potential as a source of Flicker noise: the theory in the FDR-preserving field theory of influence of a heat bath 5277 interacting Brownian particles F33 Kim C K: see Lu W-F 14457 Kearney M J, Majumdar S N and Martin R J: The

Kim D: see Lee D-S 7139 Knowles A: see Fröhlich J 3033 Kim D: see Lim M 853 Kobayashi M, de Montigny M and Khanna F C: Kim H: see Chang-Young E 12213 Galilean covariant theories for Kim J S: see Lee D-S 7139 Bargmann-Wigner fields with arbitrary Kim S Y: see Lim M 853 spin 1117 Kimura Y: see Deconinck B 5459 Kobe D H: Quantum power in de Broglie-Bohm theory 5155 King C and Matysiak D: On the existence of Kobushkin A: see Borisyuk D 525 LOCC-distinguishable bases in three-dimensional subspaces of bipartite 3 × Koç R: see Koca M 7633 n systems 7939 Koca M, Al-Ajmi M and Koç R: Group King R C, Welsh T A and Jarvis P D: A mixed theoretical analysis of 600-cell and 120-cell two-qubit system and the structure of its ring 4D polytopes with quaternions 7633 of local invariants 10083 Kofane T C: see Tiofack G C L 6133 Kirkpatrick K A: Reply to 'The three-box paradox Kofane T C: see Victor K K 5585 revisited' by T Ravon and L Vaidman 2883 Kok P: Principles of quantum computation and Kirschner I, Bálint Á, Csikja R, Gyarmati B, information volume II 12256 Balogh A and Mészáros C: An approximate Kolomeisky A B: see Pronina E 2275 symbolic solution for convective instability Kong L: see Hong J 9125 Kong W, Liu S, Wang Q, Hu B and Wang L: flows in vertical cylindrical tubes 9361 Effects of charge and mass variations on the Kirsten K: see Cavero-Peláez I 3607 structure in 2D one-component and Kitagawa A: see Chefles A 10183 Kitajima S: see Hayashi T F457 two-component dusty plasmas 1171 Konopelchenko B G: Quasiclassical generalized Kiukas J and Lahti P: Quantization and noiseless Weierstrass representation and dispersionless measurements 2083 Klafter J: see Eliazar I F307 DS equation F995 Klages R: Chaos: A Very Short Introduction 8604 Konotop V V: see Rapti Z 14151 Klauder J R and Skagerstam B-S K: Generalized Korepin V E: see Franchini F 8467 Korepin V E: see Pâţu O I 14963 phase-space representation of operators 2093 Korff C: A *O*-operator for the quantum transfer Klawonn D: see Brüning J 15143 Kleban P: see Simmons J J H F771 matrix 3749 Kleinmann M, Kampermann H, Raynal Ph and Korff C and Weston R: PT symmetry on the Bruß D: Commutator relations reveal solvable lattice: the quantum group invariant XXZ spin chain 8845 structures in unambiguous state Korhonen R J: see Halburd R G R1 discrimination F871 Klimchitskaya G L, Mohideen U and Korsch H J: see Bahr B 3959 Korsch H J: see Klumpp A 2299 Mostepanenko V M: Kramers-Kronig relations for plasma-like permittivities and the Korzyński M: Can dark matter in galaxies be Casimir force F339 explained by relativistic corrections? 7087 Kościk P and Okopińska A: Quasi-exact solutions Klimchitskaya G L, Mohideen U and Mostepanenko V M: Pulsating Casimir for two interacting electrons in force F841 two-dimensional anisotropic dots 1045 Klimchitskaya G L: see Geyer B 13485 Kościk P and Okopińska A: The optimized Rayleigh-Ritz scheme for determining the Klimov A B, Romero J L, Björk G and Sánchez-Soto L L: Geometrical approach to quantum-mechanical spectrum 10851 Kosiński P: see Bolonek K 11561 mutually unbiased bases 3987 Klimov A B, Romero J L, Björk G and Kosiński P: see Hardej M 423 Sánchez-Soto L L: Geometrical approach to Kotanjyan A S and Saharian A A: Electromagnetic mutually unbiased bases 9177(C) field and radiation for a charge moving along Klimyk A U and Patera J: (Anti)symmetric a helical trajectory inside a waveguide with multivariate exponential functions and dielectric filling 10641 corresponding Fourier transforms 10473 Kotanjyan A S: see Saharian A A 1405 Klimyk A U: see Atakishiyev M N 9311 Kouachi S: see Abdelmalek S 12335 Kourakis I: see Momeni M F473 Klümper A: see Boos H E 10699 Klümper A: see Damerau J 4439 Kourakis I: see Shalchi A 11191 Kouznetsov D, Bisson J-F, Li J and Ueda K: Klumpp A, Witthaut D and Korsch H J: Quantum transport and localization in biased periodic Self-pulsing laser as oscillator Toda: structures under bi- and polychromatic approximations through elementary driving 2299 functions 2107

| Kovacic I: Adiabatic invariants of some | Lai M M: see Liu Q H 4161 |
|---|--|
| time-dependent oscillators 455 | Lakaev S N: see Albeverio S 14819 |
| Kovařík H and Sacchetti A: Resonances in twisted | Lakshmanan M: see Chandrasekar V K 4717 |
| quantum waveguides 8371 | Lamb G: see Glasser M L 1215 |
| Koyama S, Shimokawa T and Shinomoto S: Phase | Lancaster D: see Dean D S 13837 |
| transitions in the estimation of event rate: a | Landolfi G and Soliani G: On certain canonoid |
| path integral analysis F383 | transformations and invariants for the |
| Kozlov R: Conservative discretizations of the | parametric oscillator 3413 |
| Kepler motion 4529 | Landolfi G: see Paris M G A F531 |
| Krapivsky P L: see Ben-Naim E 8607 | Landry B R: see Heller E J 9259 |
| Krawczyk J: see Owczarek A L 13257 | Langemann D: Three-dimensional approximation |
| Krbálek M: Equilibrium distributions in a | of the total force on uncharged spheres in |
| thermodynamical traffic gas 5813 | electric fields 1687 |
| Kremer G M, Bianchi M P and Soares A J: | Lantieri M: see Cacciari I 12439 |
| Analysis of the trend to equilibrium of a | Lanz L, Vacchini B and Melsheimer O: Quantum |
| chemically reacting system 2553 | theory: the role of microsystems and |
| Kremer K: see Praprotnik M F281 | macrosystems 3123 |
| Krešić-Jurić S: see Fukuyama T 12227 | Lashkin V M: N-soliton solutions and |
| Kress J M: see Kalnins E G 3399 | perturbation theory for the derivative |
| Kress J M: see Kalnins E G 5875 Kriel J N. Scholtz E G and Thom J D: Moyal | nonlinear Schrödinger equation with |
| Kriel J N, Scholtz F G and Thom J D: Moyal | nonvanishing boundary conditions 6119 |
| implementation of flow equations—a | Lassaut M: see Bachkhaznadji A 8791 |
| non-perturbative approach to quantum | Latorre J I: Entanglement entropy and the |
| many-body systems 9483 Kristensson G: see Sohl C 11165 | simulation of quantum mechanics 6689 |
| Krivitsky L A: see Brida G 7985 | Lavagno A, Scarfone A M and Swamy P N: |
| Krukowski S: see Romanowski Z 15071 | Basic-deformed thermostatistics 8635 |
| Kuang L-M: see Zhu X 7729 | Lavoie B R and de Guise H: $Su(2)$ intelligent |
| Kuchment P: see Fulling S A 14165 | states as coupled $su(2)$ coherent states 2825 |
| Kuchment P: see Harrison J M 7597 | Lazur V Yu: see Bondar D I 1791 |
| Kuhl U: see Vidmar G 13883 | Le Caër G and Delannay R: The fixed-trace |
| Kühn R, van Mourik J, Weigt M and Zippelius A: | β -Hermite ensemble of random matrices and |
| Finitely coordinated models for | the low temperature distribution of the |
| low-temperature phases of amorphous | determinant of an $N \times N \beta$ -Hermite matrix 1561 |
| systems 9227 | |
| Kühn T: see Anghel D V 10429 | LeClair A: Quantum statistical mechanics of |
| Kuipers J and Sieber M: Semiclassical universality | gases in terms of dynamical filling fractions |
| of parametric spectral correlations 935 | and scattering amplitudes 9655 |
| Kulinskii V L: see Ratushnaya V I 2573 | Lecomte V, Täuber U C and van Wijland F: Current distribution in systems with |
| Kumar N: see Chand F 10171 | anomalous diffusion: renormalization group |
| Kupriyanov V G: see Gitman D M 10071 | approach 1447 |
| Kurihara K, Otomo A, Syouji A, Takahara J, | Lee D-S, Kim J S, Kahng B and Kim D: |
| Suzuki K and Yokoyama S: Superfocusing | Scale-free random branching trees in |
| modes of surface plasmon polaritons in | supercritical phase 7139 |
| conical geometry based on the | Lee H and Lee Y J: Determinable solutions for |
| quasi-separation of variables approach 12479 | one-dimensional quantum potentials: |
| Kuru Ş: see Estévez P G 9819 | scattering, quasi-bound and bound-state |
| Kuś M: see Hardej M 423 | problems 3569 |
| Kwek L C and Feng X L: Hybrid quantum | Lee Y J: see Lee H 3569 |
| computation based on repeat-until-success | Leggett A J: How far do EPR-Bell experiments |
| scheme 8165 | constrain physical collapse theories? 3141 |
| | Lehum A C: see Ferrari A F 7803 |
| Lachière-Rev M: saa Gazeau I D 10225 | Lei C and Vourdas A: Fourier transform in |
| Lachièze-Rey M: see Gazeau J P 10225 Ladeira D G and da Silva J K L: Scaling | multimode systems in the Bargmann |
| properties of a simplified bouncer model and | representation 6193 |
| of Chirikov's standard map 11467 | Lemes V E R, Sobreiro R F and Sorella S P: |
| Lahno V: see Zhdanov R 5083 | Renormalizability of the dimension two gluon |
| Lahti P. see Kinkas I 2083 | operator A^2 in a class of population two grant |

gauges 4025 entropies 11361 Lendi K and van Wonderen A J: Davies theory for Li S, Wang H, Sun Y D and Yi X X: Quantum reservoir-induced entanglement in a bipartite heat engine beyond the adiabatic system 279 approximation 8655 Leo D J: see De Vita R 13179 Li W-B: see Yang W-X 155 Li WD: see Jia XY 6023 Leonard D and Mansfield P: Solving the Li X, Xu M and Wang S: Analytical solutions to anharmonic oscillator: tuning the boundary condition 10291 the moving boundary problems with Leonel E D: Breaking down the Fermi space-time-fractional derivatives in drug release devices 12131 acceleration with inelastic collisions F1077 Leonel E D: see Kamphorst S O F887 Li X-F, Huang L and Huang Y: A new Abel Lerch H-P: see Prager T 11045 inversion by means of the integrals of an input Lerche I: see Tautz R C F677 function with noise 347 Lerma H S and Errea B: SU(3) Li X-H: see Zhou P 13121 Richardson-Gaudin models: three-level Li Y-L, Feng J, Liang B-L and Meng X-G: systems 4125 Quantum superimposing multiple Letellier C and Gilmore R: Symmetry groups for cloning-cum-complementing machine 10301 3D dynamical systems 5597 Li Yu-Qi, Chen Yong and Li Biao: Conservation Letellier C: see Gilmore R 13291 laws of discrete Lax equations 3425 Lévai G: Solvable PT-symmetric potentials in Liang B-L: see Li Y-L 10301 higher dimensions F273 Liang R: see Clisby N 10973 Levi D and Petrera M: Continuous symmetries of Lievens S, Stoilova N I and Van der Jeugt J: On the lattice potential KdV equation 4141 the eigenvalue problem for arbitrary odd Levi D: see Heredero R H F831 elements of the Lie superalgebra $\mathfrak{gl}(1|n)$ and Levitin M: see Boulton L 9319 applications 3869 Leyvraz F: see Calogero F 12931 Lievens S: see Jafarov E I 5427 Leyvraz F: see Kaplan L F1063 Lim M, Kim D, Kim S Y and Bourée J-E: Li B: see Li Yu-Qi 3425 Calculation of the local electric field for an Li C and Chou T-W: A direct electrifying infinite array of conducting nanosized algorithm for backbone identification 14679 objects 853 Li C: see Hong J 9125 Lim S C and Teo L P: Weyl and Li F-g: see Ai B-q 6061 Riemann-Liouville multifractional Li H: see Yang D 14871 Ornstein-Uhlenbeck processes 6035 Li J, Zhang H-Q, Xu T, Zhang Y-X, Hu W and Lim S C and Teo L P: Finite temperature Casimir Tian B: Symbolic computation on the energy in closed rectangular cavities: a multi-soliton-like solutions of the cylindrical rigorous derivation based on a zeta function Kadomtsev-Petviashvili equation from dusty technique 11645 plasmas 7643 Lin H-O: see Cui X 13523 Li J, Zhang H-Q, Xu T, Zhang Y-X and Tian B: Lin K Y: Rigorous derivation of the radius of Soliton-like solutions of a generalized gyration generating function for staircase polygons 1419 variable-coefficient higher order nonlinear Schrödinger equation from inhomogeneous Linares D: see Cornette V 11765 optical fibers with symbolic Linder E V: Theory challenges of the accelerating computation 13299 Universe 6697 Li J: see Kouznetsov D 2107 Ling Y, He S, Qiu W and Zhang H: Quantum Li J-h: Escape over fluctuating potential barrier entanglement of electromagnetic field in with complicated dichotomous noise 621 non-inertial reference frames 9025 Li J-H, Jia M and Lou S Y: Kac-Moody-Virasoro Linsker R: see Grinstein G 9717 symmetry algebra and symmetry reductions Littlejohn R G: see Aquilanti V 5637 of the bilinear sinh-Gordon equation in (2 + Litvinets F N, Shapovalov A V and 1)-dimensions 1585 Trifonov A Yu: Berry phases for 3D Li K: see Wang J 2197 Hartree-type equations with a quadratic Li L and Qiu D: The states of W-class as shared potential and a uniform magnetic field 11129 resources for perfect teleportation and Liu B-B: see Hu S-W 13859 Liu C: see Yang W-S 8487 superdense coding 10871 Li L-W: see Qiu C-W 5751 Liu K L: see Yim M Y 4997 Li N, Luo S and Zhang Z: Quantumness of Liu L-g: see Ai B-q 6061 Liu N-L: see Song W 785 bipartite states in terms of conditional

| Liu Q H, Tong C L and Lai M M: | Luft P, Chadzitaskos G and Tolar J: Dihedral |
|---|--|
| Constraint-induced mean curvature | symmetry of periodic chain: quantization and |
| dependence of Cartesian momentum | coherent states 4833 |
| operators 4161 | Lumb S and Muthu S K: Density and pressure |
| Liu S: see Fu Z 4739 | profiles for a weakly repulsive Bose gas in a |
| Liu S: see Kong W 1171 | harmonic trap 8665 |
| Liu W and Wang J: Time evolution of a | Luo L: Darboux transformation and exact |
| time-dependent harmonic oscillator in a static | solutions for a hierarchy of nonlinear |
| magnetic field 1057 | evolution equations 4169 |
| Liu X and Zeng Y: On the Ablowitz–Ladik | Luo S: see Li N 11361 |
| equations with self-consistent sources 8765 | Lupo C, Man'ko V I and Marmo G: Qubit |
| Liu X: see Liu Z-X 1661 | portraits of qudit states and quantum |
| Liu X: see Tang Y 2425 | correlations 13091 |
| Liu X-J: see Liu Z-X 1661 | Lusanna L: see Alba D 9585 |
| Liu Y and Chew L Y: Molecular dynamics | Lushnikov A A: Exact post-critical particle mass |
| simulation of equilibrium configurations of | spectra in a family of gelling systems F119 |
| plasmas containing multi-species dusts 10383 | Lutsev L V: Diagram technique for models with |
| Liu Z: see Chen F 5013 | internal Lie-group dynamics 11791 |
| Liu Z: see Xiang L 14369 | Lv Y-n: see Zhang Y 5539 |
| Liu Z-X, Zhou X-T, Liu X, Liu X-J and Chen J-L: | Lyberg I and McCoy B M: Form factor expansion |
| Topological structures of adiabatic phase for | of the row and diagonal correlation functions |
| multi-level quantum systems 1661 | of the two-dimensional Ising model 3329 |
| Llibre J and Medrado J C: On the invariant | Lyberg M D and Tryggeson H: An analytical |
| | solution of the Navier–Stokes equation for |
| hyperplanes for <i>d</i> -dimensional polynomial | internal flows F465 |
| vector fields 8385 | Lyubartsev A P: Interacting electrons in one |
| Llibre J and Zhao Y: Algebraic limit cycles in | dimension: a path integral Monte Carlo |
| polynomial systems of differential | study 7151 |
| equations 14207 | study (181 |
| Llibre J: see Buzzi C A 7187 | Ma W-X: A discrete variational identity on |
| Llibre J: see Cairó L 6329 | semi-direct sums of Lie algebras 15055 |
| Loffredo M I and Morato L M: Stochastic | Ma X S: see Su X Q 11385 |
| quantization for a system of N identical | Maamache M: see Cherbal O 1835 |
| interacting Bose particles 8709 | Macchiavello C: see van Dam W 7971 |
| Lohe M A: see Thilagam A 10915 | Madsen L B: see Sælen L 1097 |
| Lombard R J: see Bachkhaznadji A 8791 | Maeda K-i: see Tanabe M 7025 |
| Lombardo S: see Degasperis A 961 | Magyar A: see Petz D 7955 |
| López J L: The Stokes phenomenon as a | Mahajan N and Panda S: Finite temperature |
| boundary-value problem 10807 | effects on axions in the early universe 6907 |
| López-Fogliani D E: Neutralino dark matter in the | Maillard J-M: see Boukraa S 75 |
| NMSSM 6889 | Maillard J-M: see Boukraa S 2583 |
| López-Rendón R: see Romero-Bastida M 8585 | Maillard J-M: see Boukraa S 8219 |
| Losic B: Dynamics of backreactions around pure | Maillard J-M: see Boukraa S 11713 |
| de Sitter spacetime 6951 | Maillet J M: see Castro-Alvaredo O A 7451 |
| Loskutov A: see Postnikov E B 12033 | Maitra S: see Braunstein S L 8441 |
| Lou S Y: see Li J-H 1585 | Majewski W A: On non-completely positive |
| Lougovski P: see Jacobs K F987 | quantum dynamical maps on spin |
| Love S T: Dynamics of (SUSY) AdS space | chains 11539 |
| isometry breaking 7049 | Major S: see Craig D 501 |
| Low S G: Reciprocal relativity of noninertial | Majumdar A S: see Home D 13975 |
| frames: quantum mechanics 3999 | Majumdar S N: see Comtet A 11255 |
| Low S G: see Govaerts J 12095 | Majumdar S N: see Kearney M J F863 |
| Lu W-F, Kim C K and Nahm K: The multistate | Majumdar S N: see Vivo P 4317 |
| Rayleigh–Ritz variational method with the | Makowski A J and Górska K J: Fractional and |
| principle of minimal sensitivity for | integer angular momentum wavefunctions |
| anharmonic oscillators 14457 | localized on classical orbits: the case of $E =$ |
| Lucha W: see Hall R L 6183 | to can zero of classical orbits. the case of $E = 0.11373$ |
| Luck J M: see Boosé D 14045 | Malik R P: A generalization of the horizontality |
| Łuczka J: see Daika J F879 | condition in the superfield approach to |
| TAUCANA J. MEE IZAINA J. 170 / 7 | CONGRESS IN THE SUPCEMENT ADDITION OF |

| nilpotent symmetries for QED with complex | telescopes 6757 |
|--|--|
| scalar fields 4877 | Martins M J: see Melo C S F127 |
| Mallick K: see Golinelli O 5795 | Martorell J: see L D W 6011 |
| Mallick K: see Golinelli O 13231 | Martyushev L M, Nazarova A S and |
| Maltoni M: see Gonzalez-Garcia M C 7093 | Seleznev V D: On the problem of the |
| Malykh A A, Nutku Y and Sheftel M B: Lift of | minimum entropy production in the |
| noninvariant solutions of heavenly equations | nonequilibrium stationary state 371 |
| from three to four dimensions and new | Maruno K-i: see Ohta Y 7659 |
| ultra-hyperbolic metrics 9371 | Marzuoli A: see Garnerone S 3047 |
| Malyshev C: The Einsteinian $T(3)$ -gauge | Maset S and Bohinc K: Orientations of dipoles |
| approach and the stress tensor of the screw | restricted by two oppositely charged |
| dislocation in the second order: avoiding the | walls 11815 |
| cut-off at the core 10657 | Mastropietro V: The absence of logarithmic |
| Man'ko V I: see Lupo C 13091 | divergences in the spin and charge density |
| Manakov S V: see Bogdanov L V 14383 | correlations of the 1d Hubbard model 3347 |
| Mancini S: see Vitali D 8055 | Mastropietro V: Non-perturbative aspects of chiral |
| Mandal B P: see Brihaye Y 13063 | anomalies 10349 Masuda T: The anti-self-dual Yeng, Mills |
| Maniscalco S: <i>see</i> Scala M 14527 Manko O V and Manton N S: On the spin of the | Masuda T: The anti-self-dual Yang–Mills equation and the Painlevé III equation 14433 |
| B = 7 skyrmion 3683 | Matsuda K: Isomonodromic deformations with an |
| Manojlović N and Nagy Z: Creation operators and | irregular singularity and the elliptic |
| algebraic Bethe ansatz for the elliptic | Θ-function 11939 |
| quantum group $E_{\tau,\eta}(so_3)$ 4181 | Matsumoto S: Moments of characteristic |
| Manouchehri K and Wang J B: Continuous-time | polynomials for compact symmetric spaces |
| quantum random walks require discrete | and Jack polynomials 13567 |
| space 13773 | Matsuno S: The construction of Kochen–Specker |
| Mansfield P: see Leonard D 10291 | noncolourable sets in higher-dimensional |
| Mansour T, Schork M and Severini S: Wick's | space from corresponding sets in lower |
| theorem for q -deformed boson | dimension: modification of Cabello, |
| operators 8393 | Estebaranz and García-Alcaine's |
| Manton N S: see Manko O V 3683 | method 9507 |
| Mardoyan L, Nersessian A, Sarkisyan H and | Matsuo Y: see Hatsuda Y 1633 |
| Yeghikyan V: Dipole transitions and Stark | Matsushita R: see Figueiredo A 5783 |
| effect in the charge-dyon system 5973 | Mattos T G, Moreira J G and Atman A P F: A |
| Margaris I: see Paltoglou V 12829 | discrete method to study stochastic growth |
| Marić N: see Belitsky V 11221 | equations: a cellular automata |
| Marinelli C: see De Santis E 11777 | perspective 13245 |
| Marmo G: see Lupo C 13091 | Matysiak D: see King C 7939 |
| Maroto A L: see Cembranos J A R 6631 | Maudlin T W E: Completeness, supervenience |
| Marques A M: see Balachandran A P 7789 | and ontology 3151 |
| Marsh D: The Grassmannian sigma model in | Mayer P and Sollich P: Ageing in |
| SU(2) Yang–Mills theory 9919 | one-dimensional coagulation-diffusion |
| Martin P A and Piasecki J: Particle propagation | processes and the Fredrickson–Andersen |
| under an external field and inelastic | model 5823 |
| collisions: existence of stationary states 361 | Maynar P: see Brey J J 14331 |
| Martin P P: see Alvarez M F895 | Mazars M: Holonomic constraints: an analytical |
| Martin R, Orlandini E, Owczarek A L, | result 1747 |
| Rechnitzer A and Whittington S G: Exact | Mazharimousavi S H: see Mustafa O 863 |
| enumeration and Monte Carlo results for | Mazzitelli F D: see Nacir D L 6895 |
| self-avoiding walks in a slab 7509 | McCoy B M: see Boukraa S 75 |
| Martin R J: see Kearney M J F863 | McCoy B M: see Boukraa S 8219 |
| Martín-Fierro E and Gomez Llorente J M: An | McCoy B M: see Fabricius K 14893 |
| planck;-asymptotic analysis of the error in the | McCoy B M: see Lyberg I 3329 |
| thawed Gaussian approximation and in the | McDonald G S: see Christian J M 1545 McDonald G S: see Christian J M 8601 |
| corresponding initial value representation of | Medina E: see Alonso L M 14223 |
| the quantum propagator 1065 Martinez A S: <i>see</i> Terçariol C A S 1981 | Medina R: A Lagrangian of the quasi-rigid |
| Martinez M: Cosmology with VHE gamma-ray | extended charge 2053 |
| Transition it. Commoney with vill gaillia-lay | Chichaed Charge 2000 |

| Medrado J C: see Llibre J 8385 | application to the Casimir force 9515 |
|--|--|
| Meinel R: see Uhlmann S 4367 | Mintchev M: see Bellazzini B 2485 |
| Mekias H: see Merzougui A 14317 | Miquel R: Cosmology with type-Ia |
| Meljanac S: see Fukuyama T 12227 | supernovae 6743 |
| Melkumova E Yu, Gal'tsov D V and Salehi K: | Miranda D F: see Guimarães A F 15131 |
| Dilaton and axion bremsstrahlung from | Mishra S and Pfeifer P: Schrödinger equation for |
| collisions of cosmic (super)strings 6979 | the one-particle density matrix of thermal |
| Melnikov L A: see Chuluunbaatar O 11485 | systems: an alternative formulation of |
| Melo C S and Martins M J: Exactly solvable | Bose–Einstein condensation F243 |
| models of interacting spin-s particles in one | Mishra S C: see Chand F 10171 |
| dimension F127 | Mitra P: Complex fermion mass term, |
| Melsheimer O: see Lanz L 3123 | regularization and CP violation F525 |
| Mendes T N C and Farina C: Atom-wall | Miyazawa T: High-energy asymptotic expansion |
| dispersive forces from the master equation | of the Green function for one-dimensional |
| formalism 7343 | Fokker–Planck and Schrödinger |
| Menezes G and Svaiter N F: Stochastic | equations 8683 |
| quantization of scalar fields in Einstein and | Moghimi-Araghi S and Nejati A: Higher order |
| Rindler spacetime 8545 | and boundary scaling fields in the Abelian |
| Meng X-G: see Li Y-L 10301 | sandpile model 11277 |
| Merzougui A, Mekias H and Guechi F: A | Mohamadou A: see Tiofack G C L 6133 |
| waveless two-dimensional flow in a channel | Mohammadi M, Naderi M H and |
| | , |
| against an inclined wall with surface tension effect 14317 | Soltanolkotabi M: Quantum statistical |
| Messina A: see Ferraro E F935 | properties of the Jaynes–Cummings model in |
| | the presence of a classical homogeneous |
| Messina A: see Militello B 533 | gravitational field 1377 |
| Messina A: see Militello B 4847 | Mohammed S S N: see Aizawa N 14985 |
| Messina A: see Scala M 14527 | Mohanty S: Thermal effects in inflation power |
| Mestel B D: see Christodoulides Y T 11877 | spectra 7113 |
| Mészáros C: see Kirschner I 9361 | Mohideen U: see Klimchitskaya G L F339 |
| Meurice Y: Nonlinear aspects of the | Mohideen U: see Klimchitskaya G L F841 |
| renormalization group flows of Dyson's | Mølmer K: see Brion E 1033 |
| hierarchical model R39 | Momeni M, Kourakis I, Moslehi-Fard M and |
| Meyer-Spasche R: see Goetz M 2203 | Shukla P K: A Van der Pol–Mathieu equation |
| Micu O: see Harms B 10337 | for the dynamics of dust grain charge in dusty |
| Mierzejewski M: see Dajka J F879 | plasmas F473 |
| Mikami S: see Ota Y 14263 | Monasson R: see Altarelli F 867 |
| Mikhailovska L: see Olendski O 4609 | Montanari A: see Franz S F251 |
| Mikuszeit N: see Schult M 14791 | Montangero S: see Rossini D 8033 |
| Militello B, Aniello P and Messina A: | Montefusco E: see Fanelli L 14139 |
| Time-dependent perturbation treatment of | Monterola C: see Juanico D E 9297 |
| independent Raman schemes 4847 | Morando P: Deformation of Lie derivative and |
| Militello B, Galkin A, Nikitin A and Messina A: | μ -symmetries 11547 |
| Three-mode two-boson Jaynes-Cummings | Morato L M: see Loffredo M I 8709 |
| model in trapped ions 533 | Morchio G and Strocchi F: Localization and |
| Militello B: see Scala M 14527 | symmetries 3173 |
| Miller H G: see Berger W A 5675 | Moreira J G: see Mattos T G 13245 |
| Miller W Jr: see Kalnins E G 3399 | Moretti P: see Cacciari I F421 |
| Miller W Jr: see Kalnins E G 5875 | Moretti P: see Cacciari I 12439 |
| Miller W Jr: see Kalnins E G 11525 | Morgan S O: see Govaerts J 12095 |
| Milstein G N: see Fedotov S 5769 | Morozov G V: see L D W 6011 |
| Milton K A, Parashar P, Shajesh K V and | Mosca M: see van Dam W 7971 |
| Wagner J: How does Casimir energy fall? II. | Moser G: see Dudka M 8247 |
| Gravitational acceleration of quantum | Moslehi-Fard M: see Momeni M F473 |
| vacuum energy 10935 | Mostepanenko V M: see Geyer B 13485 |
| Milton K A: see Cavero-Peláez I 3607 | Mostepanenko V M: see Klimchitskaya G L F339 |
| Minning P C: see Bruce S A 14877 | Mostepanenko V M: see Klimchitskaya G L F841 |
| Mintchev M and Ragoucy E: An algebraic | Mota-Furtado F: see Uski V 5857 |
| approach to multiple defects on the line and | Mouchet A: Importance of the Wick rotation on |
| Tr | The state of the s |

| . III P((2) | M '/ 1 1'M 11 1 1 D 22/2 |
|--|--|
| tunnelling F663 | Napiórkowski M: see Jakubczyk P 2263 |
| Mouchet A: see Giacomini H F921 | Napoli A: see Ferraro E F935 |
| Movahhedian H: Stronger violation of local | Narnhofer H: see Baumgartner B 7919 |
| theories with equalities 2839 | Nathanson M and Ruskai M B: Pauli diagonal |
| Mukhanov S: Cosmological perturbations from | channels constant on axes 8171 |
| inflation 6561 | Naudts J: see Verhulst T 2475 |
| Mulak J and Mulak M: On a complementary scale | Nazarova A S: see Martyushev L M 371 |
| of crystal-field strength 2063 | Nazmitdinov R G: see Heiss W D 9475 |
| Mulak M: see Mulak J 2063 | Nec Y and Nepomnyashchy A A: Turing |
| Muller F A: Concepts of Simultaneity From | instability in sub-diffusive reaction–diffusion |
| Antiquity to Einstein and beyond 12255 | systems 14687 |
| Müller R R: see de Miguel R 5241 | Néel M C, Abdennadher A and Joelson M: |
| Müller S: see Nagao T 47 Müller-Hoissen F: see Dimakis A 7573 | Fractional Fick's law: the direct way 8299 |
| Müller-Hoissen F: see Dimakis A 7373 Müller-Hoissen F: see Dimakis A F321 | Negi O P S: see Bisht P S 11395 |
| | Negi O P S: see Singh J 9137 |
| Mulligan B P: see Coffey W T F91 | Negro J: see Estévez P G 9819 |
| Mulligan B P: see Coffey W T 12505 Muñoz-Castañeda J M: see Asorey M 6767 | Negro J: see Gadella M 10791 |
| Muñoz-Lecanda M C: see | Nejati A: see Moghimi-Araghi S 11277 |
| Barbero-Liñán M 12071 | Nepomnyashchy A A: see Nec Y 14687 |
| Mustafa O and Mazharimousavi S H: Comment | Nepstad R: see Sælen L 1097 |
| on 'Position-dependent effective mass Dirac | Neri F M: see Burioni R 12397 |
| equations with PT -symmetric and | Nersessian A: see Mardoyan L 5973 |
| non-PT-symmetric potentials' 863 | Nester J M: Riemann normal coordinates: a |
| Musumbu D P, Geyer H B and Heiss W D: Choice | complete accounting 2751 |
| of a metric for the non-Hermitian | Nettleton R E: Exact treatment of initial state term |
| oscillator F75 | and long-time tails in simplified Robertson |
| Muthu S K: see Lumb S 8665 | formalism 637 |
| Trialia d'III dec Barre d'Odde | Neves M J: see Vaidya A N 9149 |
| | Neves R: Braneworlds, conformal fields and the |
| Nacir D L, Mazzitelli F D and Simeone C: | gravitons 6991 |
| Adiabatic renormalization in theories with | Nickel B: The solution to the 4-phonon |
| modified dispersion relations 6895 | Boltzmann equation for a 1D chain in a |
| Naderi M H: see Mohammadi M 1377 | thermal gradient 1219 Nieszporski M: Darboux transformations for a |
| Nagahama H: see Yajima T 2755 | 6-point scheme 4193 |
| Nagao T, Braun P, Müller S, Saito K, Heusler S | Nieto F: <i>see</i> Cornette V 11765 |
| and Haake F: Semiclassical theory for | Nieto L M: see Bencheikh K 13503 |
| parametric correlation of energy levels 47 | Nieto L M: see Estévez P G 9819 |
| Nagao T and Saito K: Semiclassical approach to | |
| parametric spectral correlation with spin | Nieto L M: see Ganguly A 7265 Nijhoff F: see Atkinson J F1 |
| 1/2 12055 | Nijhoff F: see Hay M F61 |
| Nagao T and Tanaka T: Spectral density of sparse | Nikitin A: see Militello B 533 |
| sample covariance matrices 4973 | Nimmo J J C: see Białecki M 949 |
| Nagata K: Multipartite omnidirectional | Nimmo J J C: see Gilson C R 3839 |
| generalized Bell inequality 13101 Nagiyev S M, Jafarov E I and Efendiyev M Y: A | Nininahazwe A: see Brihaye Y 13063 |
| relativistic model of the <i>N</i> -dimensional | Nishiyama S: see Cordeiro F 12153 |
| singular oscillator 289 | Nkouankam E B N: see Hounkonnou M N 7619 |
| Nagiyev S M: see Jafarov E I 5427 | Nkouankam E B N: see Hounkonnou M N 8835 |
| Nagy Z: see Manojlović N 4181 | Nkouankam E B N: see Hounkonnou M N 12113 |
| Nahm K: see Lu W-F 14457 | Nobe A and Yura F: Linearizable cellular |
| Najarbashi G, Ahadpour S, Fasihi M A and | automata 7159 |
| Tavakoli Y: Geometry of a two-qubit state and | Nogami Y: see Toyama F M F685 |
| intertwining quaternionic conformal mapping | Nojiri S'ichi and Odintsov S D: Modified gravity |
| under local unitary transformations 6481 | as an alternative for Λ CDM cosmology 6725 |
| Nakazato H: see Yuasa K 297 | Normand J-M: Block orthogonal polynomials: I. |
| Nandy M K: A rigorous framework for Leslie's | Definitions and properties 2341 |
| model of homogeneous anisotropic | Normand J-M: Block orthogonal polynomials: II. |
| turbulence 2219 | Hermite and Laguerre standard block |

| orthogonal polynomials 2371 | Orlandini E: see Alvarez J F289 |
|--|---|
| Nottale L and Célérier M-N: Derivation of the | Orlandini E: see Martin R 7509 |
| postulates of quantum mechanics from the | Orrick W P: see Boukraa S 75 |
| first principles of scale relativity 14471 | Ossipov A: see Yevtushenko O 4691 |
| Nouicer K: Effect of minimal lengths on electron | Ota Y, Mikami S, Yoshida M and Ohba I: |
| magnetism 2125 | Attainable entanglement of unitary |
| Nunes da Costa J M: see Cariñena J F 10031 | transformed thermal states in liquid-state |
| Nunes O A C: see Guimarães A F 15131 | nuclear magnetic resonance with the chemical shift 14263 |
| Nutku Y: see Malykh A A 9371 | Otomo A: see Kurihara K 12479 |
| O'Connor D, Santiago J A and Stephens C R: An | Ou Y-C and Fan H: Decoherence of a central |
| analytic equation of state for Ising-like | quantum system coupled to an XY spin |
| models 901 | chain 2455 |
| O'Loan C J: Analysis of a convenient information | Ouvry S: see Comtet A 11255 |
| bound for general quantum channels 14499 | Ovando G: Small oscillations and the Heisenberg |
| O'Mahony P F: see Howard P J 9275 | Lie algebra 2407 |
| O'Mahony PF: see Uski V 5857 | Ovchinnikov A S: see Sinitsyn V E 645 |
| Odake S, Pehlivan Y and Sasaki R: Interpolation | Owczarek A L, Rechnitzer A, Krawczyk J and |
| of SUSY quantum mechanics 11973 | Prellberg T: On the location of the |
| Odintsov S D: see Nojiri S'ichi 6725 | surface-attached globule phase in collapsing |
| Odzijewicz A: see Dobrogowska A 2023 | polymers 13257 |
| Ohta V. Marrina V. i and Oilsawa M. | Owczarek A L: see Martin R 7509 |
| Ohta Y, Maruno K-i and Oikawa M: | Owens R G: see Brunelle É 11749 |
| Two-component analogue of two-dimensional long wave–short wave resonance interaction | Ozeki Y and Ito N: Nonequilibrium relaxation |
| equations: a derivation and solutions 7659 | method R149 |
| Oikawa M: see Ohta Y 7659 | Padilla A: A short review of 'DGP |
| Oikonomou V K: Study of temperature inversion | spectroscopy' 6827 |
| symmetry for the twisted Wess–Zumino | Pagonabarraga I: see Ernst M H F331 |
| model 5725 | Paiva L R and Ferreira S C Jr: Universality class |
| Oikonomou V K: Non-trivial spacetime effects in | of isotropic on-lattice Eden clusters F43 |
| a supersymmetric model 9929 | Pakuliak S: see Gehlen G von 14117 |
| Okeke N and Walton M A: On character | Palma G M: see Ciccarello F 7993 |
| generators for simple Lie algebras 8873 | Paltoglou V, Margaris I and Flytzanis N: A |
| Okopińska A: see Kościk P 1045 | diagrammatic approach for a clean |
| Okopińska A: see Kościk P 10851 | multiferromagnetic Josephson |
| Olaussen K: see Alnes H F315 | junction 12829 |
| Ole Warnaar S: Proof of the | Pan A K: see Home D 13975 |
| Flohr-Grabow-Koehn conjectures for | Panda S: see Mahajan N 6907 |
| characters of logarithmic conformal field | Pankrashkin K: see Brüning J F113 |
| theory 12243 Olendski O and Mikhailovska L: A straight | Pankrashkin K: see Brüning J F697 Papp Z: see Kelbert E 7721 |
| quantum wave guide with mixed Dirichlet and | Parashar P: see Milton K A 10935 |
| Neumann boundary conditions in uniform | Pariguán E: see Díaz R 1265 |
| magnetic fields 4609 | Paris M G A, Landolfi G and Soliani G: |
| Olivares S and Paris M G A: Improving | Generalized measurement of the non-normal |
| information/disturbance and | two-boson operator $Z_{\gamma} = a_1 + \gamma a_2^{\dagger}$ F531 |
| estimation/distortion trade-offs with | Paris M G A: see Olivares S 7945 |
| non-universal protocols 7945 | Park H: see Jeong D 9723 |
| Oliveira R: see Dahlsten O C O 8081 | Park K-S: see Hu Z-N 7283 |
| Ölmez S and Shifman M: Curves of marginal | Parks A D: Pointed weak energy and quantum |
| stability in two-dimensional $CP(N-1)$ models | geometric phase 2137 |
| with Z_N -symmetric twisted masses 11151 | Parlangeli G: see D'Alessandro D 14447 |
| Olvera A: see de la Llave R F427 | Parsaiean A: see Tavassoly M K 9905 |
| Omar Y: see Ciccarello F 7993 | Parviainen R: Estimation of bond percolation |
| Onofri E: see Bonini M F229 | thresholds on the Archimedean lattices 9253 |
| Oota T: see Hamamoto N F177 | Parwani R and Tabia G: Universality in an |
| Oren I: Nodal domain counts and the chromatic | information-theoretic motivated nonlinear |
| number of graphs 9825 | Schrodinger equation 5621 |

| Pascazio S: see Costantini G 8009 | real spherical harmonics: general rotations of |
|---|---|
| Patera J: see Boyko V 113 | atomic orbitals in space-fixed axes 1597 |
| Patera J: see Boyko V 7557 | Pineda C: see Kaplan L F1063 |
| Patera J: see Boyko V 9783 | Ping C: see Zhao-Ming W 9067 |
| Patera J: see Kashuba I 4751 | Pinto P R: Twisted quantum Z_n modular data and |
| Patera J: see Klimyk A U 10473 | braided subfactors 9387 |
| Patra M K: Quantum state determination: | Pizzo A: see Fröhlich J 3033 |
| estimates for information gain and some exact | Planat M and Baboin A-C: Qudits of composite |
| calculations 10887 | dimension, mutually unbiased bases and |
| Pâţu O I, Korepin V E and Averin D V: | projective ring geometry F1005 |
| Correlation functions of one-dimensional | Plastino A: see Borras A 13407 |
| Lieb-Liniger anyons 14963 | Plastino A: see Curilef S 5127 |
| Pavlyukevich I: Cooling down Lévy flights 12299 | Plastino A: see Vignat C F969 |
| Pavón D: Holographic dark energy and late | Plastino A: see Zander C 2861 |
| cosmic acceleration 6865 | Plastino A R: see Borras A 13407 |
| | Plastino A R: see Boltas A 13407 Plastino A R: see Zander C 2861 |
| Pawellek M: Quasi-doubly periodic solutions to a | Platini T and Karevski D: Relaxation in the XX |
| generalized Lamé equation 7673 | |
| Pearce P A: see Rasmussen J 13711 | quantum chain 1711 |
| Pearle P: How stands collapse I 3189 | Platini T, Karevski D and Turban L: Gradient |
| Pechen A: see Wu R 5681 | critical phenomena in the Ising quantum |
| Pedersen L H: see Brion E 1033 | chain 1467 |
| Pehlivan Y: see Odake S 11973 | Plefka J: see Arutyunov G 3583 |
| Pelissetto A and Vicari E: Renormalized | Plenio M B: see Dahlsten O C O 8081 |
| four-point coupling constant in the | Plenio M B: see Serafini A 9551 |
| three-dimensional $O(N)$ model with | Pliukhin O: see Cherniha R 10049 |
| $N \rightarrow 0 \text{ F539}$ | Plyushchay M S: see Correa F 14403 |
| Pennington J S: see Carlisle J E 12451 | Poddar A and Deb B M: A method for studying |
| Pennini F: see Curilef S 5127 | electron-density-based dynamics of |
| Percacci R: The renormalization group, systems | many-electron systems in scaled cylindrical |
| of units and the hierarchy problem 4895 | coordinates 5981 |
| Perel M V and Sidorenko M S: New physical | Poderoso F C and Fontanari J F: Model ecosystem |
| wavelet 'Gaussian wave packet' 3441 | with variable interspecies interactions 8723 |
| Pestaña J L G and Eckhardt D H: An approximate | Pogorzelska M and Alicki R: Linear dynamical |
| analytic solution of the three-dimensional | entropy and free-independence for quantized |
| Poisson–Boltzmann equation 12001 | linear maps on the torus 3379 |
| Petrera M: see Heredero R H F831 | Pomeau Y: see Ramani A F391 |
| Petrera M: see Levi D 4141 | Popescu E M and Song S: Trapezoidal |
| Petroni N C: Mixtures in nonstable Lévy | waveguides: first-order propagation |
| processes 2227 | equivalence with rectangular |
| Petrov N P: see de la Llave R F427 | waveguides 14555 |
| Petruccione F: see Akhalwaya I 8069 | Popovych R: see Boyko V 113 |
| Petz D, Hangos K M and Magyar A: Point | Popovych R: see Boyko V 7557 |
| estimation of states of finite quantum | Popovych R: see Boyko V 9783 |
| systems 7955 | Post S: see Kalnins E G 11525 |
| Pfeifer P: see Mishra S F243 | Postnikov E B, Ryabov A B and Loskutov A: |
| Phillips T N: see Reis T 4033 | Generalization of the DLA process with |
| Piasecki J: see Martin P A 361 | different immiscible components by |
| Pietroni M: see Catena R 6883 | time-scale coarse graining 12033 |
| Piette B and Zakrzewski W J: Dynamical | Prada J: see Estévez P G 7213 |
| properties of a soliton in a potential well 329 | Pradhan P and Dhar D: Sampling rare fluctuations |
| Piette B and Zakrzewski W J: Scattering of | of height in the Oslo ricepile model 2639 |
| sine-Gordon kinks on potential wells 5995 | |
| Piilo J: see Scala M 14527 | Pragar T Larch H P. Schimansky Gaiar Land |
| | Prager T, Lerch H-P, Schimansky-Geier L and |
| Pilipovic S: see Atanackovic T M 5319 Pimpingli A: Polayation to aquilibrium and the | Schöll E: Increase of coherence in excitable |
| Pimpinelli A: Relaxation to equilibrium and the | systems by delayed feedback 11045 |
| spacing distribution of zeros of the Riemann ζ | Prange M D: see de Hoop A T 12463 |
| function 5893 | Praprotnik M, Kremer K and Site L D: Fractional |
| Pinchon D and Hoggan P E: Rotation matrices for | dimensions of phase space variables: a tool |

for varying the degrees of freedom of a Quirós M: Electroweak baryogenesis 6573 system in a multiscale treatment F281 Predazzi E: see Brida G 7985 Rabin Y: see Rappaport S M 4455 Prehl J: see Anh D H N 11453 Rabinovich V S and Roch S: Essential spectra of Prellberg T: see Janse van Rensburg E J 14069 difference operators on \mathbb{Z}^n -periodic Prellberg T: see Owczarek A L 13257 graphs 10109 Pricoupenko L and Castin Y: Three fermions in a Rabinowitch A S: On non-Abelian expanding box at the unitary limit: universality in a waves 14575 lattice model 12863 Rabitz H: see Wu R 5681 Prokopec T: see Janssen T 7067 Radhakrishnan R and Aravinthan K: A dark-bright Pronina E and Kolomeisky A B: Spontaneous optical soliton solution to the coupled symmetry breaking in two-channel nonlinear Schrödinger equation 13023 asymmetric exclusion processes with narrow Radu E and Tchrakian D H: Goldstone models in entrances 2275 D + 1 dimensions, D = 3, 4, 5, supporting Pronko G P: Quantum superintegrable systems for stable and zero topological charge arbitrary spin 13331 solutions 10129 Pronko G P: see Gadella M 10791 Raffelt G G: Axions-motivation, limits and Prosen T: Chaos and complexity of quantum searches 6607 motion 7881 Ragoucy E: see Mintchev M 9515 Prosen T: see Horvat M 6349 Rajabpour M A and Cardy J: Discretely Prosen T: see Horvat M 11593 holomorphic parafermions in lattice Z_N Prosen T: see Žnidarič M 13787 models 14703 Providência C: see Cordeiro F 12153 Rajakumar S: see Capel H W 5373 Puhle C: see Brüning J 15143 Rakityansky S A, Sofianos S A and Elander N: Pujals E R: see Wisniacki D A 14353 Padé approximation of the S-matrix as a way Pupasov A M, Samsonov B F and Günther U: of locating quantum resonances and bound Exact propagators for SUSY partners 10557 states 14857 Ralston J P: PT and CPT quantum mechanics Qandalji K R: Restoration of Lorentz invariance embedded in symplectic quantum of 't Hooft-Polyakov monopole field 13943 mechanics 9883 Oi J: see Ren G 10311 Ramani A, Grammaticos B and Pomeau Y: Qian X: see Ding C 3305 Eigenproblems of large powers of the Qiang W-C, Zhou R-S and Gao Y: Application of Laplacian in bounded domains F391 the exact quantization rule to the relativistic Ramani A: see Grammaticos B F725 Ramazanoğlu F M: see Adler S L 13395 solution of the rotational Morse potential with pseudospin symmetry 1677 Ramírez J and Romero J L: New classes of Qiang W-C: see Dong S-H 10535 solutions for the Schwarzian Korteweg-de Qin M: Nonlocal symmetry generators and Vries equation in (2+1) dimensions 4351Ramirez-Pastor A J: see Cornette V 11765 explicit solutions of some partial differential equations 4541 Rañada M F: see Cariñena J F 13645 Qiu C-W, Yao H-Y, Li L-W, Zouhdi S and Ranade K S and Alber G: Asymptotic Yeo T-S: Eigenfunctional representation of correctability of Bell-diagonal qudit states dyadic Green's functions in multilayered and lower bounds on tolerable error gyrotropic chiral media 5751 probabilities in quantum cryptography 139 Oiu D: see Li L 10871 Rappaport S M and Rabin Y: Differential Qiu L: see Su X Q 11385 geometry of polymer models: worm-like Qiu W: see Ling Y 9025 chains, ribbons and Fourier knots 4455 Qu C: Potential symmetries to systems of Rapti Z, Kevrekidis P G, Konotop V V and Jones C K R T: Solitary waves under the nonlinear diffusion equations 1757 Qu C: see Huang Q 9343 competition of linear and nonlinear periodic Queiroz A R: see Balachandran A P 7789 potentials 14151 Rasetti M: see Garnerone S 3047 Queiroz A R: see Harikumar E 3671 Quesne C: A non-Hermitian oscillator Rasmussen J and Pearce P A: Fusion algebras of Hamiltonian and su(1,1): a way towards logarithmic minimal models 13711 generalizations F745 Rastegin A E: Trace distance from the viewpoint Quesne C: Spectrum generating algebras for of quantum operation techniques 9533 position-dependent mass oscillator Ratushnaya V I, Bedeaux D, Kulinskii V L and Schrödinger equations 13107 Zvelindovsky A V: Stability properties of the

collective stationary motion of self-propelling How to Apply Quantum Theory to Modern particles with conservative kinematic Physics, 2nd edition 8604 Robinson D C: Generalized differential constraints 2573 Ravndal F: see Alnes H F315 forms 8903 Robnik M: see Grossmann S 409 Ravndal F: see Alnes H 14309 Robnik M: see Vidmar G 13883 Rayon T and Vaidman L: The three-box paradox Roch S: see Rabinovich V S 10109 revisited 2873 Raymond J and Saad D: Sparsely spread Rodó C: see Romero-Isart O 8019 CDMA—a statistical mechanics-based Rodrigues A F: see Belvedere L V 5193 analysis 12315 Rodríguez M A: see Enciso A 1857 Ravnal Ph: see Kleinmann M F871 Rodríguez-Laguna J: Density matrix Razumov A V, Stroganov Yu G and Zinn-Justin P: renormalization on random graphs and the Polynomial solutions of qKZ equation and quantum spin-glass transition 12043 ground state of XXZ spin chain at Rogers A: Equivariant BRST quantization and $\Delta = 1/2 \ 11827$ reducible symmetries 4649 Rebollo-Neira L: Constructive Rogers C: see Conte R F1031 updating/downdating of oblique projectors: a Rojo J: see Gonzalez-Garcia M C 7093 generalization of the Gram-Schmidt Rollet G: see Avan J 2709 Román-Roy N: see Barbero-Liñán M 12071 process 6381 Rechnitzer A: see Brak R 4415 Romanazzi N: see Gilmore R 13291 Rechnitzer A: see Janse van Rensburg E J 14069 Romanovski V G, Chen X and Hu Z: Rechnitzer A: see Martin R 7509 Linearizability of linear systems perturbed by Rechnitzer A: see Owczarek A L 13257 fifth degree homogeneous polynomials 5905 Regge T: Some thoughts on the future of unified Romanovski V G: see Chouikha A R 2313 models 3205 Romanowski Z and Krukowski S: Transformation Reichhardt C J O and Bassler K E: Canalization of complex spherical harmonics under and symmetry in Boolean models for genetic rotations 15071 regulatory networks 4339 Romero J L: see Klimov A B 3987 Reimers D T: Representations of p-brane Romero J L: see Klimov A B 9177 topological charge algebras 8569 Romero J L: see Ramírez J 4351 Reis MJCS: see Ferreira PJSG 5141 Romero-Bastida M and López-Rendón R: Reis T and Phillips T N: Lattice Boltzmann model Anisotropic pressure molecular dynamics for for simulating immiscible two-phase atomic fluid systems 8585 Romero-Isart O, Eckert K, Rodó C and flows 4033 Ren G, Qi J and Song T-q: An N-mode squeezed Sanpera A: Transport and entanglement vacuum state in Fock space as an entangled generation in the Bose-Hubbard model 8019 state 10311 Rosas-Ortiz O: see Fernández D J 6491 Renaud J: see Gazeau J P 10225 Rosenbaum M, Vergara J D and Juarez L R: Reuter M and Schwindt J-M: Scale-dependent Canonical quantization, spacetime metric and minimal length in QEG 6595 noncommutativity and deformed symmetries Reyes E G: On nonlocal symmetries of some in field theory 10367 shallow water equations 4467 Ross A and Holstein B R: Spin effects in the Richter K: see Gutiérrez M 1525 effective quantum field theory of general Rideout D: see Barnett M 7255 relativity 6973 Rideout D: see Craig D 501 Rossini D, Calarco T, Giovannetti V, Ridley K D: see Watson S M 4989 Montangero S and Fazio R: Decoherence by Rikhvitsky V: see Saha B 14011 engineered quantum baths 8033 Rivas A M F: Semiclassical scar functions in Rosso R: see Guzzardi L 19 phase space 11057 Rothos V M and Kevrekidis P G: Stability of Rivas M: An interaction Lagrangian for two waves in multi-component DNLS spin-1/2 elementary Dirac particles 2541 system 4553 Roan S-s: Fusion operators in the generalized Rothstein S M: see Yuen W K F639 $au^{(2)}$ -model and root-of-unity symmetry of the Rotter I: The brachistochrone problem in open XXZ spin chain of higher spin 1481 quantum systems 14515 Roan S-s: The *Q*-operator and functional relations Rotter I: see Günther U 8815 Roura A: Quantum horizon fluctuations of an of the eight-vertex model at root-of-unity $\eta = \frac{2mK}{N}$ for odd N 11019 evaporating black hole 7075 Robbin J M: The Quantum Mechanics Solver: Rowe D J and Carvalho M J: Duality relationships

| and supermultiplet symmetry in the $O(8)$ | Sakai K: Dynamical correlation functions of the |
|---|---|
| pair-coupling model 471 | XXZ model at finite temperature 7523 |
| Roy B and Roychoudhury R: Nonlocal | Sakka A H: Schlesinger transformations for the |
| \mathcal{PT} -symmetric potentials 8479 | second members of PII and PIV |
| Roy D: see Dasgupta A 773 | hierarchies 7687 |
| Roy P: see Jana T 5865 | Salasnich L: Kirzhnits gradient expansion for a |
| Roy P: see Roychoudhury R F617 | D-dimensional Fermi gas 9987 |
| Roy P: see Sinha A 10599 | Salcedo L L: The existence of positive |
| Roychoudhury R and Roy P: Construction of the | representations for complex weights 9399 |
| C operator for a PT symmetric model F617 | Saleem U, Hassan M and Siddiq M: Non-local |
| Roychoudhury R: see Roy B 8479 | continuity equations and binary Darboux |
| Rubinstein J: Metastable currents in loops with | transformation of noncommutative (anti) |
| Josephson junctions 2077 | self-dual Yang–Mills equations 5205 |
| Runkel I: see Fuchs J 11403 | Salehi K: see Melkumova E Yu 6979 |
| Rushkin I, Bettelheim E, Gruzberg I A and | Sælen L, Nepstad R, Hansen J P and Madsen L B: |
| Wiegmann P: Critical curves in conformally | The <i>N</i> -dimensional Coulomb problem: Stark |
| invariant statistical systems 2165 | effect in hyperparabolic and hyperspherical |
| Ruskai M B: Connecting <i>N</i> -representability to | coordinates 1097 |
| Weyl's problem: the one-particle density | Saliu S O: see Bizdadea C 14537 |
| matrix for $N = 3$ and $R = 6$ F961 Ruskai M B: see Nathanson M 8171 | Salvetti D G M: see Bassi A 9859 |
| Russo J G: Black hole formation from collisions | Salvetti D G M: see Bassi A 13755 |
| of cosmic strings 6669 | Samokhin A B: see Budko N V 6239 |
| Ruuge A E: Exceptional and non-crystallographic | Samsonov B F, Sparenberg J-M and Baye D: |
| root systems and the Kochen–Specker | Supersymmetric transformations for coupled |
| theorem 2849 | channels with threshold differences 4225 |
| Ryabov A B: see Postnikov E B 12033 | Samsonov B F: see Günther U 8815 |
| Rybin A V, Vadeiko I P and Bishop A R: | Samsonov B F: see Günther U F169 |
| Slow-light solitons F135 | Samsonov B F: see Pupasov A M 10557 Sánchez R: see Calvo I 13511 |
| 230 11 -1-8-11 20 -11-11 | Sánchez-Guillén J: see Adam C 1907 |
| G 1D 41 : DG 10050 | Sánchez-Guillén J: see Adam C 9079 |
| Saad D: see Alamino R C 12259 | Sánchez-Guillén J: see Adam C 13625 |
| Saad D: see Efraim H 9977 | Sánchez-Moreno P: see Dehesa J S 1845 |
| Saad D: see Raymond J 12315 | Sánchez-Ruiz J: see de Vicente J I 8345 |
| Saad H L: see Chen W Y C 6071 Saad N, Hall R L and Ciftei H: Solutions for | Sánchez-Soto L L: see Klimov A B 3987 |
| certain classes of the Riccati differential | Sánchez-Soto L L: see Klimov A B 9177 |
| equation 10903 | Saniga M: see Havlicek H F943 |
| Saad N: see Katatbeh Q D 13431 | Sanpera A: see Romero-Isart O 8019 |
| Sacchetti A: see Kovařík H 8371 | Santana A E: see Cardeal J A 13467 |
| Sadiq M and Inomata A: Coherent states for | Santander M: see Cariñena J F 13645 |
| polynomial $su(2)$ algebra 11105 | Santangelo E M: see Beneventano C G F435 |
| Saha A and Bhattacharjee J K: Asymmetry of the | Santiago J A: see O'Connor D 901 |
| work probability distribution 13269 | Santini P M: see Zenchuk A I 6147 |
| Saha B and Rikhvitsky V: Anisotropic | Santos A: see Garzó V 14927 |
| cosmological models with spinor field and | Santos P S: see Cariñena J F 10031 |
| viscous fluid in the presence of a Λ term: | Săraru S C: see Bizdadea C 14537 |
| qualitative solutions 14011 | Sarkisyan H: see Mardoyan L 5973 |
| Sahadevan R: see Capel H W 5373 | Sasaki M: see Chefles A 10183 |
| Saharian A A, Kotanjyan A S and Grigoryan M L: | Sasaki R: see Odake S 11973 |
| Electromagnetic field generated by a charge | Sato J and Shiroishi M: Density matrix elements |
| moving along a helical orbit inside a dielectric | and entanglement entropy for the spin-1/2 |
| cylinder 1405 | XXZ chain at $\Delta = 1/2$ 8739 |
| Saharian A A: see Kotanjyan A S 10641 | Sato J: see Bortz M 4253 |
| Saidi E H: see Kessabi M 2803 | Sausset F and Tarjus G: Periodic boundary |
| Saito K: see Nagao T 47 | conditions on the pseudosphere 12873 |
| Saito K: see Nagao T 12055 | Saxena A: see Dmitriev S V 6267 |
| Saito M: see Arsuaga J 1925 | Saxena A: see Khare A 11301 |
| Saito M: see Arsuaga J 11697 | Sazonov S V and Ustinov N V: New kinds of |

| acoustic solitons F551 | entanglement engineering of multimode |
|--|---|
| Scala M, Militello B, Messina A, Maniscalco S, | Gaussian states under local operations 8041 |
| Piilo J and Suominen K-A: Cavity losses for | Serafini A, Dahlsten O C O, Gross D and |
| the dissipative Jaynes–Cummings | Plenio M B: Canonical and micro-canonical |
| Hamiltonian beyond rotating wave | typical entanglement of continuous variable |
| approximation 14527 | systems 9551 |
| Scarabello L: see Catena R 6883 | Sergeev S: Evolution operators for quantum |
| Scarfone A M: see Lavagno A 8635 | chains F209 |
| Scavone G P: see da Silva A R 397 | Sergi A: Deterministic constant-temperature |
| Scavone G P: see da Silva A R 9721 | dynamics for dissipative quantum |
| Schaft A van der: see Jeltsema D 11627 | systems F347 |
| Schieber G: see Isasi E 6513 | Serov V V: see Chuluunbaatar O 11485 |
| Schief W K: Discrete Chebyshev nets and a | Seto O and Yokoyama J'ichi: D-term inflation |
| universal permutability theorem 4775 | with suppressed cosmic strings and lowered |
| Schief W K: see Conte R F1031 | $n_s 7121$ |
| Schimansky-Geier L: see Prager T 11045 | Severini S: see Braunstein S L 1809 |
| Schimd C and Tereno I: Scalar-field quintessence | Severini S: see Mansour T 8393 |
| by cosmic shear: CFHT data analysis and | Shadura V: see Gehlen G von 14117 |
| forecasts for DUNE 7105 | Shajesh K V: see Milton K A 10935 |
| Schmid H: see Batic D 13443 | Shalchi A, Kourakis I and Dosch A: Generalized |
| Schmidt M: see Dwandaru W S B 13209 | compound transport of charged particles in |
| Schmit C: see Bogomolny E 381 | turbulent magnetized plasmas 11191 |
| Schmit C: see Bogomolny E 14033 | Shao S: see He S F857 |
| Schmittmann B: see Angel A G 12811 | Shapiro I L and Solà J: Cosmological constant |
| Schöll E: see Prager T 11045 | problems and the renormalization group 6583 |
| Scholtz F G, Chakraborty B, Govaerts J and | Shapovalov A V: see Litvinets F N 11129 |
| Vaidya S: Spectrum of the non-commutative | Shea P and van Zyl B P: Simple analytical results |
| spherical well 14581 | for harmonically trapped quantum |
| Scholtz F G: see Govaerts J 12415 | gases 10589 |
| Scholtz F G: see Kriel J N 9483 | Sheftel M B: see Malykh A A 9371 |
| Schork M: Generalized Heisenberg algebras and | Shen S: Lie symmetry reductions and exact |
| k-generalized Fibonacci numbers 4207 | solutions of some differential-difference |
| Schork M: see Mansour T 8393 | equations 1775 |
| Schult M, Mikuszeit N, Vedmedenko E Y and | Shen Z: see Zhang Z 11863 |
| Wiesendanger R: Multipole moments of | Shental O: see de Miguel R 5241 |
| general ellipsoids with two polarized | Shental O: see Efraim H 9977 |
| domains 14791 | Shibata F: see Hayashi T F457 |
| Schulz M, Trimper S and Zabrocki K: | Shifman M: see Auzzi R 6221 |
| Spatiotemporal memory in a | Shifman M: see Ölmez S 11151 |
| diffusion–reaction system 3369 | Shifrin L: see Akemann G F785 |
| Schütz G M: see Belitsky V 11221 | Shigechi K and Uchiyama M: The A_k |
| Schwartz-Perlov D: Probabilities in the | generalization of the $O(1)$ loop model on a |
| Arkani-Hamed–Dimopolous–Kachru | cylinder: affine Hecke algebra, q -KZ equation |
| landscape 7363 | and the sum rule 8923 |
| Schwefel H G L: see Türeci H E 13869 | Shiino M: see Ichiki A 9201 |
| Schweigert C: see Fuchs J 11403 | Shimokawa T: see Koyama S F383 |
| Schwindt J-M: see Reuter M 6595 | Shin H J: see Han K H 979 |
| Sciarrino F: see De Martini F 2977 | Shinomoto S: see Koyama S F383 |
| Scimiterna C: see Heredero R H F831 | Shiroishi M: see Bortz M 4253 |
| Sebbata H: see Kessabi M 2803 | Shiroishi M: see Sato J 8739 |
| Seeger S: see Fischer A 11441 | Shtyk V O: On the solutions of the nonlinear |
| Segar J: see Aizawa N 14985 | Liouville hierarchy 9733 |
| Segur H: see Deconinck B 5459 | Shudo A: see Ishikawa A F397 |
| Seleznev V D: see Martyushev L M 371 | Shukla P: see Farrow C L F581 |
| Seligman T H: see Kaplan L F1063 | Shukla P K: see Momeni M F473 |
| Sen P: see Das P K 6013 | Shukla P K: see Tang X-y 3729 |
| Senthilvelan M: see Chandrasekar V K 4717 | Shukla P K: see Tang X-Y 5921 |
| Serafini A and Adesso G: Standard forms and | Siddiq M: see Saleem U 5205 |

| Sidorenko M S: see Perel M V 3441 | Smith R: see Bray A J 10965 |
|---|---|
| Sieber M: see Kuipers J 935 | Smrz P K: A five-dimensional extension of |
| Siewert C E: A note on radiative transfer in a | general relativity and quantum theory F805 |
| finite layer 1785 | Smyrnov O A: see Adamyan V M 10519 |
| Silk J: The cosmic microwave background: past, | Soares A J: see Kremer G M 2553 |
| present and future 6801 | Sobolev A: see Harrison J M 7597 |
| Silva L O and Toloza J H: Applications of Krein's | Sobreiro R F: see Lemes V E R 4025 |
| theory of regular symmetric operators to | Sofianos S A: see Rakityansky S A 14857 |
| sampling theory 9413 | Sohl C, Gustafsson M and Kristensson G: |
| Silva P R: see da Silva J K L F953 | Physical limitations on broadband scattering |
| Simeone C: see Nacir D L 6895 | by heterogeneous obstacles 11165 |
| Simmons J J H, Kleban P and Ziff R M: | Sokal A D: see Caracciolo S 13799 |
| Percolation crossing formulae and conformal | Solà J: see Grande J 6787 |
| field theory F771 | Solà J: see Grande J 6935 |
| Singh J, Bisht P S and Negi O P S: Quaternion | Solà J: see Shapiro I L 6583 |
| analysis for generalized electromagnetic | Soldati R: see Beneventano C G F435 |
| fields of dyons in an isotropic medium 9137 | Soliani G: see Landolfi G 3413 |
| Singh J: see Bisht P S 11395 | Soliani G: see Paris M G A F531 |
| Singh R M: see Chand F 10171 | Sollich P: see Mayer P 5823 |
| Sinha A and Roy P: Generalized Swanson models | Soloviev M A: Noncommutativity and |
| and their solutions 10599 | θ -locality 14593 |
| Sinitsyn V E, Bostrem I G and Ovchinnikov A S: | Soltanolkotabi M: see Mohammadi M 1377 |
| Symmetry adapted finite-cluster solver for | Sommacal M: see Calogero F F363 |
| quantum Heisenberg model in two | Sommacal M: see Calogero F F705 |
| dimensions: a real-space renormalization | Sommen F: see De Bie H 7193 |
| approach 645 | Sommen F: see De Bie H 10441 |
| Site L D: Levy–Lieb constrained-search | Sommers H-J: Symplectic structure of the real |
| formulation as a minimization of the | Ginibre ensemble F671 |
| correlation functional 2787 | Søndergaard N: Moving frames applied to shell |
| Site L D: see Praprotnik M F281 | elasticity 5067 |
| Sjöstrand J: see Caliceti E 10155 | Søndergaard N: see Tanner G R443 |
| Skagerstam B-S K: see Klauder J R 2093 | Song S: see Popescu E M 14555 |
| Skenderis K and Townsend P K: | Song T-q: see Ren G 10311 |
| Pseudo-supersymmetry and the | Song W, Huang Y, Liu N-L and Chen Z-B: |
| domain-wall/cosmology | General entanglement-assisted transformation |
| correspondence 6733 | for bipartite pure quantum states 785 |
| Skrypnyk T: New non-skew symmetric classical | Sonoda H: On the relation between RG and |
| r-matrices and 'twisted' quasigraded Lie | ERG 5733 |
| algebras 1611 | Sonoda H: On the construction of QED using |
| Skrypnyk T: Generalized Gaudin systems in a | ERG 9675 |
| magnetic field and non-skew-symmetric | Sorba P: see Bellazzini B 2485 |
| r-matrices 13337 | Sorella S P: see Lemes V E R 4025 |
| Slade G: see Clisby N 10973 | Sorkin R D: Quantum dynamics without the |
| Slater P B: Dyson indices and Hilbert–Schmidt | wavefunction 3207 |
| separability functions and probabilities 14279 | Sorkin R D: see Craig D 501 |
| Smilansky U: Quantum chaos on discrete | Sorrell M: Complex WKB analysis of a |
| graphs F621 | -symmetric eigenvalue problem 10319 |
| Smilansky U: see Aronovitch A 9743 | Soteros C E: see Alvarez J F289 |
| Smilansky U: see Breuer J F161 | Soteros C E: see James E W 8621 |
| Smilansky U: see Elon Y 2689 | Soteros C E: see James E W 14945 |
| Smilansky U: see Gavish U 10009 | Sparenberg J-M: see Samsonov B F 4225 |
| Smilansky U: see Harrison J M 14181 | Sportiello A: see Caracciolo S 13799 Sportiello A: see Caracciolo S 13799 |
| Smirnov G V: Grinding with classification via | Sprung L D W, Morozov G V and Martorell J: |
| geometric partition models 8751 Smith D.A. and Wilson R.E. Dynamical pair | Geometrical approach to scattering in one dimension 6011 |
| Smith D A and Wilson R E: Dynamical pair approximation for cellular automata with | Squellari R and Stephan C A: |
| shuffle update 2651 | Almost-commutative geometries beyond the |
| Smith R: see Bray A J F235 | standard model: III. Vector doublets 10685 |
| ommu K. see Diay A J 1233 | standard model, III. Vector doublets 10083 |

| Tudioi index with titles | 13103 |
|---|---|
| Steane A M: Context, spacetime loops and the | function and the generalized Green's function |
| interpretation of quantum mechanics 3223 | for the Helmholtz operator on the |
| Steeb W-H: Entanglement, Bose operators, | N-dimensional unit sphere 995 |
| coherent states and classical dynamical | Szmytkowski R: On the derivative of the |
| systems 9577 | Legendre function of the first kind with |
| Štefančić H: see Grande J 6787 | respect to its degree 7819 |
| Štefančić H: see Grande J 6935 | Szmytkowski R: Addendum to 'On the derivative |
| Stefani F: see Günther U F169 | of the Legendre function of the first kind with |
| | respect to its degree' 14887 |
| Stephan C A: Almost-commutative geometries | respect to its degree 11007 |
| beyond the standard model II: new colours 9941 | |
| Stephan C A: see Squellari R 10685 | Tabia G: see Parwani R 5621 |
| Stephan-Otto C: Testing dark energy evolution | Takahara J: see Kurihara K 12479 |
| with optimized SNe constraints 6941 | Takeda K, Hatabu A and Kabashima Y: Statistical |
| Stephens C R: see O'Connor D 901 | mechanical analysis of the linear vector |
| | channel in digital communication 14085 |
| Stewart I W: The alignment of smectic A liquid | Takeoka M: see Chefles A 10183 |
| crystals with director tilt on the boundaries 5297 | Talkner P and Hänggi P: The Tasaki–Crooks |
| Stewart I W: see De Vita R 13179 | quantum fluctuation theorem F569 |
| Stewart I W: see Walker A J 11849 | Tam H-W and Zhu Z-n: (2+1)-dimensional |
| Stöckmann H-J: see Vidmar G 13883 | integrable lattice hierarchies related to |
| Stoilova N I: see Lievens S 3869 | discrete fourth-order nonisospectral |
| | problems 13031 |
| Stone M: see Chung S B 4923 Strocchi F: see Morchio G 3173 | Tam H-W: see Wang H-Y 13385 |
| Stroganov Yu G: see Razumov A V 11827 | Tamizhmani K M: see Grammaticos B F725 |
| Struyve W: see Colin S 7309 | Tamizhmani T: see Grammaticos B F725 |
| Su G: see Cai S 11245 | Tan Y J: see Wu J 2665 |
| Su T: see Geng X 433 | Tanabe M and Maeda K-i: Stationary spacetime |
| Su X Q, Wang A M, Ma X S and Qiu L: | from intersecting M-branes 7025 |
| | Tanaka A: A d-wave pairing state in terms of the |
| Entanglement sudden death in a spin channel 11385 | Zhang–Rice singlets 10415 |
| | Tanaka A: see Ishikawa A F397 |
| Succi S: Lattice Boltzmann method for quantum field theory F559 | Tanaka K and Titterington D M: Statistical |
| Suciu N: see Eberhard J P 597 | trajectory of an approximate EM algorithm |
| Sufiani R: see Jafarizadeh M A 4949 | for probabilistic image processing 11285 |
| Sugita A: see Gutiérrez M 1525 | Tanaka K: see Yasuda M 9993 |
| | Tanaka T: see Nagao T 4973 |
| Sulc P and Tolar J: Group theoretical construction | Tang X-y and Shukla P K: Modulational |
| of mutually unbiased bases in Hilbert spaces | instability and exact solutions of the nonlinear |
| of prime dimensions 15099 | Schrödinger equation coupled with the |
| Summers S J: see Buchholz D 2147 | nonlinear Klein–Gordon equation 3729 |
| Sun G-H: see Dong S-H 10535 | Tang X-Y and Shukla P K: Symmetry analysis |
| Sun L H: see Chen W Y C 6071 | and similarity electrostatic waves in a |
| Sun Y: see Tang Y 2425 | nonuniform dusty magnetoplasma 5921 |
| Sun Y D: see Li S 8655 | Tang Y, Cao J, Liu X and Sun Y: Symplectic |
| Sun Y-x: see Wang L 13279 | methods for the Ablowitz–Ladik discrete |
| Suominen K-A: see Scala M 14527 | nonlinear Schrödinger equation 2425 |
| Suttorp L G: Field quantization in inhomogeneous | Tanguy C: What is the probability of connecting |
| anisotropic dielectrics with spatio-temporal | two points? 14099 |
| dispersion 3697 | Tanner G and Søndergaard N: Wave chaos in |
| Suzuki J: see Boos H E 10699 | acoustics and elasticity R443 |
| Suzuki K: see Kurihara K 12479 | Tapia V: Invariants and polynomial identities for |
| Svaiter N F: see Alcalde M A 11961 | higher rank matrices 5525 |
| Svaiter N F: see Menezes G 8545 | Tarafdar S: see Anh D H N 11453 |
| Svedlindh P: see Cregg P J 14029 | Tarjus G: see Sausset F 12873 |
| Svirshchevskii S R: see Ferapontov E V 2037 | Tasso H and Throumoulopoulos G N: On the |
| Swamy P N: see Lavagno A 8635 | Vlasov approach to tokamak equilibria with |
| Syouji A: see Kurihara K 12479 | flow F631 |
| Szmytkowski R: Closed forms of the Green's | Tateo R: see Dorey P R205 |

| Täuber U C: see Lecomte V 1447 | Tollaksen J: Pre- and post-selection, weak values |
|---|--|
| Tautz R C and Lerche I: Isolated unstable Weibel | and contextuality 9033 |
| modes in unmagnetized plasmas with tunable | Toloza J H: see Silva L O 9413 |
| asymmetry F677 | Tombesi P: see Vitali D 8055 |
| Tavakoli Y: see Najarbashi G 6481 | Tomé T and de Carvalho K C: Stable oscillations |
| Tavassoly M K and Parsaiean A: Quantum | of a predator-prey probabilistic cellular |
| statistical properties of some new classes of | automaton: a mean-field approach 12901 |
| intelligent states associated with special | Tomé T: see Arashiro E 887 |
| quantum systems 9905 | Tong C L: see Liu Q H 4161 |
| | |
| Taylor J: see Dürr D 2997 | Tongas A, Tsoubelis D and Xenitidis P: Affine |
| Tchrakian D H: see Radu E 10129 | linear and D ₄ symmetric lattice equations: |
| Teixeira F: see Ferrari A F 7803 | symmetry analysis and reductions 13353 |
| Tekin Ş C, Aydin F T and Arik M: A new | Toninelli F L: see Giacomin G 5261 |
| interpretation of the orthofermion | Torrisi M: see Gandarias M L 8803 |
| algebra 7699 | Touya C and Dean D S: Dynamical transition for a |
| Teo L P: see Lim S C 6035 | particle in a squared Gaussian potential 919 |
| Teo L P: <i>see</i> Lim S C 11645 | Townsend P K: see Skenderis K 6733 |
| Teotonio-Sobrinho P: see Balachandran A P 7789 | Toyama F M and Nogami Y: |
| Teotonio-Sobrinho P: see Harikumar E 3671 | Transmission-reflection problem with a |
| Terçariol C A S, Kiipper F de M and | potential of the form of the derivative of the |
| Martinez A S: An analytical calculation of | delta function F685 |
| neighbourhood order probabilities for high | Tracinà R: see Gandarias M L 8803 |
| dimensional Poissonian processes and mean | Tretyakov M V: see Fedotov S 5769 |
| field models 1981 | Trifonov A Yu: see Litvinets F N 11129 |
| Tereno I: see Schimd C 7105 | Trifonov D A: see Cherbal O 1835 |
| Terentjev E M: see Blundell J R 10951 | Trimper S: see Schulz M 3369 |
| Terentjev E M: see Chan C J R103 | Trizac E: see Barrat A 4057 |
| • | |
| Terentjev E M: see Vandoolaeghe W L 14725 | Tryggeson H: see Lyberg M D F465 |
| Thamwattana N: see Baowan D 7543 | Tsekov R: Comment on 'Semiclassical |
| Thamwattana N: see Cox B J 13197 | Klein–Kramers and Smoluchowski equations |
| Thas K: Isospectral drums in R^2 , involution | for the Brownian motion of a particle in an |
| graphs and Euclidean TI-domains 7233 | external potential' 10945 |
| Thilagam A and Lohe M A: Coherent states and | Tsiganov A V: A family of the Poisson brackets |
| their time dependence in fractional | compatible with the Sklyanin bracket 4803 |
| dimensions 10915 | Tsiganov A V: On two different bi-Hamiltonian |
| Thom J D: see Kriel J N 9483 | structures for the Toda lattice 6395 |
| Thomas B B: see Victor K K 5585 | Tsoubelis D: see Tongas A 13353 |
| Throumoulopoulos G N: see Tasso H F631 | Tsuboi K: see Yabushita K 8403 |
| Thumstädter T: see Tolksdorf J 9691 | Tsuda Y: Bhattacharyya inequality for quantum |
| Tian B: see Li J 7643 | state estimation 793 |
| Tian B: see Li J 13299 | Tsukada K: see Honda K 831 |
| Tillman P: Deformation quantization, quantization | Tsutsui I: see Fülöp T 4585 |
| and the Klein–Gordon equation 7017 | Tu M-H: On dispersionless Lax representations |
| Tiofack G C L, Mohamadou A and Kofane T C: | for two-primary models 9427 |
| Jacobian elliptic function solutions of the | Tucker R W: see Burton D A 811 |
| discrete cubic–quintic nonlinear Schrödinger | Tucker R W: see Dereli T 5695 |
| equation 6133 | Tudor T: On the single-exponential closed form of |
| Titov S V: see Coffey W T F91 | the product of two exponential |
| Titov S V: see Coffey W T 12505 | operators 14803 |
| Titterington D M: see Tanaka K 11285 | Tumulka R: The 'unromantic pictures' of |
| | |
| Tognetti V: see Baroni F 9845 | quantum theory 3245 |
| Toigo A: see Carmeli C 1303 | Tumulka R: see Dürr D 2997 |
| Tokihiro T: see Iwao S 12987 | Tupper G B: see Bilić N 6877 |
| Tolar J: see Luft P 4833 | Turban L: see Platini T 1467 |
| Tolar J: see Šulc P 15099 | Türeci H E and Schwefel H G L: An efficient |
| Tolksdorf J and Thumstädter T: Dirac-type gauge | Fredholm method for the calculation of highly |
| theories and the mass of the Higgs | excited states of billiards 13869 |
| boson 9691 | Turgut S: Catalytic transformations for bipartite |
| | |

| pure states 12185 | Vandoolaeghe W L and Terentjev E M: A |
|---|--|
| Turner L: Orthogonal, solenoidal, | Rouse-tube model of dynamic rubber |
| three-dimensional vector fields for no-slip | viscoelasticity 14725 |
| boundary conditions 741 | Vankerschaver J: A class of nonholonomic |
| Twamley J: see Chefles A 10183 | kinematic constraints in elasticity 3889 |
| Tykhyy Yu: see Gehlen G von 14117 | Varlamov V V: Spherical functions on the de |
| Tylingy Tur see Semen S von TVIII | Sitter group 163 |
| | Vázquez-Lorenzo R: see |
| Uchiyama M: see Shigechi K 8923 | Brozos-Vázquez M 13149 |
| Ueda K: see Kouznetsov D 2107 | Vedmedenko E Y: see Schult M 14791 |
| Uhlmann S, Meinel R and Wipf A: Ward | |
| identities for invariant group integrals 4367 | Vergara J D: see Rosenbaum M 10367 |
| Ünal B: see Dobarro F 13907 | Verhulst T and Naudts J: Entanglement of a |
| Unanyan R G, Kampermann H and Bruß D: A | microcanonical ensemble 2475 |
| decomposition of separable Werner | Verma M K and Donzis D: Energy transfer and |
| • • | bottleneck effect in turbulence 4401 |
| states F483 | Vernov S Yu: Elliptic solutions of the quintic |
| Uski V, Mota-Furtado F and O'Mahony P F: | complex one-dimensional Ginzburg-Landau |
| Distribution of Fano parameters in a | equation 9833 |
| mesoscopic system with broken time-reversal | Verrucchi P: see Baroni F 9845 |
| symmetry 5857 | Vibók Á: see Halász G J F267 |
| Ustinov N V: see Sazonov S V F551 | Vicari E: see Pelissetto A F539 |
| | Victor K K, Thomas B B and Kofane T C: On |
| W 11 'D O d | exact solutions of the Schäfer-Wayne short |
| Vacchini B: On the precise connection between | pulse equation: WKI eigenvalue |
| the GRW master equation and master | problem 5585 |
| equations for the description of | Vidmar G, Stöckmann H-J, Robnik M, Kuhl U, |
| decoherence 2463 | Höhmann R and Grossmann S: Beyond the |
| Vacchini B: see Lanz L 3123 | Berry–Robnik regime: a random matrix study |
| Vadeiko I P: see Rybin A V F135 | of tunneling effects 13883 |
| Vaidman L: Backward evolving quantum | Vieira V R: see Ciccarello F 7993 |
| states 3275 | |
| Vaidman L: see Ravon T 2873 | Vignat C and Plastino A: Central limit theorem |
| Vaidya A N, Farina C, Guimarães M S and | and deformed exponentials F969 |
| Neves M J: Relativistic Green functions in a | Vilenkin A: A measure of the multiverse 6777 |
| plane-wave gravitational background 9149 | Villarroel J: see Estévez P G 7213 |
| Vaidya S: see Scholtz F G 14581 | Vinitsky S I: see Chuluunbaatar O 11485 |
| Vale C: see Dodelson S 6621 | Viola L and Brown W G: Generalized |
| Valentini A: Astrophysical and cosmological tests | entanglement as a framework for complex |
| of quantum theory 3285 | quantum systems: purity versus |
| Vamoş C: see Eberhard J P 597 | delocalization measures 8109 |
| van Dam W, D'Ariano G M, Ekert A, | Viollier R D: see Bilić N 6877 |
| Macchiavello C and Mosca M: Optimal phase | Visinescu M: see Cotăescu I I 11987 |
| estimation in quantum networks 7971 | Vitali D, Mancini S and Tombesi P: Stationary |
| Van der Jeugt J: see Jafarov E I 5427 | entanglement between two movable mirrors in |
| Van der Jeugt J: see Lievens S 3869 | a classically driven Fabry–Perot cavity 8055 |
| van Hemmen J L and Wreszinski W F: Isometric | Vivo P, Majumdar S N and Bohigas O: Large |
| | deviations of the maximum eigenvalue in |
| and unitary phase operators: explaining the | Wishart random matrices 4317 |
| Villain transform 1395 | Vourdas A: Quantum systems with finite Hilbert |
| Van Isacker P and Heinze S: Bose–Einstein | space: Galois fields in quantum |
| condensates of atoms with arbitrary | mechanics R285 |
| spin 14811 | Vourdas A: see Lei C 6193 |
| van Milligen B Ph: see Calvo I 13511 | vouldus 11. see Eel C 0175 |
| van Mourik J: see Kühn R 9227 | |
| Van Proeyen A: Effective supergravity | Wagner J: see Milton K A 10935 |
| descriptions of superstring cosmology 6715 | Walcher S: see Gaeta G 4493 |
| van Roessel H J: see Brunelle É 11749 | Walker A J and Stewart I W: Layer undulations in |
| van Wijland F: see Lecomte V 1447 | a smectic C liquid crystal with weak |
| van Wonderen A J: see Lendi K 279 | anchoring 11849 |
| van Zyl B P: see Shea P 10589 | Walton M A: see Okeke N 8873 |
| · · · · · · · · · · · · · · · · · · · | |

| Wang A M: see Cao Ya 3507 | Hubbard-Stratonovich transformations for |
|---|--|
| Wang A M: see Su X Q 11385 | the Pruisken-Schäfer parameterizations of |
| Wang B, Fussner D W and Bi C: Existence of | real hyperbolic domains 13587 |
| global attractors for the | Weigt M: see Kühn R 9227 |
| Benjamin–Bona–Mahony equation in | Weitzner H: see Goetz M 2203 |
| unbounded domains 10491 | Welsh T A: see King R C 10083 |
| Wang H: see Li S 8655 | Wereszczyński A: see Adam C 1907 |
| Wang H-J and Geng W T: Understanding | Wereszczyński A: see Adam C 9079 |
| entangled spins in QED 11617 | Wereszczyński A: see Adam C 13625 |
| Wang H-Y, Hu J and Tam H-W: Pfaffian solution | Weston R: see Korff C 8845 |
| of a semi-discrete BKP-type equation and its | Wheater J F: see Elliott T M 8265 |
| source generation version 13385 | Whittington S G: see Alvarez J F289 |
| Wang J and Li K: The HMW effect in | Whittington S G: see Brak R 4415 |
| noncommutative quantum mechanics 2197 | Whittington S G: see Martin R 7509 |
| Wang J, Zhang X, You G and Zhou F: Transition | Wichaidit C: see Hitchon W N G 1153 |
| behaviours in two coupled Josephson junction | Wickramasekara S: see Gadella M 4665 |
| equations 3775 | Wiegmann P: see Bettelheim E F193 |
| Wang J: see Liu W 1057 | Wiegmann P: see Rushkin I 2165 |
| Wang J B: see Hines C F609 | Wiesendanger R: see Schult M 14791 |
| Wang J B: see Manouchehri K 13773 | Williams F L: see Beheshti S 4017 |
| Wang L, Dai H-p and Sun Y-x: General random | Williams M M R: The constant source problem |
| pseudofractal networks 13279 | with Fresnel reflection 1513 |
| Wang L: see Kong W 1171 | Williams M M R: The searchlight problem in |
| Wang L-y: see Ying C-y 4477 | radiative transfer with internal reflection 6407 |
| Wang Q: see Kong W 1171 | Wilson J H: see Fulling S A 14165 |
| Wang R: see Jiang R 9213 | Wilson R E: see Smith D A 2651 |
| Wang R: see Yuan Y-M 12351 | Windus A and Jensen H J: Phase transitions in a |
| Wang S: see Li X 12131 | lattice population model 2287 |
| Wang X and Gu S-J: Negativity, entanglement | Winn B: see Harrison J M 7597 |
| witness and quantum phase transition in | Winn B: see Harrison J M 14181 |
| spin-1 Heisenberg chains 10759 | Wipf A: see Abrikosov A A jr 5163 |
| Wang Y: see Cui X 13523 | Wipf A: see Uhlmann S 4367 |
| Wang Z: see Zhang Z 11863 | Wisniacki D A, Pujals E R and Borondo F: Vortex |
| Wang Z J: An analytical solution to the nonlinear | dynamics and their interactions in quantum |
| model for N trapped ions driven by a single | trajectories 14353 |
| laser field 6211 | Witte N S: Isomonodromic deformation theory |
| Wang Z-Y and Xiong C-D: Relativistic | and the next-to-diagonal correlations of the |
| free-motion time-of-arrival 1897 | anisotropic square lattice Ising model F491 |
| Warren O H: see Woodcock T F355 | Witthaut D: see Klumpp A 2299 |
| Watanabe Y: Privacy amplification for quantum | Woodcock T, Warren O H and Elgin J N: Genus |
| key distribution F99 | two finite gap solutions to the vector |
| Watson S M and Ridley K D: Wrapped and | nonlinear Schrödinger equation F355 |
| unwrapped phase of radiation scattered by a | Wreszinski W F: see van Hemmen J L 1395 |
| discrete number of particles 4989 | Wu H, Zeng Y and Fan T: Positon and negaton |
| Wattis J A D: see Butt I A 1239 | solutions of the mKdV equation with |
| Wayan Sudiarta I and Geldart D J W: Solving the | self-consistent sources 10505 |
| Schrödinger equation using the finite | Wu J, Deng H Z, Tan Y J and Zhu D Z: |
| difference time domain method 1885 | Vulnerability of complex networks under |
| Webb G M and Zank G P: Fluid relabelling | intentional attack with incomplete |
| symmetries, Lie point symmetries and the | information 2665 |
| Lagrangian map in magnetohydrodynamics | Wu K: see Duan X-J 3831 |
| and gas dynamics 545 | Wu Q-S: see Jiang R 9213 |
| Weber T: see Benatti F 2959 | Wu Q-S: see Yuan Y-M 12351 |
| Wehefritz-Kaufmann B: New results for the XX | Wu R, Pechen A, Brif C and Rabitz H: |
| model with boundaries 217 | Controllability of open quantum systems with |
| Wehus I K: see Alnes H F315 | Kraus-map dynamics 5681 |
| Wehus I K: see Alnes H 14309 | |
| Wei Y and Fyodorov Y V: A conjecture on | Xenitidis P: see Tongas A 13353 |

| Xia T-C: see Zhang S 227 | Yokoyama J'ichi: see Seto O 7121 |
|--|--|
| Xiang L, Chen Z, Liu Z, Chen F and Yuan Z: | Yokoyama S: see Kurihara K 12479 |
| Stabilizing weighted complex | Yoon B-G: see Kang H 3319 |
| networks 14369 | Yoshida M: see Ota Y 14263 |
| Xiang L: see Chen F 5013 | Yoshikawa N: see Dmitriev S V 1727 |
| Xiong C-D: see Wang Z-Y 1897 | Yoshimoto T: see Hikami S F369 |
| Xu B: see Zeng L 7175 | Yoshino H: see Cugliandolo L F 4285 |
| Xu M: see Li X 12131 | You G: see Wang J 3775 |
| Xu T: see Li J 7643 | Young C A S: q-Deformed supersymmetry and |
| Xu T: see Li J 13299 | dynamic magnon representations 9165 |
| Xu Y: Reconstruction from Radon projections and | Young C A S: see Crampé N 5491 |
| orthogonal expansion on a ball 7239 | Yu L: see Aquilanti V 5637 |
| | Yuan Y-M, Jiang R, Wang R, Hu M-B and |
| Yabushita K, Yamashita M and Tsuboi K: An | Wu Q-S: Totally asymmetric simple exclusion |
| analytic solution of projectile motion with the | process with a shortcut 12351 |
| quadratic resistance law using the homotopy | Yuan Z: see Chen F 5013 |
| analysis method 8403 | Yuan Z: see Xiang L 14369 |
| Yacov N: see Efraim H 9977 | Yuasa K and Nakazato H: Resonant scattering can |
| | enhance the degree of entanglement 297 |
| Yajima T and Nagahama H: KCC-theory and | Yuen W K, Farrar T J and Rothstein S M: |
| geometry of the Rikitake system 2755 Verneshite M: saa Vehushite K: 8403 | No-compromise reptation quantum Monte |
| Yamashita M: see Yabushita K 8403 | Carlo F639 |
| Yan G: see Zhang J 10393 | Yura F: see Nobe A 7159 |
| Yang D, Gu S-J and Li H: Entanglement in the | |
| scattering process by the spin impurity 14871 | 7.1 1'W C.1.1 M 22(0 |
| Yang D: see Chan W-L 12143 | Zabrocki K: see Schulz M 3369 |
| Yang J-F: Callan–Symanzik equations and | Zachos C K: A classical bound on quantum |
| low-energy theorems with trace | entropy F407 |
| anomalies 11183 | Zakrzewski W J: see Al-Alawi J H 11319 |
| Yang W-S, Liu C and Zhang K: A path integral | Zakrzewski W J: see Piette B 329 |
| formula with applications to quantum random | Zakrzewski W J: see Piette B 5995 |
| walks in \mathbb{Z}^d 8487 | Zamaklar M: see Arutyunov G 3583 |
| Yang W-X, Gong Z-X, Li W-B and Yang X-X: | Zamponi F: see Altarelli F 867 |
| Simple scheme for implementing the | Zander C, Plastino A R, Plastino A and Casas M: |
| Deutsch-Jozsa algorithm in a thermal | Entanglement and the speed of evolution of |
| cavity 155 | multi-partite quantum systems 2861 |
| Yang X-X: see Yang W-X 155 | Zander C: see Borras A 13407 |
| Yao H-Y: see Qiu C-W 5751 | Zanella J and Calzetta E: A nonequilibrium |
| Yaremko Yu: Self-force in 2+1 | renormalization group approach to turbulent |
| electrodynamics 13161 | reheating 6927 |
| Yasuda M and Tanaka K: The mathematical | Zanella J and Calzetta E: Inflation and |
| structure of the approximate linear response | nonequilibrium renormalization group 7037 |
| relation 9993 | Zanghì N: see Dürr D 2997 |
| Yasui Y: see Hamamoto N F177 | Zank G P: see Webb G M 545 |
| Ye L-y: see Zhang Y 5539 | Zarcone M: see Ciccarello F 7993 |
| Yeghikyan V: see Mardoyan L 5973 | Zenchuk A I and Santini P M: Dressing method |
| Yeo T-S: see Qiu C-W 5751 | based on the homogeneous Fredholm |
| Yevtushenko O and Ossipov A: A supersymmetry | equation: quasilinear PDEs in |
| approach to almost diagonal random | multidimensions 6147 |
| matrices 4691 | Zeng L, Bao R and Xu B: Effects of Lévy noise in |
| Yi K S: see Hu Z-N 7283 | aperiodic stochastic resonance 7175 |
| Yi X X: see Li S 8655 | Zeng Y: see Liu X 8765 |
| Yim M Y and Liu K L: The response of | Zeng Y: see Wu H 10505 |
| subdiffusive bistable fractional | Zenine N: see Boukraa S 75 |
| Fokker-Planck systems to rectangular | Zenine N: see Boukraa S 2583 |
| signals 4997 | Zenine N: see Boukraa S 8219 |
| Ying C-y, Hua D-y and Wang L-y: Phase | Zenine N: see Boukraa S 11713 |
| transitions for a rock–scissors–paper model | Zhang H: see He S F857 |
| with long-range-directed interactions 4477 | Zhang H: see Ling Y 9025 |
| | |

| Znang H-Q: see Li J /643 | Znou R-S: see Qiang w-C 16// |
|---|--|
| Zhang H-Q: see Li J 13299 | Zhou S: see Zhang Z 11863 |
| Zhang J and Yan G: A lattice Boltzmann model | Zhou X-T: see Liu Z-X 1661 |
| for the nonlinear Schrödinger equation 10393 | Zhu D Z: see Wu J 2665 |
| Zhang K: see Yang W-S 8487 | Zhu F and Chen Z: Novikov algebras with |
| Zhang L F: see Chen Y W 8237 | associative bilinear forms 14243 |
| Zhang S and Xia T-C: A generalized auxiliary | Zhu F: see Chen Z 4729 |
| equation method and its application to | Zhu X and Kuang L-M: The influence of |
| (2+1)-dimensional asymmetric | entanglement and decoherence on the |
| Nizhnik–Novikov–Vesselov equations 227 | quantum Stackelberg duopoly game 7729 |
| Zhang X: see Wang J 3775 | Zhu Z-N: The (2+1)-dimensional nonisospectral |
| Zhang Y, Ye L-y, Lv Y-n and Zhao H-q: Periodic | relativistic Toda hierarchy related to the |
| wave solutions of the Boussinesq | generalized discrete Painlevé hierarchy 7707 |
| equation 5539 | Zhu Z-n: <i>see</i> Tam H-W 13031 |
| Zhang Y, Zhang Z and Guan J: An empirical study | Zhukovsky V Ch: see Frolov I E 10625 |
| of an agglomeration network 12365 | Zia R K P: see Angel A G 12811 |
| Zhang Y-d: see Chen J-L 271 | Ziff R M: see Simmons J J H F771 |
| Zhang Ya-Xing: see Li J 7643 | Ziman M: see Bouda J 5415 |
| Zhang Ya-Xing: see Li J 13299 | Zimerman A H: see Aratyn H 4511 |
| Zhang Z: An upper bound for characteristic | Zinn-Justin P: see Razumov A V 11827 |
| functions of lattice distributions with | Zippelius A: see Kühn R 9227 |
| applications to survival probabilities of | Žnidarič M: Entanglement of random |
| quantum states 131 | vectors F105 |
| Zhang Z, Zhou S, Wang Z and Shen Z: A | Žnidarič M, Prosen T, Benenti G and Casati G: |
| geometric growth model interpolating | Detecting entanglement of random states with |
| between regular and small-world | an entanglement witness 13787 |
| networks 11863 | Znojil M: Maximal couplings in PT -symmetric |
| Zhang Z: see Li N 11361 | chain models with the real spectrum of |
| Zhang Z: see Zhang Y 12365 | energies 4863 |
| Zhao H-q: see Zhang Y 5539 | Znojil M: Tridiagonal $\mathcal{P}T$ -symmetric N -by- N |
| Zhao W-Z: see Duan X-J 3831 | Hamiltonians and a fine-tuning of their |
| Zhao Y: see Llibre J 14207 | observability domains in the strongly |
| Zhao-Ming W, Bin S, Ping C and Jian Z: | non-Hermitian regime 13131 |
| Enhanced entanglement transfer by | Znojil M and Günther U: Dynamics of charged |
| phase-shift control in two parallel Heisenberg | fluids and $1/\ell$ perturbation expansions 7375 |
| spin chains 9067 | Zolotaryuk A V, Christiansen P L and |
| Zhdanov R and Lahno V: Group classification of | Iermakova S V: Resonant tunnelling through |
| the general second-order evolution equation: | short-range singular potentials 5443 |
| semi-simple invariance groups 5083 | Zorica D: see Atanackovic T M 5319 |
| Zheng B: see Asad A 9957 | Zouache A: see Benamira F 4915 |
| Zhilinskií B I: see Hansen M S 13075 | Zouhdi S: see Qiu C-W 5751 |
| Zhou F: see Wang J 3775 | Zsembinszki G: A unified model for inflation and |
| Zhou G-Q and Huang N-N: An <i>N</i> -soliton solution | dark matter 5219 |
| to the DNLS equation based on revised | Zsembinszki G: A unified model for inflation and |
| inverse scattering transform 13607 | dark energy 7081 |
| Zhou H-Yu: see Zhou P 13121 | Zueco D and Calvo I: Bopp operators and |
| Zhou P, Li X-H, Deng F-G and Zhou H-Y: | phase-space spin dynamics: application to |
| Multiparty-controlled teleportation of an | rotational quantum Brownian motion 4635 |
| arbitrary <i>m</i> -qudit state with a pure entangled | Zvelindovsky A V: see Ratushnaya V I 2573 |
| quantum channel 13121 | Zwiebel B I: Yangian symmetry at two loops for |
| quantum channer 13121 | the $su(2 1)$ sector of $\mathcal{N}=4$ SYM 1141 |
| | anc su(2 1) sector of N = 4.5 1 W 1141 |