

SUBJECT INDEX

Activity

- of tungsten carbide gas diffusion hydrogen electrodes, influence of composition on, 237

Ageing

- effect of, on anodic corrosion of Pb-Sb alloys, 145

 β -Alumina

- development of, for use in electrochemical cells: survey, 1

 β -Alumina primary cell

- room temperature, employing sodium/potassium alloy as anodic reactant, 191

 β -Alumina tubes

- determination of life properties of, 23

Ammonia

- liquid, cathodic performance of some sulfide electrodes in, 157

Anodic corrosion

- of Pb-Sb alloys, effect of ageing on, 145

Anodic reactant

- room temperature β -alumina primary cell employing sodium/potassium alloy as, 191

Cadmium species

- soluble, migration of, in nickel cadmium cells, 175

Calcium concentration

- problem of maintaining, in Pb-Ca alloys for grid casting, 367

Calorimetry studies

- differential scanning, of possible explosion-causing mixtures in Li/SO₂ cells, 291

Capacity

- of zinc-mercuric oxide cells, 359

Casing materials

- for sodium/sulfur cells, 227

Cathode material

- lamellar, new class of: M-O-X transition metal oxyhalides, 137

Cathodic performance

- of some sulfide electrodes in liquid ammonia, 157

Coiling

- mathematics of, in cylindrical electrochemical cells: theory of spiral bounded by two circles and application to spiral-wound nickel-cadmium cell, 311

Compressed powders

- conductivity of: review, 117

Conductivity

- of compressed powders: review, 117

Corrosion

- anodic, of Pb-Sb alloys, effect of ageing on, 145

Cylindrical electrochemical cells

- mathematics of coiling in: theory of spiral bounded by two circles and application to spiral-wound nickel-cadmium cell, 311

Differential scanning calorimetry studies

- of possible explosion-causing mixtures in Li/SO₂ cells, 291

Economic prospects

- for application of new electric energy storage devices, 331

Electric energy storage devices

- new, economic prospects for application of, 331

Electrochemical cells

- cylindrical, mathematics of coiling in: theory of spiral bounded by two circles and application to spiral-wound nickel-cadmium cell, 311
- development of beta-alumina for use in: survey, 1
- LiAl/NaAlCl₄/MoCl₅, evaluation and optimization of, 81

Electrode materials

- positive, for batteries operating in halide-aluminate medium, study of, 215

Electrolyte content

- influence of, of oxygen carbon gas-diffusion electrodes on electrochemical performance in acid solutions, 245

- Electrolyte impurity**
 effect of, on electrochemical performance of lead/tetrafluoroboric acid/lead dioxide cell, 267
- Electrolytes**
 for high temperature fuel cell; experimental and theoretical study of perovskite LaAlO_3 , 67
 solid, for high temperature lithium batteries, evaluation of, 59
- Energy storage devices**
 new electric, economic prospects for application of, 331
- Energy storage requirements**
 for spacecraft, 277
- Explosion-causing mixtures**
 in Li/SO_2 cells, differential scanning calorimetry studies of, 291
- Fuel cell**
 high temperature, electrolytes for; experimental and theoretical study of perovskite LaAlO_3 , 67
- Grid alloy**
 for lead-acid battery, refining of, 183
- Grid casting**
 problem of maintaining calcium concentration in lead-calcium alloys for, 367
- Halide-aluminate medium**
 study of positive electrode materials for batteries operating in, 215
- Impurity**
 of electrolyte, effect of, on electrochemical performance of lead/tetrafluoroboric acid/lead dioxide cell, 267
- Lamellar cathode material**
 new class of: M-O-X transition metal oxyhalides, 137
- Lead-acid battery grid alloy**
 refining of, 183
- Lead-antimony alloys**
 effect of ageing on anodic corrosion of, 145
- Lead-calcium alloys**
 for grid casting, problem of maintaining calcium concentration in, 367
- Lead/tetrafluoroboric acid/lead dioxide cell**
 effect of electrolyte impurity on electrochemical performance of, 267
- Lithium batteries**
 high temperature, evaluation of solid electrolytes for, 59
- Lithium cells**
 organic, possibility of using silver salts other than Ag_2CrO_4 in, 347
- Lithium primary power sources**
 silver selenate and silver tellurate as positive materials for, 257
- Lithium/sulfur dioxide cells**
 differential scanning calorimetry studies of possible explosion-causing mixtures in, 291
- Migration**
 of soluble cadmium species in nickel-cadmium cells, 175
- Nickel-cadmium battery electrodes**
 measurement of tortuosity factor of, by improved conductivity method, 167
- Nickel-cadmium cell(s)**
 migration of soluble cadmium species in, 175
 spiral-wound, theory of spiral bounded by two circles and application to, 311
- Oxygen carbon gas-diffusion electrodes**
 influence of electrolyte content of, on electrochemical performance in acid solutions, 245
- Positive electrode materials**
 for batteries operating in halide-aluminate medium, study of, 215
- Powders**
 compressed, conductivity of: review, 117
- Proton conductor**
 new, battery and other applications of: hydrogen uranyl phosphate tetrahydrate, $\text{HUO}_2\text{PO}_4 \cdot 4\text{H}_2\text{O}$, 105
- Scanning calorimetry studies**
 differential, of possible explosion-causing mixtures in Li/SO_2 cells, 291

- Silver salts
 - other than Ag_2CrO_4 , possibility of using, in organic lithium cells, 347
- Silver selenate
 - as positive material for lithium primary power sources, 257
- Silver tellurate
 - as positive material for lithium primary power sources, 257
- Sodium (molten salt)/ β -alumina/ SbCl_3 cells
 - performance of, 201
- Sodium/potassium alloy
 - as anodic reactant, room temperature β -alumina primary cell employing, 191
- Sodium/sulfur cell development
 - recent advances in: review, 299
- Sodium/sulfur cells
 - casing materials for, 227
 - six interconnected, experimental study of, 45
 - some factors affecting sulfur electrode operation in, 29
- Spacecraft
 - energy storage requirements for, 277
- Spiral-wound nickel-cadmium cell
 - theory of spiral bounded by two circles and application to, 311
- Sulfide electrodes
 - in liquid ammonia, cathodic performance of, 157
- Sulfur electrode operation
 - in sodium/sulfur cells, some factors affecting, 29
- Thermal battery
 - $\text{LiAl}/\text{NaAlCl}_4/\text{MoCl}_5$, 95
- Tortuosity factor
 - of Ni-Cd battery electrodes, measurement of, by improved conductivity method, 167
- Transition metal oxyhalides
 - M-O-X: new class of lamellar cathode material, 137
- Tungsten carbide gas diffusion hydrogen electrodes
 - influence of composition on activity of, 237
- Zinc-mercuric oxide cells
 - capacity of, 359